

Synopsis

`mk [options] [file]`

General options:

`-h,--help` print this help and exit
`-H,--Help` print full documentation via less and exit
`-V,--version` print version and exit
`-v,--verbose` be verbose
`--noverbose` be quiet (this is the default)
`-r,--rc` use STRING as an rc file, instead of `~/.mkrc`. See the section *RC file and customization* for more information.
`--norc` don't read the `~/.mkrc` file

mk-specific options:

`-f,--formatter=STRING` Use STRING as the formatter: `tex`, `latex`, `pdflatex`, et cetera
`-e,--edit=STRING` use STRING as the file to be edited; by default, the file containing the compilation error is presented for editing, or, if there are no errors, the main source file.
`-C,--Clean` Remove all files generated by the compilation
`-c,--clean` Same, except for the pdf or postscript files

vpp-related options:

`-b,--batch=STRING` run in batch using STRING as a printing command for vpp. See the section *Running in batch mode* for more information.
`-p,--printer=STRING` print to printer named STRING
`--view` view the document after compilation
`--noview` do not view
`--print` offer printing interaction after viewing
`--noprint` do not offer printing interaction

texlog_extract related options:

`-w,--web` web colouring instead of ANSI
`-n,--nocolor` no colouring instead of ANSI

Defaults:

`--print --view --noverbose main`

Arguments for short options are given without a separator, so you can write either `--rc=myrc` or `-rmyrc`.

Description

mk is a Bash script that, in close collaboration with vpp (short for View and Print PDF/PostScript), is helpful in the cyclic process of editing, compiling, viewing, and printing a tex document. Essentially, **mk** uses `texi2dvi` for compilation, vpp for viewing and printing. Any TeX formatter can be handled, with the exception of those starting with `ht` (such as `httex` and `htlatex`) and `context` (handle those with `texexec`).

Having an existing TeX document, say `main.tex` (see the section *Locating the source* for the creation of new documents and for other extensions than `.tex`), you run **mk** by typing:

```
$ mk main
```

or, since *main* happens to be `mk`'s default filename:

```
$ mk
```

Now, if `main.tex` is a valid TeX source, **mk** compiles it, including any table of contents, indices, bibliography references, included files, and so on, and *vpp* takes over and displays the resulting *PDF* or *PostScript* output. When you leave the viewer you will see a prompt:

```
vpp command (h for help):
```

If you are satisfied with the displayed output, you can now decide to print all or part of your document (see the section *Page selection*), or you can simply quit by typing 'q'. On the other hand, if you decide that you want to change the source and have another try, you can edit the source by typing 'e' to get back to **mk** and (re)edit your source. After saving your work and leaving your editor, another compilation and display cycle will be performed, based on the new source.

Essentially, **mk** uses *texi2dvi* for compilation. *texi2dvi* always runs TeX at least once, even though this may be unnecessary. Therefore, TeX will be run with the `--recorder` option, which reports all the target's dependencies in a `.fls` file. In every cycle, **mk** analyzes the `.fls` and the `tex` and `bibtex .log` files to see if a compilation is needed. When errors have occurred, **mk** uses the log files to find out which file has to be edited, and at which line. This can also be a file read with `\input`, a style file, or any other file on which the target depends. However, files in the `TEXMFMAIN` tree are excluded.

Editor

vpp uses the contents of environment variable `EDITOR` to find your editor. If that variable is empty, *vim* is used. Note that your editor should not fork off your shell, so if you specify *gvim*, for example, specify it with the option `--nofork`.

Page selection

As said in the introduction, after a successful compilation and display of the resulting *PDF* or *PostScript* output, the user is prompted with:

```
vpp command (h for help):
```

on typing 'h' *vpp* displays examples of possible commands:

```
Examples of print commands:
```

```
5          to print page 5
5-         to print pages 5 through the end
5-7       to print pages 5, 6 and 7
-7        to print the first 7 pages
5-7,19-   to print pages 5, 6, 7 and 19 through the end
a         to print the whole document
-        to print the whole document
a x3      to print 3 copies of the document
x3       the same
5 x3     to print 3 copies of page 5
t        print the whole document two sided
t 2-     print two sided starting at page 2
b        to print the whole document as an a5 size booklet
b -12    to print the first 12 pages as an a5 size booklet
```

```
Other commands:
```

```
e        (if called by mk) edit the tex source and rerun mk
c        (if called by mk) rerun mk
v        (re)view the ps/pdf file
oxyz     send pdf output to file xyz.pdf instead of printer
pxyz     print to printer xyz
h        display this help
?        display this help
q        quit
```

With these examples, no further explanation should be necessary, except that, when two sided (**t**) or booklet (**b**) printing is selected for a single-sided printer, printing will be performed in two shifts, one for the front

side and one for the backside. Between the shifts, another prompt appears:

```
printer ready? then turn stack and type return
```

You will have to arrange your printer such that, with the printed sides up, the first page printed will be at the bottom of the stack, and the last page printed will be on top. Normally you will then have your output come out the back of your printer. 'Turn the stack' then means: rotate it over the long side of the paper and feed it back into the printer for the other side to be printed.

For further information on *vpp*, look in its manpage by typing

```
$ vpp --help
```

or read the *vpp* documentation.

Locating the source

mk locates the LaTeX source in several steps: (here the source extension `.tex` is supposed, but `.ltx`, `.drv` and `.dtx` will also be tried)

- If you supply no arguments, the file `main.tex` in the current directory is assumed.
- If you supply an argument (say *myfile*), **mk** adds a `.tex` extension if it isn't there and looks for `myfile.tex` in the current directory.
- If `myfile.tex` is not found in the current directory, **mk** looks in the 'alternate directory' (say `/Docs`) if you have defined one (see the section 'RC files').
- If the source was not found in `/Docs`, **mk** thinks that you may have a subdirectory *myfile* in `/Docs` where the source may live under the name `main.tex`
- If that file is not there, **mk** now concludes that the source does not yet exist and reports this, telling at the same time which files have been tried.
- Finally, if all the above did not lead to a source file, **mk** dies.

The TeX formatter to be used

mk determines the TeX formatter needed to compile the source as follows:

- if the `--formatter` option was used, its argument will be used;
- if the first line of the source starts with `%!` , the rest of that line specifies the formatter; for example:

```
%!xelatex
```

- if the `--formatter` option was not used and the first line does not start with `%!` , **mk** looks for a `\usepackage{fontspec}` or `\RequirePackage{fontspec}` and, if found, uses *lualatex*. Those calls may have options, but they must be on the same line.
- if still no decision could be made, **mk** looks for `\documentclass` and chooses *pdflatex*;
- finally, if no match was found, *pdftex* is assumed.

Running in batch mode

If you don't need to edit the source and to view the output, but just want to compile and maybe print the result, the `--batch` option is useful.

The `--batch=command` option prevents **mk** display the output and to interrogate the user about pages to be printed. Instead the document is printed according to the mandatory *command*, which must be quoted if it contains spaces. Thus the command

```
mk --batch='2-3 x3' test
```

prints 3 copies of pages 2 and 3 of `test.tex`, without viewing. If you just want to compile without printing anything, use the `q` command:

```
mk --batch=q test
```

or

```
mk -bq test
```

RC file and customization

Unless the option `--norc` has been used, the file `~/.mkrc` will be sourced, if it exists, before reading the command line options.

You can use this rc file to set the default values for the options, by setting the global shell variable named after the long version of the options. For example:

```
verbose=true # run in verbose mode
```

So if you usually like **mk** to work in verbose mode, you can indicate so in your rc file and change your mind in some cases by using the `--noverbose` option.

Other variables, not having a corresponding command line option, that can be set in the rc files, and their default values, are:

`EDITOR=` sets your editor; You can also set your `EDITOR` in your system startup files. Note that your editor should not fork; so if you set it to `gvim`, do:

```
EDITOR='gvim --nofork'
```

`extraoptions=`

adds one or more extra options to the *tex* (*latex*, *xelatex* et cetera) command. Example:

```
extraoptions='-shell-escape_quiet'
```

`othercleans=`

can be set to a file regular expression; in the cleaning operation, caused by the `--clean` option, this variable will be eval'ed, and the resulting files will be removed. This is useful, for example, when the `gnuplottex` package is used; this package generates intermediate files named `$base-gnuplottex-fig*`, where the variable `$base` contains the basename (without extension) of your tex source file. So after adding:

```
othercleans='$base-gnuplottex-fig*'
```

to your `./mkrc` file, the cleaning operation will get rid of these files, too.

`texi2dviquiet=false`

Normally, in verbose mode, you also see the complete tex log output, because `texi2dvi` will be verbose, too. This obscures most other output. You can keep `texi2dvi` quiet in verbose mode by setting this variable to true:

```
texi2dviquiet=true
```

`skip_pattern=`

can be set to a file wild card pattern. Files matching this pattern on which the *(la)tex* source file may depend will not be checked for changes. For example, if you use a write-protected TeX-tree in the directory `mytextree` it makes sense to set `skip_pattern=mytextree` unless you set `skip_pattern` explicitly, it will be set to match the `TEXMFMAIN` tree.

`altdir=`

If `altdir` is non-empty and a file to be compiled does not exist in the current directory, it will be given another try after prefixing it with the contents of `altdir`. So if you like to have your LaTeX file in `/Docs/myfile.tex` you can set `altdir` to `/Docs` and run **mk** from any directory with:

```
$ mk myfile
```

However, a directory like `/Docs` does not make much sense if many of your LaTeX documents do not consist of a single file, but are constituted of an ensemble of a main LaTeX source and one or more files read with `\include` or with `\input` such as graphics.

You will then probably prefer to have a subdirectory in `|/Docs|` for every LaTeX document. Therefore, if `mk` does not find `|myfile.tex|` in the alternate directory, it will assume that `/myfile/` is a subdirectory with a main LaTeX source in it, called `|main.tex|`.

`default=main`

This is the default for the base name of your LaTeX document.

`warnings_to_skip=()`

Warnings appearing in the log file will be reported after a successful run. Warnings matching any of the regular expressions in this array will be skipped, however. For example, one could enter here:

```
warnings_to_skip=(
  'Package hyperref Warning: Token not allowed in a PDFDocEncoded string'
  'Package array Warning: Column [XY] is already defined on '
)
```

The first message appears when the *hyperref* package is used and section titles contain LaTeX-commands, the second message appears when the *ctable* package is used, because it intentionally changes the X and Y column specifiers.

TeXWorks and mk

mk can be used for one-click typesetting:

- edit -> preferences -> Typesetting
- add a new tool **mk** and give it three parameters:

```
--noview
--noprint
$basename
```
- Deselect "Auto-hide output panel unless errors occur"
- If you need an other formatter than the default, `pdflatex`, use the `%!` line in your source, or define separate tools in TeXWorks with an extra `--formatter=...` parameter.

mk runs `pdflatex` with the `--synctex=1` option, so you will be able to jump between source and pdf-output.

Bugs

If, during the compile-edit-cycle, the `%!` line is changed, **mk** should respond to it by changing the formatter.

Currently, **mk** is only available for Linux. It depends on *texi2dvi*. Spaces in the basename of TeX sources are not allowed (neither does the *texi2dvi* script on which **mk** is based.)

Required other programs:

<code>vpp</code>	<code>>= 3.07</code>	CTAN
<code>texi2dvi</code>	<code>>= 6290</code>	Texinfo
<code>tex</code> and <code>friends</code>		CTAN or <i>texlive</i> package
<code>kpsewhich</code>		from <i>texlive</i>
<code>texi2dvi</code>		version 1.152 or greater, from <i>texinfo</i>
<code>readlink</code>		from <i>coreutils</i>
<code>getopt</code>		from <i>util-linux</i>

Changes

Changes with respect to version 3.06:

- Option `-doublesided` removed; `vpp` does not need them anymore

Author

[Wybo Dekker](#)

Copyright

Released under the [GNU General Public License](#)

Functions used:

findsource

parameters: the script's first and only argument, maybe nil
description: find the file to be compiled. If the argument has no extension, look for tex, ltx, drv, dtx, in that order. If the argument is nil, look for main. If the argument is xxx, look for xxx or xxx/main, in that order, in the current or the alternate directory. If the argument is xxx.ext, look for xxx.ext in the current or in the alternate directory.

globals set: base dir ext
globals used: IFS PWD altdir Nor
returns: 0 on success, 1 otherwise

run

parameters: command to be run, with its parameters
description: Run a command; show what's run if \$verbose. If the command exits with 1, that's considered an error, other values have a special meaning and are supposed to be a success

globals set:
globals used: Com Err Lin Nor
returns: the exit value of the command

settexdeps

parameters: -
description: Scans \$base.fls for tex dependencies and places those in the array texdeps. Any dependencies with future timestamps are touched in order to prevent **mk** from looping.

globals set: texdeps
globals used: base PWD skip_pattern
returns: 0

setbibdeps

parameters: -
description: Scan aux file (\$base.aux) for bib-files needed and places those in the array bibdeps. Any dependencies with future timestamps are touched in order to prevent **mk** from looping.

globals set: bibdeps
globals used: base
returns: -

compile

parameters: -
description: runs the command in texcommand
globals set: -
globals used: base bibdeps target texcommand texdeps
returns: 0 on success, else 1

show_error_and_edit

parameters: -
description: Show compilation errors via texlog_extract and (unless edit is empty) edit the source file where the error is in, opening the editor at the line where the error is..

```
globals set:    IFS
globals used:   Lin base bibdeps edit target warnings_to_skip
returns:       0
```

edit

```
parameters:    1 file to be edited; if empty: contents of edit variable is used 2 line number where edit
               should start; if empty, use 1 3 true if an error was detected in the file and user must
               decide if file shall be edited
description:   Start the user's editor to edit the file in argument 1; if the call was induced by the de-
               tection of an error in that file, the user will be asked if he want to edit the file, or to
               quit.
globals set:   -
globals used:  edit
returns:       1 if the file was edited, else 0
```

handle_options

```
parameters:    uses script's arguments
description:   Handles the options
globals set:   Clean batch clean dvips edit input norc print
               printer rc tleoptions verbose view
globals used:  HOME verbose
returns:       0
```

read_rc

```
parameters:    -
description:   If the --norc option was used, does nothing. Otherwise, sources the file in variable rc; if
               that is empty, use the ~/.mkrc if it exists.
globals set:   -
globals used:  HOME Myname rc
returns:       0
```

check_needs

```
parameters:    -
description:   Checks if all executables needed are available.
globals set:   EDITOR
globals used:  EDITOR print view
returns:       1 if there are missing executables, else 0
```

setformatter

```
parameters:    -
description:   set $formatter to the tex formatter to be used
globals set:   formatter targettext vpptargettext
globals used:  base ext
returns:       -
```

set_vpp_options

parameters: -
description: set options for vpp call
globals set: vppoptions
globals used: pwd verbose printer
returns: -