

Hypertext marks in L^AT_EX

Sebastian Rahtz

Email: sebastian.rahtz at oucs.ox.ac.uk

Heiko Oberdiek

Email: heiko.oberdiek at googlemail.com

2010/09/11 v6.81m

1 Documentation overview for hyperref

The documentation for package hyperref consists of several files:

Manual The **USER MANUAL** (also available as HTML).

README The **README** file (also available as text file). Here information is collected that is not yet in the manual: new features, package compatibility, limitations, known problems, ...

ChangeLog This file records the version history (also available as text file).

Options This file provides a short option summary.

Bookmark talk, slides Slides for the talk “PDF information and navigation elements with hyperref, pdfTeX and thumpdf” at EuroTeX 1999.

Bookmark talk, paper The paper version of the talk.

Source code documentation:

 **hyperref.dtx** This is the source code documentation for hyperref (this file).

backref.dtx “Back referencing from bibliographical citations”

nameref.dtx “Section name references in L^AT_EX”

2 Contents

1 Documentation overview for hyperref	1
2 Contents	2
3 File hycheck.tex	7
4 Package options and setup	10
4.1 Save catcodes	10
4.2 Checks with regular expressions	12
4.3 Compatibility with format dumps	13
4.4 Switches	14
5 Common help macros	15
5.1 Macros for recursions	15
5.2 Babel's protection of shorthand characters	16
5.3 Coordinate transformations	16
6 Dealing with PDF strings	17
6.1 Description of PDF strings	17
6.2 Definition of \pdfstringdef	17
6.2.1 Preprocessing	18
6.2.2 Expansion	23
6.2.3 Postprocessing	24
6.3 Encodings	29
6.3.1 Xe ^T E _X	29
6.3.2 Workaround for package lingex	30
6.3.3 PD1 encoding	30
6.3.4 PU encoding	31
6.4 Additional user commands	31
6.4.1 \texorpdfstring	31
6.4.2 Hooks for \pdfstringdef	31
6.5 Help macros for expansion	32
6.5.1 \ignorespaces	32
6.5.2 Babel languages	32
6.5.3 CJK patch	38
6.5.4 CJK bookmarks	38
6.5.5 CJK unicode	40
6.5.6 \Cinmathwarn-Patch	44
6.5.7 Unexpandable spaces	45
6.5.8 Marker for commands	46
6.5.9 \hspace fix	46
6.5.10 Fix for AMS classes	46
6.5.11 Reference commands	46
6.5.12 Redefining the defining commands	49
6.5.13 \ifnextchar	50
6.5.14 \Cprotected@testopt\ifnextchar	50
6.6 Help macros for postprocessing	50
6.6.1 Generic warning	50
6.6.2 Protecting spaces	51
6.6.3 Remove grouping braces	52
6.6.4 Catcode check	53
6.6.5 Check for wrong glyphs	56

6.6.6	Replacing tokens	57
6.6.7	Support for package <code>xspace</code>	58
6.6.8	Converting to Unicode	58
6.6.9	Support for UTF-8 input encoding	61
7	Support of other packages	64
7.1	Class <code>memoir</code>	64
7.2	Package <code>subfigure</code>	64
7.3	Package <code>xr</code> and <code>xr-hyper</code>	65
8	Help macros for links	65
9	Options	67
9.1	Help macros	67
9.2	Defining the options	69
10	Options for different drivers	74
11	Options to add extra features	76
12	Language options	77
13	Options to change appearance of links	83
14	Bookmarking	84
15	PDF-specific options	86
15.1	<code>PDF/A</code>	96
15.2	Patch for <code>babel</code> 's <code>\texttilde</code>	97
15.2.1	Driver loading	98
15.2.2	Bookmarks	101
16	User hypertext macros	104
17	Underlying basic hypertext macros	110
18	Compatibility with the <i>L^TE_X2html</i> package	114
19	Forms creation	114
19.1	Field flags	114
19.1.1	Declarations of field flags	116
19.1.2	Set submit flags	118
19.1.3	Set annot flags in fields	119
19.1.4	PushButton field	119
19.1.5	Check box field	120
19.1.6	Radio button field	120
19.1.7	Text fields	120
19.1.8	Choice fields	121
19.2	Choice field	121
19.3	Forms	123
20	Setup	130
21	Low-level utility macros	130

22 Localized nullifying of package	131
23 Package nohyperref	132
24 The Mangling Of Aux and Toc Files	133
25 Title strings	134
26 Page numbers	136
27 Every page	136
27.1 PDF /PageLabels	136
27.1.1 pdfTeX and VTeX	140
27.1.2 xetex	141
27.1.3 pdfmarkbase, dvipdfm, xetex	141
28 Automated L^AT_EX hypertext cross-references	143
29 Package lastpage support	147
30 Package ifthen support	149
31 Package titlesec and titletoc support	149
32 Package varioref support	150
33 Package longtable support	150
34 Equations	151
35 Footnotes	154
36 Float captions	159
37 Bibliographic references	161
37.1 Package harvard	164
37.2 Package chicago	166
38 Page numbers	167
39 Table of contents	167
40 New counters	169
41 AMSL^AT_EX compatibility	169
41.1 \@addtoreset and \numberwithin patches	170
42 Included figures	171
43 hyperindex entries	172
44 Compatibility with foiltex	175
45 Compatibility with seminar slide package	175

46 Configuration files	183
46.1 PS/PDF strings	183
46.2 pdftex	184
46.2.1 Fix for problem with different nesting levels	197
46.3 hypertex	198
46.4 dviwindo	200
46.5 dvipdfm/xetex dvi to PDF converter	205
46.6 VTeX typesetting system	213
46.7 Fix for Adobe bug number 466320	225
46.8 Direct pdfmark support	226
46.9 Rokicki's dvips	239
46.10 VTeX's vtexpdfmark driver	241
46.11 Textures	243
46.12 dvipsone	247
46.13 TeX4ht	250
47 Driver-specific form support	253
47.1 pdfmarks	253
47.2 HyperTeX	259
47.3 TeX4ht	260
47.4 pdfTeX	262
47.5 dvipdfm, xetex	269
47.6 Common forms part	276
48 Bookmarks in the PDF file	283
48.1 Bookmarks	283
48.1.1 Rerun warning	286
48.1.2 Driver stuff	287
49 Compatibility with koma-script classes	292
50 Encoding definition files for encodings of PDF strings	293
50.1 PD1 encoding	293
50.2 PU encoding	301
50.2.1 NFSS2 accents	301
50.2.2 Basic Latin: U+0000 to U+007F	303
50.2.3 Latin-1 Supplement: U+0080 to U+00FF	305
50.2.4 Latin Extended-A: U+0080 to U+017F	308
50.2.5 Latin Extended-B: U+0180 to U+024F	313
50.2.6 Spacing Modifier Letters: U+02B0 to U+02FF	315
50.2.7 Combining Diacritical Marks: U+0300 to U+036F	315
50.2.8 Greek and Coptic: U+0370 to U+03FF	315
50.2.9 Cyrillic: U+0400 to U+04FF	318
50.2.10 Thai: U+0E00 to U+0E7F	329
50.2.11 Latin Extended Additional: U+1E00 to U+1EFF	329
50.2.12 General Punctuation: U+2000 to U+206F	331
50.2.13 Superscripts and Subscripts: U+2070 to U+209F	332
50.2.14 Currency Symbols: U+20A0 to U+20CF	333
50.2.15 Letterlike Symbols: U+2100 to U+214F	334
50.2.16 Arrows: U+2190 to U+21FF	334
50.2.17 Mathematical Operators: U+2200 to U+22FF	334
50.2.18 Miscellaneous Technical: U+2300 to U+23FF	334
50.2.19 Control Pictures: U+2400 to U+243F	334

50.2.20 Enclosed Alphanumerics: U+2460 to U+24FF	334
50.2.21 Box Drawing: U+2500 to U+257F	337
50.2.22 Miscellaneous Symbols: U+2600 to U+26FF	337
50.2.23 Miscellaneous Mathematical Symbols-A: U+27C0 to U+27EF . .	337
50.2.24 Alphabetic Presentation Forms: U+FB00 to U+FB4F	337
50.2.25 Miscellaneous	338
50.2.26 Aliases	338
50.3 PU encoding, additions for Vn _n T _E X	338
50.4 PU encoding, additions for Arabi	340
51 End of file hycheck.tex	342
52 Index	343

3 File hycheck.tex

Many commands of L^AT_EX or other packages cannot be overloaded, but have to be redefined by hyperref directly. If these commands change in newer versions, these changes are not noticed by hyperref. With this test file this situation can be checked. It defines the command \checkcommand that is more powerful than L^AT_EX's \CheckCommand, because it takes \DeclareRobustCommand and optional parameters better into account.

```
1 <*check>
2 \documentclass{article}
3 \makeatletter
\checklateX Optional argument: release date of LATEX.
4 \newcommand*{\checklateX}[1][]{%
5   \typeout{}%
6   \typeout{* Format: 'LaTeX2e' #1}%
7   \typeout{\space\space Loaded: '\fmtname' \fmtversion}%
8 }%
\checkpackage The argument of \checkpackage is the package name without extension optionally followed by a release date.
9 \newcommand*{\checkpackage}[1]{%
10  \def\HyC@package{\#1}%
11  \let\HyC@date\empty
12  \ifnextchar[\HyC@getDate\HyC@checkPackage
13 }%
\HyC@getDate The release date is scanned.
14 \def\HyC@getDate[#1]{%
15  \def\HyC@date{\#1}%
16  \HyC@checkPackage
17 }%
\HyC@checkPackage
18 \def\HyC@checkPackage{%
19  \typeout{}%
20  \begingroup
21  \edef\x{\endgroup
22  \noexpand\RequirePackage{\HyC@package}%
23  \ifx\HyC@date\empty\relax\else[\HyC@date]\fi%
24 }%
25 \x
26 \typeout{}%
27 \typeout{%
28  * Package '\HyC@package'%
29  \ifx\HyC@date\empty
30  \else
31  \space\HyC@date
32  \fi
33 }%
34 \ifundefined{ver@\HyC@package.sty}{%
35 }{%
36  \typeout{%
37  \space\space Loaded: '\HyC@package' %
38  \csname ver@\HyC@package.sty\endcsname
39 }%
40 }%
41 }
```

\checkcommand The macro \checkcommand parses the next tokens as a L^AT_EX definition and compares this definition with the current meaning of that command.

```
42 \newcommand*{\checkcommand}[1]{%
43   \begingroup
44   \ifx\long#1\relax
45     \expandafter\HyC@checklong
46   \else
47     \def\HyC@defcmd{#1}%
48     \expandafter\let\expandafter\HyC@next
49     \csname HyC@\expandafter\@gobble\string#1\endcsname
50     \expandafter\HyC@checkcommand
51   \fi
52 }
```

\HyC@checklong The definition command \def or \edef is read.

```
53 \def\HyC@checklong#1{%
54   \def\HyC@defcmd{\long#1}%
55   \expandafter\let\expandafter\HyC@next
56   \csname HyC@\expandafter\@gobble\string#1\endcsname
57   \HyC@checkcommand
58 }
```

\HyC@checkcommand The optional star of L^AT_EX's definitions is parsed.

```
59 \def\HyC@checkcommand{%
60   \ifx\HyC@next\relax
61     \PackageError{hycheck}{%
62       Unknown command `\\expandafter\\strip@prefix\\meaning\\HyC@cmd'%
63     }{\@ehd}
64     \expandafter\endinput
65   \fi
66   \@ifstar{%
67     \def\HyC@star{*}%
68     \HyC@check
69   }{%
70     \let\HyC@star\@empty
71     \HyC@check
72   }%
73 }
```

\HyC@check The macro \HyC@check reads the definition command.

```
74 \def\HyC@check#1{%
75   \def\HyC@cmd{#1}%
76   \let\HyC@org@cmd#1%
77   \let#1\relax
78   \let\HyC@param\@empty
79   \HyC@Toks{}%
80   \let\HyC@org@optcmd\HyC@noValue
81   \let\HyC@org@robustcmd\HyC@noValue
82   \let\HyC@org@robustoptcmd\HyC@noValue
83   \HyC@next
84 }
```

\HyC@noValue

```
85 \def\HyC@noValue{NoValue}
```

\HyC@newcommand The code for \newcommand.

```

86 \def\HyC@newcommand{%
87   \let\HyC@cmd\HyC@cmd
88   \@ifnextchar[\HyC@nc@opt\HyC@nc@noopt
89 }

```

\HyC@Toks A register for storing the default value of an optional argument.

```
90 \newtoks\HyC@Toks
```

\HyC@nc@noopt This macro \HyC@nc@noopt is called, if the parser has reached the definition text.

```

91 \long\def\HyC@nc@noopt#1{%
92   \edef\x{%
93     \expandafter\noexpand\HyC@defcmd
94     \HyC@star
95     \expandafter\noexpand\HyC@cmd
96     \HyC@param{\the\HyC@Toks}
97   }%
98   \x{#1}%
99   \HyC@doCheck
100 }

```

\HyC@nc@opt This macro scans the first optional argument of a L^AT_EX definition (number of arguments).

```

101 \def\HyC@nc@opt[#1]{%
102   \def\HyC@param{[{#1}]}%
103   \ifnextchar[\HyC@nc@default\HyC@nc@noopt
104 }

```

\HyC@nc@default Macro \HyC@nc@default scans the default for an optional argument.

```

105 \def\HyC@nc@default[#1]{%
106   \HyC@Toks={[{#1}]}%
107   \edef\HyC@optcmd{%
108     \expandafter\noexpand
109     \csname\expandafter\string\HyC@cmd\endcsname
110   }%
111   \expandafter\let\expandafter\HyC@org@optcmd\HyC@optcmd
112   \HyC@nc@noopt
113 }

```

\HyC@DeclareRobustCommand \DeclareRobustCommand{\cmd} makes the command \cmd robust, that then calls \cmd_ with an space at the end of the command name, defined by \newcommand. Therefore the further parsing is done by \HyC@nc@opt or \HyC@nc@noopt of the \HyC@newcommand chain.

```

114 \def\HyC@DeclareRobustCommand{%
115   \edef\HyC@robustcmd{%
116     \expandafter\noexpand
117     \csname\expandafter\expandafter\expandafter\gobble
118     \expandafter\string\HyC@cmd\space\endcsname
119   }%
120   \expandafter\let\expandafter\HyC@org@robustcmd\HyC@robustcmd
121   \expandafter\let\HyC@robustcmd\relax
122   \let\HyC@cmd\HyC@robustcmd
123   \ifnextchar[\HyC@nc@opt\HyC@nc@noopt
124 }

```

\HyC@def The parameter text of \def or \edef is stored in the token register \HyC@Toks.

\HyC@edef

```

125 \def\HyC@def#1#{%
126   \HyC@Toks={#1}%

```

```

127 \HyC@nc@noopt
128 }
129 \let\HyC@edef\HyC@def

```

\HyC@doCheck This command performs the checks and prints the result.

```

130 \def\HyC@doCheck{%
131 \typeout{* Checking '\HyC@string\HyC@cmd':}%
132 \HyC@checkItem{cmd}%
133 \HyC@checkItem{robustcmd}%
134 \HyC@checkItem{optcmd}%
135 \HyC@checkItem{robustoptcmd}%
136 \endgroup
137 }

```

\HyC@checkItem A single check.

```

138 \def\HyC@checkItem#1{%
139 \expandafter\ifx\csname HyC@org@\#1\endcsname\HyC@noValue
140 \else
141 \expandafter\expandafter\expandafter\ifx
142 \csname HyC@\#1\expandafter\endcsname
143 \csname HyC@org@\#1\endcsname
144 \expandafter\HyC@checkOk\csname HyC@\#1\endcsname
145 \else
146 \expandafter\HyC@checkFailed
147 \csname HyC@\#1\expandafter\endcsname
148 \csname HyC@org@\#1\endcsname
149 \fi
150 \fi
151 }

```

\HyC@string Some shorthands.

\HyC@meaning

```

152 \def\HyC@string#1{\expandafter\string#1}
153 \def\HyC@meaning#1{\expandafter\meaning#1}

```

\HyC@checkOk The result, if the check succeeds.

```

154 \def\HyC@checkOk#1{%
155 \typeout{\space\space\space'\HyC@string#1' ok.}%
156 }

```

\HyC@checkFailed The result, if the check fails.

```

157 \def\HyC@checkFailed#1#2{%
158 \typeout{\space\space\space'\HyC@string#1' failed.}%
159 \typeout{\space\space\space* original: \meaning#2}%
160 \typeout{\space\space\space* expected: \HyC@meaning#1}%
161 }

162 % ****
163 </check>
164 <*package>

```

4 Package options and setup

4.1 Save catcodes

There are many packages that change the standard catcodes.

First we save the original meaning of ‘ and = in the token register \toks@, because we need the two characters in the macros \Hy@SetCatcodes and \Hy@RestoreCatcodes.

```

165 \begingroup
166  \@makeother`%
167  \@makeother=%
168  \edef\x{%
169    \edef\noexpand\x{%
170      \endgroup
171      \noexpand\toks@{%
172        \catcode 96=\noexpand\the\catcode`\noexpand`\\relax
173        \catcode 61=\noexpand\the\catcode`\noexpand\!=\relax
174      }%
175    }%
176    \noexpand\x
177  }%
178 \x
179 \@makeother`‘
180 \@makeother\=

```

\Hy@SetCatcodes

```

181 \def\Hy@SetCatcodes{%
182  \@makeother`%
183  \@makeother=%
184  \catcode`\$=3 %
185  \catcode`\&=4 %
186  \catcode`\^=7 %
187  \catcode`\_=8 %
188  \@makeother\|%
189  \@makeother\.:%
190  \@makeother\(%%
191  \@makeother\)%%
192  \@makeother\[%
193  \@makeother\]%
194  \@makeother\/%%
195  \@makeother\!%
196  \@makeother\<%
197  \@makeother\>%
198  \@makeother\.%%
199  \@makeother\;%
200  \@makeother\+%
201  \@makeother\-%%
202  \@makeother\%"%
203  \@makeother\`%
204 }

```

\Hy@RestoreCatcodes

```

205 \begingroup
206  \def\x{\catcode`\noexpand#1=\the\catcode`#1\relax}%
207  \xdef\Hy@RestoreCatcodes{%
208    \the\toks@
209    \x\$%
210    \x&%
211    \x^%
212    \x_%
213    \x\|%
214    \x\.:%
215    \x\(%

```

```

216   \x\)%
217   \x[%
218   \x]%
219   \x/%
220   \x!%
221   \x<%
222   \x>%
223   \x.%
224   \x;%
225   \x+%
226   \x-%
227   \x%"%
228   \x'%
229 }
230 \endgroup

```

231 \Hy@SetCatcodes

It needs the December 95 release of L^AT_EX, because it uses \protected@write, and it defines commands in options; and the page setup internal code changed at that point. It'll probably break with the later releases!

```

232 \RequirePackage{ltxcmds}[2010/03/09]
233 \RequirePackage{keyval}[1997/11/10]
234 \RequirePackage{kvsetkeys}[2007/09/29]
235 \RequirePackage{pdfescape}[2007/11/11]
236 \RequirePackage{ifpdf}[2006/02/20]
237 \RequirePackage{ifvtex}
238 \RequirePackage{ifxetex}[2006/08/21]
239 \RequirePackage{hycolor}
240 \RequirePackage{letltxmacro}[2008/06/13]
241 \def\Hy@Warning#1{\PackageWarning{hyperref}{#1}}
242 \def\Hy@WarningNoLine#1{\PackageWarningNoLine{hyperref}{#1}}
243 \def\Hy@Info#1{\PackageInfo{hyperref}{#1}}

```

4.2 Checks with regular expressions

```

244 \ltx@IfUndefined{pdfmatch}{%
245   \def\Hy@Match#1#2#3#4{%
246   }{%
247   \def\Hy@Match#1#2{%
248     \begingroup
249     \edef\^{\ltx@backslashchar string^}%
250     \edef.\{\ltx@backslashchar.}%
251     \edef[\{\ltx@backslashchar[]% ]
252     \edef\${\ltx@backslashchar\$}%
253     \edef(\{\ltx@backslashchar(}%
254     \edef)\{\ltx@backslashchar)}%
255     \edef\|\{\ltx@backslashchar|}%
256     \edef\*\{\ltx@backslashchar}*%}
257     \edef\+\{\ltx@backslashchar+}%
258     \edef\?\{\ltx@backslashchar?}%
259     \edef\{\{\ltx@backslashchar\ltx@leftbracechar}%
260     \edef\}\{\ltx@rightbracechar}%
261     \edef\\{\ltx@backslashchar\ltx@backslashchar}%
262     \ifnum\pdfmatch{#2}{#1}=\ltx@one
263     \endgroup
264     \expandafter\ltx@firstoftwo
265   \else

```

```

266     \endgroup
267     \expandafter\ltx@secondoftwo
268   \fi
269 }%
270 }
271 \ltx@ifpackagelater{ltxcmds}{2010/09/11}{}{%
272   \begingroup
273   \lccode`0='`\relax
274   \lowercase{\endgroup
275   \def\ltx@leftbracechar{0}%
276 }%
277   \begingroup
278   \lccode`0='`}\relax
279   \lowercase{\endgroup
280   \def\ltx@rightbracechar{0}%
281 }%
282 }

```

4.3 Compatibility with format dumps

\AfterBeginDocument For use with pre-compiled formats, created using the `ldump` package, there needs to be 2 hooks for adding material delayed until `\begin{document}`. These are called `\AfterBeginDocument` and `\AtBeginDocument`. If `ldump` is not loaded, then a single hook suffices for normal L^AT_EX processing.

The default definition of `\AfterBeginDocument` cannot be done by `\let` because of problems with `xypic`.

```

283 \ifundefined{AfterBeginDocument}{%
284   \def\AfterBeginDocument{\AtBeginDocument}%
285 }{}%

```

\Hy@AtBeginDocument For the case that package ‘hyperref’ is loaded using `\AtBeginDocument`, we have to wrap the calls of `\AtBeginDocument`/`\AfterBeginDocument` in `\AtEndOfPackage`. However, packages must be loaded in `\AtEndOfPackage` before package ‘kvoptions’ has to perform its option cleanup. Therefore we use a hook.

```

286 \def\Hy@AtBeginDocument{%
287   \ltx@LocalAppendToMacro\Hy@AtBeginDocumentHook
288 }

```

\Hy@AtEndOfPackage

```

289 \def\Hy@AtEndOfPackage{%
290   \ltx@LocalAppendToMacro\Hy@AtEndOfPackageHook
291 }

```

\Hy@AtBeginDocumentHook

```

292 \def\Hy@AtBeginDocumentHook{}%

```

\Hy@AtEndOfPackageHook

```

293 \def\Hy@AtEndOfPackageHook{}%

```

Install the hook, before package ‘kvoptions’ is loaded.

```

294 \AtEndOfPackage{%
295   \Hy@AtEndOfPackageHook
296   \let\Hy@AtEndOfPackageHook\@undefined
297   \AfterBeginDocument{%
298     \Hy@AtBeginDocumentHook{}%
299     \let\Hy@AtBeginDocumentHook\@undefined
300   }%
301 }

```

4.4 Switches

```
302 \newif\ifHy@typexml
303 \newif\ifHy@activeanchor
304 \newif\ifHy@backref
305 \newif\ifHy@bookmarks
306 \newif\ifHy@bookmarksnumbered
307 \newif\ifHy@bookmarksopen
308 \newif\ifHy@breaklinks
309 \newif\ifHy@centerwindow
310 \newif\ifHy@CJKbookmarks
311 \newif\ifHy@colorlinks
312 \newif\ifHy@draft
313 \let\Hy@finaltrue\Hy@draftfalse
314 \let\Hy@finalfalse\Hy@drafttrue
315 \newif\ifHy@escapeform
316 \newif\ifHy@figures
317 \newif\ifHy@fitwindow
318 \newif\ifHy@frenchlinks
319 \newif\ifHy@hyperfootnotes
320 \newif\ifHy@hyperindex
321 \newif\ifHy@hypertexnames
322 \newif\ifHy@implicit
323 \newif\ifHy@linktocpage
324 \newif\ifHy@localanchorname
325 \newif\ifHy@menubar
326 \newif\ifHy@naturalnames
327 \newif\ifHy@nesting
328 \newif\ifHy@newwindowset
329 \newif\ifHy@newwindow
330 \newif\ifHy@ocgcolorlinks
331 \newif\ifHy@pageanchor
332 \newif\ifHy@pagelabels
333 \newif\ifHy@pdfpagehidden
334 \newif\ifHy@pdfstring
335 \newif\ifHy@plainpages
336 \newif\ifHy@psize
337 \newif\ifHy@raiselinks
338 \newif\ifHy@seminarslides
339 \newif\ifHy@setpagesize
340 \newif\ifHy@texht
341 \newif\ifHy@toolbar
342 \newif\ifHy@unicode
343 \newif\ifHy@usetitle
344 \newif\ifHy@verbose
345 \newif\ifHy@windowui
346 \newif\ifHy@displaydoctitle
347 \newif\ifHy@pdflatex
```

Defaults for the switches are now set.

```
348 \Hy@backreffalse
349 \Hy@bookmarksnumberedfalse
350 \Hy@bookmarksopenfalse
351 \Hy@bookmarkstrue
352 \Hy@breaklinksfalse
353 \Hy@centerwindowfalse
354 \Hy@CJKbookmarksfalse
355 \Hy@escapeformfalse
```

```

356 \Hy@figuresfalse
357 \Hy@fitwindowfalse
358 \Hy@hyperfootnotestrue
359 \Hy@hyperindextrue
360 \Hy@hypertexnamestrue
361 \Hy@implicittrue
362 \Hy@linktocpagefalse
363 \Hy@localanchornamefalse
364 \Hy@menubartrue
365 \Hy@naturalnamesfalse
366 \Hy@nestingfalse
367 \Hy@newwindowsetfalse
368 \Hy@newwindowfalse
369 \Hy@pageanchortrue
370 \Hy@pagelabelstrue
371 \Hy@pdfpagehiddenfalse
372 \Hy@pdfstringfalse
373 \Hy@plainpagesfalse
374 \Hy@raiselinksfalse
375 \Hy@setpagesizetrue
376 \Hy@texhtfalse
377 \Hy@toolbartrue
378 \Hy@typxmlfalse
379 \Hy@unicodedefalse
380 \Hy@usetitlefalse
381 \Hy@verbosefalse
382 \Hy@windowuitrue
383 \Hy@displaydoctitlefalse
384 \Hy@pdafalse

```

5 Common help macros

```

\Hy@StepCount
385 \def\Hy@StepCount#1{\advance#1 by 1 }%

\Hy@GlobalStepCount
386 \def\Hy@GlobalStepCount#1{\global\advance#1 by 1 }%
387 \newdimen\@linkdim
388 \let\Hy@driver\@empty
389 \let\MaybeStopEarly\relax
390 \newcount\Hy@linkcounter
391 \newcount\Hy@pagecounter
392 \Hy@linkcounter0
393 \Hy@pagecounter0

```

5.1 Macros for recursions

\Hy@ReturnAfterElseFi The commands \Hy@ReturnAfterElseFi and \Hy@ReturnAfterFi avoid a too deep
\Hy@ReturnAfterFi \if-nesting especially for recursive macros.

```

394 \long\def\Hy@ReturnAfterElseFi#1\else#2\fi{\fi#1}
395 \long\def\Hy@ReturnAfterFi#1\fi{\fi#1}

396 \let\Hy@ReturnEnd\@empty
397 \long\def\Hy@ReturnAfterFiFiEnd#1\fi#2\Hy@ReturnEnd{\fi\fi#1}
398 \long\def\Hy@ReturnAfterElseFiFiEnd#1\else#2\Hy@ReturnEnd{\fi\fi#1}

```

5.2 Babel's protection of shorthand characters

\Hy@safe@activestrue Babel's switch setting commands cannot be used directly, because they can be undefined if babel is not loaded.

```
399 \def\Hy@safe@activestrue{\csname @safe@activestrue\endcsname}
400 \def\Hy@safe@activesfalse{\csname @safe@activesfalse\endcsname}
```

5.3 Coordinate transformations

At some places numbers in pdf units are expected (eg: FitBH, ...). The following macros perform the transformation from TeX units (pt) to PDF units (bp).

\hypercalcbp The user macro \hypercalcbp can be used, for example, inside option values:

```
pdfstartview={FitBH \hypercalcbp{\paperheight-\topmargin-1in}}
```

- It cannot be used inside \usepackage, because LaTeX expands the options before package hyperref is loaded and \hypercalcbp is defined.
- With e-TeX extensions an expandable implementation is very easy; \hypercalcbp can be used everywhere and is expanded at use.
- Without e-TeX's features \hypercalcbp cannot be implemented expandable (practically) and have to be supported by \hypercalcbpdef. Limitations:
 - Works only in options that use \hypercalcbpdef (currently only pdfstartview).
 - For calculations package calc has to be loaded.
 - The expansion of the argument is done at definition time.

Example (TeX):

```
\usepackage{calc}
\usepackage[...]{hyperref}
\hypersetup{
    pdfstartview={FitBH \hypercalcbp{\paperheight-\topmargin-1in
        -\headheight-\headsep}}
}

\hypercalcbp
401 \begingroup\expandafter\expandafter\expandafter\endgroup
402 \expandafter\ifx\csname dimexpr\endcsname\relax
403   \def\hypercalcbpdef#1#2{%
404     \begingroup
405       \toks@{}%
406       \HyCal@scan#2\hypercalcbp\@nil
407     \expandafter\endgroup
408     \expandafter\def\expandafter#1\expandafter{\the\toks@}%
409   }%
410   \def\HyCal@scan#1\hypercalcbp#2\@nil{%
411     \toks@\expandafter{\the\toks@ #1}%
412     \ifx\\#2\\%
413     \else
414       \Hy@ReturnAfterFi{%
415         \HyCal@do#2\@nil
416       }%
417     \fi
418   }%
```

```

419 \def\HyCal@do#1#2\@nil{%
420   \@ifpackageloaded{calc}{}{%
421     \Hy@Warning{%
422       For calculations \string\hypercalcbp\space needs\MessageBreak
423       package calc or e-TeX%}
424   }%
425 }%
426 \setlength{\dimen0}{#1}%
427 \setlength{\dimen0}{0.99626401\dimen0}%
428 \edef\x{%
429   \toks@{%
430     \the\toks@
431     \strip@pt\dimen0
432   }%
433 }x
434 \HyCal@scan#2\@nil
435 }%
436 \else
437 \def\hypercalcbp#1{%
438   \strip@pt\dimexpr 0.99626401\dimexpr #1\relax\relax
439 }%
440 \def\hypercalcbpdef{\def}%
441 \fi

```

6 Dealing with PDF strings

The PDF string stuff done by Heiko Oberdiek.

Naming convention: All internal commands that are only needed by `\pdfstringdef` are prefixed with `\HyPsd@`.

6.1 Description of PDF strings

The PDF specification defines several places to hold text strings (bookmark names, document information, text annotations, etc.). The PDF strings have following properties:

- They are surrounded by parentheses. The hexadecimal form is not supported.
- Like PostScript language strings they use the same escaping mechanism:

\	the backslash itself
\(, \)	unbalanced parentheses
\n, \r, \t, \b, \f	special white space escape sequences
\ddd	octal character code <i>ddd</i>
- Strings are stored either in PDFDocEncoding, which is a superset of ISOLatin1 and is compatible with Unicode with character codes below 256, or in Unicode.

6.2 Definition of `\pdfstringdef`

The central macro for dealing with PDF strings is `\pdfstringdef`. It defines a command `#1` to be the result of the conversion from the string in `#2` to a legal PDFDocEncoded string. Currently the definition is global, but this can be changed in the future.

Important: In `\TeX`'s view PDF strings are written to a file and are expanded only in its mouth. Stomach commands that cannot be expanded further aren't executed, they are written verbatim. But the PDF reader that reads such a string isn't a `\TeX` interpreter!

The macro `\pdfstringdef` consists of three main parts:

1. Preprocessing. Here the expansion is prepared. The encoding is set and many commands are redefined, so that they work appropriate.
2. Expansion. The \TeX string is expanded the first time to get a PDF string.
3. Postprocessing. The result of the expansion is checked and converted to the final form.

`\pdfstringdef` $\backslash\pdfstringdef$ works on the tokens in #2 and converts them to a PDF string as far as possible:

- The result should obey the rules of the PDF specification for strings.
- The string can safely processed by \TeX , because the tokens have only catcodes 10 until 12.

The result is stored in the command token given in #1.

442 `\def\pdfstringdef#1#2{%`

Many redefinitions are needed, so all the work is done in a group.

443 `\begingroup`

6.2.1 Preprocessing

Octal escape sequences. To avoid problems with eight bit or non printable characters, the octal escape notation is supported. So most glyphs in the encoding definitions for PD1 and PU produce these octal escape sequences. All three octal digits have to be used:

- Wrong results are avoided, if digits follow that are not part of the octal sequence.
- Macros rely on the fact that the octal sequences always consist of three digits (vtex driver, Unicode support).

The escape sequences start with a backslash. By `\string` it will be printed. Therefore it is ensured that the \TeX escape character indeed prints as a normal backslash. Eventually this line can be removed, because this is standard \LaTeX behaviour.

444 `\escapechar'\\%`

From the view of \TeX a octal sequence consists of the command tokens `\0` until `\3` and two digits. For saving tokens `\0`, `\1`, `\2`, and `\3` are directly used without a preceding `\string` in the glyph definitions. This is done here locally by defining the `\0` until `\3` commands. So the user can use octal escape sequences directly, the disadvantage is that a previous definition of this short commands does not apply.

445 `\edef\0{\string\0}%`
 446 `\edef\1{\string\1}%`
 447 `\edef\2{\string\2}%`
 448 `\edef\3{\string\3}%`

Setting font encoding. The unicode encoding uses `\8` and `\9` as marker for the higher byte. `\8` is an abbreviation for the higher bytes 0 until 7 that can be expressed by one digit. `\8` will be converted to `\00`. However `\9` only marks the next three digits as higher byte and will be removed later.

The encoding is set by `\enc@update` for optimizing reasons.

449 `\ifHy@unicode`
 450 `\edef\8{\string\8}%`
 451 `\edef\9{\string\9}%`
 452 `\fontencoding{PU}%`

```

453   \HyPsd@UTFviii
454   \def\ifpdfstringunicode##1##2{##1}%
455   \else
456   \fontencoding{PD1}%
457   \def\ifpdfstringunicode##1##2{##2}%
458   \fi
459 \let\utf@viii@undeferr\HyPsd@utf@viii@undeferr
460 \enc@update

```

Internal encoding commands. `\pdfstringdef` interpretes text strings which are not allowed to contain mathematical stuff. The text glyph commands will produce a warning, if called in math mode. But this warning disturbs while expanding. Therefore we check for math mode here, before `\@inmathwarn` will be disabled (see below).

```
461  \@inmathwarn\pdfstringdef
```

If a glyph is used, that isn't in the PD1/PU encoding there will be an infinite error loop, because the NFSS encoding stuff have to be expanded unprotected (`\edef`), so that the assignments of `\@changed@cmd` don't take place. To patch this behaviour I only found `\@inmathwarn` as a usable hook. While an `\edef` a warning message by `\@inmathwarn` or `\TextSymbolUnavailable` cannot be give out, so `\@inmathwarn` should be disabled. And with the help of it the assignments in `\@changed@cmd` can easily be caught (see below).

```
462  \let\@inmathwarn\HyPsd@inmathwarn
```

Unknown composite characters are built with `\add@accent`, so it is redefined to provide a warning.

```
463  \let\add@accent\HyPsd@add@accent
```

Commands that don't use NFSS directly. There are several commands that prints characters in the printable ASCII area that don't obey the NFSS, so they have to be redefined here.

```

464  \let\{\textbraceleft
465  \let\}\textbraceright
466  \let\\textbackslash
467  \let#\textnumbersign
468  \let$.\textdollar
469  \let%.\textpercent
470  \let&.\textampersand
471 %  \let~.\textasciitilde
472  \let_._\textunderscore
473  \let\P.\textparagraph
474  \let\ldots.\textellipsis
475  \let\dots.\textellipsis

```

Newline `\newline` or `\%` do not work in bookmarks, in text annotations they should expand to `\r`. In pdf strings `\%` stands for a backslash. Therefore the commands are disabled now. The user can redefine them for a result what he want:

backslash: `\pdfstringdefDisableCommands{\let\\textbackslash}`

new line: `\pdfstringdefDisableCommands{\let\\textCR}`

disabled: `\pdfstringdefDisableCommands{\let\\empty}`

At any case, however, the optional argument or the star cannot be scanned in a 100% sure manner.

```

476  \def\\{\pdfstringdefWarn\\}%
477  \def\newline{\pdfstringdefWarn\newline}%

```

Logos. Because the box shifting used in the TeX logo does not work while writing to a file, the standard TeX logos are redefined.

```

478  \def\TeX{\TeX}%
479  \def\LaTeX{\LaTeX}%
480  \def\LaTeXe{%
481    \LaTeX2%
482    \ifHy@unicode\textheptilon\else e\fi
483  }%
484  \def\cTeX{%
485    \ifHy@unicode\textheptilon\else e\fi
486    -\TeX%
487  }%
488  \def\SliTeX{\Sli\TeX}%
489  \def\MF{Metafont}%
490  \def\MP{Metapost}%

```

Standard font commands. Because font changes do not work, the standard font switching commands are disabled.

```

491  \let\fntencoding@gobble
492  \let\fntfamily@gobble
493  \let\fontseries@gobble
494  \let\fontshape@gobble
495  \let\fontsize@gobbletwo
496  \let\selectfont@empty
497  \let\usefont@gobblefour
498  \let\emph@firstofone
499  \let\textnormal@firstofone
500  \let\textrm@firstofone
501  \let\textsf@firstofone
502  \let\texttt@firstofone
503  \let\textbf@firstofone
504  \let\textmd@firstofone
505  \let\textit@firstofone
506  \let\textsc@firstofone
507  \let\textsl@firstofone
508  \let\textup@firstofone
509  \let\normalfont@empty
510  \let\rmfamily@empty
511  \let\sffamily@empty
512  \let\ttfamily@empty
513  \let\bfseries@empty
514  \let\mdseries@empty
515  \let\itshape@empty
516  \let\scshape@empty
517  \let\slshape@empty
518  \let\upshape@empty
519  \let\em@empty
520  \let\rm@empty
521  \let\Huge@empty
522  \let\LARGE@empty
523  \let\Large@empty
524  \let\footnotesize@empty
525  \let\huge@empty

```

```

526   \let\large\@empty
527   \let\normalsize\@empty
528   \let\scriptsize\@empty
529   \let\small\@empty
530   \let\tiny\@empty
531   \let\mathversion\@gobble
532   \let\phantom\@gobble
533   \let\vphantom\@gobble
534   \let\hphantom\@gobble

```

Package color.

```
535   \def\textcolor##1##{\@secondoftwo}%
```

Upper- and lowercase.

```

536   \def\MakeUppercase{\MakeUppercaseUnsupportedInPdfStrings}%
537   \def\MakeLowercase{\MakeLowercaseUnsupportedInPdfStrings}%

```

Package babel. Wherever “naturalnames” is used, disable \textlatin (from Babel 3.6k). Thanks to Felix Neubauer (Email: Felix.Neubauer@gmx.net).

```

538   \let\textlatin\firstrfone
539   \ltx@ifundefined{language@group}{\%}
540     \csname HyPsd@babel@\language@group\endcsname
541   }%
542   \HyPsd@GreekPatch
543   \HyPsd@SpanishPatch
544   \HyPsd@RussianPatch
545   \HyPsd@BabelPatch
546   \let\@safe@activestru\relax
547   \let\@safe@activesfa\relax

```

Disable \cyr, used in russianb.ldf.

```
548   \let\cyr\relax
```

Redefine \es@roman, used in spanish.ldf.

```
549   \let\es@roman@Roman
```

Package german.

```

550   \let\glqq\textglqq
551   \let\grqq\textgrqq
552   \let\glq\textglq
553   \let\grq\textgrq
554   \let\flqq\textflqq
555   \let\frqq\textfrqq
556   \let\flq\textflq
557   \let\frq\textfrq

```

Package french. The support is deferred, because it needs \GenericError to be disabled (see below).

Package FrenchPro. This package uses:

```
\if@mid@expandable{not fully expandable code}{fully expandable code}
```

```
558   \let\if@mid@expandable\firstrtwo
```

AMS classes.

```
559 \HyPsd@AMSclassfix
```

Redefinition of \hspace \hspace don't work in bookmarks, the following fix tries to set a space if the argument is a positive length.

```
560 \let\hspace\HyPsd@hspace
```

Commands of referencing and indexing systems. Some L^AT_EX commands that are legal in \section commands have to be disabled here.

```
561 \let\label@gobble  
562 \let\index@gobble  
563 \let\glossary@gobble  
564 \let\href\HyPsd@chref  
565 \let\@mkboth@gobbletwo
```

The \ref and \pageref is much more complicate because of their star form.

```
566 \let\ref\HyPsd@ref  
567 \let\pageref\HyPsd@pageref  
568 \let\nameref\HyPsd@nameref  
569 \let\autoref\HyPsd@autoref
```

Miscellaneous commands.

```
570 \let\leavevmode@\empty  
571 \let\mbox@\empty
```

\halign causes error messages because of the template character #.

```
572 \def\halign{\pdfstringdefWarn\halign@gobble} %  
573 \let\ignorespaces\HyPsd@ignorespaces  
574 \let\Hy@SectionAnchorHref@gobble
```

Patch for cjk bookmarks.

```
575 \HyPsd@CJKhook
```

User hook. The switch \Hy@pdfstring is turned on. So user commands can detect that they are processed not to be typesetted within T_EX's stomach, but to be expanded by the mouth to give a PDF string. At this place before interpreting the string in #2 additional redefinitions can be added by the hook \pdfstringdefPreHook.

The position in the middle of the redefinitions is a compromise: The user should be able to provide his own (perhaps better) redefinitions, but some commands should have their original meaning, because they can be used in the hook (\bgroup, or \protected@testopt, and \ifnextchar for \renewcommand).

```
576 \Hy@pdfstringtrue  
577 \pdfstringdefPreHook
```

Spaces. For checking the token of the string, spaces must be masked, because they cannot be caught by undelimited arguments.

```
578 \HyPsd@LetUnexpandableSpace\space  
579 \HyPsd@LetUnexpandableSpace\ %  
580 \HyPsd@LetUnexpandableSpace~%  
581 \HyPsd@LetUnexpandableSpace\nobreakspace
```

Package xspace.

```
582 \ltx@IfUndefined{@xspace}{%
583   \let\xspace\HyPsd@ITALCORR
584 }{%
585   \let\xspace\HyPsd@XSPACE
586 }%
587 \let/\HyPsd@ITALCORR
588 \let\bgroup\%
589 \let\egroup\%
```

Redefinitions of miscellaneous commands. Hyphenation does not make sense.

```
590 \let\discretionary{@gobbletwo
\@ifstar is defined in LATEX as follows:
```

```
\def\@ifstar#1{\@ifnextchar *{\@firstoftwo{#1}}}
```

\@ifnextchar doesn't work, because it uses stomach commands like \let and \futurelet. But it doesn't break. Whereas \@firstoftwo{#1} gives an error message because \@firstoftwo misses its second argument.

A mimicry of \@ifnextchar only with expandible commands would be very extensive and the result would be only an approximation. So here a cheaper solution follows in order to get rid of the error message at least:

```
591 \def\@ifnextchar{\HyPsd@ifnextchar\@ifnextchar}%
592 \def\kernel@ifnextchar{\HyPsd@ifnextchar\kernel@ifnextchar}%
593 \def\new@ifnextchar{\HyPsd@ifnextchar\new@ifnextchar}%
594 \let\@protected@testopt\HyPsd@protected@testopt
```

Support for package 'xargs':

```
595 \let\@protected@testopt@xargs\HyPsd@protected@testopt
```

6.2.2 Expansion

There are several possibilities to expand tokens within L^AT_EX:

\protected@edef: The weakest form isn't usable, because it does not expand the font encoding commands. They are made robust and protect themselves.

\csname: First the string is expanded whithin a \csname and \endcsname. Then the command name is converted to characters with catcode 12 by \string and the first escape character removed by \@gobble. This method has the great *advantage* that stomach tokens that aren't allowed in PDF strings are detected by T_EX and reported as errors in order to force the user to write correct things. So he get no wrong results by forgetting the proofreading of his text. But the *disadvantage* is that old wrong code cannot processed without errors. Mainly the error message is very cryptic and for the normal user hard to understand. T_EX provides no way to catch the error caused by \csname or allows to support the user with a descriptive error message. Therefore the experienced user had to enable this behaviour by an option exactdef in previous versions less or equal 6.50.

\edef This version uses this standard form for expansion. It is stronger than L^AT_EX's \protected@edef. So the font encoding mechanism works and the glyph commands are converted to the correct tokens for PDF strings whith the definitions of the PD1 encoding. Because the protecting mechanism of L^AT_EX doesn't work within an \edef, there are situations thinkable where code can break. For example, assignments and definitions aren't performed and so undefined command errors or argument parsing errors can occur. But this is only a compatibility problem with old

texts. Now there are possibilities to write code that gives correct PDF strings (see `\texorpdfstring`). In the most cases unexpandable commands and tokens (math shift, grouping characters) remains. They don't cause an error like with `\csname`. However a PDF reader isn't `TEX`, so these tokens are viewed verbatim. So this version detects them now, and removes them with an descriptive warning for the user. As additional features xspace support is possible and grouping characters can be used without problems, because they are removed silently.

Generic messages. While expanding via `\xdef` the `\Generic...` messages don't work and causes problems (error messages, invalid .out file). So they are disabled while expanding and removed silently, because a user warning would be too expensive (memory and runtime, `\pdfstringdef` is slow enough).

```
596  \begingroup
597  \let\GenericError\@gobblefour
598  \let\GenericWarning\@gobbletwo
599  \let\GenericInfo\@gobbletwo
```

Package french. This fix only works, if `\GenericError` is disabled.

```
600  \ifx\nofrenchguillemets\undefined
601  \else
602  \nofrenchguillemets
603  \fi
```

Definition commands and expansion. Redefining the defining commands (see sec. 6.5.12). The original meaning of `\xdef` is saved in `\Hy@temp`.

```
604  \let\Hy@temp\xdef
605  \let\def\HyPsd@DefCommand
606  \let\gdef\HyPsd@DefCommand
607  \let\edef\HyPsd@DefCommand
608  \let\xdef\HyPsd@DefCommand
609  \let\futurelet\HyPsd@LetCommand
610  \let\let\HyPsd@LetCommand
611  \Hy@temp#1{#2}%
612  \endgroup
```

6.2.3 Postprocessing

If the string is empty time can be saved by omitting the postprocessing process.

```
613  \ifx#1\empty
614  \else
```

Protecting spaces and removing grouping characters. In order to check the tokens we must separate them. This will be done with `TEX`'s argument parsing. With this method we must the following item takes into account, that makes makes things a litte more complicate:

- `TEX` does not accept a space as an undelimited argument, it cancels space tokens while looking for an undelimited argument. Therefore we must protect the spaces now.
- An argument can be a single token or a group of many tokens. And within curly braces tokens aren't find by `TEX`'s argument scanning process. Third curly braces as grouping characters cannot be expanded further, so they don't vanish by the

string expansion above. So these characters with catcode 1 and 2 are removed in the following and replaced by an marker for the xspace support.

- TeX silently removes the outmost pair of braces of an argument. To prevent this on unwanted places, in the following the character | is appended to the string to make an outer brace to an inner one.

First the top level spaces are protected by replacing. Then the string is scanned to detect token groups. Each token group will now be space protected and again scanned for another token groups.

```
615   \HyPsd@ProtectSpaces#1%
616   \let\HyPsd@String\@empty
617   \expandafter\HyPsd@RemoveBraces\expandafter{#1|}%
618   \global\let#1\HyPsd@String
```

Check tokens. After removing the spaces and the grouping characters the string now should only consists of the following tokens/catcodes:

- 0 command names with start with an escape character.
- 3 math shift
- 4 alignment tabs
- 6 parameter, but this is unlikely.
- 7 superscript
- 8 subscript
- 11 letter
- 12 other
- 13 commands that are active characters.

After \HyPsd@CheckCatcodes the command \HyPsd@RemoveMask is reused to remove the group protection character |. This character is needed to ensure that the string at least consists of one token if \HyPsd@CheckCatcodes is called.

Because of internal local assignments and tabulars group braces are used.

```
619   \let\HyPsd@SPACEOPTI\relax
620   {%
621     \let\HyPsd@String\@empty
622     \expandafter\HyPsd@CheckCatcodes#1\HyPsd@End
623     \global\let#1\HyPsd@String
624   }%
625   \expandafter\HyPsd@RemoveMask\expandafter
626     |\expandafter\@empty#1\HyPsd@End#1%
```

\HyPsd@CheckCatcodes should no have removed the tokens with catcode 3, 4, 7, and 8. Because a parameter token (6) would cause to many errors before, there should now be only tokens with catcodes 11 or 12. So I think there is no need for a safety step like:

```
\xdef#1{\expandafter\strip@prefix\meaning#1}%
```

Looking for wrong glyphs. The case that glyphs aren't defined in the PD1 encoding is caught above in such a way, that the glyph name and a marker is inserted into the string. Now we can safely scan the string for this marker and provide a descriptive warning.

```
627   \expandafter\HyPsd@Subst\expandafter{\HyPsd@GLYPHERR}{\relax}#1%
628   \let\HyPsd@String\@empty
629   \expandafter\HyPsd@GlyphProcess#1\relax\@empty
630   \global\let#1\HyPsd@String
```

Backslash. The double backslash disturbs parsing octal sequences, for example in an string like abc\\051 the sequence \\051 is detected although the second \ belongs to the first backslash.

```
631     \HyPsd@StringSubst{\\"}{\textbackslash}{#1%}
```

Spaces. All spaces have already the form \\040. The last postprocessing step will be an optimizing of the spaces, so we already introduce already the necessary command \\HyPsd@SPACEOPTI. But first it is defined to be \\relax in order to prevent a too early expansion by an \\edef. Secondly a \\relax serves as a marker for a token that is detected by \\xspace.

The code of frenchb.ldf can produce an additional space before \\guillemotright, because \\lastskip and \\unskip do not work. Therefore it is removed here.

```
632     \ifHy@unicode
633         \expandafter\HyPsd@StringSubst\csname 80\\040\endcsname
634             \HyPsd@SPACEOPTI#1%
635         \edef\Hy@temp@A{\HyPsd@SPACEOPTI\HyPsd@SPACEOPTI\80\273}%
636         \expandafter\HyPsd@Subst\expandafter{\Hy@temp@A}%
637             {\HyPsd@SPACEOPTI\80\273}#1%
638     \else
639         \HyPsd@StringSubst{\040}\HyPsd@SPACEOPTI#1%
640         \expandafter\HyPsd@Subst\expandafter{%
641             \expandafter\HyPsd@SPACEOPTI\expandafter\HyPsd@SPACEOPTI
642                 \string\273}{\HyPsd@SPACEOPTI\273}#1%
643     \fi
```

Right parenthesis. Also \\xspace detects a right parenthesis. For the \\xspace support and the following parenthesis check the different parenthesis notations), \), and \\051 are converted to one type \) and before \\HyPsd@empty with the meaning of \\relax is introduced for \\xspace. By redefining to \\@empty \\HyPsd@empty can easily removed later.

```
644     \ifHy@unicode
645         \HyPsd@StringSubst{\)}{\80\\051}#1%
646         \HyPsd@Subst){\80\\051}#1%
647         \let\HyPsd@empty\relax
648         \expandafter\HyPsd@StringSubst\csname 80\\051\endcsname
649             {\HyPsd@empty\80\\051}#1%
650     \else
651         \HyPsd@StringSubst{\)}{\051}#1%
652         \HyPsd@Subst){\051}#1%
653         \let\HyPsd@empty\relax
654         \HyPsd@StringSubst{\051}{\HyPsd@empty\string\)}#1%
655     \fi
```

Support for package xspace. \\xspace looks for the next token and decides if it expands to a space or not. Following tokens prevent its transformation to a space: Beginning and end of group, handled above by replacing by an italic correction, several punctuation marks, a closing parentheses, and several spaces.

Without package xspace there are tokens with catcode 11 and 12, \\HyPsd@empty and \\HyPsd@SPACEOPTI. With package xspace marker for the italic correction \/ and \\xspace come with. In the package xspace case the two markers are replaced by commands and an \\edef performs the \\xspace processing.

In the opposite of the original \\xspace \\HyPsd@xspace uses an argument instead of a \\futurelet, so we have to provide such an argument, if \\HyPsd@xspace comes last.

Because `\HyPsd@Subst` with several equal tokens (--) needs a safe last token, in both cases the string gets an additional `\HyPsd@empty`.

```

656      \expandafter\HyPsd@Subst\expandafter{\}\HyPsd@empty#1%
657      \ltx@ifundefined{@xspace}{%
658      }{%
659          \let\HyPsd@xspace\relax
660          \expandafter\HyPsd@Subst\expandafter
661              {\HyPsd@XSPACE}\HyPsd@xspace#1%
662          \let\HyPsd@xspace\HyPsd@doxspace
663      }%
664      \xdef#1{#1\HyPsd@empty}%

```

Ligatures. \TeX forms ligatures in its stomach, but the PDF strings are treated only by \TeX 's mouth. The PDFDocEncoding contains some ligatures, but the current version 3 of the AcrobatReader lacks the fi and fl glyphs, and the Linux version lacks the emdash and endash glyphs. So the necessary code is provided here, but currently disabled, hoping that version 4 of the AcrobatReader is better. To break the ligatures the user can use an empty group, because it leads to an insertion of an `\HyPsd@empty`. If this ligature code will be enabled some day, then the italic correction should also break the ligatures. Currently this occurs only, if package `xspace` is loaded.

Since newer AcrobatReader versions now show the en- and emdash in a correct way (AR7/Linux, AR8/Linux), the substitution code for them is enabled starting with version 6.781.

```

665      \HyPsd@Subst{---}\textemdash#1%
666      \HyPsd@Subst{--}\textendash#1%
667 %      \HyPsd@Subst{fi}\textfi#1%
668 %      \HyPsd@Subst{fl}\textfl#1%
669      \HyPsd@Subst{!'}\textexcldown#1%
670      \HyPsd@Subst{?'}\textquestiondown#1%

```

With the next `\edef` we get rid of the token `\HyPsd@empty`.

```
671      \let\HyPsd@empty\@empty
```

Left parentheses. Left parentheses are now converted to safe forms to avoid problems with unmatched ones (\(with PDFDocEncoding, the octal sequence with Unicode.

An optimization is possible. Matched parentheses can replaced by a () pair. But this code is removed to save \TeX memory and time.

```

672      \ifHy@unicode
673          \HyPsd@StringSubst{(\textparenleft#1%
674          \HyPsd@Subst{(\textparenleft#1%
675      \else
676          \HyPsd@StringSubst{(\050)#1%
677          \HyPsd@Subst{(\050)#1%
678          \HyPsd@StringSubst{\050}{\string{()#1%
679      \fi

```

Optimizing spaces. Spaces are often used, but they have a very long form \040. They are converted back to real spaces, but not all, so that no space follows after another. In the bookmark case several spaces are written to the .out file, but if the entries are read back, several spaces are merged to a single one.

With Unicode the spaces are replaced by their octal sequences.

```

680      \ifHy@unicode
681          \edef\HyPsd@SPACEOPTI{\80\040}%
682      \else

```

```

683      \let\HyPsd@SPACEOPTI\HyPsd@spaceopti
684      \fi
685      \xdef#1{\#1\@empty}%
686      \fi

```

Converting to Unicode. At last the eight bit letters have to be converted to Unicode, the masks \8 and \9 are removed and the Unicode marker is added.

```

687  \endgroup
688  \begingroup
689  \ifHy@unicode
690  \HyPsd@ConvertToUnicode#1%

```

Try conversion back to PDFDocEncoding.

```

691  \ifx\HyPsd@pdfencoding\HyPsd@pdfencoding@auto
692  \ltx@ifUndefined{StringEncodingConvertTest}{%
693  }{%
694  \EdefUnescapeString\HyPsd@temp#1%
695  \ifxetex
696  \let\HyPsd@UnescapedString\HyPsd@temp
697  \StringEncodingConvertTest\HyPsd@temp\HyPsd@temp
698  {utf16be}{ascii-print}{%
699  \EdefEscapeString\HyPsd@temp\HyPsd@temp
700  \global\let#1\HyPsd@temp
701  \HyPsd@EscapeTeX#1%
702  \Hy@unicodedefalse
703  }{%
704  \HyPsd@ToBigChars#1%
705  }%
706 \else
707  \StringEncodingConvertTest\HyPsd@temp\HyPsd@temp
708  {utf16be}{pdfdoc}{%
709  \EdefEscapeString\HyPsd@temp\HyPsd@temp
710  \global\let#1\HyPsd@temp
711  \HyPsd@EscapeTeX#1%
712  \Hy@unicodedefalse
713  }{%
714  \fi
715  }%
716  \fi
717  \fi
718  \HyPsd@XeTeXBigCharsfalse

```

User hook. The hook \pdfstringdefPostHook can be used for the purpose to post-process the string further.

```

719  \pdfstringdefPostHook#1%
720  \endgroup
721 }

```

```

\Hy@pdfstringdef
722 \def\Hy@pdfstringdef#1#2{%
723  \pdfstringdef\Hy@gtemp{#2}%
724  \let#1\Hy@gtemp
725 }

```

6.3 Encodings

6.3.1 XeTeX

```
726 \edef\Hy@temp{\catcode0=\the\catcode0\relax}
727 \catcode\z@=12 %
728 \ifxetex
729   \expandafter\@firstofone
730 \else
731   \let\HyPsd@XeTeXBigChartrue\@empty
732   \let\HyPsd@XeTeXBigCharsfalse\@empty
733   \expandafter\@gobble
734 \fi
735 {%
736   \newif\ifHyPsd@XeTeXBigChars
737   \def\HyPsd@XeTeXBigCharsfalse{%
738     \global\let\ifHyPsd@XeTeXBigChars\iffalse
739   }%
740   \def\HyPsd@XeTeXBigChartrue{%
741     \global\let\ifHyPsd@XeTeXBigChars\iftrue
742   }%
743   \def\HyPsd@ToBigChars#1{%
744     \ifHyPsd@XeTeXBigChars
745       \EdefEscapeHex\HyPsd@UnescapedString{%
746         \expandafter\@gobbletwo\HyPsd@UnescapedString
747       }%
748       \begingroup
749         \toks@{ }%
750         \escapechar=92\relax
751         \let\x\HyPsd@ToBigChar
752         \expandafter\HyPsd@ToBigChar\HyPsd@UnescapedString
753         \relax\relax\relax\relax\relax\relax\relax
754       \edef\x{%
755         \endgroup
756         \gdef\noexpand#1{\the\toks@}%
757       }%
758       \x
759     \fi
760   }%
761   \def\HyPsd@ToBigChar#1#2#3#4{%
762     \ifx\relax#1\relax
763       \let\x\relax
764     \else
765       \count@="#1#2#3#4\relax
766       \let\y\@empty
767       \lccode\z@=\count@
768       \ifnum\count@=40 %
769         \let\y\@backslashchar
770       \else
771         \ifnum\count@=41 %
772           \let\y\@backslashchar
773         \else
774           \ifnum\count@=92 % backslash
775             \let\y\@backslashchar
776           \else
777             \ifnum\count@=10 % newline
778               \edef\y##1{\string\n}%
779             \else
```

```

780      \ifnum\count@=13 % carriage return
781          \edef\y{\string\r}%
782      \fi
783      \fi
784      \fi
785      \fi
786      \fi
787      \lowercase{%
788          \toks@\expandafter{%
789              \the\expandafter\toks@
790              \y
791              ^@%
792          }%
793      }%
794      \fi
795      \x
796  }%
797 }
798 \Hy@temp

```

6.3.2 Workaround for package `linguex`

```

799 \@ifpackageloaded{linguex}{%
800     \let\HyLinguex@OrgB\b
801     \let\HyLinguex@OrgC\c
802     \let\HyLinguex@OrgD\d
803     \def\HyLinguex@Restore{%
804         \let\b\HyLinguex@OrgB
805         \let\c\HyLinguex@OrgC
806         \let\d\HyLinguex@OrgD
807     }%
808     \Hy@AtEndOfPackage{%
809         \pdfstringdefDisableCommands{%
810             \ltx@ifUndefined{oldb}{}{\let\b\oldb}%
811             \ltx@ifUndefined{oldc}{}{\let\c\oldc}%
812             \ltx@ifUndefined{oldd}{}{\let\d\oldd}%
813         }%
814     }%
815 }{%
816     \let\HyLinguex@Restore\relax
817 }%

```

6.3.3 PD1 encoding

The PD1 encoding implements the PDFDocEncoding for use with $\text{\LaTeX}\text{\textit{2}\tiny E}$'s NFSS. Because the informational strings are not set by TeX's typesetting mechanism but for interpreting by the PDF reader, the glyphs of the PD1 encoding are implemented to be safely written to a file (PDF output file, .out file).

The PD1 encoding can be specified as an option of the 'fontenc' package or loaded here. It does not matter what font family is selected, as TeX does not process it anyway. So use CM.

```

818 \@ifundefined{T@PD1}{%
819     \input{pd1enc.def}%
820     \HyLinguex@Restore
821 }{%
822     \DeclareFontFamily{PD1}{pdf}{}%
823     \DeclareFontShape{PD1}{pdf}{m}{n}{\<->cmr10}{}%
824     \DeclareFontSubstitution{PD1}{pdf}{m}{n}

```

6.3.4 PU encoding

The PU encoding implements the Unicode encoding for use with L^AT_EX's NFSS. Because of large memory requirements the encoding file for Unicode support is only loaded, if option `unicode` is specified as package option.

\HyPsd@InitUnicode Because the file `puenc.def` takes a lot of memory, the loading is defined in the macro \HyPsd@InitUnicode called by the package option `unicode`.

```
825 \def\HyPsd@InitUnicode{%
826   \c@ifundefined{T@PU}{%
827     \input{puenc.def}%
828     \HyLinguex@Restore
829   }{}%
830   \DeclareFontFamily{PU}{pdf}{}%
831   \DeclareFontShape{PU}{pdf}{m}{n}{\relax cmr10}{}%
832   \DeclareFontSubstitution{PU}{pdf}{m}{n}%
833   \let\HyPsd@InitUnicode\relax
834 }
```

6.4 Additional user commands

6.4.1 \texorpdfstring

\texorpdfstring While expanding the string in \pdfstringdef the switch \ifHy@pdfstring is set. This is used by the full expandible macro \texorpdfstring. It expects two arguments, the first contains the string that will be set and processed by T_EX's stomach, the second contains the replacement for PDF strings.

```
835 \def\texorpdfstring{%
836   \ifHy@pdfstring
837     \expandafter\@secondoftwo
838   \else
839     \expandafter\@firstoftwo
840   \fi
841 }
```

6.4.2 Hooks for \pdfstringdef

\pdfstringdefPreHook Default definition of the hooks for \pdfstringdef. The construct \c@ifundefined with \let is a little bit faster than \providecommand.

```
842 \c@ifundefined{pdfstringdefPreHook}{%
843   \let\pdfstringdefPreHook\empty
844 }{}%
845 \c@ifundefined{pdfstringdefPostHook}{%
846   \let\pdfstringdefPostHook\gobble
847 }{}%
```

\pdfstringdefDisableCommands In \pdfstringdefPreHook the user can add code that is executed before the string, that have to be converted by \pdfstringdef, is expanded. So replacements for problematic macros can be given. The code in \pdfstringdefPreHook should not be replaced perhaps by an \renewcommand, because a previous meaning gets lost.

Macro \pdfstringdefDisableCommands avoids this, because it reuses the old meaning of the hook and appends the new code to \pdfstringdefPreHook, e.g.:

```
\pdfstringdefDisableCommands{%
\let~\textasciitilde
\def\url{\pdfstringdefWarn\url}%
\let\textcolor\gobble
```

```
}%
```

In the argument of \pdfstringdefDisableCommands the character @ can be used in command names. So it is easy to use useful L^AT_EX commands like \@gobble or \@firstofone.

```
848 \def\pdfstringdefDisableCommands{%
849   \begingroup
850   \makeatletter
851   \HyPsd@DisableCommands
852 }

\HyPsd@DisableCommands

853 \long\def\HyPsd@DisableCommands#1{%
854   \toks0=\expandafter{\pdfstringdefPreHook}%
855   \toks1={#1}%
856   \xdef\pdfstringdefPreHook{\the\toks0 \the\toks1}%
857   \endgroup
858 }
```

\pdfstringdefWarn The purpose of \pdfstringdefWarn is to produce a warning message, so the user can see, that something can go wrong with the conversion to PDF strings.

The prefix <@- is added to the token. \noexpand protects the probably undefined one during the first expansion step. Then \HyPsd@CheckCatcodes can detect the not allowed token, \HyPsd@CatcodeWarning prints a warning message, after \HyPsd@RemovePrefix has removed the prefix.

\pdfstringdefWarn is intended for document authors or package writers, examples for use can be seen in the definition of \HyPsd@ifnextchar or \HyPsd@protected@testopt.

```
859 \def\pdfstringdefWarn#1{%
860   \expandafter\noexpand\csname<@\string#1\endcsname
861 }
```

6.5 Help macros for expansion

6.5.1 \ignorespaces

\HyPsd@ignorespaces With the help of a trick using \romannumeral the effect of \ignorespaces can be simulated a little. In a special case using an alphabetic constant \romannumeral eats an optional space. If the constant is zero, then the \romannumeral expression vanishes. The following macro uses this trick twice, thus \HyPsd@ignorespaces eats up to two following spaces.

```
862 \begin{group
863   \catcode0=12 %
864   \def\x{\endgroup
865   \def\HyPsd@ignorespaces{%
866     \romannumeral\expandafter`\expandafter^^@\%
867     \romannumeral`^^@\%
868   }%
869 }%
870 \x
```

6.5.2 Babel languages

Since version 2008/03/16 v3.8j babel uses inside \AtBeginDocument:

```
\pdfstringdefDisableCommands{%
  \languageshorthands{system}%
}
```

As consequence the shorthands are shown in the bookmarks, not its result. Therefore `\languageshorthands` is disabled before the user hook. If there is a need to use the command, then `\HyOrg@languageshorthands` can be used inside `\pdfstringdefDisableCommands`.

```

871 \def\HyPsd@BabelPatch{%
872   \let\HyOrg@languageshorthands\languageshorthands
873   \let\languageshorthands\HyPsd@LanguageShorthands
874 }
875 \RequirePackage{pdftexcmds}[2009/04/10]
876 \begingroup\expandafter\expandafter\expandafter\endgroup
877 \expandafter\ifx\csname pdf@strcmp\endcsname\relax
878   \let\HyPsd@langshort@system\@empty
879   \def\HyPsd@LanguageShorthands#1{%
880     \expandafter\ifx\csname HyPsd@langshort@#1\endcsname
881       \HyPsd@langshort@system
882     \expandafter\@gobble
883   \else
884     \expandafter\@firstofone
885   \fi
886   {%
887     \HyOrg@languageshorthands{#1}%
888   }%
889 }%
890 \else
891   \def\HyPsd@LanguageShorthands#1{%
892     \ifnum\pdf@strcmp{#1}{system}=`z@
893       \expandafter\@gobble
894     \else
895       \expandafter\@firstofone
896     \fi
897   {%
898     \HyOrg@languageshorthands{#1}%
899   }%
900 }%
901 \fi
902 \def\Hy@temp{%
903   \@ifpackagelloaded{babel}{%
904     \@ifpackagelater{babel}{2008/03/16}{%
905       \let\Hy@temp\@empty
906     }{%
907       \def\HyPsd@BabelPatch{%
908         \let\HyOrg@languageshorthands\languageshorthands
909       }%
910     }%
911   }{%
912 }
913 \Hy@temp
914 \expandafter\Hy@AtBeginDocument\expandafter{\Hy@temp}
915 \newif\ifHy@next

```

Nothing to do for english.

```

916 \ltx@ifUndefined{danish@sh@"\@sel"}{}{%
917   \def\HyPsd@babel@danish{%
918     \declare@shorthand{danish}{"|"}{}{%
919       \declare@shorthand{danish}{"~"}{-}{%
920     }%
921 }

```

```

922 \ltx@IfUndefined{dutch@sh@"\@sel"}{}{%
923   \def\HyPsd@babel@dutch{%
924     \declare@shorthand{dutch}{|}{}%
925     \declare@shorthand{dutch}{~}{-}%
926   }%
927 }
928 \ltx@IfUndefined{finnish@sh@"\@sel"}{}{%
929   \def\HyPsd@babel@finnish{%
930     \declare@shorthand{finnish}{|}{}%
931   }%
932 }
933 \ltx@IfUndefined{french@sh@":\@sel"}{}{%
934   \def\HyPsd@babel@frenchb{%
935     \def\guill@spacing{ }%
936   }%
937 }
938 \ltx@IfUndefined{german@sh@"\@sel"}{}{%
939   \def\HyPsd@babel@german{%
940     \declare@shorthand{german}{f}{f}%
941     \declare@shorthand{german}{|}{}%
942     \declare@shorthand{german}{~}{-}%
943   }%
944 }
945 \ltx@IfUndefined{macedonian@sh@"\@sel"}{}{%
946   \def\HyPsd@babel@macedonian{%
947     \declare@shorthand{macedonian}{|}{}%
948     \declare@shorthand{macedonian}{~}{-}%
949   }%
950 }
951 \ltx@IfUndefined{ngerman@sh@"\@sel"}{}{%
952   \def\HyPsd@babel@ngerman{%
953     \declare@shorthand{ngerman}{|}{}%
954     \declare@shorthand{ngerman}{~}{-}%
955   }%
956 }
957 \ltx@IfUndefined{portuges@sh@"\@sel"}{}{%
958   \def\HyPsd@babel@portuges{%
959     \declare@shorthand{portuges}{|}{}%
960   }%
961 }
962 \ltx@IfUndefined{russian@sh@"\@sel"}{}{%
963   \def\HyPsd@babel@russian{%
964     \declare@shorthand{russian}{|}{}%
965     \declare@shorthand{russian}{~}{-}%
966   }%
967 }
968 \ltx@IfUndefined{slovene@sh@"\@sel"}{}{%
969   \def\HyPsd@babel@slovene{%
970     \declare@shorthand{slovene}{|}{}%
971   }%
972 }

```

Nested quoting environments are not supported (<<, >>).

```

973 \ltx@IfUndefined{spanish@sh@>@\@sel"}{}{%
974   \def\HyPsd@babel@spanish{%
975     \declare@shorthand{spanish}{<<}{\guillemotleft}%
976     \declare@shorthand{spanish}{>>}{\guillemotright}%
977     \declare@shorthand{spanish}{=}{=}%
978 }

```

```

978   \declare@shorthand{spanish}{\textexcldown}{\textquestiondown}%
979   \declare@shorthand{spanish}{\textexclup}{\textquestionup}%
980   \declare@shorthand{spanish}{\textexclupdown}{\textquestionupdown}%
981 }%
982 }%
983 \ltx@ifundefined{swedish@sh@sel}{}{%
984   \def\HyPsd@babel@swedish{%
985     \declare@shorthand{swedish}{\textexcldown}{\textquestiondown}%
986     \declare@shorthand{swedish}{\textexclup}{\textquestionup}%
987   }%
988 }%
989 \ltx@ifundefined{ukrainian@sh@sel}{}{%
990   \def\HyPsd@babel@ukrainian{%
991     \declare@shorthand{ukrainian}{\textexcldown}{\textquestiondown}%
992     \declare@shorthand{ukrainian}{\textexclup}{\textquestionup}%
993   }%
994 }%
995 \ltx@ifundefined{usorbian@sh@sel}{}{%
996   \def\HyPsd@babel@usorbian{%
997     \declare@shorthand{usorbian}{\textfrown}{\textfrown}%
998     \declare@shorthand{usorbian}{\textexcldown}{\textquestiondown}%
999   }%
1000 }%
1001 \ltx@ifundefined{greek@sh@\string~@sel}{}{%
1002   \let\HyPsd@GreekPatch\empty
1003 }%
1004   \def\HyPsd@GreekPatch{%
1005     \let\greeknumeral\HyPsd@greeknumeral
1006     \let\Greeknumeral\HyPsd@Greeknumeral
1007   }%
1008 }%
1009 \def\HyPsd@greeknumeral#1{%
1010   \HyPsd@GreekNum{@firstoftwo{\#1}}%
1011 }%
1012 \def\HyPsd@Greeknumeral#1{%
1013   \HyPsd@GreekNum{@secondoftwo{\#1}}%
1014 }%
1015 \def\HyPsd@GreekNum#1#2{%
1016   \ifHy@unicode
1017     \ifnum#2<\@ne
1018       \c@arabic{\#2}%
1019     \else
1020       \ifnum#2<1000000 %
1021         \HyPsd@GreekNum#1{\#2}%
1022       \else
1023         \c@arabic{\#2}%
1024       \fi
1025     \fi
1026   \else
1027     \c@arabic{\#2}%
1028   \fi
1029 }%
1030 \def\HyPsd@GreekNum#1#2{%
1031   \ifnum#2<\@m
1032     \ifnum#2<10 %
1033       \expandafter\HyPsd@GreekNumI
1034       \expandafter\@gobble\expandafter#1\number#2%

```

```

1035 \else
1036   \ifnum#2<100 %
1037     \expandafter\HyPsd@GreekNumII
1038       \expandafter\@gobble\expandafter#1\number#2%
1039   \else
1040     \expandafter\HyPsd@GreekNumIII
1041       \expandafter\@gobble\expandafter#1\number#2%
1042   \fi
1043 \fi
1044 \ifnum#2>\z@
1045   \textnumeralsigngreek
1046 \fi
1047 \else
1048   \ifnum#2<\@M
1049     \expandafter\HyPsd@GreekNumIV\expandafter#1\number#2%
1050   \else
1051     \ifnum#2<100000 %
1052       \expandafter\HyPsd@GreekNumV\expandafter#1\number#2%
1053     \else
1054       \expandafter\HyPsd@GreekNumVI\expandafter#1\number#2%
1055     \fi
1056   \fi
1057 \fi
1058 }
1059 \def\HyPsd@GreekNumI#1#2#3{%
1060   #1{%
1061     \ifnum#3>\z@
1062       \textnumeralsignlowergreek
1063     \fi
1064   }%
1065   \expandafter#2%
1066   \ifcase#3 %
1067     {}{%
1068       \or\textalpha\textAlpha
1069       \or\textbeta\textBeta
1070       \or\textgamma\textGamma
1071       \or\textdelta\textDelta
1072       \or\textepsilon\textEpsilon
1073       \or\textstigmagreek\textStigmagreek
1074       \or\textzeta\textZeta
1075       \or\texteta\textEta
1076       \or\texttheta\textTheta
1077     \else
1078       {}{%
1079     \fi
1080   }%
1081 \def\HyPsd@GreekNumII#1#2#3#4{%
1082   #1{%
1083     \ifnum#3>\z@
1084       \textnumeralsignlowergreek
1085     \fi
1086   }%
1087   \expandafter#2%
1088   \ifcase#3 %
1089     {}{%
1090       \or\textiota\textIota
1091       \or\textkappa\textKappa

```

```

1092 \or\textlambda\textLambda
1093 \or\textmu\textMu
1094 \or\textnu\textNu
1095 \or\textxi\textXi
1096 \or\textomicron\textOmicron
1097 \or\textpi\textPi
1098 \or\textkoppagreek\textKoppagreek
1099 \else
1100 {}{%
1101 \fi
1102 \HyPsd@GreekNumI#1#2#4%
1103 }
1104 \def\HyPsd@GreekNumIII#1#2#3#4#5{%
1105 #1{%
1106 \ifnum#3>\z@
1107 \textnumeralsignlowergreek
1108 \fi
1109 }%
1110 \expandafter#2%
1111 \ifcase#3 %
1112 {}{%
1113 \or\textrho\textRho
1114 \or\textsigma\textSigma
1115 \or\texttau\textTau
1116 \or\textupsilon\textUpsilon
1117 \or\textphi\textPhi
1118 \or\textchi\textChi
1119 \or\textpsi\textPsi
1120 \or\textomega\textOmega
1121 \or\textsampigreek\textSampigreek
1122 \else
1123 {}{%
1124 \fi
1125 \HyPsd@GreekNumII#1#2#4#5%
1126 }
1127 \def\HyPsd@GreekNumIV#1#2#3#4#5{%
1128 \HyPsd@GreekNumI@\firstofone#1#2%
1129 \HyPsd@@GreekNum#1{#3#4#5}%
1130 }
1131 \def\HyPsd@GreekNumV#1#2#3#4#5#6{%
1132 \HyPsd@GreekNumII@\firstofone#1#2#3%
1133 \HyPsd@@GreekNum#1{#4#5#6}%
1134 }
1135 \def\HyPsd@GreekNumVI#1#2#3#4#5#6#7{%
1136 \HyPsd@GreekNumIII@\firstofone#1#2#3#4%
1137 \HyPsd@@GreekNum#1{#5#6#7}%
1138 }
1139 \def\HyPsd@SpanishPatch{%
1140 \ltx@ifundefined{es@save@dot}{%
1141 }{%
1142 \let.\es@save@dot
1143 }%
1144 }

```

Shorthand “-” of ‘russianb. ldf’ is not expandable, therefore it is disabled and replaced by -.

```
1145 \def\HyPsd@RussianPatch{%
```

```

1146 \ltx@IfUndefined{russian@sh@"-@}{%
1147 }{%
1148   \c@namedef{russian@sh@"-@}{-}%
1149 }%
1150 }

```

6.5.3 CJK patch

```
1151 \RequirePackage[intcalc]{2007/09/27}
```

```
\HyPsd@CJKhook
```

```

1152 \def\HyPsd@CJKhook{%
1153   \ltx@ifpackageloaded{CJK}{%
1154     \let\CK@kern\relax
1155     \let\CKkern\relax
1156     \let\CK@CJK\relax
1157     \ifHy@CJKbookmarks
1158       \HyPsd@CJKhook@bookmarks
1159     \fi
1160     \HyPsd@CJKhook@unicode
1161   }{}%
1162 }

```

6.5.4 CJK bookmarks

\HyPsd@CJKhook Some internal commands of package cjk are redefined to avoid error messages. For a rudimental support of CJK bookmarks the active characters are redefined so that they print themselves.

After preprocessing of Big5 encoded data the following string for a double-byte character is emitted:

```
^^7f<arg1>^^7f<arg2>^^7f
```

<arg1> is the first byte in the range (always > 0x80); <arg2> is the second byte in decimal notation ($\geq 0x40$).

```

1163 \begingroup
1164   \catcode"7F=\active
1165   \toks@{%
1166     \let\CK@ignorespaces\empty
1167     \def\CK@char#1{\@gobbletwo}%
1168     \let\CK@charx\@gobblefour
1169     \let\CK@punctchar\@gobblefour
1170     \def\CK@punctcharx#1{\@gobblefour}%
1171     \catcode"7F=\active
1172     \def^^7f#1^^7f#2^^7f{%
1173       \string #1\HyPsd@DecimalToOctal{#2}%
1174     }%
1175     % ... ?
1176     \ifHy@unicode
1177       \def\Hy@cjkpu{\80}%
1178     \else
1179       \let\Hy@cjkpu\empty
1180     \fi
1181     \HyPsd@CJKActiveChars
1182   }%
1183   \count@=127 %
1184   \c@whilenum\count@<255 \do{%

```

```

1185   \advance\count@ by 1 %
1186   \lccode`\~=\count@
1187   \lowercase{%
1188     \toks@\expandafter{\the\toks@ ~}%
1189   }%
1190 }%
1191 \toks@\expandafter{\the\toks@ !}%
1192 \xdef\HyPsd@CJKhook@bookmarks{%
1193   \the\toks@
1194 }%
1195 \endgroup

```

\HyPsd@CJKActiveChars The macro \HyPsd@CJKActiveChars is only defined to limit the memory consumption of \HyPsd@CJKhook.

```

1196 \def\HyPsd@CJKActiveChars#1{%
1197   \ifx#1!%
1198     \let\HyPsd@CJKActiveChars\relax
1199   \else
1200     \edef#1{\noexpand\Hy@cjkpu\string#1}%
1201   \fi
1202 \HyPsd@CJKActiveChars
1203 }

```

\HyPsd@DecimalToOctal A character, given by the decimal number is converted to a PDF character.

```

1204 \def\HyPsd@DecimalToOctal#1{%
1205   \ifcase #1 %
1206     \or \000\or \001\or \002\or \003\or \004\or \005\or \006\or \007%
1207     \or \010\or \011\or \012\or \013\or \014\or \015\or \016\or \017%
1208     \or \020\or \021\or \022\or \023\or \024\or \025\or \026\or \027%
1209     \or \030\or \031\or \032\or \033\or \034\or \035\or \036\or \037%
1210     \or \040\or \041\or \042\or \043\or \044\or \045\or \046\or \047%
1211     \or \050\or \051\or \052\or \053\or \054\or \055\or \056\or \057%
1212     \or 0\or 1\or 2\or 3\or 4\or 5\or 6\or 7%
1213     \or 8\or 9\or \072\or \073\or \074\or \075\or \076\or \077%
1214     \or @\or A\or B\or C\or D\or E\or F\or G%
1215     \or H\or I\or J\or K\or L\or M\or N\or O%
1216     \or P\or Q\or R\or S\or T\or U\or V\or W%
1217     \or X\or Y\or Z\or \133\or \134\or \135\or \136\or \137%
1218     \or \140\or a\or b\or c\or d\or e\or f\or g%
1219     \or h\or i\or j\or k\or l\or m\or n\or o%
1220     \or p\or q\or r\or s\or t\or u\or v\or w%
1221     \or x\or y\or z\or \173\or \174\or \175\or \176\or \177%
1222     \or \200\or \201\or \202\or \203\or \204\or \205\or \206\or \207%
1223     \or \210\or \211\or \212\or \213\or \214\or \215\or \216\or \217%
1224     \or \220\or \221\or \222\or \223\or \224\or \225\or \226\or \227%
1225     \or \230\or \231\or \232\or \233\or \234\or \235\or \236\or \237%
1226     \or \240\or \241\or \242\or \243\or \244\or \245\or \246\or \247%
1227     \or \250\or \251\or \252\or \253\or \254\or \255\or \256\or \257%
1228     \or \260\or \261\or \262\or \263\or \264\or \265\or \266\or \267%
1229     \or \270\or \271\or \272\or \273\or \274\or \275\or \276\or \277%
1230     \or \300\or \301\or \302\or \303\or \304\or \305\or \306\or \307%
1231     \or \310\or \311\or \312\or \313\or \314\or \315\or \316\or \317%
1232     \or \320\or \321\or \322\or \323\or \324\or \325\or \326\or \327%
1233     \or \330\or \331\or \332\or \333\or \334\or \335\or \336\or \337%
1234     \or \340\or \341\or \342\or \343\or \344\or \345\or \346\or \347%
1235     \or \350\or \351\or \352\or \353\or \354\or \355\or \356\or \357%
1236     \or \360\or \361\or \362\or \363\or \364\or \365\or \366\or \367%

```

```

1237   \or \370\or \371\or \372\or \373\or \374\or \375\or \376\or \377%
1238   \fi
1239 }

```

6.5.5 CJK unicode

```

\HyPsd@CJKhook@unicode

1240 \def\HyPsd@CJKhook@unicode{%
1241   \let\Unicode\HyPsd@CJK@Unicode
1242   \let\CJKnumber\HyPsd@CJKnumber
1243   \let\CJKdigits\HyPsd@CJKdigits
1244 }

\HyPsd@CJK@Unicode

1245 \def\HyPsd@CJK@Unicode#1#2{%
1246   \ifnum#1<256 %
1247     \HyPsd@DecimalToOctalFirst{#1}%
1248     \HyPsd@DecimalToOctalSecond{#2}%
1249   \else
1250     \933%
1251     \expandafter\expandafter\expandafter\HyPsd@HighA
1252     \intcalcDiv{#1}{4}!%
1253     \933%
1254     \ifcase\intcalcMod{#1}{4} %
1255       4\or 5\or 6\or 7%
1256     \fi
1257     \HyPsd@DecimalToOctalSecond{#2}%
1258   \fi
1259 }

1260 \def\HyPsd@HighA#1!{%
1261   \expandafter\expandafter\expandafter\HyPsd@HighB
1262   \IntCalcDiv#1!64!!%
1263   \expandafter\expandafter\expandafter\HyPsd@HighD
1264   \IntCalcMod#1!64!!%
1265 }
1266 \def\HyPsd@HighB#1!{%
1267   \expandafter\expandafter\expandafter\HyPsd@HighC
1268   \IntCalcDec#1!!%
1269 }
1270 \def\HyPsd@HighC#1!{%
1271   \IntCalcDiv#1!4!%
1272   \@backslashchar
1273   \IntCalcMod#1!4!%
1274 }
1275 \def\HyPsd@HighD#1!{%
1276   \ifcase\IntCalcDiv#1!8! %
1277     0\or 1\or 2\or 3\or 4\or 5\or 6\or 7%
1278   \fi
1279   \ifcase\IntCalcMod#1!8! %
1280     0\or 1\or 2\or 3\or 4\or 5\or 6\or 7%
1281   \fi
1282 }
1283 \def\HyPsd@DecimalToOctalFirst#1{%
1284   \9%
1285   \ifcase#1 %
1286     000\or 001\or 002\or 003\or 004\or 005\or 006\or 007%

```

```

1287 \or 010\or 011\or 012\or 013\or 014\or 015\or 016\or 017%
1288 \or 020\or 021\or 022\or 023\or 024\or 025\or 026\or 027%
1289 \or 030\or 031\or 032\or 033\or 034\or 035\or 036\or 037%
1290 \or 040\or 041\or 042\or 043\or 044\or 045\or 046\or 047%
1291 \or 050\or 051\or 052\or 053\or 054\or 055\or 056\or 057%
1292 \or 060\or 061\or 062\or 063\or 064\or 065\or 066\or 067%
1293 \or 070\or 071\or 072\or 073\or 074\or 075\or 076\or 077%
1294 \or 100\or 101\or 102\or 103\or 104\or 105\or 106\or 107%
1295 \or 120\or 111\or 112\or 113\or 114\or 115\or 116\or 117%
1296 \or 120\or 121\or 122\or 123\or 124\or 125\or 126\or 127%
1297 \or 130\or 131\or 132\or 133\or 134\or 135\or 136\or 137%
1298 \or 140\or 141\or 142\or 143\or 144\or 145\or 146\or 147%
1299 \or 150\or 151\or 152\or 153\or 154\or 155\or 156\or 157%
1300 \or 160\or 161\or 162\or 163\or 164\or 165\or 166\or 167%
1301 \or 170\or 171\or 172\or 173\or 174\or 175\or 176\or 177%
1302 \or 200\or 201\or 202\or 203\or 204\or 205\or 206\or 207%
1303 \or 210\or 211\or 212\or 213\or 214\or 215\or 216\or 217%
1304 \or 220\or 221\or 222\or 223\or 224\or 225\or 226\or 227%
1305 \or 230\or 231\or 232\or 233\or 234\or 235\or 236\or 237%
1306 \or 240\or 241\or 242\or 243\or 244\or 245\or 246\or 247%
1307 \or 250\or 251\or 252\or 253\or 254\or 255\or 256\or 257%
1308 \or 260\or 261\or 262\or 263\or 264\or 265\or 266\or 267%
1309 \or 270\or 271\or 272\or 273\or 274\or 275\or 276\or 277%
1310 \or 300\or 301\or 302\or 303\or 304\or 305\or 306\or 307%
1311 \or 310\or 311\or 312\or 313\or 314\or 315\or 316\or 317%
1312 \or 320\or 321\or 322\or 323\or 324\or 325\or 326\or 327%
1313 \or 330\or 331\or 332\or 333\or 334\or 335\or 336\or 337%
1314 \or 340\or 341\or 342\or 343\or 344\or 345\or 346\or 347%
1315 \or 350\or 351\or 352\or 353\or 354\or 355\or 356\or 357%
1316 \or 360\or 361\or 362\or 363\or 364\or 365\or 366\or 367%
1317 \or 370\or 371\or 372\or 373\or 374\or 375\or 376\or 377%
1318 \fi
1319 }
1320 \def\HyPsd@DecimalToOctalSecond#1{%
1321 \ifcase #1 %
1322   \000\or \001\or \002\or \003\or \004\or \005\or \006\or \007%
1323   \or \010\or \011\or \012\or \013\or \014\or \015\or \016\or \017%
1324   \or \020\or \021\or \022\or \023\or \024\or \025\or \026\or \027%
1325   \or \030\or \031\or \032\or \033\or \034\or \035\or \036\or \037%
1326   \or \040\or \041\or \042\or \043\or \044\or \045\or \046\or \047%
1327   \or \050\or \051\or \052\or \053\or \054\or \055\or \056\or \057%
1328   \or \060\or \061\or \062\or \063\or \064\or \065\or \066\or \067%
1329   \or \070\or \071\or \072\or \073\or \074\or \075\or \076\or \077%
1330   \or \100\or \101\or \102\or \103\or \104\or \105\or \106\or \107%
1331   \or \110\or \111\or \112\or \113\or \114\or \115\or \116\or \117%
1332   \or \120\or \121\or \122\or \123\or \124\or \125\or \126\or \127%
1333   \or \130\or \131\or \132\or \133\or \134\or \135\or \136\or \137%
1334   \or \140\or \141\or \142\or \143\or \144\or \145\or \146\or \147%
1335   \or \150\or \151\or \152\or \153\or \154\or \155\or \156\or \157%
1336   \or \160\or \161\or \162\or \163\or \164\or \165\or \166\or \167%
1337   \or \170\or \171\or \172\or \173\or \174\or \175\or \176\or \177%
1338   \or \200\or \201\or \202\or \203\or \204\or \205\or \206\or \207%
1339   \or \210\or \211\or \212\or \213\or \214\or \215\or \216\or \217%
1340   \or \220\or \221\or \222\or \223\or \224\or \225\or \226\or \227%
1341   \or \230\or \231\or \232\or \233\or \234\or \235\or \236\or \237%
1342   \or \240\or \241\or \242\or \243\or \244\or \245\or \246\or \247%
1343   \or \250\or \251\or \252\or \253\or \254\or \255\or \256\or \257%

```

```

1344   \or \260\or \261\or \262\or \263\or \264\or \265\or \266\or \267%
1345   \or \270\or \271\or \272\or \273\or \274\or \275\or \276\or \277%
1346   \or \300\or \301\or \302\or \303\or \304\or \305\or \306\or \307%
1347   \or \310\or \311\or \312\or \313\or \314\or \315\or \316\or \317%
1348   \or \320\or \321\or \322\or \323\or \324\or \325\or \326\or \327%
1349   \or \330\or \331\or \332\or \333\or \334\or \335\or \336\or \337%
1350   \or \340\or \341\or \342\or \343\or \344\or \345\or \346\or \347%
1351   \or \350\or \351\or \352\or \353\or \354\or \355\or \356\or \357%
1352   \or \360\or \361\or \362\or \363\or \364\or \365\or \366\or \367%
1353   \or \370\or \371\or \372\or \373\or \374\or \375\or \376\or \377%
1354   \fi
1355 }

1356 \def\HyPsd@CJKnumber#1{%
1357   \ifnum#1<\z@
1358     \CJK@minus
1359     \expandafter\HyPsd@@CJKnumber\expandafter{\number-\number#1}%
1360   \else
1361     \expandafter\HyPsd@@CJKnumber\expandafter{\number#1}%
1362   \fi
1363 }
1364 \def\HyPsd@@CJKnumber#1{%
1365   \ifcase#1 %
1366     \CJK@zero\or\CJK@one\or\CJK@two\or\CJK@three\or\CJK@four\or
1367     \CJK@five\or\CJK@six\or\CJK@seven\or\CJK@eight\or\CJK@nine\or
1368     \CJK@ten\or\JK@ten\JK@one\or\JK@ten\JK@two\or
1369     \JK@ten\JK@three\or\JK@ten\JK@four\or\JK@ten\JK@five\or
1370     \JK@ten\JK@six\or\JK@ten\JK@seven\or\JK@ten\JK@eight\or
1371     \JK@ten\JK@nine
1372   \else
1373     \ifnum#1<10000 %
1374       \HyPsd@CJKnumberFour#1!\empty{20}%
1375       \empty
1376     \else
1377       \ifnum#1<100000000 %
1378         \expandafter\expandafter\expandafter\HyPsd@CJKnumberFour
1379         \IntCalcDiv#1!10000!%
1380         !{}{20}%
1381         \CJK@tentousand
1382         \expandafter\expandafter\expandafter\HyPsd@CJKnumberFour
1383         \IntCalcMod#1!10000!%
1384         !\CJK@zero{10}%
1385         \empty
1386     \else
1387       \expandafter\HyPsd@CJKnumberLarge
1388       \number\IntCalcDiv#1!100000000!\expandafter!%
1389       \number\IntCalcMod#1!100000000!!%
1390     \fi
1391   \fi
1392 \fi
1393 }
1394 \def\HyPsd@CJKnumberLarge#1!#2!{%
1395   \HyPsd@CJKnumberFour#1!{}{20}%
1396   \CJK@hundredmillion
1397   \ifnum#2=\z@
1398   \else
1399     \expandafter\expandafter\expandafter\HyPsd@CJKnumberFour
1400     \IntCalcDiv#2!10000!%

```

```

1401   !\CJK@zero{10}%
1402   \CJK@tenthousand
1403   \expandafter\expandafter\expandafter\HyPsd@CJKnumberFour
1404     \IntCalcMod#2!10000!%
1405   !\CJK@zero{10}%
1406   \empty
1407 \fi
1408 }
1409 \def\HyPsd@CJKnumberFour#1#2#3{%
1410   \ifnum#1=\z@
1411     \expandafter\@gobble
1412   \else
1413     \ifnum#1<1000 %
1414       #2%
1415     \HyPsd@CJKnumberThree#1{}{#3}%
1416   \else
1417     \HyPsd@@CJKnumber{\IntCalcDiv#1!1000!}%
1418     \CJK@thousand
1419     \expandafter\expandafter\expandafter\HyPsd@CJKnumberThree
1420       \IntCalcMod#1!1000!%
1421     !\CJK@zero{10}%
1422   \fi
1423 \fi
1424 }
1425 \def\HyPsd@CJKnumberThree#1#2#3{%
1426   \ifnum#1=\z@
1427   \else
1428     \ifnum#1<100 %
1429       #2%
1430     \HyPsd@CJKnumberTwo#1{}{#3}%
1431   \else
1432     \HyPsd@@CJKnumber{\IntCalcDiv#1!100!}%
1433     \CJK@hundred
1434     \expandafter\expandafter\expandafter\HyPsd@CJKnumberTwo
1435       \IntCalcMod#1!100!%
1436     !\CJK@zero{10}%
1437   \fi
1438 \fi
1439 }
1440 \def\HyPsd@CJKnumberTwo#1#2#3{%
1441   \ifnum#1=\z@
1442   \else
1443     \ifnum#1<#3 %
1444       #2%
1445     \HyPsd@@CJKnumber{#1}%
1446   \else
1447     \HyPsd@@CJKnumber{\IntCalcDiv#1!10!}%
1448     \CJK@ten
1449     \ifnum\IntCalcMod#1!10!=\z@
1450     \else
1451       \HyPsd@@CJKnumber{\IntCalcMod#1!10!}%
1452     \fi
1453   \fi
1454 \fi
1455 }
1456 \def\HyPsd@CJKdigits#1{%
1457   \ifx*#1\relax

```

```

1458     \expandafter\HyPsd@@CJKdigits\expandafter\CJK@zero
1459 \else
1460   \HyPsd@@CJKdigits\JK@null{\#1}%
1461 \fi
1462 }
1463 \def\HyPsd@@CJKdigits#1#2{%
1464   \ifx\#2\\%
1465   \else
1466     \HyPsd@@@CJKdigits#1#2\@nil
1467   \fi
1468 }%
1469 \def\HyPsd@@@CJKdigits#1#2#3\@nil{%
1470   \HyPsd@CJKdigit#1{\#2}%
1471   \ifx\#3\\%
1472     \expandafter\@gobble
1473   \else
1474     \expandafter\@firstofone
1475   \fi
1476 }%
1477   \HyPsd@@@CJKdigits#1#3\@nil
1478 }%
1479 }
1480 \def\HyPsd@CJKdigit#1#2{%
1481   \ifcase#2 %
1482     #1\or
1483     \CJK@one\or\CJK@two\or\CJK@three\or\CJK@four\or
1484     \CJK@five\or\CJK@six\or\CJK@seven\or\CJK@eight\or\CJK@nine
1485   \fi
1486 }

```

6.5.6 \@inmathwarn-Patch

\HyPsd@inmathwarn The patch of \@inmathwarn is needed to get rid of the infinite error loop with glyphs of other encodings (see the explanation above). Potentially the patch is dangerous, if the code in `ltoutenc.dtx` changes. Checked with $\text{\LaTeX}\ 2_{\varepsilon}$ versions [1998/06/01] and [1998/12/01]. I expect that versions below [1995/12/01] don't work.

To understand the patch easier, the original code of \@current@cmd and \@changed@cmd follows ($\text{\LaTeX}\ 2_{\varepsilon}$ release [1998/12/01]). In the normal case \pdfstringdef is executed in a context where \protect has the meaning of \typesetprotect (= \relax).

```

\def@\current@cmd#1{%
  \ifx\protect\typeset\protect
    \inmathwarn#1%
  \else
    \noexpand#1\expandafter\@gobble
  \fi}
\def@\changed@cmd#1#2{%
  \ifx\protect\typeset\protect
    \inmathwarn#1%
  \expandafter\ifx\csname\cf@encoding\string#1\endcsname\relax
    \expandafter\ifx\csname ?\string#1\endcsname\relax
      \expandafter\def\csname ?\string#1\endcsname{%
        \TextSymbolUnavailable#1%
      }%
    \fi
  \global\expandafter\let
    \csname\cf@encoding\string#1\expandafter\endcsname

```

```

\csname ?\string#1\endcsname
\fi
\csname\cf@encoding\string#1%
\expandafter\endcsname
\else
\noexpand#1%
\fi}
\gdef\TextSymbolUnavailable#1{%
\@latex@error{%
Command \protect#1 unavailable in encoding \cf@encoding%
}@\eha}
\def\@inmathwarn#1{%
\ifmmode
\@latex@warning{Command \protect#1 invalid in math mode}%
\fi}

1487 \def\HyPsd@inmathwarn#1#2{%
1488   \ifx#2\expandafter
1489     \expandafter\ifx\csname\cf@encoding\string#1\endcsname\relax
1490       \HyPsd@GLYPHERR
1491       \expandafter\@gobble\string#1%
1492     >%
1493     \expandafter\expandafter\expandafter\HyPsd@EndWithElse
1494   \else
1495     \expandafter\expandafter\expandafter\HyPsd@GobbleFiFi
1496   \fi
1497 }%
1498   \expandafter#2%
1499 \fi
1500 }
1501 \def\HyPsd@GobbleFiFi#1\fi#2\fi{%
1502 \def\HyPsd@EndWithElse#1\else{\else}
\HyPsd@add@accent

1503 \def\HyPsd@add@accent#1#2{%
1504   \HyPsd@GLYPHERR\expandafter\@gobble\string#1+\string#2>%
1505   #2%
1506 }%

```

6.5.7 Unexpandable spaces

\HyPsd@LetUnexpandableSpace In \HyPsd@@ProtectSpaces the space tokens are replaced by not expandable commands, that work like spaces:

- So they can caught by undelimited arguments.
- And they work in number, dimen, and skip assignments.

These properties are used in \HyPsd@CheckCatcodes.

```

1507 \def\HyPsd@LetUnexpandableSpace#1{%
1508   \expandafter\futurelet\expandafter#1\expandafter\@gobble\space\relax
1509 }%

```

\HyPsd@UnexpandableSpace \HyPsd@UnexpandableSpace is used in \HyPsd@@ProtectSpaces. In \yPsd@@ProtectSpaces the space tokens are replaced by unexpandable commands \HyPsd@UnexpandableSpace, but that have the effect of spaces.

```

1510 \HyPsd@LetUnexpandableSpace\HyPsd@UnexpandableSpace

```

6.5.8 Marker for commands

\HyPsd@XSPACE Some commands and informations cannot be utilized before the string expansion and the checking process. Command names are filtered out, so we need another way to transport the information: An unusual # with catcode 12 marks the beginning of the extra information.

```
1511 \edef\HyPsd@XSPACE{\string#\string X}
1512 \edef\HyPsd@ITALCORR{\string#\string I}
1513 \edef\HyPsd@GLYPHERR{\string#\string G}
```

6.5.9 \hspace fix

\HyPsd@hspc

```
1514 \def\HyPsd@hspc#1{\HyPsd@@hspc#1*\END}
```

\HyPsd@@hspc \HyPsd@@hspc checks whether \hspc is called in its star form.

```
1515 \def\HyPsd@@hspc#1#2\END{%
1516   \ifx\#2\%
1517     \HyPsd@hspacetest{#1}%
1518   \else
1519     \expandafter\HyPsd@hspacetest
1520   \fi
1521 }
```

\HyPsd@hspacetest \HyPsd@hspacetest replaces the \hspc by a space, if the length is greater than zero.

```
1522 \def\HyPsd@hspacetest#1{\ifdim#1>\z@\space\fi}
```

6.5.10 Fix for AMS classes

```
1523 \ltx@IfUndefined{tocsection}{%
1524   \let\HyPsd@AMSclassfix\relax
1525 }{%
1526   \def\HyPsd@AMSclassfix{%
1527     \let\tocpart\HyPsd@tocsection
1528     \let\tocchapter\HyPsd@tocsection
1529     \let\tocappendix\HyPsd@tocsection
1530     \let\tocsection\HyPsd@tocsection
1531     \let\tocsubsection\HyPsd@tocsection
1532     \let\tocsubsubsection\HyPsd@tocsection
1533     \let\tocparagraph\HyPsd@tocsection
1534   }%
1535   \def\HyPsd@tocsection#1#2#3{%
1536     \if @#2@ \else \if @#1@ \else #1 \fi #2. \fi
1537     #3%
1538   }%
1539 }
```

6.5.11 Reference commands

\HyPsd@href

```
1540 \def\HyPsd@href#1#{\@secondoftwo}
```

\HyPsd@ref Macro \HyPsd@ref calls the macro \HyPsd@@ref for star checking. The same methods like in \HyPsd@hspc is used.

```
1541 \def\HyPsd@ref#1{\HyPsd@@ref#1*\END}%
```

\HyPsd@@ref Macro \HyPsd@@ref checks if a star is present.

```

1542 \def\HyPsd@@ref#1*#2\END{%
1543   \ifx\\#2\\%
1544     \HyPsd@@ref{#1}%
1545   \else
1546     \expandafter\HyPsd@@ref
1547   \fi
1548 }%

```

\HyPsd@@@ref \HyPsd@@@ref does the work and extracts the first argument.

```

1549 \def\HyPsd@@@ref#1{%
1550   \expandafter\ifx\csname r@#\endcsname\relax
1551     ??%
1552   \else
1553     \expandafter\expandafter\expandafter
1554     \car\csname r@#\endcsname\@nil
1555   \fi
1556 }%

```

\HyPsd@pageref Macro \HyPsd@pageref calls the macro \HyPsd@pageref for star checking. The same methods like in \HyPsd@hspce is used.

```

1557 \def\HyPsd@pageref#1{\HyPsd@pageref#1*\END}

```

\HyPsd@@pageref Macro \HyPsd@@pageref checks if a star is present.

```

1558 \def\HyPsd@@pageref#1*#2\END{%
1559   \ifx\\#2\\%
1560     \HyPsd@@pageref{#1}%
1561   \else
1562     \expandafter\HyPsd@@pageref
1563   \fi
1564 }%

```

\HyPsd@@@pageref \HyPsd@@@pageref does the work and extracts the second argument.

```

1565 \def\HyPsd@@@pageref#1{%
1566   \expandafter\ifx\csname r@#\endcsname\relax
1567     ??%
1568   \else
1569     \expandafter\expandafter\expandafter\expandafter
1570     \expandafter\expandafter\expandafter\expandafter\@car
1571     \expandafter\expandafter\expandafter\expandafter\@gobble
1572     \csname r@#\endcsname{} \@nil
1573   \fi
1574 }%

```

\HyPsd@nameref Macro \HyPsd@nameref calls the macro \HyPsd@nameref for star checking. The same methods like in \HyPsd@hspce is used.

```

1575 \def\HyPsd@nameref#1{\HyPsd@nameref#1*\END}

```

\HyPsd@@nameref Macro \HyPsd@@nameref checks if a star is present.

```

1576 \def\HyPsd@@nameref#1*#2\END{%
1577   \ifx\\#2\\%
1578     \HyPsd@@nameref{#1}%
1579   \else
1580     \expandafter\HyPsd@@nameref
1581   \fi
1582 }%

```

\HyPsd@@@nameref \HyPsd@@@nameref does the work and extracts the third argument.

```

1583 \def\HyPsd@@@nameref#1{%
1584   \expandafter\ifx\csname r@#1\endcsname\relax
1585     ??%
1586   \else
1587     \expandafter\expandafter\expandafter\expandafter
1588     \expandafter\expandafter\expandafter\@car
1589     \expandafter\expandafter\expandafter\@gobbletwo
1590     \csname r@#1\endcsname{}{}\@nil
1591   \fi
1592 }

```

\HyPsd@autoref Macro \HyPsd@autoref calls the macro \HyPsd@autoref for star checking. The same methods like in \HyPsd@hspace is used.

```

1593 \def\HyPsd@autoref#1{\HyPsd@autoref#1*\END}

```

\HyPsd@autoref Macro \HyPsd@autoref checks if a star is present.

```

1594 \def\HyPsd@autoref#1*#2\END{%
1595   \ifx\\#2\\%
1596     \HyPsd@autoref#1%
1597   \else
1598     \expandafter\HyPsd@autoref
1599   \fi
1600 }

```

\HyPsd@@@autoref \HyPsd@@@autoref does the work and extracts the second argument.

```

1601 \def\HyPsd@@@autoref#1{%
1602   \expandafter\ifx\csname r@#1\endcsname\relax
1603     ??%
1604   \else
1605     \expandafter\expandafter\expandafter\HyPsd@autorefname
1606       \csname r@#1\endcsname{}{}{}{}@\nil
1607     \expandafter\expandafter\expandafter
1608     \@car\csname r@#1\endcsname@\nil
1609   \fi
1610 }

```

\HyPsd@autorefname At least a basic definition for getting the \autoref name.

```

1611 \def\HyPsd@autorefname#1#2#3#4#5@\nil{%
1612   \ifx\\#4\\%
1613   \else
1614     \HyPsd@autorefname#4.\@nil
1615   \fi
1616 }

```

\HyPsd@autorefname

```

1617 \def\HyPsd@autorefname#1.#2@\nil{%
1618   \ltx@ifundefined{#1autorefname}{%
1619     \ltx@ifundefined{#1name}{%
1620       }{%
1621         \csname#1name\endcsname\space
1622       }{%
1623     }{%
1624       \csname#1autorefname\endcsname\space
1625     }{%
1626   }

```

6.5.12 Redefining the defining commands

Definitions aren't allowed, because they aren't executed in an only expanding context. So the command to be defined isn't defined and can perhaps be undefined. This would causes TeX to stop with an error message. With a deep trick it is possible to define commands in such a context: `\csname` does the job, it defines the command to be `\relax`, if it has no meaning.

Active characters cannot be defined with this trick. It is possible to define all undefined active characters (perhaps that they have the meaning of `\relax`). To avoid side effects this should be done in `\pdfstringdef` shortly before the `\xdef` job. But checking and defining all possible active characters of the full range (0 until 255) would take a while. `\pdfstringdef` is slow enough, so this isn't done.

`\HyPsd@DefCommand` and `\HyPsd@LetCommand` expands to the commands `\<def>-command` and `\<let>-command` with the meaning of `\def` and `\let`. So it is detected by `\HyPsd@CheckCatcodes` and the command name `\<def>-command` or `\<let>-command` should indicate a forbidden definition command.

The command to be defined is converted to a string and back to a command name with the help of `\csname`. If the command is already defined, `\noexpand` prevents a further expansion, even though the command would expand to legal stuff. If the command don't have the meaning of `\relax`, `\HyPsd@CheckCatcodes` will produce a warning. (The command itself can be legal, but the warning is legitimate because of the position after a defining command.)

The difference between `\HyPsd@DefCommand` and `\HyPsd@LetCommand` is that the first one also cancels this arguments, the parameter and definition text. The right side of the `\let` commands cannot be canceled with an undelimited parameter because of a possible space token after `\futurelet`.

To avoid unmachted `\if...` tokens, the cases `\let\if...` `\iftrue` and `\let\if...` `\iffalse` are checked and ignored.

```
\HyPsd@DefCommand
\HyPsd@LetCommand
1627 \begingroup
1628 \def\x##2{%
1629 \endgroup
1630 \let#1\def
1631 \def\HyPsd@DefCommand##1##2##{%
1632 #1%
1633 \expandafter\noexpand
1634 \csname\expandafter\gobble\string##1\empty\endcsname
1635 \gobble
1636 }%
1637 \let#2\let
1638 \def\HyPsd@LetCommand##1{%
1639 \expandafter\ifx\csname##1\expandafter\endcsname
1640 \csname iftrue\endcsname
1641 \pdfstringdefWarn\let
1642 \expandafter@gobble
1643 \else
1644 \expandafter\ifx\csname##1\expandafter\endcsname
1645 \csname ifffalse\endcsname
1646 \pdfstringdefWarn\let
1647 \expandafter\expandafter\expandafter\gobble
1648 \else
1649 #2%
1650 \expandafter\noexpand
1651 \csname##1\expandafter\expandafter\expandafter\endcsname
```

```

1652      \fi
1653      \fi
1654  }%
1655 }%
1656 \expandafter\x\csname <def>-command\expandafter\endcsname
1657     \csname <let>-command\endcsname
1658 \def\HyPsd@LetCommand#1{%
1659   \expandafter\expandafter\expandafter\HyPsd@@LetCommand
1660   \expandafter\expandafter\expandafter{%
1661     \expandafter\@gobble\string#1\@empty
1662   }%
1663 }

```

6.5.13 \ifnextchar

\HyPsd@ifnextchar In \pdfstringdef \@ifnextchar is disabled via a \let command to save time. First a warning message is given, then the three arguments are canceled. \@ifnextchar cannot work in a correct manner, because it uses \futurelet, but this is a stomach feature, that doesn't work in an expanding context. There are several variants of \@ifnextchar:

- \@ifnextchar
- \kernel@ifnextchar
- \new@ifnextchar from package amsgen.sty (bug report latex/3662).

```

1664 \def\HyPsd@ifnextchar#1{%
1665   \pdfstringdefWarn#1%
1666   \expandafter\@gobbletwo\@gobble
1667 }

```

6.5.14 \@protected@testopt@ifnextchar

\HyPsd@protected@testopt Macros with optional arguments doesn't work properly, because they call \@ifnextchar to detect the optional argument (see the explanation of \HyPsd@ifnextchar). But a warning, that \@ifnextchar doesn't work, doesn't help the user very much. Therefore \@protected@testopt is also disabled, because its first argument is the problematic macro with the optional argument and it is called before \@ifnextchar.

```

1668 \def\HyPsd@protected@testopt#1{%
1669   \pdfstringdefWarn#1%
1670   \@gobbletwo
1671 }

```

6.6 Help macros for postprocessing

6.6.1 Generic warning.

\HyPsd@Warning For several reasons \space is masked and does not have its normal meaning. But it is used in warning messages, so it is redefined locally:

```

1672 \def\HyPsd@Warning#1{%
1673   \begingroup
1674   \def\space{ }%
1675   \Hy@Warning{#1}%
1676   \endgroup
1677 }

```

6.6.2 Protecting spaces

```

1678 \RequirePackage{etexcmds}[2007/09/09]
1679 \ifetex@unexpanded
1680   \expandafter\@secondoftwo
1681 \else
1682   \expandafter\@firstoftwo
1683 \fi
1684 }%

```

\HyPsd@ProtectSpaces calls with the expanded string \HyPsd@@ProtectSpacesFi. The expanded string is protected by | at the beginning and end of the expanded string. Because of this there can be no group at the beginning or end of the string and grouping characters are not removed by the call of \HyPsd@@ProtectSpacesFi.

```

1685 \def\HyPsd@ProtectSpaces#1{%
1686   \iftrue
1687     \expandafter\HyPsd@@ProtectSpacesFi
1688     \expandafter|\expandafter\@empty#1| \HyPsd@End#1%
1689   \fi
1690 }%

```

\HyPsd@@ProtectSpacesFi The string can contain command tokens, so it is better to use an \def instead of an \edef.

```

1691 \def\HyPsd@@ProtectSpacesFi#1 #2\HyPsd@End#3\fi{%
1692   \fi
1693   \ifx\scrollmode#2\scrollmode
1694     \HyPsd@RemoveMask#1\HyPsd@End#3%
1695   \else
1696     \gdef#3{\#1\HyPsd@UnexpandableSpace#2}%
1697     \expandafter\HyPsd@@ProtectSpacesFi#3\HyPsd@End#3%
1698   \fi
1699 }%

```

Remove mask.

\HyPsd@RemoveMask \HyPsd@RemoveMask removes the protecting |. It is used by \HyPsd@@ProtectSpacesFi and by the code in \pdfstringdef that removes the grouping characters.

```

1700 \def\HyPsd@RemoveMask|#1|\HyPsd@End#2{%
1701   \toks@\expandafter{\#1}%
1702   \xdef#2{\the\toks@}%
1703 }%
1704 }%
1705 \let\HyPsd@fi\fi
1706 \def\HyPsd@ProtectSpaces#1{%
1707   \xdef#1{%
1708     \iftrue
1709       \expandafter\HyPsd@@ProtectSpacesFi
1710       \expandafter|\expandafter\@empty#1| %
1711     \HyPsd@fi
1712   }%
1713   \expandafter\HyPsd@RemoveMask#1\HyPsd@End#1%
1714 }%
1715 \def\HyPsd@@ProtectSpacesFi#1 #2\HyPsd@fi{%
1716   \fi
1717   \etex@unexpanded{\#1}%
1718   \ifx\scrollmode#2\scrollmode
1719   \else
1720     \HyPsd@@ProtectSpacesFi\HyPsd@UnexpandableSpace#2%

```

```

1721     \HyPsd@fi
1722   }%
1723 \def\HyPsd@RemoveMask|#1|\HyPsd@End#2{%
1724   \xdef#2{\etex@unexpanded\expandafter{#1}}%
1725 }%
1726 }

```

6.6.3 Remove grouping braces

\HyPsd@RemoveBraces #1 contains the expanded string, the result will be locally written in command \HyPsd@String.

```

1727 \def\HyPsd@RemoveBraces#1{%
1728   \ifx\scrollmode#1\scrollmode
1729   \else
1730     \HyPsd@@RemoveBracesFi#1\HyPsd@End{#1}%
1731   \fi
1732 }

```

\HyPsd@@RemoveBraces \HyPsd@@RemoveBraces is called with the expanded string, the end marked by \HyPsd@End, the expanded string again, but enclosed in braces and the string command. The first expanded string is scanned by the parameter text #1#2. By a comparison with the original form in #3 we can decide whether #1 is a single token or a group. To avoid the case that #2 is a group, the string is extended by a | before.

While removing the grouping braces an italic correction marker is inserted for supporting package xspace and letting ligatures broken.

Because the string is already expanded, the \if commands should disappeared. So we can move some parts out of the argument of \Hy@ReturnAfterFi.

```

1733 \def\HyPsd@@RemoveBracesFi#1#2\HyPsd@End#3\fi{%
1734   \fi
1735   \def\Hy@temp@A{#1#2}%
1736   \def\Hy@temp@B{#3}%
1737   \ifx\Hy@temp@A\Hy@temp@B
1738     \expandafter\def\expandafter\HyPsd@String\expandafter{%
1739       \HyPsd@String#1}%
1740   }%
1741   \ifx\scrollmode#2\scrollmode
1742   \else
1743     \Hy@ReturnAfterFiFiEnd{%
1744       \HyPsd@RemoveBraces{#2}%
1745     }%
1746   \fi
1747 \else
1748   \def\Hy@temp@A{#1}%
1749   \HyPsd@AppendItalcorr\HyPsd@String
1750   \ifx\Hy@temp@A\empty
1751     \Hy@ReturnAfterElseFiFiEnd{%
1752       \HyPsd@RemoveBraces{#2}%
1753     }%
1754   \else
1755     \HyPsd@ProtectSpaces\Hy@temp@A
1756     \HyPsd@AppendItalcorr\Hy@temp@A
1757     \Hy@ReturnAfterFiFiEnd{%
1758       \expandafter\HyPsd@RemoveBraces\expandafter
1759       {(\Hy@temp@A#2)}%
1760     }%
1761   \fi
1762 \fi

```

```

1763 \Hy@ReturnEnd
1764 }

```

\HyPsd@AppendItalcorr The string can contain commands yet, so it is better to use \def instead of a shorter \edef.
\HyPsd@@AppendItalcorr The two help macros limit the count of \expandafter.

```

1765 \def\HyPsd@AppendItalcorr#1{%
1766 \expandafter\HyPsd@@AppendItalcorr\expandafter{\}/}#1%
1767 }
1768 \def\HyPsd@@AppendItalcorr#1#2{%
1769 \expandafter\def\expandafter#2\expandafter{#2#1}%
1770 }

```

6.6.4 Catcode check

Check catcodes.

\HyPsd@CheckCatcodes Because \ifcat expands its arguments, this is prevented by \noexpand. In case of command tokens and active characters \ifcat now sees a \relax. After protecting spaces and removing braces #1 should be a single token, no group of several tokens, nor an empty group. (So the \expandafter\relax between \ifcat and \noexpand is only for safety and it should be possible to remove it.)

\protect and \relax should be removed silently. But it is too dangerous and breaks some code giving them the meaning of \empty. So commands with the meaning of \protect are removed here. (\protect should have the meaning of \typeset@protect that is equal to \relax).

```

1771 \def\HyPsd@CheckCatcodes#1#2\HyPsd@End{%
1772 \global\let\HyPsd@Rest\relax
1773 \ifcat\relax\noexpand#1\relax
1774 \ifx#1\protect
1775 \else
1776 \ifx#1\penalty
1777 \setbox\z@=\hbox{%
1778 \afterassignment\HyPsd@AfterCountRemove
1779 \count@=#2\HyPsd@End
1780 }%
1781 \else
1782 \ifx#1\kern
1783 \setbox\z@=\hbox{%
1784 \afterassignment\HyPsd@AfterDimenRemove
1785 \dimen@=#2\HyPsd@End
1786 }%
1787 \else
1788 \ifx#1\hskip
1789 \setbox\z@=\hbox{%
1790 \afterassignment\HyPsd@AfterSkipRemove
1791 \skip@=#2\HyPsd@End
1792 }%
1793 \else
1794 \HyPsd@CatcodeWarning{#1}%
1795 \fi
1796 \fi
1797 \fi
1798 \fi
1799 \else
1800 \ifcat#1A% letter
1801 \expandafter\def\expandafter\HyPsd@String\expandafter{%

```

```

1802      \HyPsd@String#1%
1803      }%
1804      \else
1805      \ifcat#1 % SPACE
1806          \expandafter\def\expandafter\HyPsd@String\expandafter{%
1807              \HyPsd@String\HyPsd@SPACEOPTI
1808          }%
1809      \else
1810          \ifcat$#1%
1811              \HyPsd@CatcodeWarning{math shift}%
1812          \else
1813              \ifcat&#1%
1814                  \HyPsd@CatcodeWarning{alignment tab}%
1815              \else
1816                  \ifcat^#1%
1817                      \HyPsd@CatcodeWarning{superscript}%
1818                  \else
1819                      \ifcat_#1%
1820                          \HyPsd@CatcodeWarning{subscript}%
1821                      \else
1822                          \expandafter\def\expandafter\HyPsd@String\expandafter{%
1823                              \HyPsd@String#1%
1824                          }%
1825                      \fi
1826                  \fi
1827              \fi
1828          \fi
1829      \fi
1830      \fi
1831  \fi
1832 \ifx\HyPsd@Rest\relax
1833     \ifx\scrollmode#2\scrollmode
1834     \else
1835         \Hy@ReturnAfterFiFiEnd{%
1836             \HyPsd@CheckCatcodes#2\HyPsd@End
1837         }%
1838     \fi
1839 \else
1840     \ifx\HyPsd@Rest\empty
1841     \else
1842         \Hy@ReturnAfterFiFiEnd{%
1843             \expandafter\HyPsd@CheckCatcodes\HyPsd@Rest\HyPsd@End
1844         }%
1845     \fi
1846 \fi
1847 \Hy@ReturnEnd
1848 }

```

Remove counts, dimens, skips.

\HyPsd@AfterCountRemove Counts like \penalty are removed silently.

```

1849 \def\HyPsd@AfterCountRemove#1\HyPsd@End{%
1850   \gdef\HyPsd@Rest{\#1}%
1851 }

```

\HyPsd@AfterDimenRemove If the value of the dimen (\kern) is zero, it can be removed silently. All other values are difficult to interpret. Negative values do not work in bookmarks. Should positive values

be removed or should they be replaced by space(s)? The following code replaces positive values greater than 1ex with a space and removes them else.

```

1852 \def\HyPsd@AfterDimenRemove#1\HyPsd@End{%
1853   \ifdim\ifx\HyPsd@String\@empty\z@\else\dimen@\fi>1ex %
1854     \HyPsd@ReplaceSpaceWarning{\string\kern\space\the\dimen@}%
1855     \gdef\HyPsd@Rest{\HyPsd@UnexpandableSpace #1}%
1856   \else
1857     \ifdim\dimen@=\z@
1858   \else
1859     \HyPsd@RemoveSpaceWarning{\string\kern\space\the\dimen@}%
1860   \fi
1861   \gdef\HyPsd@Rest{#1}%
1862 \fi
1863 }

```

\HyPsd@AfterSkipRemove The glue part of skips do not work in PDF strings and are ignored. Skips (\hskip), that are not zero, have the same interpreting problems like dimens (see above).

```

1864 \def\HyPsd@AfterSkipRemove#1\HyPsd@End{%
1865   \ifdim\ifx\HyPsd@String\@empty\z@\else\skip@\fi>1ex %
1866     \HyPsd@ReplaceSpaceWarning{\string\hskip\space\the\skip@}%
1867     \gdef\HyPsd@Rest{\HyPsd@UnexpandableSpace #1}%
1868   \else
1869     \ifdim\skip@=\z@
1870   \else
1871     \HyPsd@RemoveSpaceWarning{\string\kern\space\the\skip@}%
1872   \fi
1873   \gdef\HyPsd@Rest{#1}%
1874 \fi
1875 }

```

Catcode warnings.

\HyPsd@CatcodeWarning \HyPsd@CatcodeWarning produces a warning for the user.

```

1876 \def\HyPsd@CatcodeWarning#1{%
1877   \HyPsd@Warning{%
1878     Token not allowed in a PDF string (%
1879     \ifHy@unicode
1880       Unicode%
1881     \else
1882       PDFDocEncoding%
1883     \fi
1884   ):%
1885   \MessageBreak removing '\HyPsd@RemoveCmdPrefix#1'%
1886 }
1887 }
1888 \begingroup
1889   \catcode`\|=0 %
1890   \catcode`\\=12 %
1891   \gdef\HyPsd@RemoveCmdPrefix#1{%
1892     \expandafter\HyPsd@@RemoveCmdPrefix
1893     \string#1\@empty\<-|\@empty\@empty
1894   }%
1895   \gdef\HyPsd@@RemoveCmdPrefix#1\<-#2\@empty#3\@empty{#1#2}%
1896 \endgroup

```

\HyPsd@RemoveSpaceWarning

```

1897 \def\HyPsd@RemoveSpaceWarning#1{%
1898   \HyPsd@Warning{%
1899     Token not allowed in a PDF string (%
1900     \ifHy@unicode
1901       Unicode%
1902     \else
1903       PDFDocEncoding%
1904     \fi
1905   }):%
1906   \MessageBreak #1\MessageBreak
1907   removed%
1908 }
1909 }

```

\HyPsd@ReplaceSpaceWarning

```

1910 \def\HyPsd@ReplaceSpaceWarning#1{%
1911   \HyPsd@Warning{%
1912     Token not allowed in a PDF string (%
1913     \ifHy@unicode
1914       Unicode%
1915     \else
1916       PDFDocEncoding%
1917     \fi
1918   }):%
1919   \MessageBreak #1\MessageBreak
1920   replaced by space%
1921 }
1922 }

```

6.6.5 Check for wrong glyphs

A wrong glyph is marked with \relax, the glyph name follows, delimited by >. \empty ends the string.

```

1923 \def\HyPsd@GlyphProcess#1\relax#2\empty{%
1924   \expandafter\def\expandafter\HyPsd@String\expandafter{%
1925     \HyPsd@String#1%
1926   }%
1927   \ifx\\#2\\%
1928   \else
1929     \Hy@ReturnAfterFi{%
1930       \HyPsd@GlyphProcessWarning#2\empty
1931     }%
1932   \fi
1933 }
1934 \def\HyPsd@GlyphProcessWarning#1>#2\empty{%
1935   \HyPsd@GlyphProcessWarning#1++>%
1936   \HyPsd@GlyphProcess#2\empty
1937 }
1938 \def\HyPsd@@GlyphProcessWarning#1+##2+##3>{%
1939   \ifx\\#2\\%
1940     \HyPsd@Warning{%
1941       Glyph not defined in %
1942       P\ifHy@unicode U\else D1\fi\space encoding,\MessageBreak
1943       removing '\@backslashchar#1'%
1944     }%
1945   \else
1946     \HyPsd@Warning{%

```

```

1947      Composite letter '\@backslashchar#1+\#2'\MessageBreak
1948      not defined in P\ifHy@unicode U\else D1\fi\space encoding,%
1949      \MessageBreak
1950      removing '\@backslashchar#1'%
1951      }%
1952  \fi
1953 }

```

Spaces.

- \HyPsd@spaceopti In the string the spaces are represented by \HyPsd@spaceopti tokens. Within an \edef it prints itself as a simple space and looks for its next argument. If another space follows, so it replaces the next \HyPsd@spaceopti by an protected space \040.

```

1954 \def\HyPsd@spaceopti#1{ % first space
1955   \ifx\HyPsd@spaceopti#1%
1956     \040%
1957   \else
1958     #1%
1959   \fi
1960 }%

```

6.6.6 Replacing tokens

- \HyPsd@Subst To save tokens \HyPsd@StringSubst is an wrapper for the command \HyPsd@Subst that does all the work: In string stored in command #3 it replaces the tokens #1 with #2.

#1 Exact the tokens that should be replaced.
#2 The replacement (don't need to be expanded).
#3 Command with the string.

```

1961 \def\HyPsd@Subst#1#2#3{%
1962   \def\HyPsd@@ReplaceFi##1##2\END\fi{%
1963     \fi
1964     ##1%
1965     \ifx\scrollmode##2\scrollmode
1966       \else
1967         ##2%
1968         \HyPsd@@ReplaceFi##2\END
1969       \fi
1970     }%
1971   \xdef#3{%
1972     \iftrue
1973       \expandafter\HyPsd@@ReplaceFi#3#1\END
1974     \fi
1975   }%
1976 }

```

- \HyPsd@StringSubst To save tokens in \pdfstringdef \HyPsd@StringSubst is a wrapper, that expands argument #1 before calling \HyPsd@Subst.

```

1977 \def\HyPsd@StringSubst#1{%
1978   \expandafter\HyPsd@Subst\expandafter{\string#1}%
1979 }

```

\HyPsd@EscapeTeX

```

1980 \begingroup
1981   \lccode`!=`\%
1982   \lccode`|=`\%

```

```

1983 \lccode`(`='\{%
1984 \lccode`)=`\}%
1985 \lccode`0=\ltx@zero
1986 \lccode`1=\ltx@zero
1987 \lccode`3=\ltx@zero
1988 \lccode`4=\ltx@zero
1989 \lccode`5=\ltx@zero
1990 \lccode`7=\ltx@zero
1991 \lowercase{\endgroup
1992 \def\HyPsd@EscapeTeX#1{%
1993   \HyPsd@Subst!{|045}#1%
1994   \HyPsd@Subst{|173}#1%
1995   \HyPsd@Subst{|175}#1%
1996 }%
1997 }

```

6.6.7 Support for package `xspace`

\HyPsd@doxspace \xspace does not work, because it uses a \futurelet that cannot be executed in \TeX 's mouth. So this implementation uses an argument to examine the next token. In a previous version I reused \@\xspace, but this version is shorter and easier to understand.

```

1998 \def\HyPsd@doxspace#1{%
1999   \ifx#1\relax\else
2000     \ifx#1.\else
2001       \ifx#1:\else
2002         \ifx#1,\else
2003           \ifx#1;\else
2004             \ifx#1!\else
2005               \ifx#1?\else
2006                 \ifx#1/\else
2007                   \ifx#1-\else
2008                     \ifx#1'\else
2009                       \HyPsd@SPACEOPTI
2010                         \fi
2011                         \fi
2012                           \fi
2013                             \fi
2014                               \fi
2015                                 \fi
2016                                   \fi
2017                                     \fi
2018                                       \fi
2019                                         \fi
2020                                           #1%
2021 }%

```

6.6.8 Converting to Unicode

Eight bit characters are converted to the sixteen bit ones, \8 is replaced by \00, and \9 is removed. The result should be a valid Unicode PDF string without the Unicode marker at the beginning.

```

2022 \begingroup
2023   \catcode`|=0 %
2024   \catcode`\\=12 %

```

\HyPsd@ConvertToUnicode

```

2025 |gdef|HyPsd@ConvertToUnicode#1{%
2026   |xdef#1{%
2027     |expandafter|HyPsd@DoConvert#1|@empty|@empty|@empty
2028   }%
2029   |ifx#1|@empty
2030   |else
2031     |xdef#1{%
2032       \376\377%
2033       #1%
2034     }%
2035   |fi
2036 }%}

\HyPsd@DoConvert
2037 |gdef|HyPsd@DoConvert#1{%
2038   |ifx#1|@empty
2039   |else
2040     |Hy@ReturnAfterFi{%
2041       |ifx#1\%%
2042       \%%
2043       |expandafter|HyPsd@DoEscape
2044     |else
2045       |HyPsd@Char{#1}%
2046       |expandafter|HyPsd@DoConvert
2047     |fi
2048   }%
2049   |fi
2050 }%}

\HyPsd@DoEscape
2051 |gdef|HyPsd@DoEscape#1{%
2052   |ifx#19%
2053   |expandafter|HyPsd@GetTwoBytes
2054   |else
2055     |Hy@ReturnAfterFi{%
2056       |ifx#18%
2057       00%
2058       |expandafter|HyPsd@GetTwoBytes
2059     |else
2060       #1%
2061       |expandafter|HyPsd@GetOneByte
2062     |fi
2063   }%
2064   |fi
2065 }%}

\HyPsd@GetTwoBytes
2066 |gdef|HyPsd@GetTwoBytes#1\#2#3#4{%
2067   #1\#2#3#4%
2068   |HyPsd@DoConvert
2069 }%}

\HyPsd@GetOneByte
2070 |gdef|HyPsd@GetOneByte#1#2{%
2071   #1#2%
2072   |HyPsd@DoConvert
2073 }%

```

```

2074 | endgroup

\HyPsd@@GetNextTwoTokens  TEX does only allow nine parameters, so we need another macro to get more arguments.
2075 \def\HyPsd@GetNextTwoTokens#1#2#3\END#4{%
2076   \xdef#4{#4#1#2}%
2077   \HyPsd@@ConvertToUnicode#3\END#4%
2078 }

\HyPsd@Char

2079 \begingroup
2080   \catcode0=9 %
2081   \catcode`\^=7 %
2082   \catcode`\^^=12 %
2083   \def\x{^^0000}%
2084 \expandafter\endgroup
2085 \ifx\x\empty
2086   \def\HyPsd@Char#1{%
2087     \ifnum`#1<128 %
2088       \@backslashchar 000#1%
2089     \else
2090       \ifnum`#1<65536 %
2091         \expandafter\HyPsd@CharTwoByte\number`#1!%
2092       \else
2093         \expandafter\expandafter\expandafter\HyPsd@CharSurrogate
2094         \intcalcSub{'#1}{65536}!%
2095       \fi
2096     \fi
2097   }%
2098   \def\HyPsd@CharTwoByte#1{%
2099     \expandafter\expandafter\expandafter\HyPsd@CharOctByte
2100     \IntCalcDiv#1!256!!%
2101     \expandafter\expandafter\expandafter\HyPsd@CharOctByte
2102     \IntCalcMod#1!256!!%
2103   }%
2104   \def\HyPsd@CharOctByte#1{%
2105     \@backslashchar
2106     \IntCalcDiv#1!64!%
2107     \intcalcDiv{\IntCalcMod#1!64!}{8}%
2108     \IntCalcMod#1!8!%
2109   }%
2110   \def\HyPsd@CharSurrogate#1{%
2111     \@backslashchar 33%
2112     \IntCalcDiv#1!262144!%
2113     \expandafter\expandafter\expandafter\HyPsd@CharOctByte
2114     \intcalcDiv{\IntCalcMod#1!262144!}{1024}!%
2115     \@backslashchar 33%
2116     \expandafter\expandafter\expandafter\IntCalcAdd
2117     \intcalcDiv{\IntCalcMod#1!1024!}{256}!4!%
2118     \expandafter\expandafter\expandafter\HyPsd@CharOctByte
2119     \IntCalcMod#1!256!!%
2120   }%
2121 \else
2122   \def\HyPsd@Char#1{%
2123     \@backslashchar 000#1%
2124   }%
2125 \fi

```

6.6.9 Support for UTF-8 input encoding

After `\usepackage[utf8]{inputenc}` there are macros that expect the UTF-8 octets as arguments. Therefore we can calculate the PDF octal sequences directly. Because the PDF format is limited to UCS-2, conversion macros are needed for UTF-8 sequences with two and three octets only.

This calculation must be done in an expandable context, so we use eTeXhere for performance reasons. Unhappily the results of divisions are rounded. Thus a circumvention via `\dimexpr` is used, e.g.:

```
\numexpr 123/4\relax is replaced by
\number\dimexpr.25\dimexpr 123sp\relax\relax

2126 \begingroup\expandafter\expandafter\expandafter\endgroup
2127 \expandafter\ifx\csname numexpr\endcsname\relax
2128   \let\HyPsd@UTFviii\relax
2129 \else
2130   \begingroup
2131     \lccode`\~='^f4\relax
2132   \lowercase{\endgroup
2133   \def\HyPsd@UTFviii{%
2134     \let\UTFviii@two@octets\HyPsd@UTFviii@two
2135     \let\UTFviii@three@octets\HyPsd@UTFviii@three
2136     \let\UTFviii@four@octets\HyPsd@UTFviii@four
2137     \ifx`\~\HyPsd@UTFviii@ccxliv@undef
2138       \let`\~\HyPsd@UTFviii@ccxliv@def
2139     \fi
2140     \let\unichar\HyPsd@unichar
2141   }%
2142 }%
2143 \def\HyPsd@UTFviii@ccxliv@undef{\@inpencc@undefined@{utf8}}%
2144 \edef\HyPsd@UTFviii@ccxliv@def{%
2145   \noexpand\UTFviii@four@octets\string ^^f4%
2146 }%
```

The two octet form of UTF-8 110aaabb (A) and 10cccd (B) must be converted into octal numbers 00a and bcd. The result is `\8a\bcd` (with a, b, c, d as octal numbers). The conversion equations.

$$a := A/4 - 48 \quad (1)$$

$$b := A - 4 * (A/4) \quad (2)$$

$$c := B/8 - 8 * ((8 * (B/8))/8) \quad (3)$$

$$d := B - 8 * (B/8) \quad (4)$$

(5)

```
2147 \def\HyPsd@UTFviii@two#1#2{%
2148   \expandafter\HyPsd@UTFviii@two
2149   \number\dimexpr.25\dimexpr#1sp\expandafter\relax\expandafter|%
2150   \number`#1\expandafter|%
2151   \number\dimexpr.125\dimexpr#2sp\expandafter\relax\expandafter|%
2152   \number`#2 \@nil
2153 }%
2154 \def\HyPsd@UTFviii@two#1#2#3#4@nil{%
2155   \expandafter\8%
2156   \number\numexpr #1-48\expandafter\relax
2157   \csname\number\numexpr #2-4*#1\relax\expandafter\endcsname
2158   \number\numexpr #3-8*%
```

```

2159      \number\dimexpr.125\dimexpr#3sp\relax\relax\expandafter\relax
2160      \number\numexpr #4-8*\#3\relax
2161 }%

```

Three octet form: 1110aabb (A), 10bcccd (B), and 10eeeff (C). The result is $\backslash 9abc\def$ (with a, ..., f as octal numbers). The conversion equations:

$$a := A/4 - 56 \quad (6)$$

$$b := 2 * (A - 4 * (A/4)) + ((B - 128 < 32)?0 : 1) \quad (7)$$

$$c := B/4 - 32 - ((B - 128 < 32)?0 : 8) \quad (8)$$

$$d := B - 4 * (B/4) \quad (9)$$

$$e := C/8 - 16 \quad (10)$$

$$f := C - 8 * (C/8) \quad (11)$$

(12)

```

2162 \def\HyPsd@UTFviii@three#1#2#3{%
2163   \expandafter\HyPsd@UTFviii@#three
2164   \number\dimexpr.25\dimexpr#1sp\expandafter\relax\expandafter|%
2165   \number'#1\expandafter|%
2166   \number\ifnum\numexpr'#2-128\relax <32 0\else 1\fi\expandafter|%
2167   \number\dimexpr.25\dimexpr#2sp\expandafter\relax\expandafter|%
2168   \number'#2\expandafter|%
2169   \number\dimexpr.125\dimexpr#3sp\expandafter\relax\expandafter|%
2170   \number'#3 \@nil
2171 }%
2172 \def\HyPsd@UTFviii@#three#1|#2|#3|#4|#5|#6|#7|@nil{%
2173   \expandafter\@9%
2174   \number\numexpr #1-56\expandafter\relax
2175   \number\numexpr 2*(#2-4*#1)+#3\expandafter\relax
2176   \number\numexpr #4 - 32 -\ifcase#3 0\else 8\fi\expandafter\relax
2177   \csname\number\numexpr #5-4*#4\relax\expandafter\endcsname
2178   \number\numexpr #6-16\expandafter\relax
2179   \number\numexpr #7-8*#6\relax
2180 }%

```

Surrogates: 4 octets in UTF-8, a surrogate pair in UTF-16. High surrogate range: U+D800–U+DBFF, low surrogate range: U+DC00–U+DFFF.

UTF-8: 11110uuu	10uuzzz	10yyyyyy	10xxxxxx
wwww = uuuuu - 1			
UTF-16: 110110ww	wwzzzzyy	110111yy	yyxxxxxxxx
octal: 011 011 0ww	0ww zzz zyy	011 011 1yy	0yy xxx xxx

```

2181 \def\HyPsd@UTFviii@four#1#2{%
2182   \expandafter\HyPsd@UTFviii@four\number
2183   \numexpr-1+('#1-240)*4+\dimexpr.0625\dimexpr#2sp-128sp%
2184   \expandafter|\number
2185   \numexpr'#2-16*\dimexpr.0625\dimexpr#2sp|%
2186 }%
2187 \def\HyPsd@UTFviii@four#1|#2|#3{%
2188   \number\dimexpr.25\dimexpr#1sp\relax\relax
2189   \csname\number\numexpr#1-4*\dimexpr.25\dimexpr#1sp\endcsname
2190   \ifodd#2 %
2191     \number\numexpr(#2-1)/2\relax
2192   \else
2193     \number\numexpr#2/2\relax
2194   \fi

```

```

2195   \number\numexpr\ifodd#2 4+\fi
2196     \dimexpr.0625\dimexpr'#3sp-128sp\relax\relax\relax
2197   \933%
2198   \expandafter\HyPsd@@@UTFviii@four\number
2199   \numexpr'#3-16*\dimexpr.0625\dimexpr'#3sp|%
2200 }%
2201 \def\HyPsd@@@UTFviii@four#1|#2{%
2202   \number\numexpr4+\dimexpr.25\dimexpr'1sp\relax\relax\relax
2203   \csname\number\numexpr#1-4*\dimexpr.25\dimexpr'1sp\endcsname
2204   \number\dimexpr.125\dimexpr'#2sp-128sp\relax\relax
2205   \number\numexpr'#2-8*\dimexpr.125\dimexpr'#2sp\relax\relax\relax
2206 }%

```

Input encoding utf8x of package ucs uses macro \unichar. Values greater than "FFFF are not supported.

```

2207 \def\HyPsd@unichar#1{%
2208   \ifHy@unicode
2209     \ifnum#1>"10FFFF %
2210       \HyPsd@UnicodeReplacementCharacter % illegal
2211     \else
2212       \ifnum#1>"FFFF %

```

High-surrogate code point. ("D800 = 55296, \p@ = 1pt = 65536sp)

```

2213   \expandafter\HyPsd@unichar\expandafter{%
2214     \number\numexpr 55296+%
2215     \dimexpr.0009765625\dimexpr\number'1sp-\p@
2216     \relax\relax\relax
2217   }%

```

Low-surrogate code point. ("DC00 = 56320, "DC00 - 65536 = -9216)

```

2218   \expandafter\HyPsd@unichar\expandafter{%
2219     \number\numexpr#1-9216%
2220     -1024*\dimexpr.0009765625\dimexpr\number'1sp-\p@
2221     \relax\relax\relax
2222   }%
2223   \else
2224     \ifnum#1>"7FF %
2225       \9%
2226       \expandafter\HyPsd@unichar@first@byte\expandafter{%
2227         \number
2228         \dimexpr.00390625\dimexpr\number'1sp\relax\relax
2229       }%
2230     \else
2231       \8%
2232       \number\dimexpr.00390625\dimexpr\number'1sp\relax\relax
2233     \fi
2234     \expandafter\HyPsd@unichar@second@byte\expandafter{%
2235       \number
2236       \numexpr#1-256*\number
2237       \dimexpr.00390625\dimexpr\number'1sp\relax\relax\relax
2238     }%
2239     \fi
2240   \fi
2241   \else
2242     .% unsupported (Unicode -> PDF Doc Encoding)
2243   \fi
2244 }%
2245 \def\HyPsd@UnicodeReplacementCharacter{\9377\375}%

```

```

2246 \def\HyPsd@unichar@first@byte#1{%
2247   \number\dimexpr.015625\dimexpr#1sp\relax\relax
2248   \expandafter\HyPsd@unichar@octtwo\expandafter{%
2249     \number
2250     \numexpr#1-64*\number\dimexpr.015625\dimexpr#1sp%
2251     \relax\relax\relax
2252   }%
2253 }%
2254 \def\HyPsd@unichar@second@byte#1{%
2255   \csname\number\dimexpr.015625\dimexpr#1sp\relax\relax\endcsname
2256   \expandafter\HyPsd@unichar@octtwo\expandafter{%
2257     \number
2258     \numexpr#1-64*\number\dimexpr.015625\dimexpr#1sp%
2259     \relax\relax\relax
2260   }%
2261 }%
2262 \def\HyPsd@unichar@octtwo#1{%
2263   \number\dimexpr.125\dimexpr#1sp\relax\relax
2264   \number\numexpr#1-8*\number\dimexpr.125\dimexpr#1sp%
2265   \relax\relax\relax
2266 }%
2267 \fi

```

\HyPsd@utf@viii@undeferr \utf@viii@undeferr comes from file utf8x.def from package ucs.

```

2268 \def\HyPsd@utf@viii@undeferr#1#2#3#4#5#6{%
2269   \ifx\@gobble#1%
2270   \else
2271     [Please insert \textbackslash PrerenderUnicode%
2272     \textbraceleft#1\textbraceright\space
2273     into preamble]%
2274   \fi
2275 }%

```

7 Support of other packages

7.1 Class memoir

```

2276 \@ifclassloaded{memoir}{%
2277   \Hy@AtEndOfPackage{\RequirePackage{memhfixc}}%
2278 }{}%

```

7.2 Package subfigure

Added fix for version 2.1. Here \sub@label is defined.

```

2279 \@ifpackageloaded{subfigure}{%
2280   \ltx@ifUndefined{\sub@label}{%
2281     \Hy@hypertexnamesfalse
2282   }{%
2283     \renewcommand*{\sub@label}[1]{%
2284       \@bsphack
2285       \subfig@oldlabel{#1}%
2286       \if@filesw
2287         \begingroup
2288           \edef\@currentlabstr{%
2289             \expandafter\strip@prefix\meaning\@currentlabelname
2290           }%

```

```

2291   \protected@write\@auxout{}{%
2292     \string\newlabel{sub@\#1}{%
2293       {\@nameuse{@\thesub\@capttype}}%
2294       {\thepage}%
2295       {%
2296         \expandafter\strip@period\@currentlabstr
2297         \relax.\relax\@@@%
2298       }%
2299       {\@currentHref}%
2300       {}%
2301     }%
2302     }%
2303   \endgroup
2304 \fi
2305 \@esphack
2306 }%
2307 \@ifpackagelater{subfigure}{2002/03/26}{%
2308   \providecommand*\toplevel@subfigure{1}%
2309   \providecommand*\toplevel@subtable{1}%
2310 }%
2311 }%
2312 }{}
```

7.3 Package xr and xr-hyper

The beta version of xr that supports \XR@addURL is called `xr-hyper`. Therefore we test for the macro itself and not for the package name:

```

2313 \ltx@IfUndefined{\XR@addURL}{%
2314 }{%
```

If reading external aux files check whether they have a non zero fourth field in \newlabel and if so, add the URL as the fifth field.

```

2315 \def\XR@addURL#1{\XR@dURL#1{}{}{}{}\\}%
2316 \def\XR@dURL#1#2#3#4#5\\{%
2317   {#1}{#2}%
2318   \if!#4!%
2319   \else
2320     {#3}{#4}{\XR@URL}%
2321   \fi
2322 }%
2323 }%
2324 \def\Hy@true{true}
2325 \def\Hy@false{false}
```

Providing dummy definitions.

```

2326 \let\literalps@out\gobble
2327 \newcommand\pdfbookmark[3][]{}
2328 \def\Acrobatmenu#1#2{\leavevmode#2}
2329 \def\Hy@writebookmark#1#2#3#4#5{}%
```

8 Help macros for links

Anchors get created on the baseline of where they occur. If an XYZ PDF view is set, this means that the link places the top of the screen *on the baseline* of the target. If this is an equation, for instance, it means that you cannot see anything. Some links, of course, are created at the start of environments, and so it works. To allow for this, anchors are raised,

where possible, by some small amount. This defaults to `\baselineskip`, but users can set it to something else in two ways (thanks to Heiko Oberdiek for suggesting this):

1. Redefine `\HyperRaiseLinkDefault` to be eg the height of a `\strut`
2. Redefine `\HyperRaiseLinkHook` to do something complicated; it must give a value to `\HyperRaiseLinkLength`, which is what actually gets used

```

2330 \let\HyperRaiseLinkHook\@empty
2331 \def\HyperRaiseLinkDefault{\baselineskip}

\HyperRaiseLinkHook allows the user to reassign \HyperRaiseLinkLength.

2332 \newcount\Hy@SavedSpaceFactor
2333 \def\Hy@SaveSpaceFactor{%
2334   \global\Hy@SavedSpaceFactor=\ifhmode\spacefactor\else\z@\fi
2335 }
2336 \def\Hy@RestoreSpaceFactor{%
2337   \relax
2338   \ifhmode
2339     \ifnum\Hy@SavedSpaceFactor>\z@
2340       \spacefactor=\Hy@SavedSpaceFactor
2341     \fi
2342   \fi
2343 }
2344 \def\Hy@SaveSavedSpaceFactor{%
2345   \edef\Hy@RestoreSavedSpaceFactor{%
2346     \global\Hy@SavedSpaceFactor=\the\Hy@SavedSpaceFactor\relax
2347   }%
2348 }
2349 \def\Hy@raisedlink#1{%
2350   \ifvmode
2351     #1%
2352   \else
2353     \Hy@SaveSpaceFactor
2354     \penalty\@M
2355     \smash{%
2356       \begingroup
2357         \let\HyperRaiseLinkLength\@tempdima
2358         \setlength\HyperRaiseLinkLength\HyperRaiseLinkDefault
2359         \HyperRaiseLinkHook
2360       \expandafter\endgroup
2361       \expandafter\raise\the\HyperRaiseLinkLength\hbox{%
2362         \Hy@RestoreSpaceFactor
2363         #1%
2364         \Hy@SaveSpaceFactor
2365       }%
2366     }%
2367     \Hy@RestoreSpaceFactor
2368   \fi
2369 }

```

`\Hy@SaveLastskip` Inserting a `\special` command to set a destination destroys the `\lastskip` value.

```

\Hy@RestoreLastskip
2370 \def\Hy@SaveLastskip{%
2371   \let\Hy@RestoreLastskip\relax
2372   \ifvmode
2373     \ifdim\lastskip=\z@
2374       \let\Hy@RestoreLastskip\nobreak
2375     \else

```

```

2376 \begingroup
2377   \skip@=-\lastskip
2378   \edef\x{%
2379     \endgroup
2380     \def\noexpand\Hy@RestoreLastskip{%
2381       \noexpand\ifvmode
2382         \noexpand\nobreak
2383         \vskip\the\skip@
2384         \vskip\the\lastskip\relax
2385       \noexpand\fi
2386     }%
2387   }%
2388   \x
2389   \fi
2390 \else
2391   \ifhmode
2392     \ifdim\lastskip=\z@
2393       \let\Hy@RestoreLastskip\nobreak
2394     \else
2395       \begingroup
2396         \skip@=-\lastskip
2397         \edef\x{%
2398           \endgroup
2399           \def\noexpand\Hy@RestoreLastskip{%
2400             \noexpand\ifhmode
2401               \noexpand\nobreak
2402               \hskip\the\skip@
2403               \hskip\the\lastskip\relax
2404             \noexpand\fi
2405           }%
2406         }%
2407         \x
2408         \fi
2409       \fi
2410     \fi
2411   }%

```

9 Options

9.1 Help macros

\Hy@boolkey

```

2412 \def\Hy@boolkey{\@dblarg\Hy@@boolkey}
2413 \def\Hy@@boolkey[#1]{#2#3}%
2414   \edef\Hy@tempa{#3}%
2415   \lowercase\expandafter{%
2416     \expandafter\def\expandafter\Hy@tempa\expandafter{\Hy@tempa}%
2417   }%
2418   \ifx\Hy@tempa\empty
2419     \let\Hy@tempa\Hy@true
2420   \fi
2421   \ifx\Hy@tempa\Hy@true
2422   \else
2423     \ifx\Hy@tempa\Hy@false
2424     \else
2425       \let\Hy@tempa\relax

```

```

2426   \fi
2427   \fi
2428 \ifx\Hy@tempa\relax
2429   \Hy@WarnOptionValue{\#3}{\#1}{‘true’ or ‘false’}%
2430 \else
2431   \Hy@Info{Option ‘#1’ set ‘\Hy@tempa’}%
2432   \csname Hy@#2\Hy@tempa\endcsname
2433 \fi
2434 }

\Hy@WarnOptionValue
2435 \def\Hy@WarnOptionValue#1#2#3{%
2436   \Hy@Warning{%
2437     Unexpected value ‘#1’\MessageBreak
2438     of option ‘#2’ instead of\MessageBreak
2439     #3%
2440   }%
2441 }

\Hy@DisableOption
2442 \def\Hy@DisableOption#1{%
2443   \c@ifundefined{KV@Hyp@#1@default}{%
2444     \define@key{Hyp}{#1}%
2445   }{%
2446     \define@key{Hyp}{#1}[]%
2447   }%
2448   {\Hy@WarnOptionDisabled{#1}}%
2449 }

\Hy@WarnOptionDisabled
2450 \def\Hy@WarnOptionDisabled#1{%
2451   \Hy@Warning{%
2452     Option ‘#1’ has already been used,\MessageBreak
2453     setting the option has no effect%
2454   }%
2455 }

\Hy@CheckOptionValue Some options take a string value out of a limited set of values. Macro \Hy@CheckOptionValue checks whether the given value #1 for option #2 is a member of the value list #3.
2456 \def\Hy@CheckOptionValue#1##2##3{%
2457   \begingroup
2458   \edef\x{##1}%
2459   \c@onelvel@sanitize\x
2460   \let\y=\y%
2461   \def\do##1##2{%
2462     \def\z{##1}%
2463     \c@onelvel@sanitize\z
2464     \ifx\x\z
2465       \let\y=n%
2466       \let\do\@gobbletwo
2467     \fi
2468   }%
2469   ##3%
2470   \ifx\y y%
2471     \def\do##1##2{%
2472       * ‘##1’%
2473       \ifx\\##2\\ \else\space##2\fi

```

```

2474      \MessageBreak
2475    }%
2476  \Hy@Warning{%
2477    Values of option '#2':\MessageBreak
2478    #3%
2479    * An empty value disables the option.\MessageBreak
2480    Unknown value '\x'%
2481  }%
2482  \fi
2483 \endgroup
2484 }

\Hy@DefNameKey #1: option name
#2: \do list with known values, first argument of \do is value, second argument is a
comment.
2485 \def\Hy@DefNameKey#1{%
2486   \expandafter\Hy@@DefNameKey\csname @#1\endcsname{#1}%
2487 }

\Hy@@DefNameKey #1: macro for value storage
#2: option name
#3: \do list with known values.
2488 \def\Hy@@DefNameKey#1#2#3{%
2489   \define@key{Hyp}{#2}{%
2490     \edef#1{\#1}%
2491     \ifx#1\empty
2492     \else
2493       \Hy@CheckOptionValue{\#1}{#2}{#3}%
2494     \fi
2495   }%
2496   \let#1\empty
2497 }

\Hy@UseNameKey
2498 \def\Hy@UseNameKey#1#2{%
2499   \ifx#2\empty
2500   \else
2501     /#1/#2%
2502   \fi
2503 }

```

9.2 Defining the options

```

2504 \define@key{Hyp}{implicit}[true]{%
2505   \Hy@boolkey{implicit}{#1}%
2506 }
2507 \define@key{Hyp}{draft}[true]{%
2508   \Hy@boolkey{draft}{#1}%
2509 }
2510 \define@key{Hyp}{final}[true]{%
2511   \Hy@boolkey{final}{#1}%
2512 }
2513 \let\KV@Hyp@nolinks\KV@Hyp@draft
2514 \def\Hy@ObsoletePaperOption#1{%
2515   \Hy@WarningNoLine{%
2516     Option '#1' is no longer used%

```

```

2517 }%
2518 \define@key{Hyp}{#1}[true]{}
2519 }
2520 \def\Hy@temp#1{%
2521 \define@key{Hyp}{#1}[true]{%
2522 \Hy@ObsoletePaperOption{#1}%
2523 }%
2524 }
2525 \Hy@temp{a4paper}
2526 \Hy@temp{a5paper}
2527 \Hy@temp{b5paper}
2528 \Hy@temp{letterpaper}
2529 \Hy@temp{legalpaper}
2530 \Hy@temp{executivepaper}

2531 \define@key{Hyp}{setpagesize}[true]{%
2532 \Hy@boolkey{setpagesize}{#1}%
2533 }
2534 \define@key{Hyp}{debug}[true]{%
2535 \Hy@boolkey{debug}{verbose}{#1}%
2536 }
2537 \define@key{Hyp}{linktocpage}[true]{%
2538 \Hy@boolkey{linktocpage}{#1}%
2539 \ifHy@linktocpage
2540 \let\Hy@linktoc\Hy@linktoc@page
2541 \else
2542 \let\Hy@linktoc\Hy@linktoc@section
2543 \fi
2544 }
2545 \chardef\Hy@linktoc@none=0 %
2546 \chardef\Hy@linktoc@section=1 %
2547 \chardef\Hy@linktoc@page=2 %
2548 \chardef\Hy@linktoc@all=3 %
2549 \ifHy@linktocpage
2550 \let\Hy@linktoc\Hy@linktoc@page
2551 \else
2552 \let\Hy@linktoc\Hy@linktoc@section
2553 \fi
2554 \define@key{Hyp}{linktoc}{%
2555 \ifundefined{\Hy@linktoc@#1}{%
2556 \Hy@Warning{%
2557 Unexpected value '#1' of\MessageBreak
2558 option 'linktoc' instead of 'none',\MessageBreak
2559 'section', 'page' or 'all'%}
2560 }%
2561 }{%
2562 \expandafter\let\expandafter\Hy@linktoc
2563 \csname Hy@linktoc@#1\endcsname
2564 }%
2565 }
2566 \define@key{Hyp}{extension}{\def\XR@ext{#1}}
2567 \let\XR@ext\relax
2568 \define@key{Hyp}{verbose}[true]{%
2569 \Hy@boolkey{verbose}{#1}%
2570 }
2571 \define@key{Hyp}{typexml}[true]{%
2572 \Hy@boolkey{typexml}{#1}%
2573 }

```

If we are going to PDF via HyperTeX \special commands, the dvips (-z option) processor does not know the *height* of a link, as it works solely on the position of the closing \special. If we use this option, the \special is raised up by the right amount, to fool the dvi processor.

```
2574 \define@key{Hyp}{raiselinks}[true]{%
2575   \Hy@boolkey{raiselinks}{#1}%
2576 }
```

Most PDF-creating drivers do not allow links to be broken

```
2577 \def\Hy@setbreaklinks#1{%
2578   \csname breaklinks#1\endcsname
2579 }
2580 \def\Hy@breaklinks@unsupported{%
2581   \ifx\Hy@setbreaklinks\@gobble
2582     \ifHy@breaklinks
2583       \Hy@WarningNoLine{%
2584         You have enabled option ‘breaklinks’. \MessageBreak
2585         But driver ‘\Hy@driver.def’ does not support this. \MessageBreak
2586         Expect trouble with the link areas of broken links%
2587       }%
2588     \fi
2589   \fi
2590 }
2591 \define@key{Hyp}{breaklinks}[true]{%
2592   \Hy@boolkey{breaklinks}{#1}%
2593   \let\Hy@setbreaklinks\@gobble
2594 }
2595 \define@key{Hyp}{localanchorname}[true]{%
2596   \Hy@boolkey{localanchorname}{#1}%
2597 }
```

Determines whether an automatic anchor is put on each page

```
2598 \define@key{Hyp}{pageanchor}[true]{%
2599   \Hy@boolkey{pageanchor}{#1}%
2600 }
```

Are the page links done as plain arabic numbers, or do they follow the formatting of the package? The latter loses if you put in typesetting like \textbf or the like.

```
2601 \define@key{Hyp}{plainpages}[true]{%
2602   \Hy@boolkey{plainpages}{#1}%
2603 }
```

Are the names for anchors made as per the HyperTeX system, or do they simply use what L^AT_EX provides?

```
2604 \define@key{Hyp}{naturalnames}[true]{%
2605   \Hy@boolkey{naturalnames}{#1}%
2606 }
```

Completely ignore the names as per the HyperTeX system, and use unique counters.

```
2607 \define@key{Hyp}{hypertexnames}[true]{%
2608   \Hy@boolkey{hypertexnames}{#1}%
2609 }
```

Currently, dvips doesn't allow anchors nested within targets, so this option tries to stop that happening. Other processors may be able to cope.

```
2610 \define@key{Hyp}{nesting}[true]{%
2611   \Hy@boolkey{nesting}{#1}%
2612 }
```

```
2613 \define@key{Hyp}{unicode}[true]{%
```

```

2614 \Hy@boolkey{unicode}{#1}%
2615 \ifHy@unicode
2616   \def\HyPsd@pdfencoding{unicode}%
2617   \HyPsd@LoadUnicode
2618 \else
2619   \def\HyPsd@pdfencoding{pdfdoc}%
2620 \fi
2621 }
2622 \def\HyPsd@LoadUnicode{%
2623   \c@ifundefined{T@PU}{%
2624     \input{puenc.def}%
2625     \HyLinguex@Restore
2626   }{}%
2627 \DeclareFontFamily{PU}{pdf}{}%
2628 \DeclareFontShape{PU}{pdf}{m}{n}{\c@cmr10}{}%
2629 \DeclareFontSubstitution{PU}{pdf}{m}{n}%
2630 \global\let\HyPsd@LoadUnicode\relax
2631 }
2632 \Hy@AtBeginDocument{%
2633   \ifx\HyPsd@LoadUnicode\relax
2634   \else
2635     \def\HyPsd@LoadUnicode{%
2636       \PackageError{hyperref}{%
2637         Unicode support for bookmarks is not available.\MessageBreak
2638         Activate unicode support by using one of the options\MessageBreak
2639         'unicode', 'pdfencoding=unicode', 'pdfencoding=auto'\MessageBreak
2640         in the preamble%
2641       }\@ehc
2642     \global\let\HyPsd@LoadUnicode\relax
2643     \global\Hy@unicodedefalse
2644     \global\let\Hy@unicodetrue\Hy@unicodedefalse
2645   }%
2646 \fi
2647 }

2648 \define@key{Hyp}{pdfencoding}{%
2649   \edef\HyPsd@temp{#1}%
2650   \ifx\HyPsd@temp\HyPsd@pdfencoding@pdfdoc
2651     \let\HyPsd@pdfencoding\HyPsd@temp
2652     \Hy@unicodedefalse
2653   \else
2654     \ifcase\ifx\HyPsd@temp\HyPsd@pdfencoding@unicode
2655       \z@
2656     \else
2657       \ifx\HyPsd@temp\HyPsd@pdfencoding@auto
2658         \z@
2659       \else
2660         \z@ne
2661       \fi
2662     \fi
2663     \let\HyPsd@pdfencoding\HyPsd@temp
2664     \hypersetup{unicode}%
2665     \ifHy@unicode
2666       \def\HyPsd@pdfencoding{#1}%
2667       \ifx\HyPsd@pdfencoding\HyPsd@pdfencoding@auto
2668         \HyPsd@LoadStringEnc
2669       \fi
2670     \else

```

```

2671      \Hy@Warning{Cannot switch to unicode bookmarks}%
2672      \let\HyPsd@pdfencoding\HyPsd@pdfencoding@pdfdoc
2673      \fi
2674  \else
2675      \Conelevel@sanitize\HyPsd@temp
2676      \Hy@Warning{%
2677          Values of option ‘pdfencoding’: \MessageBreak
2678          ‘pdfdoc’, ‘unicode’, ‘auto’.\MessageBreak
2679          Ignoring unknown value ‘\HyPsd@temp’%
2680      }%
2681      \fi
2682  \fi
2683 }
2684 \def\HyPsd@pdfencoding@auto{auto}
2685 \def\HyPsd@pdfencoding@pdfdoc{pdfdoc}
2686 \def\HyPsd@pdfencoding@unicode{unicode}
2687 \let\HyPsd@pdfencoding\Hy@pdfencoding@pdfdoc
2688 \def\HyPsd@LoadStringEnc{%
2689     \RequirePackage{stringenc}[2009/12/15]%
2690     \let\HyPsd@LoadStringEnc\relax
2691 }
2692 \Hy@AtBeginDocument{%
2693     \@ifpackageloaded{stringenc}{%
2694         \let\HyPsd@LoadStringEnc\relax
2695     }{%
2696         \def\HyPsd@LoadStringEnc{%
2697             \Hy@WarningNoLine{%
2698                 Missing package ‘stringenc’. Use ‘pdfencoding=auto’.\MessageBreak
2699                 in the preamble or load the package there%
2700             }%
2701         }%
2702     }%
2703 }
2704 \def\hypersetup{\kvsetkeys{Hyp}}
2705 \newif\ifHy@setpdfversion
2706 \define@key{Hyp}{pdfversion}{%
2707     \@ifundefined{Hy@pdfversion@#1}{%
2708         \PackageWarning{hyperref}{%
2709             Unsupported PDF version ‘#1’.\MessageBreak
2710             Valid values: 1.2 until 1.9%
2711         }%
2712     }{%
2713         \Hy@setpdfversiontrue
2714         \edef\Hy@pdfversion{\@nameuse{Hy@pdfversion@#1}}%
2715     }%
2716 }
2717 \namedef{Hy@pdfversion@1.2}{2}%
2718 \namedef{Hy@pdfversion@1.3}{3}%
2719 \namedef{Hy@pdfversion@1.4}{4}%
2720 \namedef{Hy@pdfversion@1.5}{5}%
2721 \namedef{Hy@pdfversion@1.6}{6}%
2722 \namedef{Hy@pdfversion@1.7}{7}%
2723 \namedef{Hy@pdfversion@1.8}{8}%
2724 \namedef{Hy@pdfversion@1.9}{9}%
2725 \def\Hy@pdfversion{2}

```

10 Options for different drivers

```
2726 \define@key{Hyp}{hyperref}[true]{}
2727 \define@key{Hyp}{tex4ht}[true]{%
2728   \Hy@texhttrue
2729   \kvsetkeys{Hyp}{colorlinks=true}%
2730   \def\BeforeTeXIVht{\usepackage{color}}%
2731   \def\Hy@driver{htex4ht}%
2732   \def\MaybeStopEarly{%
2733     \typeout{Hyperref stopped early}%
2734   \Hy@AtBeginDocument{%
2735     \PDF@FinishDoc
2736     \gdef\PDF@FinishDoc{}%
2737   }%
2738   \endinput
2739 }%
2740 }
2741 \define@key{Hyp}{pdftex}[true]{%
2742   \def\Hy@driver{hpdftex}%
2743 }
2744 \define@key{Hyp}{nativepdf}[true]{%
2745   \def\Hy@driver{hdvips}%
2746 }
2747 \define@key{Hyp}{dvipdfm}[true]{%
2748   \def\Hy@driver{hdvipdfm}%
2749 }
2750 \define@key{Hyp}{dvipdfmx}[true]{%
2751   \def\Hy@driver{hdvipdfm}%
2752 }
2753 \define@key{Hyp}{dvipdfmx-outline-open}[true]{%
2754   \expandafter\ifx\csname if#1\expandafter\endcsname
2755   \csname iftrue\endcsname
2756   \chardef\SpecialDvipdfmxOutlineOpen\@ne
2757   \else
2758   \chardef\SpecialDvipdfmxOutlineOpen\z@
2759   \fi
2760 }
2761 \define@key{Hyp}{xetex}[true]{%
2762   \def\Hy@driver{hxetex}%
2763 }
2764 \define@key{Hyp}{pdfmark}[true]{%
2765   \def\Hy@driver{hdvips}%
2766 }
2767 \define@key{Hyp}{dvips}[true]{%
2768   \def\Hy@driver{hdvips}%
2769 }
2770 \define@key{Hyp}{hypertex}[true]{%
2771   \def\Hy@driver{hypertex}%
2772 }
2773 \let\Hy@MaybeStopNow\relax
2774 \define@key{Hyp}{vtex}[true]{%
2775   \begingroup\expandafter\expandafter\expandafter\endgroup
2776   \expandafter\ifx\csname OpMode\endcsname\relax
2777   \@latex@error{Non-VTeX processor}{}%
2778   \global\let\Hy@MaybeStopNow\endinput
2779   \endinput
2780 \else
```

```

2781 \ifnum 0\ifnum\OpMode<1 1\fi \ifnum\OpMode>3 1\fi ==0 %
2782   \def\Hy@driver{hvtx}%
2783 \else
2784   \ifnum\OpMode=10\relax
2785     \def\Hy@driver{hvtexhtm}%
2786     \def\MaybeStopEarly{%
2787       \typeout{Hyperref stopped early}%
2788       \Hy@AtBeginDocument{%
2789         \PDF@FinishDoc
2790         \gdef\PDF@FinishDoc{}%
2791       }%
2792     }\endinput
2793   }%
2794 \else
2795   \@latex@error{Mode (\the\OpMode) has no hyperref driver}{}%
2796   \global\let\Hy@MaybeStopNow\endinput
2797 \endinput
2798 \fi
2799 \fi
2800 \fi
2801 }
2802 \define@key{Hyp}{vtexpdfmark}[true]{%
2803   \begingroup\expandafter\expandafter\expandafter\endgroup
2804   \expandafter\ifx\csname OpMode\endcsname\relax
2805     \@latex@error{Non-VTeX processor}{}%
2806     \let\Hy@MaybeStopNow\endinput
2807   }\endinput
2808 \else
2809   \ifnum 0\ifnum\OpMode<1 1\fi \ifnum\OpMode>3 1\fi ==0 %
2810     \def\Hy@driver{hvtxmrk}%
2811   \else
2812     \@latex@error{Mode (\the\OpMode) has no hyperref driver}{}%
2813     \let\Hy@MaybeStopNow\endinput
2814   }\endinput
2815 \fi
2816 \fi
2817 }
2818 \define@key{Hyp}{dviwindo}[true]{%
2819   \def\Hy@driver{hdviwind}%
2820   \kvsetkeys{Hyp}{colorlinks}%
2821 \ifpdf
2822 \else
2823   \ifxetex
2824   \else
2825     \PassOptionsToPackage{dviwindo}{color}%
2826   \fi
2827 \fi
2828 }
2829 \define@key{Hyp}{dvipsone}[true]{%
2830   \def\Hy@driver{hdvipson}%
2831 }
2832 \define@key{Hyp}{textures}[true]{%
2833   \def\Hy@driver{htexture}%
2834 }
2835 \define@key{Hyp}{latex2html}[true]{%
2836   \Hy@AtBeginDocument{\@latextohtmlX}%
2837 }

```

No more special treatment for ps2pdf. Let it sink or swim.

```
2838 \define@key{Hyp}{ps2pdf}[true]{%
2839   \def\Hy@driver{hdvips}%
2840   \providecommand*\@pdfborder{0 0 1}%
2841 }
```

11 Options to add extra features

Make included figures (assuming they use the standard graphics package) be hypertext links. Off by default. Needs more work.

```
2842 \define@key{Hyp}{hyperfigures}[true]{%
2843   \Hy@boolkey{hyperfigures}{figures}{#1}%
2844 }
```

The automatic footnote linking can be disabled by option hyperfootnotes.

```
2845 \define@key{Hyp}{hyperfootnotes}[true]{%
2846   \Hy@boolkey{hyperfootnotes}{#1}%
2847 }
```

Set up back-referencing to be hyper links, by page, slide or section number,

```
2848 \def\back@none{none}
2849 \def\back@section{section}
2850 \def\back@page{page}
2851 \def\back@slide{slide}
2852 \define@key{Hyp}{backref}[section]{%
2853   \lowercase{\def\Hy@tempa{#1}}%
2854   \ifx\Hy@tempa\empty
2855     \let\Hy@tempa\back@section
2856   \fi
2857   \ifx\Hy@tempa\Hy@false
2858     \let\Hy@tempa\back@none
2859   \fi
2860   \ifx\Hy@tempa\back@slide
2861     \let\Hy@tempa\back@section
2862   \fi
2863   \ifx\Hy@tempa\back@page
2864     \PassOptionsToPackage{hyperpageref}{backref}%
2865     \Hy@backreftrue
2866   \else
2867     \ifx\Hy@tempa\back@section
2868       \PassOptionsToPackage{hyperref}{backref}%
2869       \Hy@backreftrue
2870     \else
2871       \ifx\Hy@tempa\back@none
2872         \Hy@backreffalse
2873       \else
2874         \Hy@WarnOptionValue{#1}{backref}{%
2875           'section', 'slide', 'page', 'none', \MessageBreak
2876           or 'false'}%
2877       \fi
2878     \fi
2879   \fi
2880 }
2881 \define@key{Hyp}{pagebackref}[true]{%
2882   \edef\Hy@tempa{#1}%
2883   \lowercase\expandafter{%
2884     \expandafter\def\expandafter\Hy@tempa\expandafter{\Hy@tempa}%
2885   }%
```

```

2886 \ifx\Hy@tempa\empty
2887   \let\Hy@tempa\Hy@true
2888 \fi
2889 \ifx\Hy@tempa\Hy@true
2890   \PassOptionsToPackage{hyperpageref}{backref}%
2891   \Hy@backreftrue
2892 \else
2893   \ifx\Hy@tempa\Hy@false
2894     \Hy@backreffalse
2895   \else
2896     \Hy@WarnOptionValue{\#1}{pagebackref}{‘true’ or ‘false’}%
2897   \fi
2898 \fi
2899 }

```

Make index entries be links back to the relevant pages. By default this is turned on, but may be stopped.

```

2900 \define@key{Hyp}{hyperindex}[true]{%
2901   \Hy@boolkey{hyperindex}{\#1}%
2902 }

```

Configuration of encap char.

```

2903 \define@key{Hyp}{encap}[\!]{%
2904   \def\HyInd@EncapChar{\#1}%
2905 }

```

12 Language options

The \autoref feature depends on the language.

```

2906 \def\HyLang@afrikaans{%
2907   \def\equationautorefname{Vergelyking}%
2908   \def\footnoteautorefname{Voetnota}%
2909   \def\itemautorefname{Item}%
2910   \def\figureautorefname{Figuur}%
2911   \def\tableautorefname{Tabel}%
2912   \def\partautorefname{Deel}%
2913   \def\appendixautorefname{Bylae}%
2914   \def\chapterautorefname{Hoofstuk}%
2915   \def\sectionautorefname{Afdeling}%
2916   \def\subsectionautorefname{Subafdeling}%
2917   \def\subsubsectionautorefname{Subsubafdeling}%
2918   \def\paragraphautorefname{Paragraaf}%
2919   \def\ subparagraphautorefname{Subparagraaf}%
2920   \def\FancyVerbLineautorefname{Lyn}%
2921   \def\theoremautorefname{Teorema}%
2922   \def\pageautorefname{Bladsy}%
2923 }
2924 \def\HyLang@english{%
2925   \def\equationautorefname{Equation}%
2926   \def\footnoteautorefname{footnote}%
2927   \def\itemautorefname{item}%
2928   \def\figureautorefname{Figure}%
2929   \def\tableautorefname{Table}%
2930   \def\partautorefname{Part}%
2931   \def\appendixautorefname{Appendix}%
2932   \def\chapterautorefname{chapter}%
2933   \def\sectionautorefname{section}%

```

```

2934 \def\subsectionautorefname{subsection}%
2935 \def\subsubsectionautorefname{subsubsection}%
2936 \def\paragraphautorefname{paragraph}%
2937 \def\ subparagraphautorefname{subparagraph}%
2938 \def\FancyVerbLineautorefname{line}%
2939 \def\theoremautorefname{Theorem}%
2940 \def\pageautorefname{page}%
2941 }
2942 \def\HyLang@french{%
2943 \def\equationautorefname{\'Equation}%
2944 \def\footnoteautorefname{note}%
2945 \def\itemautorefname{item}%
2946 \def\figureautorefname{Figure}%
2947 \def\tableautorefname{Tableau}%
2948 \def\partautorefname{Partie}%
2949 \def\appendixautorefname{Appendice}%
2950 \def\chapterautorefname{chapitre}%
2951 \def\sectionautorefname{section}%
2952 \def\subsectionautorefname{sous-section}%
2953 \def\subsubsectionautorefname{sous-sous-section}%
2954 \def\paragraphautorefname{paragraphe}%
2955 \def\ subparagraphautorefname{sous-paragraphe}%
2956 \def\FancyVerbLineautorefname{ligne}%
2957 \def\theoremautorefname{Th\'eor\`eme}%
2958 \def\pageautorefname{page}%
2959 }
2960 \def\HyLang@german{%
2961 \def\equationautorefname{Gleichung}%
2962 \def\footnoteautorefname{Fu\ss note}%
2963 \def\itemautorefname{Punkt}%
2964 \def\figureautorefname{Abbildung}%
2965 \def\tableautorefname{Tabelle}%
2966 \def\partautorefname{Teil}%
2967 \def\appendixautorefname{Anhang}%
2968 \def\chapterautorefname{Kapitel}%
2969 \def\sectionautorefname{Abschnitt}%
2970 \def\subsectionautorefname{Unterabschnitt}%
2971 \def\subsubsectionautorefname{Unterunterabschnitt}%
2972 \def\paragraphautorefname{Absatz}%
2973 \def\ subparagraphautorefname{Unterabsatz}%
2974 \def\FancyVerbLineautorefname{Zeile}%
2975 \def\theoremautorefname{Theorem}%
2976 \def\pageautorefname{Seite}%
2977 }
2978 \def\HyLang@italian{%
2979 \def\equationautorefname{Equazione}%
2980 \def\footnoteautorefname{nota}%
2981 \def\itemautorefname{punto}%
2982 \def\figureautorefname{Figura}%
2983 \def\tableautorefname{Tabella}%
2984 \def\partautorefname{Parte}%
2985 \def\appendixautorefname{Appendice}%
2986 \def\chapterautorefname{Capitolo}%
2987 \def\sectionautorefname{sezione}%
2988 \def\subsectionautorefname{sottosezione}%
2989 \def\subsubsectionautorefname{sottosottosezione}%
2990 \def\paragraphautorefname{paragrafo}%

```

```

2991 \def\subparagraphautorefname{sottoparagrafo}%
2992 \def\FancyVerbLineautorefname{linea}%
2993 \def\theoremautorefname{Teorema}%
2994 \def\pageautorefname{Pag.\@}%
2995 }
2996 \def\HyLang@magyarl{%
2997 \def\equationautorefname{Egyenlet}%
2998 \def\footnoteautorefname{l\'abjegyzet}%
2999 \def\itemautorefname{Elem}%
3000 \def\figureautorefname{\'Abra}%
3001 \def\tableautorefname{T\'abl\'azat}%
3002 \def\partautorefname{R\'esz}%
3003 \def\appendixautorefname{F\"uggel\'ek}%
3004 \def\chapterautorefname{fejezet}%
3005 \def\sectionautorefname{szakasz}%
3006 \def\subsectionautorefname{alszakasz}%
3007 \def\subsubsectionautorefname{alalszakasz}%
3008 \def\paragraphautorefname{bekezd\'es}%
3009 \def\subparagraphautorefname{albekezd\'es}%
3010 \def\FancyVerbLineautorefname{sor}%
3011 \def\theoremautorefname{T\'etel}%
3012 \def\pageautorefname{oldal}%
3013 }
3014 \def\HyLang@portuges{%
3015 \def\equationautorefname{Equa\c{c}\c{c}\~ao}%
3016 \def\footnoteautorefname{Nota de rodap\'e}%
3017 \def\itemautorefname{Item}%
3018 \def\figureautorefname{Figura}%
3019 \def\tableautorefname{Tabela}%
3020 \def\partautorefname{Parte}%
3021 \def\appendixautorefname{Ap\'endice}%
3022 \def\chapterautorefname{Cap\'itulo}%
3023 \def\sectionautorefname{Se\c{c}\c{c}\~ao}%
3024 \def\subsectionautorefname{Subse\c{c}\c{c}\~ao}%
3025 \def\subsubsectionautorefname{Subsubse\c{c}\c{c}\~ao}%
3026 \def\paragraphautorefname{par\'agrafo}%
3027 \def\subparagraphautorefname{subpar\'agrafo}%
3028 \def\FancyVerbLineautorefname{linha}%
3029 \def\theoremautorefname{Teorema}%
3030 \def\pageautorefname{P\'agina}%
3031 }

```

Next commented section for Russian is provided by Olga Lapko.

Next follow the checked reference names with commented variants and explanations.
All they are abbreviated and they won't create a grammatical problems in the *middle* of sentences.

The most weak points in these abbreviations are the \equationautorefname, \theoremautorefname and the \FancyVerbLineautorefname. But those three, and also the \footnoteautorefname are not *too* often referenced. Another rather weak point is the \appendixautorefname.

```
3032 \def\HyLang@russian{%
```

The abbreviated reference to the equation: it is not for “the good face of the book”, but maybe it will be better to get the company for the \theoremautorefname?

```
3033 \def\equationautorefname{\cyr\cyrv\cyrery\cyrr.}%
```

The name of the equation reference has common form for both nominative and accusative but changes in other forms, like “of \autoref{auto}” etc. The full name must follow full

name of the \theoremautorefname.

```
3034 % \def\equationautorefname{%
3035 %   \cyr\cyrv\cyrery\cyrr\cyra\cyrzh\cyre\cyrn\cyri\cyre
3036 % }%
```

The variant of footnote has abbreviation form of the synonym of the word “footnote”. This variant of abbreviated synonym has alternative status (maybe obsolete?).

```
3037 \def\footnoteautorefname{%
3038   \cyr\cyrp\cyro\cyrd\cyrs\cyrt\cyrr.\ \cyrp\cyrr\cyri\cyrm.%}
3039 }%
```

Commented form of the full synonym for “footnote”. It has common form for both nominative and accusative but changes in other forms, like “of \autoref{auto}”

```
3040 % \def\footnoteautorefname{%
3041 %   \cyr\cyrp\cyro\cyrd\cyrs\cyrt\cyrr\cyro\cyrch\cyrn\cyro\cyre\ %
3042 %   \cyrp\cyrr\cyri\cyrm\cyre\cyrch\cyra\cyrn\cyri\cyre
3043 % }%
```

Commented forms of the “footnote”: have different forms, the same is for the nominative and accusative. (The others needed?)

```
3044 % \def\Nomfootnoteautorefname{\cyr\cyrs\cyrn\cyro\cyrs\cyrk\cyra}%
3045 % \def\Accfootnoteautorefname{\cyr\cyrs\cyrn\cyro\cyrs\cyrk\cyru}%
```

Name of the list item, can be confused with the paragraph reference name, but reader could understand meaning from context(?). Commented variant has common form for both nominative and accusative but changes in other forms, like “of \autoref{auto}” etc.

```
3046 \def\itemautorefname{\cyr\cyrp.}%
3047 % \def\itemautorefname{\cyr\cyrp\cyru\cyrn\cyrk\cyrt}%
```

Names of the figure and table have stable (standard) abbreviation forms. No problem in the middle of sentence.

```
3048 \def\figureautorefname{\cyr\cyrr\cyri\cyrs.}%
3049 \def\tableautorefname{\cyr\cyrt\cyra\cyrb\cyrl.}%
```

Names of the part, chapter, section(s) have stable (standard) abbreviation forms. No problem in the middle of sentence.

```
3050 \def\partautorefname{\cyr\cyrch.}%
3051 \def\chapterautorefname{\cyr\cyrg\cyrl.}%
3052 \def\sectionautorefname{\cyr\cyrr\cyra\cyrz\cyrd.}%
```

Name of the appendix can use this abbreviation, but it is not standard for books, i.e, not for “the good face of the book”. Commented variant has common form for both nominative and accusative but changes in other forms, like “of \autoref{auto}” etc.

```
3053 \def\appendixautorefname{\cyr\cyrp\cyrr\cyri\cyrl.}%
3054 % \def\appendixautorefname{%
3055 %   \cyr\cyrp\cyrr\cyri\cyrl\cyro\cyrzh\cyre\cyrn\cyri\cyre
3056 % }%
```

The sectioning command have stable (almost standard) and common abbreviation form for all levels (the meaning of these references visible from the section number). No problem.

```
3057 \def\subsectionautorefname{\cyr\cyrr\cyra\cyrz\cyrd.}%
3058 \def\subsubsectionautorefname{\cyr\cyrr\cyra\cyrz\cyrd.}%
```

The names of references to paragraphs also have stable (almost standard) and common abbreviation form for all levels (the meaning of these references is visible from the section number). No problem in the middle of sentence.

```
3059 \def\paragraphautorefname{\cyr\cyrp.}%
3060 \def\ subparagraphautorefname{\cyr\cyrp.}%
```

Commented variant can be used in books but since it has common form for both nominative and accusative but it changes in other forms, like “of \autoref{auto}” etc.

```
3061 % \def\paragraphautorefname{\cyr\cyrp\cyru\cynn\cyrk\cyrt}%
3062 % \def\subparagraphautorefname{\cyr\cyrp\cyru\cynn\cyrk\cyrt}%
```

The name of verbatim line. Here could be a standard of the abbreviation (used very rare). But the author preprint publications (which have not any editor or corrector) can use this abbreviation for the page reference. So the meaning of the line reference can be read as reference to the page.

```
3063 \def\FancyVerbLineautorefname{\cyr\cyrs\cyrt\cyrr.}%
```

Commented names of the “verbatim line”: have different forms, also the nominative and accusative.

```
3064 % \def\NomFancyVerbLineautorefname{\cyr\cyrs\cyrt\cyrr\cyro\cyrk\cyra}%
3065 % \def\AccFancyVerbLineautorefname{\cyr\cyrs\cyrt\cyrr\cyro\cyrk\cyru}%
```

The alternative, ve-e-e-ery professional abbreviation, was used in typography markup for typesetters.

```
3066 % \def\FancyVerbLineautorefname{\cyr\cyrs\cyrt\cyrr\cyrk.}%
```

The names of theorem: if we want have “the good face of the book”, so the theorem reference must have the full name (like equation reference). But ...

```
3067 \def\theoremautorefname{\cyr\cyrt\cyre\cyro\cyrr.}%
```

Commented forms of the “theorem”: have different forms, also the nominative and accusative.

```
3068 % \def\Nomtheoremautorefname{\cyr\cyrt\cyre\cyro\cyrr\cyre\cyrm\cyra}%
3069 % \def\Acctheoremautorefname{\cyr\cyrt\cyre\cyro\cyrr\cyre\cyrm\cyru}%
```

Name of the page stable (standard) abbreviation form. No problem.

```
3070 \def\pageautorefname{\cyr\cyrs.}%
3071 }
```

```
3072 \def\HyLang@spanish{%
3073 \def\equationautorefname{Ecuaci\'on}%
3074 \def\footnoteautorefname{Nota a pie de p\'agina}%
3075 \def\itemautorefname{Elemento}%
3076 \def\figureautorefname{Figura}%
3077 \def\tableautorefname{Tabla}%
3078 \def\partautorefname{Parte}%
3079 \def\appendixautorefname{Ap\'endice}%
3080 \def\chapterautorefname{Cap\'itulo}%
3081 \def\sectionautorefname{Secci\'on}%
3082 \def\subsectionautorefname{Subsecci\'on}%
3083 \def\subsubsectionautorefname{Subsubsecci\'on}%
3084 \def\paragraphautorefname{P\'arrafo}%
3085 \def\subparagraphautorefname{Subp\'arrafo}%
3086 \def\FancyVerbLineautorefname{L\'inea}%
3087 \def\theoremautorefname{Teorema}%
3088 \def\pageautorefname{P\'agina}%
3089 }
3090 \def\HyLang@vietnamese{%
3091 \def\equationautorefname{Ph\uuhorn{} \ohorn{} ng tr\inh}%
3092 \def\footnoteautorefname{Ch\uu th\ich}%
3093 \def\itemautorefname{m\ld{u}c}%
3094 \def\figureautorefname{H\inh}%
3095 \def\tableautorefname{B\h{a}ng}%
3096 \def\partautorefname{Ph\`acircumflex{}n}%
3097 \def\appendixautorefname{Ph\ld{u} l\ld{u}c}%
}
```

```

3098 \def\chapterautorefname{ch\uhorn{}\ohorn{}ng}%
3099 \def\sectionautorefname{m\du{c}}%
3100 \def\subsectionautorefname{m\du{c}}%
3101 \def\subsubsectionautorefname{m\du{c}}%
3102 \def\paragraphautorefname{\dj{o}\d{a}n}%
3103 \def\subparagraphautorefname{\dj{o}\d{a}n}%
3104 \def\FancyVerbLineautorefname{d\`ong}%
3105 \def\theoremautorefname{\DJ{}\d{i}nh l'y}%
3106 \def\pageautorefname{Trang}%
3107 }

```

Instead of package babel's definition of \addto the implementation of package varioref is used. Additionally argument #1 is checked for \relax.

```

3108 \def\HyLang@Addto#1#2{%
3109   #2%
3110   \temptokena{#2}%
3111   \ifx#1\relax
3112     \let#1\empty
3113   \fi
3114   \ifx#1\undefined
3115     \edef#1{\the\temptokena}%
3116   \else
3117     \toks@\expandafter{#1}%
3118     \edef#1{\the\toks@\the\temptokena}%
3119   \fi
3120   \temptokena{} \toks@\temptokena
3121 }

3122 \def\HyLang@DeclareLang#1#2#3{%
3123   @ifpackagewith{babel}{#1}%
3124   \expandafter\HyLang@Addto
3125   \csname extras#1\expandafter\endcsname
3126   \csname HyLang@#2\endcsname
3127   \begingroup
3128   \edef\x{\endgroup
3129     #3%
3130   }%
3131   \x
3132   \cnamedef{HyLang@#1@done}{}%
3133 }{%
3134 \begingroup
3135 \edef\x##1##2{%
3136   \noexpand\ifx##2\relax
3137     \errmessage{No definitions for language #2' found!}%
3138   \noexpand\fi
3139   \endgroup
3140   \noexpand\define@key{Hyp}{#1}[]%
3141   \noexpand\@ifundefined{HyLang@#1@done}%
3142     \noexpand\HyLang@Addto{\noexpand##1}{\noexpand##2}%
3143     #3%
3144     \noexpand\cnamedef{HyLang@#1@done}{}%
3145   }{%
3146   }%
3147 }%
3148 \expandafter\x\csname extras#1\expandafter\endcsname
3149   \csname HyLang@#2\endcsname
3150 }

3151 \HyLang@DeclareLang{english}{english}{}%

```

```

3152 \HyLang@DeclareLang{UKenglish}{english}{}%
3153 \HyLang@DeclareLang{british}{english}{}%
3154 \HyLang@DeclareLang{USenglish}{english}{}%
3155 \HyLang@DeclareLang{american}{english}{}%
3156 \HyLang@DeclareLang{german}{german}{}%
3157 \HyLang@DeclareLang{austrian}{german}{}%
3158 \HyLang@DeclareLang{ngerman}{german}{}%
3159 \HyLang@DeclareLang{naustrian}{german}{}%
3160 \HyLang@DeclareLang{russian}{russian}{\noexpand\hypersetup{unicode}}%
3161 \HyLang@DeclareLang{brazil}{portuges}{}%
3162 \HyLang@DeclareLang{brazilian}{portuges}{}%
3163 \HyLang@DeclareLang{portuguese}{portuges}{}%
3164 \HyLang@DeclareLang{spanish}{spanish}{}%
3165 \HyLang@DeclareLang{afrikaans}{afrikaans}{}%
3166 \HyLang@DeclareLang{french}{french}{}%
3167 \HyLang@DeclareLang{frenchb}{french}{}%
3168 \HyLang@DeclareLang{francais}{french}{}%
3169 \HyLang@DeclareLang{acadian}{french}{}%
3170 \HyLang@DeclareLang{canadien}{french}{}%
3171 \HyLang@DeclareLang{italian}{italian}{}%
3172 \HyLang@DeclareLang{magyar}{magyar}{}%
3173 \HyLang@DeclareLang{hungarian}{magyar}{}%

```

More work is needed in case of options vietnamese and vietnam.

```

3174 \define@key{Hyp}{vietnamese}[]{}%
3175   \HyLang@addto\extrasvietnamese\HyLang@vietnamese
3176   \Hy@AtEndOfPackage{%
3177     \@ifundefined{T@PU}{}{%
3178       \input{puvnenc.def}%
3179     }%
3180   }%
3181 }
3182 \define@key{Hyp}{vietnam}[]{}%
3183   \HyLang@addto\extrasvietnam\HyLang@vietnamese
3184   \Hy@AtEndOfPackage{%
3185     \@ifundefined{T@PU}{}{%
3186       \input{puvnenc.def}%
3187     }%
3188   }%
3189 }

```

Similar for option arabic that just loads the additions to PU encoding for Arabi.

```

3190 \define@key{Hyp}{arabic}[]{}%
3191   \Hy@AtEndOfPackage{%
3192     \@ifundefined{T@PU}{}{%
3193       \input{puarenc.def}%
3194     }%
3195   }%
3196 }

```

13 Options to change appearance of links

Colouring links at the L^AT_EX level is useful for debugging, perhaps.

```

3197 \define@key{Hyp}{colorlinks}[true]{%
3198   \Hy@boolkey{colorlinks}{#1}%
3199 }
3200 \define@key{Hyp}{ocgcolorlinks}[true]{%

```

```

3201 \Hy@boolkey{ocgcolorlinks}{#1}%
3202 }
3203 \Hy@AtBeginDocument{%
3204 \begingroup
3205 @ifundefined{OBJ@OCG@view}{%
3206 \ifHy@ocgcolorlinks
3207 \Hy@Warning{%
3208 Driver does not support 'ocgcolorlinks', \MessageBreak
3209 using 'colorlinks' instead%
3210 }%
3211 \fi
3212 }{}%
3213 \endgroup
3214 }
3215 \define@key{Hyp}{frenchlinks}[true]{%
3216 \Hy@boolkey{frenchlinks}{#1}%
3217 }

```

14 Bookmarking

```

3218 \begingroup\expandafter\expandafter\expandafter\endgroup
3219 \expandafter\ifx\csname chapter\endcsname\relax
3220 \def\toclevel@part{0}%
3221 \else
3222 \def\toclevel@part{-1}%
3223 \fi
3224 \def\toclevel@chapter{0}
3225 \def\toclevel@section{1}
3226 \def\toclevel@subsection{2}
3227 \def\toclevel@subsubsection{3}
3228 \def\toclevel@paragraph{4}
3229 \def\toclevel@subparagraph{5}
3230 \def\toclevel@figure{0}
3231 \def\toclevel@table{0}
3232 @ifpackageloaded{listings}{%
3233 \providecommand*\theHlstlisting{\thelstlisting}%
3234 \providecommand*\toclevel@lstlisting{0}%
3235 }{}%
3236 @ifpackageloaded{listing}{%
3237 \providecommand*\theHlisting{\thelisting}%
3238 \providecommand*\toclevel@listing{0}%
3239 }{}%
3240 \define@key{Hyp}{bookmarks}[true]{%
3241 \Hy@boolkey{bookmarks}{#1}%
3242 }
3243 \define@key{Hyp}{bookmarksopen}[true]{%
3244 \Hy@boolkey{bookmarksopen}{#1}%
3245 }

```

The depth of the outlines is controlled by option `bookmarksdepth`. The option acts globally and distinguishes three cases:

- `bookmarksdepth`: Without value `hyperref` uses counter `tocdepth` (compatible behaviour and default).
- `bookmarksdepth=<number>`: the depth is set to `<number>`.

- **bookmarksdepth=<name>**: The <name> must not start with a number or minus sign. It is a document division name (part, chapter, section, ...). Internally the value of macro \toclevel@<name> is used.

```

3246 \let\Hy@bookmarksdepth\c@tocdepth
3247 \define@key{Hyp}{bookmarksdepth}[]{%
3248   \begingroup
3249   \edef\x{\#1}%
3250   \ifx\x\empty
3251     \global\let\Hy@bookmarksdepth\c@tocdepth
3252   \else
3253     \ifundefined{toclevel@\x}{%
3254       \onelevel@sanitize\x
3255       \edef\y{\expandafter\@car\x\@nil}%
3256       \ifcase\y\expandafter\ifx\y-1\fi
3257         \expandafter\ifnum\expandafter'\y>47 %
3258           \expandafter\ifnum\expandafter'\y<58 1\fi\fi\relax
3259           \Hy@Warning{Unknown document division name (\x)}%
3260     \else
3261       \setbox\z@=\hbox{%
3262         \count@=\x
3263         \xdef\Hy@bookmarksdepth{\the\count@}%
3264       }%
3265     \fi
3266   }%
3267   \setbox\z@=\hbox{%
3268     \count@=\csname toclevel@\x\endcsname
3269     \xdef\Hy@bookmarksdepth{\the\count@}%
3270   }%
3271 }%
3272 \fi
3273 \endgroup
3274 }

```

‘bookmarksopenlevel’ to specify the open level. From Heiko Oberdiek.

```

3275 \define@key{Hyp}{bookmarksopenlevel}{%
3276   \def\@bookmarksopenlevel{\#1}%
3277 }
3278 \def\@bookmarksopenlevel{\maxdimen}
3279 % ‘bookmarkstype’ to specify which ‘toc’ file to mimic
3280 \define@key{Hyp}{bookmarkstype}{%
3281   \def\Hy@bookmarkstype{\#1}%
3282 }
3283 \def\Hy@bookmarkstype{toc}

```

Richard Curnow <richard@curnow.demon.co.uk> suggested this functionality. It adds section numbers etc to bookmarks.

```

3284 \define@key{Hyp}{bookmarksnumbered}[true]{%
3285   \Hy@boolkey{bookmarksnumbered}{\#1}%
3286 }

```

Option CJKbookmarks enables the patch for CJK bookmarks.

```

3287 \define@key{Hyp}{CJKbookmarks}[true]{%
3288   \Hy@boolkey{CJKbookmarks}{\#1}%
3289 }
3290 \def\Hy@temp{\#1}%
3291 \expandafter\Hy@temp\csname \#1color\endcsname{\#1}%
3292 }

```

```

3293 \def\Hy@temp#1#2#3{%
3294   \define@key{Hyp}{#2color}{%
3295     \HyColor@HyperrefColor{##1}#1%
3296   }%
3297   \def#1{#3}%
3298 }
3299 \Hy@temp{link}{red}
3300 \Hy@temp{anchor}{black}
3301 \Hy@temp{cite}{green}
3302 \Hy@temp{file}{cyan}
3303 \Hy@temp{url}{magenta}
3304 \Hy@temp{menu}{red}
3305 \Hy@temp{run}{\@filecolor}
3306 \define@key{Hyp}{pagecolor}{%
3307   \Hy@WarningPageColor
3308 }
3309 \def\Hy@WarningPageColor{%
3310   \Hy@WarningNoLine{Option ‘pagecolor’ is not available anymore}%
3311   \global\let\Hy@WarningPageColor\relax
3312 }

3313 \def\hyperbaseurl#1{\def\@baseurl{#1}}
3314 \define@key{Hyp}{baseurl}{\hyperbaseurl{#1}}
3315 \let\@baseurl\empty
3316 \def\hyperlinkfileprefix#1{\def\Hy@linkfileprefix{#1}}
3317 \define@key{Hyp}{linkfileprefix}{\hyperlinkfileprefix{#1}}
3318 \hyperlinkfileprefix{file:}

```

15 PDF-specific options

\@pdfpagetransition The value of option pdfpagetransition is stored in \@pdfpagetransition. Its initial value is set to \relax in order to be able to differentiate between a not used option and an option with an empty value.

```

3319 \let\@pdfpagetransition\relax
3320 \define@key{Hyp}{pdfpagetransition}{\def\@pdfpagetransition{#1}}

```

\@pdfpageduration The value of option pdfpageduration is stored in \@pdfpageduration. Its initial value is set to \relax in order to be able to differentiate between a not used option and an option with an empty value.

```

3321 \let\@pdfpageduration\relax
3322 \define@key{Hyp}{pdfpageduration}{\def\@pdfpageduration{#1}}

```

The entry for the /Hid key in the page object is only necessary, if it is used and set to true for at least one time. If it is always false, then the /Hid key is not written to the pdf page object in order not to enlarge the pdf file.

```

3323 \newif\ifHy@useHidKey
3324 \Hy@useHidKeyfalse
3325 \define@key{Hyp}{pdfpagehidden}[true]{%
3326   \Hy@boolkey{pdfpagehidden}{#1}%
3327   \ifHy@pdfpagehidden
3328     \global\Hy@useHidKeytrue
3329   \fi
3330 }

```

The value of the bordercolor options are not processed by the color package. Therefore the value consists of space separated rgb numbers in the range 0 until 1.

Package `xcolor` provides `\XC@bordercolor` since version 1.1. If the two spaces in the color specification are missing, then the value is processed as color specification from package `xcolor` by using `\XC@bordercolor` (since `xcolor` 2004/05/09 v1.11, versions 2005/03/24 v2.02 until 2006/11/28 v2.10 do not work because of a bug that is fixed in 2007/01/21 v2.11).

```

3331 \def\Hy@ColorList{cite,file,link,menu,run,url}
3332 \@for\Hy@temp:=\Hy@ColorList\do{%
3333   \edef\Hy@temp{%
3334     \noexpand\define@key{Hyp}{\Hy@temp bordercolor}{%
3335       \noexpand\HyColor@HyperrefBorderColor
3336       {##1}%
3337       \expandafter\noexpand\csname @\Hy@temp bordercolor\endcsname
3338       {hyperref}%
3339       {\Hy@temp bordercolor}%
3340     }%
3341   }%
3342   \Hy@temp
3343 }
3344 \define@key{Hyp}{pagebordercolor}{%
3345   \Hy@WarningPageBorderColor
3346 }
3347 \def\Hy@WarningPageBorderColor{%
3348   \Hy@WarningNoLine{Option 'pagebordercolor' is not available anymore}%
3349   \global\let\Hy@WarningPageBorderColor\relax
3350 }
3351 \define@key{Hyp}{pdfhighlight}{\def\@pdfhighlight{#1}}
3352 \Hy@DefNameKey{pdfhighlight}{%
3353   \do{/I}{Invert}%
3354   \do{/N}{None}%
3355   \do{/O}{Outline}%
3356   \do{/P}{Push}%
3357 }
3358 \define@key{Hyp}{pdfborder}{\def\@pdfborder{#1}}
3359 \define@key{Hyp}{pdfborderstyle}{\def\@pdfborderstyle{#1}}
3360 \def\Hy@setpdfborder{%
3361   \ifx\@pdfborder\empty
3362   \else
3363     /Border[\@pdfborder]%
3364   \fi
3365   \ifx\@pdfborderstyle\empty
3366   \else
3367     /BS<<\@pdfborderstyle>>%
3368   \fi
3369 }
3370 \Hy@DefNameKey{pdffagemode}{%
3371   \do{UseNone}{ }%
3372   \do{UseOutlines}{ }%
3373   \do{UseThumbs}{ }%
3374   \do{FullScreen}{ }%
3375   \do{UseOC}{PDF 1.5}%
3376   \do{UseAttachments}{PDF 1.6}%
3377 }
3378 \Hy@DefNameKey{pdfnonfullscreenpagemode}{%
3379   \do{UseNone}{ }%
3380   \do{UseOutlines}{ }%
3381   \do{UseThumbs}{ }%
3382   \do{FullScreen}{ }%

```

```

3383 \do{UseOC}{PDF 1.5}%
3384 \do{UseAttachments}{PDF 1.6}%
3385 }
3386 \Hy@DefNameKey{pdfdirection}{%
3387 \do{L2R}{Left to right}%
3388 \do{R2L}{Right to left}%
3389 }
3390 \Hy@DefNameKey{pdfviewarea}{%
3391 \do{MediaBox}{}%
3392 \do{CropBox}{}%
3393 \do{BleedBox}{}%
3394 \do{TrimBox}{}%
3395 \do{ArtBox}{}%
3396 }
3397 \Hy@DefNameKey{pdfviewclip}{%
3398 \do{MediaBox}{}%
3399 \do{CropBox}{}%
3400 \do{BleedBox}{}%
3401 \do{TrimBox}{}%
3402 \do{ArtBox}{}%
3403 }
3404 \Hy@DefNameKey{pdfprintarea}{%
3405 \do{MediaBox}{}%
3406 \do{CropBox}{}%
3407 \do{BleedBox}{}%
3408 \do{TrimBox}{}%
3409 \do{ArtBox}{}%
3410 }
3411 \Hy@DefNameKey{pdfprintclip}{%
3412 \do{MediaBox}{}%
3413 \do{CropBox}{}%
3414 \do{BleedBox}{}%
3415 \do{TrimBox}{}%
3416 \do{ArtBox}{}%
3417 }
3418 \Hy@DefNameKey{pdfprintscaling}{%
3419 \do{AppDefault}{}%
3420 \do{None}{}%
3421 }
3422 \Hy@DefNameKey{pdfduplex}{%
3423 \do{Simplex}{}%
3424 \do{DuplexFlipShortEdge}{}%
3425 \do{DuplexFlipLongEdge}{}%
3426 }
3427 \Hy@DefNameKey{pdfpicktraybypdfsize}{%
3428 \do{true}{}%
3429 \do{false}{}%
3430 }
3431 \define@key{Hyp}{pdfprintpagerange}{%
3432 \def\@pdfprintpagerange{\#1}%
3433 }
3434 \Hy@DefNameKey{pdfnumcopies}{%
3435 \do{2}{two copies}%
3436 \do{3}{three copies}%
3437 \do{4}{four copies}%
3438 \do{5}{five copies}%
3439 }

```

```

3440 \define@key{Hyp}{pdfusetitle}[true]{%
3441   \Hy@boolkey[pdfusetitle]{usetitle}{#1}%
3442 }
3443 \def\HyXeTeX@CheckUnicode{%
3444   \ifxetex
3445     \ifHy@unicode
3446     \else
3447       \Hy@WarningNoLine{%
3448         XeTeX driver only supports unicode.\MessageBreak
3449         Enabling option ‘unicode’%}
3450     }%
3451     \kvsetkeys{Hyp}{unicode}%
3452   \fi
3453 \else
3454   \let\HyXeTeX@CheckUnicode\relax
3455 \fi
3456 }
3457 \def\HyPsd@PrerenderUnicode#1{%
3458   \begingroup
3459   \expandafter\ifx\csname PrerenderUnicode\endcsname\relax
3460   \else
3461     \sbox0{%
3462       \let\GenericInfo\@gobbletwo
3463       \let\GenericWarning\@gobbletwo
3464       \let\GenericError\@gobblefour
3465       \PrerenderUnicode{#1}%
3466     }%
3467   \fi
3468   \endgroup
3469 }
3470 \define@key{Hyp}{pdftitle}{%
3471   \HyXeTeX@CheckUnicode
3472   \HyPsd@XeTeXBigCharstrue
3473   \HyPsd@PrerenderUnicode{#1}%
3474   \pdfstringdef\@pdftitle{#1}%
3475 }
3476 \define@key{Hyp}{pdfauthor}{%
3477   \HyXeTeX@CheckUnicode
3478   \HyPsd@XeTeXBigCharstrue
3479   \HyPsd@PrerenderUnicode{#1}%
3480   \pdfstringdef\@pdfauthor{#1}%
3481 }
3482 \define@key{Hyp}{pdfproducer}{%
3483   \HyXeTeX@CheckUnicode
3484   \HyPsd@XeTeXBigCharstrue
3485   \HyPsd@PrerenderUnicode{#1}%
3486   \pdfstringdef\@pdfproducer{#1}%
3487 }
3488 \define@key{Hyp}{pdfcreator}{%
3489   \HyXeTeX@CheckUnicode
3490   \HyPsd@XeTeXBigCharstrue
3491   \HyPsd@PrerenderUnicode{#1}%
3492   \pdfstringdef\@pdfcreator{#1}%
3493 }
3494 \define@key{Hyp}{pdfcreationdate}{%
3495   \begingroup
3496     \Hy@unicodedefalse

```

```

3497   \pdfstringdef{@pdfcreationdate}{#1}%
3498   \endgroup
3499 }
3500 \define@key{Hyp}{pdfmoddate}{%
3501   \begingroup
3502     \Hy@unicodefalse
3503     \pdfstringdef{@pdfmoddate}{#1}%
3504   \endgroup
3505 }
3506 \define@key{Hyp}{pdfsubject}{%
3507   \HyXeTeX@CheckUnicode
3508   \HyPsd@XeTeXBigChartrue
3509   \HyPsd@PrerenderUnicode{#1}%
3510   \pdfstringdef{@pdfsubject}{#1}%
3511 }
3512 \define@key{Hyp}{pdfkeywords}{%
3513   \HyXeTeX@CheckUnicode
3514   \HyPsd@XeTeXBigChartrue
3515   \HyPsd@PrerenderUnicode{#1}%
3516   \pdfstringdef{@pdfkeywords}{#1}%
3517 }
3518 \define@key{Hyp}{pdftrapped}{%
3519   \lowercase{\edef\Hy@temp{#1}}%
3520   \ifx\Hy@temp\HyInfo@trapped@true
3521     \def\@pdftrapped{True}%
3522   \else
3523     \ifx\Hy@temp\HyInfo@trapped@false
3524       \def\@pdftrapped{False}%
3525     \else
3526       \ifx\Hy@temp\HyInfo@trapped@unknown
3527         \def\@pdftrapped{Unknown}%
3528       \else
3529         \ifx\Hy@temp\empty
3530           \else
3531             \Hy@Warning{%
3532               Unsupported value '#1'\MessageBreak
3533               for option 'pdftrapped'%
3534             }%
3535           \fi
3536           \def\@pdftrapped{}%
3537         \fi
3538       \fi
3539     \fi
3540   }
3541 \def\HyInfo@trapped@true{true}
3542 \def\HyInfo@trapped@false{false}
3543 \def\HyInfo@trapped@unknown{unknown}
3544 \def\HyInfo@TrappedUnsupported{%
3545   \ifx\@pdftrapped\empty
3546     \else
3547       \Hy@WarningNoLine{'pdftrapped' is not supported by this driver}%
3548       \gdef\HyInfo@TrappedUnsupported{}%
3549     \fi
3550   }
3551 \define@key{Hyp}{pdffinfo}{%
3552   \kvsetkeys{pdffinfo}{#1}%
3553 }

```

```

3554 \def\Hy@temp#1{%
3555   \lowercase{\Hy@temp@A{#1}}{#1}%
3556 }
3557 \def\Hy@temp@A#1#2{%
3558   \define@key{pdffinfo}{#2}{%
3559     \hypersetup{pdf#1={##1}}%
3560   }%
3561 }
3562 \Hy@temp{Title}
3563 \Hy@temp{Author}
3564 \Hy@temp{Keywords}
3565 \Hy@temp{Subject}
3566 \Hy@temp{Creator}
3567 \Hy@temp{Producer}
3568 \Hy@temp{CreationDate}
3569 \Hy@temp{ModDate}
3570 \Hy@temp{Trapped}
3571 \newif\ifHyInfo@AddonUnsupported
3572 \kv@set@family@handler{pdffinfo}{%
3573   \HyInfo@AddonHandler{#1}{#2}%
3574 }
3575 \let\HyInfo@do\relax
3576 \def\HyInfo@AddonHandler#1#2{%
3577   \ifx\kv@value\relax
3578     \Hy@Warning{%
3579       Option 'pdffinfo': ignoring key '\kv@key' without value%
3580     }%
3581   \else
3582     \EdefEscapeName\HyInfo@KeyEscaped{\kv@key}%
3583     \EdefUnescapeName\HyInfo@Key{\HyInfo@KeyEscaped}%
3584     \expandafter\ifx\csname KV@pdffinfo@\HyInfo@Key\endcsname\relax
3585       \ifHyInfo@AddonUnsupported
3586         \Hy@Warning{%
3587           This driver does not support additional\MessageBreak
3588           information entries, therefore\MessageBreak
3589           '\kv@key' is ignored%
3590         }%
3591       \else
3592         \define@key{pdffinfo}{\HyInfo@Key}{%
3593           \HyXeTeX@CheckUnicode
3594           \HyPsd@XeTeXBigChartrue
3595           \HyPsd@PrerenderUnicode{##1}%
3596           \pdfstringdef\HyInfo@Value{##1}%
3597           \expandafter\let\csname HyInfo@Value@\HyInfo@Key\endcsname
3598             \HyInfo@Value
3599         }%
3600       \edef\HyInfo@AddonList{%
3601         \HyInfo@AddonList
3602         \HyInfo@do{\HyInfo@Key}%
3603       }%
3604       \kv@parse@normalized{%
3605         \HyInfo@Key={#2}%
3606       }{%
3607         \kv@processor@default{pdffinfo}%
3608       }%
3609     \fi
3610   \else

```

```

3611      \kv@parse@normalized{%
3612          \HyInfo@Key={#2}%
3613      }{%
3614          \kv@processor@default{pdfinfo}%
3615      }%
3616      \fi
3617  \fi
3618 }
3619 \def\HyInfo@GenerateAddons{%
3620   \ifHyInfo@AddonUnsupported
3621     \def\HyInfo@Addons{}%
3622   \else
3623     \begingroup
3624       \toks@{}%
3625       \def\HyInfo@do##1{%
3626         \EdefEscapeName\HyInfo@Key{##1}%
3627         \edef\x{%
3628           \toks@{%
3629             \the\toks@
3630             / \HyInfo@Key(\csname HyInfo@Value@##1\endcsname)%
3631           }%
3632         }%
3633         \x
3634       }%
3635     \HyInfo@AddonList
3636     \edef\x{\endgroup
3637       \def\noexpand\HyInfo@Addons{\the\toks@}%
3638     }%
3639     \x
3640   \fi
3641 }
3642 \def\HyInfo@AddonList{%
3643 \define@key{Hyp}{pdfview}{\calculate@pdfview#1 \\}
3644 \define@key{Hyp}{pdfinkmargin}{\setpdfinkmargin{#1}}
3645 \let\setpdfinkmargin@gobble
3646 \def\calculate@pdfview#1 #2\\{%
3647   \def@\pdfview{#1}%
3648   \ifx\\#2\\%
3649     \def@\pdfviewparams{-32768}%
3650   \else
3651     \def@\pdfviewparams{#2}%
3652   \fi
3653 }
3654 \begingroup\expandafter\expandafter\expandafter\endgroup
3655 \expandafter\ifx\csname numexpr\endcsname\relax
3656   \def\Hy@number#1{%
3657     \expandafter\@firstofone\expandafter{\number#1}%
3658   }%
3659 \else
3660   \def\Hy@number#1{%
3661     \the\numexpr#1\relax
3662   }%
3663 \fi
3664 \define@key{Hyp}{pdfstartpage}{%
3665   \ifx\\#1\\%
3666     \def@\pdfstartpage{}%
3667   \else

```

```

3668     \edef\@pdfstartpage{\Hy@number{\#1}}%
3669     \fi
3670 }%
3671 \define@key{Hyp}{pdfstartview}{%
3672   \ifx\#\#1\%
3673   \def\@pdfstartview{}%
3674   \else
3675   \hypercalcbpdef\@pdfstartview{/#1}%
3676   \fi
3677 }
3678 \def\HyPat@NonNegativeReal/{%
3679   ([0-9]+|[0-9]*|[0-9]*.[0-9]+)%
3680 }
3681 \define@key{Hyp}{pd fremotestartview}{%
3682   \ifx\#\#1\%
3683   \def\@pd fremotestartview{/Fit}%
3684   \else
3685   \hypercalcbpdef\@pd fremotestartview{\#1}%
3686   \edef\@pd fremotestartview{\@pd fremotestartview}%
3687   \Hy@Match\@pd fremotestartview{%
3688     ^XYZ -?(null|\HyPat@NonNegativeReal/) %
3689     -?(null|\HyPat@NonNegativeReal/) %
3690     (null|\HyPat@NonNegativeReal/)|%
3691     Fit(|B|%
3692     (H|V|BH|BV)(null|\HyPat@NonNegativeReal/)|%
3693     R \HyPat@NonNegativeReal/ \HyPat@NonNegativeReal/ %
3694     \HyPat@NonNegativeReal/ \HyPat@NonNegativeReal/%
3695   ))$%
3696 }{}{%
3697   \Hy@Warning{%
3698     Invalid value '\@pd fremotestartview'\MessageBreak
3699     of 'pd fremotestartview'\MessageBreak
3700     is replaced by 'Fit'%
3701   }%
3702   \let\@pd fremotestartview\empty
3703 }%
3704 \ifx\@pd fremotestartview\empty
3705   \def\@pd fremotestartview{/Fit}%
3706 \else
3707   \edef\@pd fremotestartview{/@\@pd fremotestartview}%
3708 \fi
3709 \fi
3710 }
3711 \define@key{Hyp}{pdfpagescrop}{\edef\@pdfpagescrop{\#1}}
3712 \define@key{Hyp}{pdftoolbar}[true]{%
3713   \Hy@boolkey[pdftoolbar]{toolbar}{\#1}%
3714 }
3715 \define@key{Hyp}{pdfmenubar}[true]{%
3716   \Hy@boolkey[pdfmenubar]{menubar}{\#1}%
3717 }
3718 \define@key{Hyp}{pdfwindowui}[true]{%
3719   \Hy@boolkey[pdfwindowui]{windowui}{\#1}%
3720 }
3721 \define@key{Hyp}{pdffitwindow}[true]{%
3722   \Hy@boolkey[pdffitwindow]{fitwindow}{\#1}%
3723 }
3724 \define@key{Hyp}{pdfcenterwindow}[true]{%

```

```

3725 \Hy@boolkey{pdfcenterwindow}{centerwindow}{#1}%
3726 }
3727 \define@key{Hyp}{pdfdisplaydoctitle}[true]{%
3728 \Hy@boolkey{pdfdisplaydoctitle}{displaydoctitle}{#1}%
3729 }
3730 \define@key{Hyp}{pdfa}[true]{%
3731 \Hy@boolkey{pdfa}{#1}%
3732 }
3733 \define@key{Hyp}{pdfnewwindow}[true]{%
3734 \def\Hy@temp{#1}%
3735 \ifx\Hy@temp\empty
3736 \Hy@newwindowsetfalse
3737 \else
3738 \Hy@newwindowsettrue
3739 \Hy@boolkey{pdfnewwindow}{newwindow}{#1}%
3740 \fi
3741 }
3742 \def\Hy@SetNewWindow{%
3743 \ifHy@newwindowset
3744 /NewWindow %
3745 \ifHy@newwindow true\else false\fi
3746 \fi
3747 }
3748 \Hy@DefNameKey{pdffagelayout}{%
3749 \do{SinglePage}{}
3750 \do{OneColumn}{}
3751 \do{TwoColumnLeft}{}
3752 \do{TwoColumnRight}{}
3753 \do{TwoPageLeft}{PDF 1.5}
3754 \do{TwoPageRight}{PDF 1.5}
3755 }
3756 \define@key{Hyp}{pdflang}{%
3757 \def\@pdflang{#1}%
3758 }
3759 \define@key{Hyp}{pdffagelabels}[true]{%
3760 \Hy@boolkey{pdffagelabels}{pagelabels}{#1}%
3761 }
3762 \define@key{Hyp}{pdfescapeform}[true]{%
3763 \Hy@boolkey{pdfescapeform}{escapeform}{#1}%
3764 }

```

Default values:

```

3765 \def\@linkbordercolor{1 0 0}
3766 \def\@curlbordercolor{0 1 1}
3767 \def\@menubordercolor{1 0 0}
3768 \def\@filebordercolor{0 .5 .5}
3769 \def\@runbordercolor{0 .7 .7}
3770 \def\@citebordercolor{0 1 0}
3771 \def\@pdfhighlight{/I}
3772 \def\@pdftitle{}
3773 \def\@pdfauthor{}
3774 \let\@pdfproducer\relax
3775 \def\@pdfcreator{LaTeX with hyperref package}
3776 \def\@pdfcreationdate{}
3777 \def\@pdfmoddate{}
3778 \def\@pdfsubject{}
3779 \def\@pdfkeywords{}
3780 \def\@pdftrapped{}

```

```

3781 \def\@pdfpagescrop{}
3782 \def\@pdfstartview{/Fit}
3783 \def\@pdfremotestartview{/Fit}
3784 \def\@pdfstartpage{1}
3785 \def\@pdfprintpagerange{}
3786 \def\@pdflang{}
3787 \let\PDF@SetupDoc\empty
3788 \let\PDF@FinishDoc\empty
3789 \let\phantomsection\empty
3790 \let\special@paper\empty
3791 \def\HyperDestNameFilter#1{#1}
3792 \Hy@AtBeginDocument{%
3793   \begingroup
3794     \edef\x{\@ifundefined{stockheight}\paperheight\stockheight}%
3795     \dimen@=\x\relax
3796     \ifdim\dimen@>\z@
3797     \else
3798       \dimen@=11in\relax
3799       \Hy@WarningNoLine{%
3800         Height of page (\expandafter\string\x) %
3801         is invalid (\the\x),\MessageBreak
3802         using 11in%
3803       }%
3804     \fi
3805     \dimen@=0.99626401\dimen@
3806     \xdef\Hy@pageheight{\strip@pt\dimen@}%
3807   \endgroup
3808 }
3809 \def\HyInd@EncapChar{\|}
```

Allow the user to use \ExecuteOptions in the cfg file even though this package does not use the normal option mechanism. Use \hyper@normalise as a scratch macro, since it is going to be defined in a couple of lines anyway.

```

3810 \let\hyper@normalise\ExecuteOptions
3811 \let\ExecuteOptions\hypersetup
3812 \Hy@RestoreCatcodes
3813 \InputIfFileExists{hyperref.cfg}{}{%
3814   \Hy@SetCatcodes
3815 \let\ExecuteOptions\hyper@normalise
3816 \Hy@MaybeStopNow}
```

To add flexibility, we will not use the ordinary processing of package options, but put them through the *keyval* package. This section was written by David Carlisle.

Package kvoptions is used for processing options that are given as key value pairs. The package provides \ProcessKeyvalOptions, formerly known as \ProcessOptionsWithKV.

```

3817 \RequirePackage{kvoptions}[2009/07/21]
3818 \SetupKeyvalOptions{family=Hyp}
3819 \DeclareLocalOptions{%
3820   a4paper,a5paper,b5paper,letterpaper,legalpaper,executivepaper%
3821 }
```

Add option tex4ht if package tex4ht is loaded.

```

3822 \@ifpackageloaded{tex4ht}{%
3823   \@ifpackagewith{hyperref}{tex4ht}{}{%
3824     \PassOptionsToPackage{tex4ht}{hyperref}%
3825   }%
3826 }
```

```

3827 \let\ReadBookmarks\relax
3828 \ProcessKeyvalOptions{Hyp}

    After processing options.

3829 \Hy@AtBeginDocument{%
3830   \ifHy@draft
3831     \let\hyper@anchor\gobble
3832     \gdef\hyper@link#1#2#3{#3}%
3833     \let\hyper@anchorstart\gobble
3834     \let\hyper@anchorend\empty
3835     \let\hyper@linkstart\gobbletwo
3836     \let\hyper@linkend\empty
3837     \def\hyper@linkurl#1#2{#1}%
3838     \def\hyper@linkfile#1#2#3{#1}%
3839     \def\hyper@link@[#1]#2#3{}%
3840     \def\Acrobatmenu#1#2{\leavevmode#2}%
3841     \let\PDF@SetupDoc\empty
3842     \let\PDF@FinishDoc\empty
3843     \let\fifthoffive\secondoftwo
3844     \let\secondoffive\secondoftwo
3845     \let\ReadBookmarks\relax
3846     \let\WriteBookmarks\relax
3847     \Hy@WarningNoLine{Draft mode on}%
3848   \fi
3849   \Hy@DisableOption{draft}%
3850   \Hy@DisableOption{nolinks}%
3851   \Hy@DisableOption{final}%
3852 }

```

15.1 PDF/A

```

3853 \Hy@DisableOption{pdfa}
3854 \ifHy@pdfa
3855   \kvsetkeys{Hyp}{pdfversion=1.4}%
3856   \def\Hy@Acrobatmenu#1#2{%
3857     \leavevmode
3858     \begingroup
3859     \edef\x{#1}%
3860     \onelevel@sanitize\x
3861     \ifx\x\Hy@NextPage
3862       \let\y=Y%
3863     \else
3864       \ifx\x\Hy@PrevPage
3865         \let\y=Y%
3866       \else
3867         \ifx\x\Hy@FirstPage
3868           \let\y=Y%
3869         \else
3870           \ifx\x\Hy@LastPage
3871             \let\y=Y%
3872           \else
3873             \let\y=N%
3874           \fi
3875         \fi
3876       \fi
3877     \fi
3878   \expandafter\endgroup

```

```

3879   \ifx\y Y%
3880   \else
3881     \PackageError{hyperref}{%
3882       PDF/A: Named action '#1' is not permitted%
3883     }{\@ehc
3884     {#2}%
3885     \expandafter\@gobble
3886   \fi
3887 }
3888 \def\Hy@temp#1{%
3889   \expandafter\def\csname Hy@#1\endcsname{#1}%
3890   \expandafter\@onelvel@sanitize\csname Hy@#1\endcsname
3891 }
3892 \Hy@temp{NextPage}%
3893 \Hy@temp{PrevPage}%
3894 \Hy@temp{FirstPage}%
3895 \Hy@temp{LastPage}%
3896 \else
3897   \def\Hy@Acrobatmenu#1#2{\leavevmode}%
3898 \fi

```

15.2 Patch for babel's \texttilde

Babel does not define \texttilde in NFSS2 manner, so the NFSS2 definitions of PD1 or PU encoding is not compatible. To fix this, \texttilde is defined in babel manner.

```

3899 \Hy@nextfalse
3900 \ltx@ifUndefined{spanish@sh@"\sel"}{\Hy@nexttrue}
3901 \ltx@ifUndefined{galician@sh@"\sel"}{\Hy@nexttrue}
3902 \ltx@ifUndefined{estonian@sh@"\sel"}{\Hy@nexttrue}
3903 \ifHy@next
3904   \let\texttilde\~%
3905 \fi
3906 \ifHy@figures
3907   \Hy@Info{Hyper figures ON}%
3908 \else
3909   \Hy@Info{Hyper figures OFF}%
3910 \fi
3911 \ifHy@nesting
3912   \Hy@Info{Link nesting ON}%
3913 \else
3914   \Hy@Info{Link nesting OFF}%
3915 \fi
3916 \ifHy@hyperindex
3917   \Hy@Info{Hyper index ON}%
3918 \else
3919   \Hy@Info{Hyper index OFF}%
3920 \fi
3921 \ifHy@plainpages
3922   \Hy@Info{Plain pages ON}%
3923 \else
3924   \Hy@Info{Plain pages OFF}%
3925 \fi
3926 \ifHy@backref
3927   \Hy@Info{Backreferencing ON}%
3928 \else
3929   \Hy@Info{Backreferencing OFF}%
3930 \fi

```

```

3931 \ifHy@typexml
3932   \Hy@AtEndOfPackage{%
3933     \RequirePackage{color}%
3934     \RequirePackage{nameref}%
3935   }%
3936 \fi
3937 \Hy@DisableOption{typexml}
3938 \ifHy@implicit
3939   \typeout{Implicit mode ON; LaTeX internals redefined}%
3940 \else
3941   \typeout{Implicit mode OFF; no redefinition of LaTeX internals}%
3942 \def\MaybeStopEarly{%
3943   \typeout{Hyperref stopped early}%
3944 \Hy@AtBeginDocument{%
3945   \PDF@FinishDoc
3946   \gdef\PDF@FinishDoc{}%
3947 }%
3948 \endinput
3949 }%
3950 \Hy@AtBeginDocument{%
3951   \let\autoref\ref
3952   \let\autocite\pageref
3953   \ifx\pdfpagemode\empty
3954     \gdef\pdfpagemode{UseNone}%
3955   \fi
3956   \global\Hy@backreffalse
3957 }%
3958 \Hy@AtEndOfPackage{%
3959   \global\let\ReadBookmarks\relax
3960   \global\let\WriteBookmarks\relax
3961 }%
3962 \fi
3963 \Hy@DisableOption{implicit}

```

15.2.1 Driver loading

```

3964 \Hy@AtEndOfPackage{%
3965   \@ifpackageloaded{tex4ht}{%
3966     \def\Hy@driver{htex4ht}%
3967     \Hy@texhttrue
3968   }{}%

```

Some drivers can be detected. Check for these drivers, whether the given driver option is ok. Otherwise force the right driver or use the default driver.

```

3969 \ifx\Hy@driver\empty
3970 \else
3971 \def\Hy@temp{hpdftex}%
3972 \ifpdf
3973   \ifx\Hy@driver\Hy@temp
3974   \else
3975     \Hy@WarningNoLine{%
3976       Wrong driver '\Hy@driver.def';\MessageBreak
3977       pdfTeX is running in PDF mode.\MessageBreak
3978       Forcing driver '\Hy@temp.def'%
3979     }%
3980   \let\Hy@driver\Hy@temp
3981 \fi
3982 \else

```

```

3983   \ifx\Hy@driver\Hy@temp
3984     \Hy@WarningNoLine{%
3985       Wrong driver '\Hy@driver.def';\MessageBreak
3986       pdfTeX is not running in PDF mode.\MessageBreak
3987       Using default driver%
3988     }%
3989     \let\Hy@driver\@empty
3990   \fi
3991 \fi
3992 \fi
3993 \ifx\Hy@driver\@empty
3994 \else
3995   \def\Hy@temp{hxetex}%
3996   \ifxetex
3997     \ifx\Hy@driver\Hy@temp
3998   \else
3999     \Hy@WarningNoLine{%
4000       Wrong driver '\Hy@driver.def';\MessageBreak
4001       XeTeX is running.\MessageBreak
4002       Forcing driver '\Hy@temp.def' for XeTeX%
4003     }%
4004     \let\Hy@driver\Hy@temp
4005   \fi
4006 \fi
4007 \fi
4008 \ifx\Hy@driver\@empty
4009 \else
4010   \def\Hy@temp{hvtexhtm}%
4011   \ifvtexhtml
4012     \ifx\Hy@driver\Hy@temp
4013   \else
4014     \Hy@WarningNoLine{%
4015       Wrong driver '\Hy@driver.def';\MessageBreak
4016       VTeX is running in HTML mode.\MessageBreak
4017       Forcing driver '\Hy@temp.def'%
4018     }%
4019     \let\Hy@driver\Hy@temp
4020   \fi
4021 \else
4022   \ifx\Hy@driver\Hy@temp
4023     \Hy@WarningNoLine{%
4024       Wrong driver '\Hy@driver.def';\MessageBreak
4025       VTEx is not running in HTML mode.\MessageBreak
4026       Using default driver%
4027     }%
4028     \let\Hy@driver\@empty
4029   \fi
4030 \fi
4031 \fi

```

If the driver is not given, find the right driver or use the default driver.

```

4032 \ifx\Hy@driver\@empty
4033   \providecommand*\Hy@defaultdriver{hypertex}%
4034   \ifpdf
4035     \def\Hy@driver{hpdftex}%
4036   \else
4037     \ifxetex
4038       \def\Hy@driver{hxetex}%

```

```

4039 \else
4040   \ifvtexhtml
4041     \def\Hy@driver{hvtxhtm}%
4042     \def\MaybeStopEarly{%
4043       \typeout{Hyperref stopped early}%
4044       \Hy@AtBeginDocument{%
4045         \PDF@FinishDoc
4046         \gdef\PDF@FinishDoc{}%
4047       }%
4048       \endinput
4049     }%
4050   \else
4051     \ifvtexpdf
4052       \def\Hy@driver{hvtx}%
4053     \else
4054       \ifvtxps
4055         \def\Hy@driver{hvtx}%
4056       \else
4057         \let\Hy@driver\Hy@defaultdriver
4058       \fi
4059     \fi
4060   \fi
4061 \fi
4062 \fi
4063 \ifx\Hy@driver\Hy@defaultdriver
4064   \def\Hy@temp{hdviwind}%
4065   \ifx\Hy@temp\Hy@driver
4066     \kvsetkeys{Hyp}{colorlinks}%
4067     \PassOptionsToPackage{dviwindo}{color}%
4068   \fi
4069 \fi
4070 \typeout{* hyperref using default driver \Hy@driver\ltx@space*}%
4071 \else
4072   \typeout{* hyperref using driver \Hy@driver\ltx@space*}%
4073 \fi
4074 \input{\Hy@driver.def}%
4075 \let\@unprocessedoptions\relax
4076 \Hy@RestoreCatcodes
4077 }

```

Support for open outlines is enabled for Xe_T_EX >= 0.9995. I don't know, if older versions also support this. AFAIK older dvipdfmx versions will break, thus the switch cannot be turned on by default.

```

4078 \newif\ifHy@DvipdfmxOutlineOpen
4079 \ifxetex
4080   \ifdim\number\XeTeXversion\XeTeXrevision in<0.9995in %
4081   \else
4082     \Hy@DvipdfmxOutlineOpentrue
4083   \fi
4084 \fi
4085 \begingroup\expandafter\expandafter\expandafter\endgroup
4086 \expandafter\ifx\csname SpecialDvipdfmxOutlineOpen\endcsname\relax
4087 \else
4088   \ifnum\SpecialDvipdfmxOutlineOpen>\z@
4089     \Hy@DvipdfmxOutlineOpentrue
4090   \fi
4091 \fi
4092 \Hy@DisableOption{tex4ht}

```

```

4093 \Hy@DisableOption{pdftex}
4094 \Hy@DisableOption{nativepdf}
4095 \Hy@DisableOption{dvipdfm}
4096 \Hy@DisableOption{dvipdfmx}
4097 \Hy@DisableOption{dvipdfmx-outline-open}
4098 \Hy@DisableOption{pdfmark}
4099 \Hy@DisableOption{dvips}
4100 \Hy@DisableOption{hypertex}
4101 \Hy@DisableOption{vtex}
4102 \Hy@DisableOption{vtexpdfmark}
4103 \Hy@DisableOption{dviwindo}
4104 \Hy@DisableOption{dvipsone}
4105 \Hy@DisableOption{textures}
4106 \Hy@DisableOption{latex2html}
4107 \Hy@DisableOption{ps2pdf}
4108 \Hy@DisableOption{xetex}
4109 \Hy@AtEndOfPackage{%
4110   \Hy@DisableOption{pdfversion}%
4111 }

```

15.2.2 Bookmarks

```

4112 \def\WriteBookmarks{0}
4113 \def\@bookmarkopenstatus#1{%
4114   \ifHy@bookmarksopen

```

The purpose of the \firstofone-number-space-construct is that no \relax will be inserted by TeX before the \else:

```

4115   \ifnum#1<\expandafter\@firstofone\expandafter
4116     {\number\@bookmarksopenlevel} % explicit space
4117   \else
4118     -%
4119   \fi
4120 \else
4121   -%
4122 \fi
4123 }
4124 \ifHy@bookmarks
4125   \Hy@Info{Bookmarks ON}%
4126   \ifx\@pdfpagemode\@empty
4127     \def\@pdfpagemode{UseOutlines}%
4128   \fi
4129 \else
4130   \def\@bookmarkopenstatus#1{}%
4131   \Hy@Info{Bookmarks OFF}%
4132   \Hy@AtEndOfPackage{%
4133     \global\let\ReadBookmarks\relax
4134     \global\let\WriteBookmarks\relax
4135   }%
4136   \ifx\@pdfpagemode\@empty
4137     \def\@pdfpagemode{UseNone}%
4138   \fi
4139 \fi
4140 \Hy@DisableOption{bookmarks}

```

Add wrapper for setting standard catcodes (babel's shorthands).

```

4141 \def\Hy@CatcodeWrapper#1{%
4142   \def\Hy@EndWrap{}%
4143   \def\TMP@EnsureCode##1##2{%
4144     \edef\Hy@EndWrap{%

```

```

4145     \Hy@EndWrap
4146     \catcode##1 \the\catcode##1\relax
4147   }%
4148   \catcode##1 ##2\relax
4149 }%
4150 \TMP@EnsureCode{10}{12}%
4151 \TMP@EnsureCode{33}{12}%
4152 \TMP@EnsureCode{34}{12}%
4153 \TMP@EnsureCode{36}{3}%
4154 \TMP@EnsureCode{38}{4}%
4155 \TMP@EnsureCode{39}{12}%
4156 \TMP@EnsureCode{40}{12}%
4157 \TMP@EnsureCode{41}{12}%
4158 \TMP@EnsureCode{42}{12}%
4159 \TMP@EnsureCode{43}{12}%
4160 \TMP@EnsureCode{44}{12}%
4161 \TMP@EnsureCode{45}{12}%
4162 \TMP@EnsureCode{46}{12}%
4163 \TMP@EnsureCode{47}{12}%
4164 \TMP@EnsureCode{58}{12}%
4165 \TMP@EnsureCode{59}{12}%
4166 \TMP@EnsureCode{60}{12}%
4167 \TMP@EnsureCode{61}{12}%
4168 \TMP@EnsureCode{62}{12}%
4169 \TMP@EnsureCode{63}{12}%
4170 \TMP@EnsureCode{91}{12}%
4171 \TMP@EnsureCode{93}{12}%
4172 \TMP@EnsureCode{94}{7}%
4173 \TMP@EnsureCode{95}{8}%
4174 \TMP@EnsureCode{96}{12}%
4175 \TMP@EnsureCode{124}{12}%
4176 \TMP@EnsureCode{126}{13}%
4177 #1\relax
4178 \Hy@EndWrap
4179 }

```

\HyColor@UseColor expects a macro as argument. It contains the color specification.

```

4180 \Hy@AtBeginDocument{%
4181   \ifHy@ocgcolorlinks
4182     \kvsetkeys{Hyp}{colorlinks}%
4183   \ifHy@pdfa
4184     \Hy@Warning{%
4185       PDF/A: Optional Content Groups are prohibited,\MessageBreak
4186       using 'colorlinks' instead of 'ocgcolorlinks'%
4187     }%
4188   \Hy@ocgcolorlinksfalse
4189   \fi
4190   \fi
4191   \ifHy@ocgcolorlinks
4192   \else
4193     \Hy@DisableOption{ocgcolorlinks}%
4194   \fi
4195   \ifHy@colorlinks
4196     \def\@pdfborder{0 0 0}%
4197     \let\@pdfborderstyle\@empty
4198     \ifHy@typexml
4199     \else

```

```

4200  \Hy@CatcodeWrapper{%
4201    \RequirePackage{color}%
4202  }%
4203  \fi
4204  \def\Hy@colorlink#1{%
4205    \begingroup
4206    \HyColor@UseColor#1%
4207  }%
4208  \def\Hy@endcolorlink{\endgroup}%
4209  \Hy@Info{Link coloring ON}%
4210 \else
4211  \ifHy@frenchlinks
4212    \def\Hy@colorlink#1{\begingroup\fontshape{sc}\selectfont}%
4213    \def\Hy@endcolorlink{\endgroup}%
4214    \Hy@Info{French linking ON}%
4215  \else
for grouping consistency:
4216    \def\Hy@colorlink#1{\begingroup}%
4217    \def\Hy@endcolorlink{\endgroup}%
4218    \Hy@Info{Link coloring OFF}%
4219  \fi
4220 \fi
4221 \Hy@DisableOption{colorlinks}%
4222 \Hy@DisableOption{frenchlinks}%
4223 \ifHy@texht
4224   \long\def\@firstoffive#1#2#3#4#5{#1}%
4225   \long\def\@secondoffive#1#2#3#4#5{#2}%
4226   \long\def\@thirdoffive#1#2#3#4#5{#3}%
4227   \long\def\@fourthoffive#1#2#3#4#5{#4}%
4228   \long\def\@fifthoffive#1#2#3#4#5{#5}%
4229   \providecommand*\@safe@activestrue{}%
4230   \providecommand*\@safe@activesfalse{}%
4231   \def\T@ref#1{%
4232     \Hy@safe@activestrue
4233     \expandafter\@setref\csname r@#1\endcsname\@firstoffive{#1}%
4234     \Hy@safe@activesfalse
4235   }%
4236   \def\T@pageref#1{%
4237     \Hy@safe@activestrue
4238     \expandafter\@setref\csname r@#1\endcsname\@secondoffive{#1}%
4239     \Hy@safe@activesfalse
4240   }%
4241 \else
4242  \ifHy@typexml
4243  \else
4244    \Hy@CatcodeWrapper{%
4245      \RequirePackage{nameref}%
4246    }%
4247  \fi
4248 \fi
4249 \DeclareRobustCommand\ref{%
4250   \@ifstar\@refstar\T@ref
4251 }%
4252 \DeclareRobustCommand\pageref{%
4253   \@ifstar\@pagerefstar\T@pageref
4254 }%
4255 % \@ifclassloaded{memoir}{%

```

```

4256 \% \ltx@IfUndefined{@mem@titlerefno link}\ltx@secondoftwo{%
4257 \% \ltx@IfUndefined{@mem@titleref}\ltx@secondoftwo\ltx@firstoftwo
4258 \% }%
4259 \% }\ltx@secondoftwo
4260 \% {%
4261 \% \DeclareRobustCommand*{\nameref}{%
4262 \% @ifstar@mem@titlerefno link@mem@titleref
4263 \% }%
4264 \% }{%
4265 \DeclareRobustCommand*{\nameref}{%
4266 \@ifstar@namerefstar\T@nameref
4267 }%
4268 \% }%
4269 }
4270 \Hy@AtBeginDocument{%
4271 \ifHy@texht
4272 \else
4273 \Hy@CatcodeWrapper{%
4274 \ReadBookmarks
4275 }%
4276 \fi
4277 }

4278 \ifHy@backref
4279 \RequirePackage{backref}%
4280 \else
4281 \let\Hy@backout\gobble
4282 \fi
4283 \Hy@DisableOption{backref}
4284 \Hy@DisableOption{pagebackref}
4285 \Hy@activeanchorfalse

```

16 User hypertext macros

We need to normalise all user commands taking a URL argument; Within the argument the following special definitions apply: \#, \%, ~ produce #, %, ~ respectively. for consistency \~ produces ~ as well. At the *top level only* ie not within the argument of another command, you can use # and % unescaped, to produce themselves. even if, say, # is entered as # it will be converted to \# so it does not die if written to an aux file etc. \# will write as # locally while making \specials.

```

4286 \begingroup
4287 \endlinechar=-1 %
4288 \catcode`^\^A=14 %
4289 \catcode`^\^M\active
4290 \catcode`\%\active
4291 \catcode`\#\active
4292 \catcode`\_\active
4293 \catcode`\$\active
4294 \catcode`\&\active
4295 \gdef\hyper@normalise{^\^A
4296 \begingroup
4297 \catcode`^\^M\active
4298 \def`^\^M{ }^\^A
4299 \catcode`\%\active
4300 \let%@\percentchar
4301 \let\%@\percentchar
4302 \catcode`\#\active

```

```

4303  \def#{\hyper@hash}^^A
4304  \def\#{\hyper@hash}^^A
4305  \makeother\&^^A
4306  \edef&{\string&}^^A
4307  \edef\&{\string&}^^A
4308  \edef{textunderscore}{\string_}^^A
4309  \let\_textunderscore
4310  \catcode`\_active
4311  \let_\textunderscore
4312  \let~\hyper@tilde
4313  \let\-\hyper@tilde
4314  \let\textasciitilde\hyper@tilde
4315  \let\\@\backslashchar
4316  \edef${\string$}^^A
4317  \Hy@safe@activestru
4318  \hyper@n@rmalise
4319 }^^A
4320 \catcode`\#=6 ^^A
4321 \gdef\Hy@ActiveCarriageReturn{^^M}^^A
4322 \gdef\hyper@n@rmalise#1#2{^^A
4323   \def\Hy@tempa{#2}^^A
4324   \ifx\Hy@tempa\Hy@ActiveCarriageReturn
4325     \Hy@ReturnAfterElseFi{^^A
4326       \hyper@normalise{#1}^^A
4327     }^^A
4328   \else
4329     \Hy@ReturnAfterFi{^^A
4330       \hyper@normalise{#1}{#2}^^A
4331     }^^A
4332   \fi
4333 }^^A
4334 \gdef\hyper@normalise#1#2{^^A
4335   \edef\Hy@tempa{^^A
4336   \endgroup
4337   \noexpand#1{\Hy@RemovePercentCr#2%^^M\@nil}^^A
4338 }^^A
4339 \Hy@tempa
4340 }^^A
4341 \gdef\Hy@RemovePercentCr#1%^M#2\@nil{^^A
4342 #1^^A
4343 \ifx\limits#2\limits
4344 \else
4345   \Hy@ReturnAfterFi{^^A
4346     \Hy@RemovePercentCr #2\@nil
4347   }^^A
4348   \fi
4349 }^^A
4350 \endgroup
4351 \providecommand*\hyper@chars{%
4352   \let\#\hyper@hash
4353   \let\%\@percentchar
4354   \Hy@safe@activestru
4355 }
4356 \def\hyperlink#1#2{%
4357   \hyper@alink{}{#1}{#2}%
4358 }
4359 \def\Hy@VerboseLinkStart#1#2{%

```

```

4360 \ifHy@verbose
4361   \begingroup
4362     \Hy@safe@activestru
4363     \xdef\Hy@VerboseGlobalTemp{(#1) '#2'}%
4364     \Hy@Info{Reference \Hy@VerboseGlobalTemp}%
4365     \xdef\Hy@VerboseGlobalTemp{%
4366       \Hy@VerboseGlobalTemp, %
4367       line \the\inputlineno
4368     }%
4369   \endgroup
4370   \let\Hy@VerboseLinkInfo\Hy@VerboseGlobalTemp
4371   @onelvel@sanitize\Hy@VerboseLinkInfo
4372 \fi
4373 }

4374 \def\Hy@VerboseLinkInfo{<VerboseLinkInfo>}
4375 \def\Hy@VerboseLinkStop{%
4376   \ifHy@verbose
4377     \begingroup
4378       \edef\x{\endgroup
4379         \write\m@ne{%
4380           Package 'hyperref' Info: %
4381           End of reference \Hy@VerboseLinkInfo.%}
4382     }%
4383   }%
4384   \x
4385 \fi
4386 }

4387 \def\Hy@VerboseAnchor#1{%
4388   \ifHy@verbose
4389     \begingroup
4390       \Hy@safe@activestru
4391       \Hy@Info{Anchor '\HyperDestNameFilter{#1}'}%
4392     \endgroup
4393 \fi
4394 }

4395 \def\Hy@AllowHyphens{%
4396   \relax
4397   \ifhmode
4398     \penalty\@M
4399     \hskip\z@skip
4400   \fi
4401 }

4402 \DeclareRobustCommand*\{<#1>}{%
4403   \begingroup
4404     \setkeys{<#1>}%
4405     \c@ifnextchar\bgroup\Hy@href{\hyper@normalise\<#1>}%
4406   }
4407 \def\Hy@href#1{%
4408   \hyper@normalise\<#1>
4409 }
4410 \begingroup
4411   \catcode`\$=6 %
4412   \catcode`\#=12 %
4413   \gdef\<#1>{\expandafter\<#1>\split$1##$\>}%
4414   \gdef\<#1>\split$1#$2#$3\\$4{%
4415     \hyper@link{$1}{$2}{$4}}%

```

```

4416   \endgroup
4417 }%
4418 \endgroup
Option ‘page’.
4419 \define@key{href}{page}{%
4420   \def\Hy@href@page{\#1}%
4421 }
4422 \let\Hy@href@page\empty
4423 \newcount\c@Hy@tempcnt
4424 \def\theHy@tempcnt{\the\c@Hy@tempcnt}
4425 \def\Hy@MakeRemoteAction{%
4426   \ifx\Hy@href@page\empty
4427     \def\Hy@href@page{0}%
4428   \else
4429     \setcounter{Hy@tempcnt}{\Hy@href@page}%
4430     \ifnum\c@Hy@tempcnt<\ne
4431       \Hy@Warning{%
4432         Invalid page number (\theHy@tempcnt)\MessageBreak
4433         for remote PDF file.\MessageBreak
4434         Using page 1}%
4435     }%
4436     \def\Hy@href@page{0}%
4437   \else
4438     \global\advance\c@Hy@tempcnt\m@ne
4439     \edef\Hy@href@page{\theHy@tempcnt}%
4440   \fi
4441 \fi

```

If a next action is set, then also a new window should be opened. Otherwise AR reclaims that it closes the current file with discarding the next actions.

```

4442 \ifx\Hy@href@nextactionraw\empty
4443 \else
4444   \Hy@newwindowsettrue
4445   \Hy@newwindowtrue
4446 \fi
4447 }

```

Option ‘pdfremotestartview’.

```

4448 \define@key{href}{pdfremotestartview}{%
4449   \setkeys{Hyp}{pdfremotestartview=\#1}%
4450 }

```

Option ‘pdfnewwindow’.

```

4451 \let\KV@href@pdfnewwindow\KV@Hyp@pdfnewwindow
4452 \let\KV@href@pdfnewwindow@default\KV@Hyp@pdfnewwindow@default

```

Option ‘ismap’.

```

4453 \newif\ifHy@href@ismap
4454 \define@key{href}{ismap}[true]{%
4455   \ltx@ifUndefined{\Hy@href@ismap\#1}{%
4456     \PackageError{hyperref}{%
4457       Invalid value (\#1) for key ‘ismap’.\MessageBreak
4458       Permitted values are ‘true’ or ‘false’.\MessageBreak
4459       Ignoring ‘ismap’%}%
4460   }@\ehc
4461 }{%
4462   \csname Hy@href@ismap\#1\endcsname
4463 }%
4464 }

```

Option ‘nextactionraw’.

```
4465 \let\Hy@href@nextactionraw\@empty
4466 \define@key{href}{nextactionraw}{%
4467   \edef\Hy@href@nextactionraw{\#1}%
4468   \ifx\Hy@href@nextactionraw\@empty
4469   \else
4470     \Hy@Match\Hy@href@nextactionraw{%
4471       ^(\Hy@Pat@ObjRef/|<<.* /].+>>| %
4472       \|([ ?\Hy@Pat@ObjRef/|<<.* /].+>>)+ ?])$%
4473     }{}{%
4474       \Hy@Warning{Invalid value for ‘nextactionraw’:}\MessageBreak
4475         \Hy@href@nextactionraw\MessageBreak
4476           The action is discarded%
4477         }%
4478     }%
4479   \ifx\Hy@href@nextactionraw\@empty
4480   \else
4481     \edef\Hy@href@nextactionraw{/Next \Hy@href@nextactionraw}%
4482   \fi
4483 \fi
4484 }
4485 \def\Hy@Pat@ObjRef/.+}
```

Load package url.sty and save the meaning of the original \url in \nolinkurl.

```
4486 \RequirePackage{url}
4487 \let\HyOrg@url\url
4488 \def\Hurl{\begingroup\Url}
4489 \DeclareRobustCommand*{\nolinkurl}{\hyper@normalise\nolinkurl@}
4490 \def\nolinkurl@#1{\Hurl{#1}}
4491 \DeclareRobustCommand*{\url}{\hyper@normalise\url@}
4492 \def\url@#1{\hyper@linkurl{\Hurl{#1}}{#1}}
4493 \DeclareRobustCommand*{\hyperimage}{\hyper@normalise\hyper@image}
4494 \providecommand\hyper@image[2]{#2}
4495 \def\hypertarget#1#2{%
4496   \ifHy@nesting
4497     \hyper@@anchor{#1}{#2}%
4498   \else
4499     \hyper@@anchor{#1}{\relax}#2%
4500   \fi
4501 }
```

\hyperref is more complicated, as it includes the concept of a category of link, used to make the name. This is not really used in this package. \hyperdef sets up an anchor in the same way. They each have three parameters of category, linkname, and marked text, and \hyperref also has a first parameter of URL. If there is an optional first parameter to \hyperdef, it is the name of a L^AT_EX label which can be used in a short form of \hyperref later, to avoid remembering the name and category.

```
4502 \DeclareRobustCommand*{\hyperref}{%
4503   \@ifnextchar[{ \Hy@babelnormalise\label@hyperref}\hyperref
4504 }
4505 \def\Hy@babelnormalise#1[#2]{%
4506   \begingroup
4507     \Hy@safe@activestru
4508     \edef\Hy@tempa{%
4509       \endgroup
4510       \noexpand#1[#2]%
4511     }%
```

```

4512 \Hy@tempa
4513 }
4514 \def\@hyperref{\hyper@normalise\@hyperref}
4515 \def\@hyperref#1#2#3{%
4516 \edef\ref@one{\ifx\\#2\\else#2.\fi#3}%
4517 \expandafter\tryhyper@link\ref@one\\{#1}%
4518 }
4519 \def\tryhyper@link#1\\#2{%
4520 \hyper@alink{#2}{#1}%
4521 }

4522 \def\hyperdef{\ifnextchar[{\label@hyperdef}{\@hyperdef}}
4523 \def\@hyperdef#1#2#3{%, category, name, text
4524 \ifx\\#1\\%
4525 \def\Hy@AnchorName{#2}%
4526 \else
4527 \def\Hy@AnchorName{#1.#2}%
4528 \fi
4529 \ifHy@nesting
4530 \expandafter\hyper@anchor\expandafter{\Hy@AnchorName}{#3}%
4531 \else
4532 \expandafter\hyper@anchor\expandafter{\Hy@AnchorName}{\relax}{#3}%
4533 \fi
4534 }

```

We also have a need to give a L^AT_EX *label* to a hyper reference, to ease the pain of referring to it later.

```

4535 \def\label@hyperref[#1]{%
4536 \expandafter\label@\@hyperref\csname r@#1\endcsname{#1}%
4537 }%
4538 \def\label@@hyperref#1#2#3{%
4539 \ifx#1\relax
4540 \protect\G@refundefinedtrue
4541 \@latex@warning{%
4542 Hyper reference ‘#2’ on page \thepage \space undefined%
4543 }%
4544 \hyper@alink{}{??}{#3}%
4545 \else
4546 \hyper@alink{\expandafter\@fifthoffive#1}%
4547 {\expandafter\@fourthoffive#1\@empty\@empty}{#3}%
4548 \fi
4549 }
4550 \def\label@hyperdef[#1]#2#3#4{%
4551 % label name, category, name,
4552 % anchor text
4553 \@bsphack
4554 \ifx\\#2\\%
4555 \def\Hy@AnchorName{#3}%
4556 \else
4557 \def\Hy@AnchorName{#2.#3}%
4558 \fi
4559 \if@filesw
4560 \protected@write\auxout{}{%
4561 \string\newlabel{#1}{{}{}{}{\Hy@AnchorName}}%
4562 }%
4563 \fi
4564 \ifHy@nesting
4565 \expandafter\hyper@anchor\expandafter{\Hy@AnchorName}{#4}%

```

```

4566 \else
4567   \expandafter\hyper@anchor\expandafter{\Hy@AnchorName}{\relax}#4%
4568 \fi
4569 }

```

17 Underlying basic hypertext macros

Links have an optional type, a filename (possibly a URL), an internal name, and some marked text. (Caution: the internal name may contain babel shorthand characters.) If the second parameter is empty, its an internal link, otherwise we need to open another file or a URL. A link start has a type, and a URL.

```

4570 \def\hyper@link{\let\Hy@reserved@a\relax
4571   \@ifnextchar[{\hyper@link@}{\hyper@link@[link]}%
4572 }
4573 \def\hyper@link@[#1]#2#3#4{%
4574   \begingroup
4575     \protected@edef\Hy@tempa{#2}%
4576     \Hy@safe@activestru
4577     \edef\x{#3}%
4578     \ifx\Hy@tempa\@empty
4579       \toks0{\hyper@link{#1}}%
4580     \else
4581       \toks0{\expandafter\hyper@readexternallink#2\\{#1}}%
4582     \fi
4583   \toks2{%
4584     \Hy@safe@activesfa
4585     #4%
4586   }%
4587   \edef\Hy@tempa{\the\toks2}%
4588   \edef\x{\endgroup
4589     \ifx\Hy@tempa\@empty
4590       \noexpand\Hy@Warning{Suppressing empty link}%
4591     \else
4592       \the\toks0 {\x}{\the\toks2}%
4593     \fi
4594   }%
4595   \x
4596 }

```

The problem here is that the first (URL) parameter may be a local file: reference (in which case some browsers treat it differently) or a genuine URL, in which case we'll have to activate a real Web browser. Note that a simple name is also a URL, as that is interpreted as a relative file name. We have to worry about # signs in a local file as well.

```

4597 \def\hyper@readexternallink#1\\#2#3#4{%
4598   \begingroup
4599     \let\\\relax
4600   \expandafter\endgroup
4601   \expandafter\@hyper@readexternallink#1\\{#2}{#3}{#4}%
4602 }
4603 \def\@hyper@readexternallink#1\\#2#3#4{%

```

Parameters are:

1. The URL or file name
2. The type

3. The internal name

4. The link string

We need to get the 1st parameter properly expanded, so we delimit the arguments rather than passing it inside a group.

```
4604  \@hyper@readexternallink{\#2}{\#3}{\#4}\#1:\\\{\#1}%
4605 }
```

Now (potentially), we are passed: 1) The link type 2) The internal name, 3) the link string, 4) the URL type (http, mailto, file etc), 5) the URL details 6) anything after a real : in the URL 7) the whole URL again

```
4606 \def\@pdftempwordfile{file}%
4607 \def\@pdftempwordrun{run}%
4608 \def\@hyper@readexternallink{\#1\#2\#3\#4\#5\#6\#7}{%
```

If there are no colons at all (#6 is blank), its a local file; if the URL type (#4) is blank, its probably a Mac filename, so treat it like a file: URL. The only flaw is if its a relative Mac path, with several colon-separated elements — then we lose. Such names must be prefixed with an explicit dvi:

```
4609  \ifx\\#6\\%
4610    \@hyper@linkfile file:#7\\{\#3}{\#2}{\#7}%
4611  \else
4612    \ifx\\#4\\%
4613      \@hyper@linkfile file:#7\\{\#3}{\#2}{\#7}%
4614  \else
```

If the URL type is ‘file’, pass it for local opening

```
4615  \def\@pdftempa{\#4}%
4616    \ifx\@pdftempa\@pdftempwordfile
4617      \@hyper@linkfile{\#7\\{\#3}{\#2}{\#7}}%
4618    \else
```

if it starts ‘run:’, its to launch an application.

```
4619    \ifx\@pdftempa\@pdftempwordrun
4620      \ifHy@pdfa
4621        \PackageError{hyperref}{%
4622          PDF/A: Launch action is prohibited%
4623        }{\Oehc
4624        \begingroup
4625          \leavevmode
4626          \#2%
4627        \endgroup
4628      \else
4629        \@hyper@launch{\#7\\{\#3}{\#2}}%
4630      \fi
4631    \else
```

otherwise its a URL

```
4632    \hyper@linkurl{\#3}{\#7\ifx\\#2\\else\hyper@hash\#2\fi}%
4633    \fi
4634    \fi
4635    \fi
4636    \fi
4637 }
```

By default, turn run: into file:

```
4638 \def\@hyper@launch{run:\#1\\#2\#3}{%
4639   \hyper@linkurl{\#2}{%}
```

```

4640   \Hy@linkfileprefix
4641   #1%
4642   \ifx\\#3\\%
4643   \else
4644     \hyper@hash
4645     #3%
4646   \fi
4647 }%
4648 }

```

D P Story <story@uakron.edu> pointed out that relative paths starting .. fell over.
Switched to using \filename@parse to solve this.

```

4649 \def\@hyper@linkfile file:#1\\#2#3#4{%
4650   %file url,link string, name, original uri
4651   \filename@parse{#1}%
4652   \ifx\filename@ext\relax
4653     \edef\filename@ext{\XR@ext}%
4654   \fi
4655   \def\use@file{\filename@area\filename@base.\filename@ext}%
4656   \Hy@IfStringEndsWith\filename@ext\XR@ext{%
4657     \hyper@linkfile{#2}{\use@file}{#3}%
4658   }{%
4659     \ifx@\baseurl\empty
4660       \hyper@linkurl{#2}{%
4661         #4\ifx\\#3\\ \else\hyper@hash#3\fi
4662       }%
4663     \else
4664       \hyper@linkurl{#2}{\use@file\ifx\\#3\\ \else\hyper@hash#3\fi}%
4665     \fi
4666   }%
4667 }

4668 \def\Hy@IfStringEndsWith#1#2{%
4669   \begingroup
4670   \edef\x{#1}%
4671   \Conelevel@sanitize\x
4672   \edef\x{\x}%
4673   \edef\y{#2}%
4674   \Conelevel@sanitize\y
4675   \edef\y{\y}%
4676   \expandafter\def\expandafter\z\expandafter##\expandafter1\y##2@nil{%
4677     \endgroup
4678     \ifx\relax##2\relax
4679       \expandafter\ltx@secondoftwo
4680     \else
4681       \expandafter\ltx@firstoftwo
4682     \fi
4683   }%
4684   \expandafter\expandafter\expandafter\z\expandafter\x\y\@nil
4685 }

4686 \def\Hy@StringLocalhost{localhost}
4687 \Conelevel@sanitize\Hy@StringLocalhost
4688 \def\Hy@CleanupFile#1{%
4689   \edef#1{#1}%
4690   \expandafter\Hy@@CleanupFile#1\hbox///\hbox\@nil{#1}%
4691 }
4692 \def\Hy@@CleanupFile#1//#2/#3\hbox#4\@nil#5{%
4693   \begingroup

```

```

4694 \toks@{\endgroup}%
4695 \def\x{\#1}%
4696 \ifx\x\empty
4697 \def\x{\#2}%
4698 \ifx\x\empty
4699 \toks@{\endgroup\def#5{/#3}}%
4700 \else
4701 @onelvel@sanitize\x
4702 \ifx\x\Hy@StringLocalhost
4703 \toks@{\endgroup\def#5{/#3}}%
4704 \fi
4705 \fi
4706 \fi
4707 \the\toks@
4708 }

```

Anchors have a name, and marked text. We have to be careful with the marked text, as if we break off part of something to put a \special around it, all hell breaks loose. Therefore, we check the category code of the first token, and only proceed if its safe. Tanmoy sorted this out.

A curious case arises if the original parameter was in braces. That means that #2 comes here a multiple letters, and the `noexpand` just looks at the first one, putting the rest in the output. Yuck.

```

4709 \long\def\hyper@@anchor#1#2{\@hyper@@anchor#1\relax#2\relax}
4710 \long\def\@hyper@@anchor#1\relax#2#3\relax{%
4711 \ifx\\#1\\%
4712 #2\Hy@Warning{Ignoring empty anchor}%
4713 \else
4714 \def\anchor@spot{#2#3}%
4715 \let\put@me@back\empty
4716 \ifx\relax#2\relax
4717 \else
4718 \ifHy@nesting
4719 \else
4720 \ifcat a\noexpand#2\relax
4721 \else
4722 \ifcat 0\noexpand#2\relax
4723 \else
4724 % \typeout{Anchor start is not alphanumeric %
4725 % on input line\the\inputlineno%
4726 % }%
4727 \let\anchor@spot\empty
4728 \def\put@me@back{#2#3}%
4729 \fi
4730 \fi
4731 \fi
4732 \fi
4733 \ifHy@activeanchor
4734 \anchor@spot
4735 \else
4736 \hyper@anchor{#1}%
4737 \fi
4738 \expandafter\put@me@back
4739 \fi
4740 \let\anchor@spot\empty
4741 }
4742 \def\anchor@spot{}}

```

18 Compatibility with the *L^AT_EX2html* package

Map our macro names on to Nikos', so that documents prepared for that system will work without change.

Note, however, that the whole complicated structure for segmenting documents is not supported; it is assumed that the user will load `html.sty` first, and then `hyperref.sty`, so that the definitions in `html.sty` take effect, and are then overridden in a few circumstances by this package.

```
4743 \let\htmladdimg\hyperimage  
4744 \def\htmladdnormallink#1#2{\href{#2}{#1}}  
4745 \def\htmladdnormallinkfoot#1#2{\href{#2}{#1}\footnote{#2}}  
4746 \def\htmlref#1#2{%
    \label@hyperref{#2}{#1}%
}  
4747 }  
4748 }
```

This is really too much. The *L^AT_EX2html* package defines its own `\hyperref` command, with a different syntax. Was this always here? Its weird, anyway. We interpret it in the ‘printed’ way, since we are about fidelity to the page.

```
4749 \def\@@latextohtmlX{%
4750   \let\hhyperref\hyperref
4751   \def\hyperref##1##2##3##4{%
        % anchor text for HTML
        % text to print before label in print
        % label
        % post-label text in print
4752     ##2\ref{##4}##3%
4753   }%
4754 }
4755 }%
4756 }%
4757 }
```

19 Forms creation

Allow for creation of PDF or HTML forms. The effects here are limited somewhat by the need to support both output formats, so it may not be as clever as something which only wants to make PDF forms.

I (Sebastian) could not have started this without the encouragement of T V Raman.

19.1 Field flags

The field flags are organized in a bit set.

```
4758 \RequirePackage{bitset}
```

Each flag has a option name, an `\if` switch, and a bit position. The default is always ‘false’, the flag is clear. This is also the default of the switch created by `\newif`.

The names of the flags in the PDF specification (1.7) are used as lowercase option names.

```
\HyField@NewFlag #1: type: F annot flags, Ff field flags  
#2: PDF name  
#3: PDF position  
4759 \def\HyField@NewFlag#1#2{%
4760   \lowercase{\HyField@NewOption{#2}}%
4761   \lowercase{\HyField@NewBitsetFlag{#2}{#2}{#1}}%
4762 }
```

```

\HyField@NewFlagOnly
4763 \def\HyField@NewFlagOnly#1#2{%
4764   \lowercase{\HyField@NewBitsetFlag{#2}{#2}{#1}}%
4765 }

\HyField@NewOption #1: option name
4766 \def\HyField@NewOption#1{%
4767   \expandafter\newif\csname ifFld@#1\endcsname
4768   \define@key{Field}{#1}[true]{%
4769     \lowercase{\Field@boolkey{##1}{#1}}%
4770   }%
4771 }

\HyField@NewBitsetFlag Package 'bitset' uses zero based positions, the PDF specification starts with one.
#1: option
#2: PDF name
#3: type: F annot flags, Ff field flags
#4: PDF position
4772 \def\HyField@NewBitsetFlag#1#2#3#4{%
4773   \begingroup
4774     \count@=#4\relax
4775     \advance\count@\m@ne
4776     \def\x##1{%
4777       \endgroup
4778       \expandafter\def\csname HyField@#3@#1\endcsname{##1}%
4779       \expandafter\ifx\csname HyField@#3@#1\endcsname\relax
4780         \expandafter\edef\csname HyField@#3@#1\endcsname{%
4781           (\number#4) #2}%
4782       }%
4783     \else
4784       \expandafter\edef\csname HyField@#3@#1\endcsname{%
4785         \csname HyField@#3@#1\endcsname
4786         /#2}%
4787       }%
4788     \fi
4789   }%
4790   \expandafter\x\expandafter{\the\count@}%
4791 }

\HyField@UseFlag The bit set is HyField@#1
4792 \def\HyField@UseFlag#1#2{%
4793   \lowercase{\HyField@@UseFlag{#2}{#1}}%
4794 }

\HyField@@UseFlag
4795 \def\HyField@@UseFlag#1#2{%
4796   \bitsetSetValue{HyField@#2}{%
4797     \csname HyField@#2@#1\endcsname
4798   }%
4799   \csname ifFld@#1\endcsname 1\else 0\fi
4800 }%
4801 }

\HyField@SetFlag The bit set is HyField@#1
4802 \def\HyField@SetFlag#1#2{%
4803   \lowercase{\HyField@@SetFlag{#2}{#1}}%
4804 }

```

```

\HyField@@SetFlag
4805 \def\HyField@@SetFlag#1#2{%
4806   \bitsetSetValue{\HyField@@#2}{%
4807     \csname HyField@@#2@#1\endcsname
4808   }{1}%
4809 }

\HyField@PrintFlags
4810 \def\HyField@PrintFlags#1#2{%
4811   \ifHy@verbose
4812     \begingroup
4813       \let\Hy@temp\@empty
4814       \let\MessageBreak\relax
4815       \expandafter\for\expandafter\x\expandafter:\expandafter=\%
4816       \bitsetGetSetBitList{\HyField@@#1}\do{%
4817         \edef\Hy@temp{%
4818           \Hy@temp
4819           \csname HyField@@#1@\x\endcsname\MessageBreak
4820         }%
4821       }%
4822     \edef\x{\endgroup
4823       \noexpand\Hy@Info{%
4824         Field flags: %
4825         \expandafter\ifx\@car#1\@nil S\else/\fi
4826         #1 %
4827         \bitsetGetDec{\HyField@@#1} %
4828         (0x\bitsetGetHex{\HyField@@#1}{32})\MessageBreak
4829       \Hy@temp
4830       for #2%
4831     }%
4832   }\x
4833 \fi
4834 }

```

19.1.1 Declarations of field flags

“Table 8.70 Field flags common to all field types”

```

4835 \HyField@NewFlag{Ff}{ReadOnly}{1}
4836 \HyField@NewFlag{Ff}{Required}{2}
4837 \HyField@NewFlag{Ff}{NoExport}{3}

```

“Table 8.75 Field flags specific to button fields”

```

4838 \HyField@NewFlag{Ff}{NoToggleToOff}{15}
4839 \HyField@NewFlag{Ff}{Radio}{16}
4840 \HyField@NewFlag{Ff}{PushButton}{17}
4841 \HyField@NewFlag{Ff}{RadiosInUnison}{26}

```

“Table 8.77 Field flags specific to text fields”

```

4842 \HyField@NewFlag{Ff}{Multiline}{13}
4843 \HyField@NewFlag{Ff}{Password}{14}
4844 \HyField@NewFlag{Ff}{FileSelect}{21}% PDF 1.4
4845 \HyField@NewFlag{Ff}{DoNotSpellCheck}{23}% PDF 1.4
4846 \HyField@NewFlag{Ff}{DoNotScroll}{24}% PDF 1.4
4847 \HyField@NewFlag{Ff}{Comb}{25}% PDF 1.4
4848 \HyField@NewFlag{Ff}{RichText}{26}% PDF 1.5

```

“Table 8.79 field flags specific to choice fields”

```

4849 \HyField@NewFlag{Ff}{Combo}{18}

```

```

4850 \HyField@NewFlag{Ff}{Edit}{19}
4851 \HyField@NewFlag{Ff}{Sort}{20}
4852 \HyField@NewFlag{Ff}{MultiSelect}{22}% PDF 1.4
4853 % \HyField@NewFlag{Ff}{DoNotSpellCheck}{23}% PDF 1.4
4854 \HyField@NewFlag{Ff}{CommitOnSelChange}{27}% PDF 1.5

```

Signature fields are not supported.

Until 6.76i hyperref uses field option ‘combo’ to set three flags ‘Combo’, ‘Edit’, and ‘Sort’. Option ‘popdown’ sets flag ‘Combo’ only.

```

4855 \newif\ifFld@popdown
4856 \define@key{Field}{popdown}[true]{%
4857   \lowercase{\Field@boolkey{#1}}{popdown}%
4858 }

```

Annotation flags. The form objects are widget annotations. There are two flags for readonly settings, the one in the annotation flags is ignored, instead the other in the field flags is used.

Flag Print is not much useful, because hyperref do not use the appearance entry of the annotations for most fields.

```

4859 \HyField@NewFlag{F}{Invisible}{1}
4860 \HyField@NewFlag{F}{Hidden}{2}% PDF 1.2
4861 \HyField@NewFlag{F}{Print}{3}% PDF 1.2
4862 \HyField@NewFlag{F}{NoZoom}{4}% PDF 1.2
4863 \HyField@NewFlag{F}{NoRotate}{5}% PDF 1.3
4864 \HyField@NewFlag{F}{NoView}{6}% PDF 1.3
4865 \HyField@NewFlag{F}{Locked}{8}% PDF 1.4
4866 \HyField@NewFlag{F}{ToggleNoView}{9}% PDF 1.5
4867 \HyField@NewFlag{F}{LockedContents}{10}% PDF 1.7

4868 \ifHy@pdflatex
4869   \def\HyField@PDFAFlagWarning#1#2{%
4870     \Hy@Warning{%
4871       PDF/A: Annotation flag '#1' must\MessageBreak
4872       be set to '#2'%
4873     }%
4874   }%
4875   \Fld@invisiblefalse
4876   \def\Fld@invisiblerule{%
4877     \HyField@PDFAFlagWarning{invisible}{false}%
4878   }%
4879   \Fld@hiddenfalse
4880   \def\Fld@hiddentrue{%
4881     \HyField@PDFAFlagWarning{hidden}{false}%
4882   }%
4883   \Fld@printtrue
4884   \def\Fld@printfalse{%
4885     \HyField@PDFAFlagWarning{print}{true}%
4886   }%
4887   \Fld@nozoomtrue
4888   \def\Fld@nozoomfalse{%
4889     \HyField@PDFAFlagWarning{nozoom}{true}%
4890   }%
4891   \Fld@norotatefalse
4892   \def\Fld@norotatetrue{%
4893     \HyField@PDFAFlagWarning{norotate}{true}%
4894   }%
4895   \Fld@noviewfalse
4896   \def\Fld@noviewtrue{%

```

```

4897   \HyField@PDFAFlagWarning{noview}{false}%
4898 }%
4899 \fi
Submit flags. Flag 1 Include/Exclude is not supported, use option noexport instead.
4900 \HyField@NewFlag{Submit}{IncludeNoValueFields}{2}%
4901 \HyField@NewFlagOnly{Submit}{ExportFormat}{3}%
4902 \HyField@NewFlag{Submit}{GetMethod}{4}%
4903 \HyField@NewFlag{Submit}{SubmitCoordinates}{5}%
4904 \HyField@NewFlagOnly{Submit}{XFDF}{6}%
4905 \HyField@NewFlag{Submit}{IncludeAppendSaves}{7}%
4906 \HyField@NewFlag{Submit}{IncludeAnnotations}{8}%
4907 \HyField@NewFlagOnly{Submit}{SubmitPDF}{9}%
4908 \HyField@NewFlag{Submit}{CanonicalFormat}{10}%
4909 \HyField@NewFlag{Submit}{ExclNonUserAnnots}{11}%
4910 \HyField@NewFlag{Submit}{ExclFKey}{12}%
4911 \HyField@NewFlag{Submit}{EmbedForm}{14}%
4912 \define@key{Field}{export}{%
4913   \lowercase{\def\Hy@temp{\#1}}%
4914   \@ifundefined{Fld@export@\Hy@temp}{%
4915     \@onellevel@sanitize\Hy@temp%
4916     \PackageError{hyperref}{%
4917       Unknown export format '\Hy@temp'.\MessageBreak
4918       Known formats are 'FDF', 'HTML', 'XFDF', and 'PDF'%
4919     }%
4920   }%
4921   \let\Fld@export\Hy@temp%
4922 }%
4923 }%
4924 \def\Fld@export{fdf}%
4925 \cnamedef{Fld@export@fdf}{0}%
4926 \cnamedef{Fld@export@html}{1}%
4927 \cnamedef{Fld@export@xfdf}{2}%
4928 \cnamedef{Fld@export@pdf}{3}%

```

19.1.2 Set submit flags

```
\HyField@FlagsSubmit
4929 \def\HyField@FlagsSubmit{%
4930   \bitsetReset{HyField@Submit}%
4931   \ifcase\@nameuse{Fld@export@\Fld@export} %
4932     % FDF
4933     \HyField@UseFlag{Submit}{IncludeNoValueFields}%
4934     \HyField@UseFlag{Submit}{SubmitCoordinates}%
4935     \HyField@UseFlag{Submit}{IncludeAppendSaves}%
4936     \HyField@UseFlag{Submit}{IncludeAnnotations}%
4937     \HyField@UseFlag{Submit}{CanonicalFormat}%
4938     \HyField@UseFlag{Submit}{ExclNonUserAnnots}%
4939     \HyField@UseFlag{Submit}{ExclFKey}%
4940     \HyField@UseFlag{Submit}{EmbedForm}%
4941   \or % HTML
4942     \HyField@SetFlag{Submit}{ExportFormat}%
4943     \HyField@UseFlag{Submit}{IncludeNoValueFields}%
4944     \HyField@UseFlag{Submit}{GetMethod}%
4945     \HyField@UseFlag{Submit}{SubmitCoordinates}%
4946     \HyField@UseFlag{Submit}{CanonicalFormat}%
4947   \or % XFDF

```

```

4948 \HyField@SetFlag{Submit}{XFDF}%
4949 \HyField@UseFlag{Submit}{IncludeNoValueFields}%
4950 \HyField@UseFlag{Submit}{SubmitCoordinates}%
4951 \HyField@UseFlag{Submit}{CanonicalFormat}%
4952 \or % PDF
4953 \HyField@SetFlag{Submit}{SubmitPDF}%
4954 \HyField@UseFlag{Submit}{GetMethod}%
4955 \fi
4956 \HyField@PrintFlags{Submit}{submit button field}%
4957 \bitsetIsEmpty{HyField@Submit}{%
4958 \def\Fld@submitflags{}%
4959 }{%
4960 \edef\Fld@submitflags{/Flags \bitsetGetDec{HyField@Submit}}%
4961 }%
4962 }

```

19.1.3 Set annot flags in fields

\HyField@FlagsAnnot

```

4963 \def\HyField@FlagsAnnot#1{%
4964 \bitsetReset{HyField@F}%
4965 \HyField@UseFlag{F}{Invisible}%
4966 \HyField@UseFlag{F}{Hidden}%
4967 \HyField@UseFlag{F}{Print}%
4968 \HyField@UseFlag{F}{NoZoom}%
4969 \HyField@UseFlag{F}{NoRotate}%
4970 \HyField@UseFlag{F}{NoView}%
4971 \HyField@UseFlag{F}{Locked}%
4972 \HyField@UseFlag{F}{ToggleNoView}%
4973 \HyField@UseFlag{F}{LockedContents}%
4974 \HyField@PrintFlags{F}{#1}%
4975 \bitsetIsEmpty{HyField@F}{%
4976 \def\Fld@annotflags{}%
4977 }{%
4978 \edef\Fld@annotflags{/F \bitsetGetDec{HyField@F}}%
4979 }%
4980 }

```

19.1.4 Pushbutton field

\HyField@FlagsPushButton

```

4981 \def\HyField@FlagsPushButton{%
4982 \HyField@FlagsAnnot{push button field}%
4983 \bitsetReset{HyField@Ff}%
4984 \HyField@UseFlag{Ff}{ReadOnly}%
4985 \HyField@UseFlag{Ff}{Required}%
4986 \HyField@UseFlag{Ff}{NoExport}%
4987 \HyField@SetFlag{Ff}{Pushbutton}%
4988 \HyField@PrintFlags{Ff}{push button field}%
4989 \bitsetIsEmpty{HyField@Ff}{%
4990 \def\Fld@flags{}%
4991 }{%
4992 \edef\Fld@flags{/Ff \bitsetGetDec{HyField@Ff}}%
4993 }%
4994 }

```

19.1.5 Check box field

\HyField@FlagsCheckBox

```
4995 \def\HyField@FlagsCheckBox{%
4996   \HyField@FlagsAnnot{check box field}%
4997   \bitsetReset{\HyField@Ff}%
4998   \HyField@UseFlag{Ff}{ReadOnly}%
4999   \HyField@UseFlag{Ff}{Required}%
5000   \HyField@UseFlag{Ff}{NoExport}%
5001   \HyField@PrintFlags{Ff}{check box field}%
5002   \bitsetIsEmpty{\HyField@Ff}%
5003   \def\Fld@flags{}%
5004 }%
5005   \edef\Fld@flags{/Ff \bitsetGetDec{\HyField@Ff}}%
5006 }%
5007 }
```

19.1.6 Radio button field

\HyField@FlagsRadioButton

```
5008 \def\HyField@FlagsRadioButton{%
5009   \HyField@FlagsAnnot{radio button field}%
5010   \bitsetReset{\HyField@Ff}%
5011   \HyField@UseFlag{Ff}{ReadOnly}%
5012   \HyField@UseFlag{Ff}{Required}%
5013   \HyField@UseFlag{Ff}{NoExport}%
5014   \HyField@UseFlag{Ff}{NoToggleToOff}%
5015   \HyField@SetFlag{Ff}{Radio}%
5016   \HyField@UseFlag{Ff}{RadiosInUnison}%
5017   \HyField@PrintFlags{Ff}{radio button field}%
5018   \bitsetIsEmpty{\HyField@Ff}%
5019   \def\Fld@flags{}%
5020 }%
5021   \edef\Fld@flags{/Ff \bitsetGetDec{\HyField@Ff}}%
5022 }%
5023 }
```

19.1.7 Text fields

\HyField@FlagsText

```
5024 \def\HyField@FlagsText{%
5025   \HyField@FlagsAnnot{text field}%
5026   \bitsetReset{\HyField@Ff}%
5027   \HyField@UseFlag{Ff}{ReadOnly}%
5028   \HyField@UseFlag{Ff}{Required}%
5029   \HyField@UseFlag{Ff}{NoExport}%
5030   \HyField@UseFlag{Ff}{Multiline}%
5031   \HyField@UseFlag{Ff}{Password}%
5032   \HyField@UseFlag{Ff}{FileSelect}%
5033   \HyField@UseFlag{Ff}{DoNotSpellCheck}%
5034   \HyField@UseFlag{Ff}{DoNotScroll}%
5035   \ifFld@comb
5036     \ifcase0\ifFld@multiline
5037       \else\ifFld@password
5038       \else\ifFld@fileselect
5039       \else 1\f1\f1\f1\relax
```

```

5040  \PackageError{hyperref}{%
5041    Field option `comb' cannot used together with\MessageBreak
5042    `multiline', `password', or `fileselect'%
5043  }{\@ehc}
5044  \else
5045    \HyField@UseFlag{Ff}{Comb}%
5046  \fi
5047  \fi
5048  \HyField@UseFlag{Ff}{RichText}%
5049  \HyField@PrintFlags{Ff}{text field}%
5050  \bitsetIsEmpty{HyField@Ff}%
5051  \def\Fld@flags{}%
5052 }{%
5053   \edef\Fld@flags{/Ff \bitsetGetDec{HyField@Ff}}%
5054 }%
5055 }

```

19.1.8 Choice fields

\HyField@FlagsChoice

```

5056 \def\HyField@FlagsChoice{%
5057   \HyField@FlagsAnnot{choice field}%
5058   \bitsetReset{HyField@Ff}%
5059   \HyField@UseFlag{Ff}{ReadOnly}%
5060   \HyField@UseFlag{Ff}{Required}%
5061   \HyField@UseFlag{Ff}{NoExport}%
5062   \HyField@UseFlag{Ff}{Combo}%
5063   \ifFld@combo
5064     \HyField@UseFlag{Ff}{Edit}%
5065   \fi
5066   \HyField@UseFlag{Ff}{Sort}%
5067   \HyField@UseFlag{Ff}{MultiSelect}%
5068   \ifFld@combo
5069     \ifFld@edit
5070       \HyField@UseFlag{Ff}{DoNotSpellCheck}%
5071     \fi
5072   \fi
5073   \HyField@UseFlag{Ff}{CommitOnSelChange}%
5074   \HyField@PrintFlags{Ff}{choice field}%
5075   \bitsetIsEmpty{HyField@Ff}%
5076   \def\Fld@flags{}%
5077 }{%
5078   \edef\Fld@flags{/Ff \bitsetGetDec{HyField@Ff}}%
5079 }%
5080 }

```

19.2 Choice field

\HyField@PDFChoices #1: list of choices in key value syntax, key = exported name, value = displayed text.

Input: \Fld@default, \Fld@value, \ifFld@multiselect

Result: \Fld@choices with entries: /Opt, /DV, /V, /I.

```

5081 \def\HyField@PDFChoices#1{%
5082   \begingroup
5083   \gdef\Fld@choices{}%
5084   \def\HyTmp@optlist{}%
5085   \let\HyTmp@optitem\relax

```

```

5086   \count@=0 %
5087   \kv@parse{\#1}{%
5088     \Hy@pdfstringdef\kv@key\kv@key
5089     \ifx\kv@value\relax
5090       \ifnum\Hy@pdfversion<3 % implementation note 122, PDF spec 1.7
5091         \xdef\Fld@choices{\Fld@choices[(\kv@key)(\kv@key)]}%
5092       \else
5093         \xdef\Fld@choices{\Fld@choices(\kv@key)}%
5094       \fi
5095     \else
5096       \Hy@pdfstringdef\kv@value\kv@value
5097       \xdef\Fld@choices{\Fld@choices[(\kv@value)(\kv@key)]}%
5098     \fi
5099   \edef\HyTmp@optlist{%
5100     \HyTmp@optlist
5101     \HyTmp@optitem{\the\count@}{\kv@key}0%
5102   }%
5103   \advance\count@ by 1 %
5104   \gobbletwo
5105 }%
5106 \xdef\Fld@choices{/Opt[\Fld@choices]}%
5107 \ifFld@multiselect
5108   \HyField@@PDFChoices{DV}\Fld@default
5109   \HyField@@PDFChoices{V}\Fld@value
5110 \else
5111   \ifx\Fld@default\relax
5112   \else
5113     \pdfstringdef\Hy@gtemp\Fld@default
5114     \xdef\Fld@choices{\Fld@choices/DV(\Hy@gtemp)}%
5115   \fi
5116   \ifx\Fld@value\relax
5117   \else
5118     \pdfstringdef\Hy@gtemp\Fld@value
5119     \xdef\Fld@choices{\Fld@choices/V(\Hy@gtemp)}%
5120   \fi
5121 \fi
5122 \endgroup
5123 }

```

\HyField@@PDFChoices

```

5124 \def\HyField@@PDFChoices##1##2{%
5125   \ifx##2\relax
5126   \else
5127     \count@=0 %
5128     \def\HyTmp@optitem##1##2##3{%
5129       \def\HyTmp@key{##2}%
5130       \ifx\HyTmp@key\Hy@gtemp
5131         \expandafter\def\expandafter\HyTmp@optlist\expandafter{%
5132           \HyTmp@optlist
5133           \HyTmp@optitem{##1}{##2}1%
5134         }%
5135         \let\HyTmp@found=Y%
5136       \else
5137         \expandafter\def\expandafter\HyTmp@optlist\expandafter{%
5138           \HyTmp@optlist
5139           \HyTmp@optitem{##1}{##2}##3%
5140         }%

```

```

5141     \fi
5142   }%
5143   \expandafter\comma@parse\expandafter{\#2}{%
5144     \pdfstringdef{Hy@temp}\comma@entry
5145     \let\HyTmp@found=N %
5146     \expandafter\let\expandafter\HyTmp@optlist\expandafter\@empty
5147     \HyTmp@optlist
5148     \ifx\HyTmp@found Y%
5149       \advance\count@ by 1 %
5150     \else
5151       \onelevel@sanitize\comma@entry
5152       \PackageWarning{hyperref}{%
5153         \string\ChoiceBox: Ignoring value '\comma@entry',%
5154         \MessageBreak
5155         it cannot be found in the choices%
5156       }%
5157     \fi
5158     \gobble
5159   }%
5160   \def\HyTmp@optitem##1##2##3{%
5161     \ifnum##3=1 %
5162       (##2)%
5163     \fi
5164   }%
5165   \ifcase\count@
5166   \or
5167     \xdef\Fld@choices{\Fld@choices/#1\HyTmp@optlist}%
5168   \else
5169     \xdef\Fld@choices{\Fld@choices/#1[\HyTmp@optlist]}%
5170     \ifx##1V%
5171       \def\HyTmp@optitem##1##2##3{%
5172         \ifnum##3=1 %
5173           \firstofone{ ##1}%
5174         \fi
5175       }%
5176       \edef\HyTmp@optlist{\HyTmp@optlist}%
5177       \xdef\Fld@choices{%
5178         \Fld@choices
5179         /I[\expandafter\firstofone\HyTmp@optlist]%
5180       }%
5181     \fi
5182   \fi
5183 \fi
5184 }

```

19.3 Forms

\HyField@SetKeys

```

5185 \def\HyField@SetKeys{%
5186   \kvsetkeys{Field}%
5187 }

5188 \newif\ifFld@checked
5189 \newif\ifFld@disabled
5190 \Fld@checkedfalse
5191 \Fld@disabledfalse
5192 \newcount\Fld@menulength

```

```

5193 \newdimen\Field@Width
5194 \newdimen\Fld@charsize
5195 \Fld@charsize=10\p@
5196 \def\Fld@maxlen{0}
5197 \def\Fld@align{0}
5198 \def\Fld@color{0 0 0 rg}
5199 \def\Fld@bcolor{1 1 1}
5200 \def\Fld@bordercolor{1 0 0}
5201 \def\Fld@bordersep{1\p@}
5202 \def\Fld@borderwidth{1}
5203 \def\Fld@borderstyle{S}
5204 \def\Fld@cbsymbol{4}
5205 \def\Fld@radiosymbol{H}
5206 \def\Fld@rotation{0}
5207 \def\Form{\@ifnextchar[{\@Form}{\@Form[]}}
5208 \def\endForm{\@endForm}
5209 \newif\ifForm@html
5210 \Form@htmlfalse
5211 \def\Form@boolkey#1#2{%
5212   \csname Form@\#2\ifx\relax#1\relax true\else#1\fi\endcsname
5213 }
5214 \define@key{Form}{action}{%
5215   \hyper@normalise\Hy@DefFormAction{#1}%
5216 }
5217 \def\Hy@DefFormAction{\def\Form@action}
5218 \def\enc@html{html}
5219 \define@key{Form}{encoding}{%
5220   \def\Hy@tempa{#1}%
5221   \ifx\Hy@tempa\enc@html
5222     \Form@htmltrue
5223     \def\Fld@export{html}%
5224   \else
5225     \Hy@Warning{%
5226       Form ‘encoding’ key with \MessageBreak
5227       unknown value ‘#1’%
5228     }%
5229     \Form@htmlfalse
5230   \fi
5231 }
5232 \define@key{Form}{method}{%
5233   \lowercase{\def\Hy@temp{#1}}%
5234   \ifundefined{Form@method@\Hy@temp}{%
5235     \onelevel@sanitize\Hy@temp
5236     \PackageError{hyperref}{%
5237       Unknown method ‘\Hy@temp’.\MessageBreak
5238       Known values are ‘post’ and ‘get’%
5239     }@\ehc
5240   }{%
5241     \let\Form@method\Hy@temp
5242     \ifcase\@nameuse{Form@method@\Hy@temp} %
5243       \Fld@getmethodfalse
5244     \else
5245       \Fld@getmethodtrue
5246     \fi
5247   }%
5248 }
5249 \def\Form@method{}

```

```

5250 \@namedef{Form@method@post}{0}
5251 \@namedef{Form@method@get}{1}
5252 \def\Field@boolkey#1#2{%
5253   \csname Fld@#2\ifx\relax#1\relax true\else#1\fi\endcsname
5254 }
5255 \ifHy@texht
5256   \newtoks\Field@toks
5257   \Field@toks={ }%
5258   \def\Field@addtoks#1#2{%
5259     \edef\@processme{\Field@toks{\the\Field@toks\space #1="#2}}%
5260     \@processme
5261   }%
5262 \else
5263   \def\Hy@WarnHTMLFieldOption#1{%
5264     \Hy@Warning{%
5265       HTML field option '#1'\MessageBreak
5266       is ignored%
5267     }%
5268   }%
5269 \fi
5270 \def\Fld@checkequals#1=#2=#3{\{%
5271   \def\@currDisplay{#1}%
5272   \ifx\#2\%
5273     \def\@currValue{#1}%
5274   \else
5275     \def\@currValue{#2}%
5276   \fi
5277 }
5278 \define@key{Field}{loc}{%
5279   \def\Fld@loc{#1}%
5280 }
5281 \define@key{Field}{checked}[true]{%
5282   \lowercase{\Field@boolkey{#1}}{checked}%
5283 }
5284 \define@key{Field}{disabled}[true]{%
5285   \lowercase{\Field@boolkey{#1}}{disabled}%
5286 }
5287 \ifHy@texht
5288   \define@key{Field}{accesskey}{%
5289     \Field@addtoks{accesskey}{#1}%
5290   }%
5291   \define@key{Field}{tabkey}{%
5292     \Field@addtoks{tabkey}{#1}%
5293   }%
5294 \else
5295   \define@key{Field}{accesskey}{%
5296     \Hy@WarnHTMLFieldOption{accesskey}%
5297   }%
5298   \define@key{Field}{tabkey}{%
5299     \Hy@WarnHTMLFieldOption{tabkey}%
5300   }%
5301 \fi
5302 \define@key{Field}{name}{%
5303   \def\Fld@name{#1}%
5304 }
5305 \define@key{Field}{width}{%
5306   \def\Fld@width{#1}%

```

```

5307 \Field@Width#1\setbox0=\hbox{m}%
5308 }
5309 \define@key{Field}{maxlen}{%
5310 \def\Fld@maxlen{\#1}%
5311 }
5312 \define@key{Field}{menulength}{%
5313 \Fld@menulength=#1\relax
5314 }
5315 \define@key{Field}{height}{%
5316 \def\Fld@height{\#1}%
5317 }
5318 \define@key{Field}{charsize}{%
5319 \Fld@charsize#1%
5320 }
5321 \define@key{Field}{borderwidth}{%
5322 \def\Fld@borderwidth{\#1}%
5323 }
5324 \define@key{Field}{borderstyle}{%
5325 \def\Fld@borderstyle{\#1}%
5326 }
5327 \define@key{Field}{bordersep}{%
5328 \def\Fld@bordersep{\#1}%
5329 }
5330 \define@key{Field}{default}{%
5331 \def\Fld@default{\#1}%
5332 }
5333 \define@key{Field}{align}{%
5334 \def\Fld@align{\#1}%
5335 }
5336 \define@key{Field}{value}{%
5337 \def\Fld@value{\#1}%
5338 }
5339 \define@key{Field}{checkboxsymbol}{%
5340 \Fld@DingDef\Fld@cbsymbol{\#1}%
5341 }
5342 \define@key{Field}{radiosymbol}{%
5343 \Fld@DingDef\Fld@radiosymbol{\#1}%
5344 }
5345 \def\Fld@DingDef#1#2{%
5346 \def\Fld@temp{}%
5347 \Fld@DingDef#2\ding{}\@nil
5348 \let#1\Fld@temp
5349 }
5350 \def\Fld@@DingDef#1\ding##2##3\@nil{%
5351 \expandafter\def\expandafter\Fld@temp\expandafter{%
5352 \Fld@temp
5353 #1%
5354 }%
5355 \ifx\\#3\\%
5356 \expandafter\@gobble
5357 \else
5358 \begingroup
5359 \lccode'0=\#2\relax
5360 \lowercase{\endgroup
5361 \expandafter\def\expandafter\Fld@temp\expandafter{%
5362 \Fld@temp
5363 0%

```

```

5364      }%
5365      }%
5366      \expandafter\@firstofone
5367      \fi
5368      f%
5369      \Fld@@DingDef#3\@nil
5370      }%
5371 }

5372 \define@key{Field}{rotation}{%
5373   \def\Fld@rotation{\#1}%
5374 }

5375 \define@key{Field}{backgroundcolor}{%
5376   \HyColor@FieldBColor{\#1}\Fld@bcolor{hyperref}{backgroundcolor}%
5377 }
5378 \define@key{Field}{bordercolor}{%
5379   \HyColor@FieldBColor{\#1}\Fld@bordercolor{hyperref}{bordercolor}%
5380 }
5381 \define@key{Field}{color}{%
5382   \HyColor@FieldColor{\#1}\Fld@color{hyperref}{color}%
5383 }

5384 \def\Fld@onclick@code{}
5385 \def\Fld@format@code{}
5386 \def\Fld@validate@code{}
5387 \def\Fld@calculate@code{}
5388 \def\Fld@keystroke@code{}
5389 \def\Fld@onfocus@code{}
5390 \def\Fld@onblur@code{}
5391 \def\Fld@onmousedown@code{}
5392 \def\Fld@onmouseup@code{}
5393 \def\Fld@onenter@code{}
5394 \def\Fld@onexit@code{}
5395 \def\Hy@temp{\#1}%
5396 \expandafter\Hy@@temp\csname Fld@\#1@code\endcsname{\#1}%
5397 }

5398 \def\Hy@temp{\#1\#2}%
5399 \ifHy@pdfa
5400   \define@key{Field}{\#2}{%
5401     \PackageError{hyperref}{%
5402       PDF/A: Additional action '\#2' is prohibited%
5403     }{\@ehc}
5404   }%
5405 \else
5406   \define@key{Field}{\#2}{%
5407     \def\#1{\#1}%
5408   }%
5409 \fi
5410 }

5411 \Hy@temp{keystroke}
5412 \Hy@temp{format}
5413 \Hy@temp{validate}
5414 \Hy@temp{calculate}
5415 \Hy@temp{onfocus}
5416 \Hy@temp{onblur}
5417 \Hy@temp{onenter}
5418 \Hy@temp{onexit}
5419 \ifHy@texht

```

```

5420 \def\Hy@temp#1{%
5421   \define@key{Field}{#1}{%
5422     \Field@addtoks{#1}{##1}%
5423   }%
5424 }%
5425 \else
5426 \def\Hy@temp#1{%
5427   \define@key{Field}{#1}{%
5428     \Hy@WarnHTMLFieldOption{#1}%
5429   }%
5430 }%
5431 \fi
5432 \Hy@temp{ondblclick}
5433 \Hy@temp{onmousedown}
5434 \Hy@temp{onmouseup}
5435 \Hy@temp{onmouseover}
5436 \Hy@temp{onmousemove}
5437 \Hy@temp{onmouseout}
5438 \Hy@temp{onkeydown}
5439 \Hy@temp{onkeyup}
5440 \Hy@temp{onselect}
5441 \Hy@temp{onchange}
5442 \Hy@temp{onkeypress}
5443 \ifHy@texht
5444   \define@key{Field}{onclick}{%
5445     \Field@addtoks{onclick}{#1}%
5446   }%
5447 \else
5448   \ifHy@pdflatex
5449     \define@key{Field}{onclick}{%
5450       \PackageError{hyperref}{%
5451         PDF/A: Action 'onclick' is prohibited}%
5452     }@\ehc
5453   }%
5454 \else
5455   \define@key{Field}{onclick}{%
5456     \def\Fld@onclick@code{#1}%
5457   }%
5458 \fi
5459 \fi

5460 \DeclareRobustCommand\TextField{%
5461   \@ifnextchar[{\@TextField}{\@TextField[]}%
5462 }
5463 \DeclareRobustCommand\ChoiceMenu{%
5464   \ifnextchar[{\@ChoiceMenu}{\@ChoiceMenu[]}%
5465 }
5466 \DeclareRobustCommand\CheckBox{%
5467   \ifnextchar[{\@CheckBox}{\@CheckBox[]}%
5468 }
5469 \DeclareRobustCommand\PushButton{%
5470   \ifnextchar[{\@PushButton}{\@PushButton[]}%
5471 }
5472 \DeclareRobustCommand\Gauge{%
5473   \ifnextchar[{\@Gauge}{\@Gauge[]}%
5474 }
5475 \DeclareRobustCommand\Submit{%
5476   \ifnextchar[{\@Submit}{\@Submit[]}%

```

```

5477 }
5478 \DeclareRobustCommand\Reset{%
5479   \@ifnextchar[{\@Reset}{\@Reset[]}}%
5480 }
5481 \def\LayoutTextField#1#2{%
5482   #1 #2%
5483 }
5484 \def\LayoutChoiceField#1#2{%
5485   #1 #2%
5486 }
5487 \def\LayoutCheckField#1#2{%
5488   #1 #2%
5489 }
5490 \def\LayoutPushButtonField#1{%
5491   #1%
5492 }
5493 \def\MakeRadioField#1#2{%
5494   \vbox to #2{\hbox to #1{\hfill\vfill}}
5495 \def\MakeCheckField#1#2{%
5496   \vbox to #2{\hbox to #1{\hfill\vfill}}
5497 \def\MakeTextField#1#2{%
5498   \vbox to #2{\hbox to #1{\hfill\vfill}}
5499 \def\MakeChoiceField#1#2{%
5500   \vbox to #2{\hbox to #1{\hfill\vfill}}
5501 \def\MakeButtonField#1{%
5502   \sbox0{%
5503     \hskip\Fld@borderwidth bp\#1\hskip\Fld@borderwidth bp%
5504   }%
5505   \tempdima\ht0 %
5506   \advance\tempdima by \Fld@borderwidth bp %
5507   \advance\tempdima by \Fld@borderwidth bp %
5508   \ht0\tempdima
5509   \dp0\tempdima
5510   \box0\relax
5511 }
5512 \def\DefaultHeightofSubmit{14pt}
5513 \def\DefaultWidthofSubmit{2cm}
5514 \def\DefaultHeightofReset{14pt}
5515 \def\DefaultWidthofReset{2cm}
5516 \def\DefaultHeightofCheckBox{\baselineskip}
5517 \def\DefaultWidthofCheckBox{\baselineskip}
5518 \def\DefaultHeightofChoiceMenu{\baselineskip}
5519 \def\DefaultWidthofChoiceMenu{\baselineskip}
5520 \def\DefaultHeightofText{\baselineskip}
5521 \def\DefaultWidthofText{3cm}
5522 \def\DefaultOptionsofSubmit{print,name=Submit,noexport}
5523 \def\DefaultOptionsofReset{print,name=Reset,noexport}
5524 \def\DefaultOptionsofPushButton{print}
5525 \def\DefaultOptionsofCheckBox{print}
5526 \def\DefaultOptionsofText{print}

```

Default options for the types of \ChoiceMenu.

```

5527 \def\DefaultOptionsofListBox{print}
5528 \def\DefaultOptionsofComboBox{print,edit,sort}
5529 \def\DefaultOptionsofPopdownBox{print}
5530 \def\DefaultOptionsofRadio{print,notoggletooff}

```

20 Setup

```
5531 \ifHy@figures
5532   \Hy@Info{Hyper figures ON}%
5533 \else
5534   \Hy@Info{Hyper figures OFF}%
5535 \fi
5536 \ifHy@nesting
5537   \Hy@Info{Link nesting ON}%
5538 \else
5539   \Hy@Info{Link nesting OFF}%
5540 \fi
5541 \ifHy@hyperindex
5542   \Hy@Info{Hyper index ON}%
5543 \else
5544   \Hy@Info{Hyper index OFF}%
5545 \fi
5546 \ifHy@backref
5547   \Hy@Info{backreferencing ON}%
5548 \else
5549   \Hy@Info{backreferencing OFF}%
5550 \fi
5551 \ifHy@colorlinks
5552   \Hy@Info{Link coloring ON}%
5553 \else
5554   \Hy@Info{Link coloring OFF}%
5555 \fi
5556 \ifHy@ocgcolorlinks
5557   \Hy@Info{Link coloring with OCG ON}%
5558 \else
5559   \Hy@Info{Link coloring with OCG OFF}%
5560 \fi
5561 \ifHy@pdfa
5562   \Hy@Info{PDF/A mode ON}%
5563 \else
5564   \Hy@Info{PDF/A mode OFF}%
5565 \fi
```

21 Low-level utility macros

We need unrestricted access to the #, ~ and " characters, so make them nice macros.

```
5566 \edef\hyper@hash{\string#}
5567 \edef\hyper@tilde{\string~}
5568 \edef\hyper@quote{\string"}
```

Support \label before \begin{document}.

```
5569 \def\@currentHref{Doc-Start}
5570 \let\Hy@footnote@\currentHref\@empty
```

We give the start of document a special label; this is used in backreferencing-by-section, to allow for cites before any sectioning commands. Set up PDF info.

```
5571 \Hy@AtBeginDocument{%
5572   \Hy@pdfstringtrue
5573   \PDF@SetupDoc
5574   \let\PDF@SetupDoc\@empty
5575   \Hy@DisableOption{pdfpagescrop}%
5576   \Hy@DisableOption{pdfpagemode}%
5577   \Hy@DisableOption{pdfnonfullscreenpagemode}%
}
```

```

5578 \Hy@DisableOption{pdfdirection}%
5579 \Hy@DisableOption{pdfviewarea}%
5580 \Hy@DisableOption{pdfviewclip}%
5581 \Hy@DisableOption{pdfprintarea}%
5582 \Hy@DisableOption{pdfprintclip}%
5583 \Hy@DisableOption{pdfprintscaling}%
5584 \Hy@DisableOption{pdfduplex}%
5585 \Hy@DisableOption{pdfpicktraybypdfsize}%
5586 \Hy@DisableOption{pdfprintpagerange}%
5587 \Hy@DisableOption{pdfnumcopies}%
5588 \Hy@DisableOption{pdfstartview}%
5589 \Hy@DisableOption{pdfstartpage}%
5590 \Hy@DisableOption{pdftoolbar}%
5591 \Hy@DisableOption{pdfmenubar}%
5592 \Hy@DisableOption{pdfwindowui}%
5593 \Hy@DisableOption{pdffitwindow}%
5594 \Hy@DisableOption{pdfcenterwindow}%
5595 \Hy@DisableOption{pdfdisplaydoctitle}%
5596 \Hy@DisableOption{pdfpagelayout}%
5597 \Hy@DisableOption{pdflang}%
5598 \Hy@DisableOption{baseurl}%
5599 \ifHy@texht\else\hyper@anchorstart{Doc-Start}\hyper@anchorend\fi
5600 \Hy@pdfstringfalse
5601 }

```

Ignore star from referencing macros:

```

5602 \LetLtxMacro\NoHy@OrgRef\ref
5603 \DeclareRobustCommand*{\ref}{%
5604 \Cifstar\NoHy@OrgRef\NoHy@OrgRef
5605 }
5606 \LetLtxMacro\NoHy@OrgPageRef\pageref
5607 \DeclareRobustCommand*{\pageref}{%
5608 \Cifstar\NoHy@OrgPageRef\NoHy@OrgPageRef
5609 }

```

22 Localized nullifying of package

Sometimes we just don't want the wretched package interfering with us. Define an environment we can put in manually, or include in a style file, which stops the hypertext functions doing anything. This is used, for instance, in the Elsevier classes, to stop hyperref playing havoc in the front matter.

```

5610 \def\NoHyper{%
5611 \def\hyper@link@##1##2##3##4{##4}%
5612 \def\hyper@anchor##1{}%
5613 \global\let\hyper@link@livelink\hyper@link
5614 \gdef\hyper@link##1##2##3##3{}%
5615 \def\hyper@anchor##1{}%
5616 \def\hyper@anchorstart##1{}%
5617 \let\hyper@anchorend\empty
5618 \def\hyper@linkstart##1##2{}%
5619 \let\hyper@linkend\empty
5620 \def\hyper@linkurl##1##2##1{}%
5621 \def\hyper@linkfile##1##2##3##1{}%
5622 \def\hyper@link@##1##2##3{}%
5623 \let\Hy@backout\gobble
5624 }

```

```

5625 \def\stop@hyper{%
5626   \def\hyper@link@{\#\#1##2##3##4{##4}%
5627   \let\Hy@backout\@gobble
5628   \def\hyper@anchor##1{}%
5629   \def\hyper@link##1##2##3{##3}%
5630   \def\hyper@anchor##1{}%
5631   \def\hyper@anchorstart##1{}%
5632   \let\hyper@anchorend\@empty
5633   \def\hyper@linkstart##1##2{}%
5634   \let\hyper@linkend\@empty
5635   \def\hyper@linkurl##1##2{##1}%
5636   \def\hyper@linkfile##1##2##3{##1}%
5637   \def\hyper@link@{\#\#1##2##3}%
5638 }
5639 \def\endNoHyper{%
5640   \global\let\hyper@link\hyper@livelink
5641 }
5642 
```

23 Package nohyperref

This package is introduced by Sebastian Rahtz.

Package nohyperref is a dummy package that defines some low level and some top-level commands. It is done for jadetex, which calls hyperref low-level commands, but it would also be useful with people using normal hyperref, who really do not want the package loaded at all.

Some low-level commands:

```

5643 <nohyperref>
5644 \RequirePackage{letltxmacro}[2008/06/13]
5645 \let\hyper@anchor\@gobble
5646 \def\hyper@link##1##2##3{##3}%
5647 \let\hyper@anchorstart\@gobble
5648 \let\hyper@anchorend\@empty
5649 \let\hyper@linkstart\@gobbletwo
5650 \let\hyper@linkend\@empty
5651 \def\hyper@linkurl##1##2{##1}%
5652 \def\hyper@linkfile##1##2##3{##1}%
5653 \def\hyper@link@{\#\#1##2##3}%
5654 \let\PDF@SetupDoc\@empty
5655 \let\PDF@FinishDoc\@empty
5656 \def\nohyperpage##1{##1}

```

Some top-level commands:

```

5657 \def\Acrobatmenu##1##2{\leavevmode##2}
5658 \let\pdfstringdefDisableCommands\@gobbletwo
5659 \let\texorpdfstring\@firstoftwo
5660 \let\pdfbookmark\@undefined
5661 \newcommand\pdfbookmark[3][]{}
5662 \let\phantomsection\@empty
5663 \let\hypersetup\@gobble
5664 \let\hyperbaseurl\@gobble
5665 \newcommand*\href[3]{##3}
5666 \let\hyperdef\@gobbletwo
5667 \let\hyperlink\@gobble
5668 \let\hypertarget\@gobble
5669 \def\hyperref{%

```

```

5670  \c@ifnextchar[\c@gobbleopt{\expandafter\c@gobbletwo\c@gobble}%
5671 }
5672 \long\def\c@gobbleopt[#1]{}
5673 \let\hyperpage\empty
```

Ignore star from referencing macros:

```

5674 \LetLtxMacro\NoHy@OrgRef\ref
5675 \DeclareRobustCommand*\{`ref`\}%
5676  \c@ifstar\NoHy@OrgRef\NoHy@OrgRef
5677 }
5678 \LetLtxMacro\NoHy@OrgPageRef\pageref
5679 \DeclareRobustCommand*\{`pageref`\}%
5680  \c@ifstar\NoHy@OrgPageRef\NoHy@OrgPageRef
5681 }
5682 
```

24 The Mangling Of Aux and Toc Files

Some extra tests so that the hyperref package may be removed or added to a document without having to remove .aux and .toc files (this section is by David Carlisle) All the code is delayed to \begin{document}

```

5683 {*package}
5684 \Hy@AtBeginDocument{%
```

First the code to deal with removing the hyperref package from a document.

Write some stuff into the aux file so if the next run is done without hyperref, then \contentsline and \newlabel are defined to cope with the extra arguments.

```

5685 \if@filesw
5686  \ifHy@typexml
5687   \immediate\closeout\mainaux
5688   \immediate\openout\mainaux\jobname.aux\relax
5689   \immediate\write\auxout{<relaxxml>\relax}%
5690 \fi
5691 \immediate\write\auxout{%
5692  \string\providecommand\string\HyperFirstAtBeginDocument{%
5693   \string\AtBeginDocument}^^J%
5694 \string\HyperFirstAtBeginDocument{%
5695  \string\ifx\string\hyper@anchor\string\@undefined^^J%
5696   \string\global\string\let\string\oldcontentsline\string\contentsline^^J%
5697   \string\gdef\string\contentsline{%
5698    \string#\#1\string#\#2\string#\#3\string#\#4{%
5699     \string\oldcontentsline{%
5700      \string#\#1\string#\#2\string#\#3}\}}^^J%
5701   \string\global\string\let\string\oldnewlabel\string\newlabel^^J%
5702   \string\gdef\string\newlabel\string#\#1\string#\#2{%
5703    \string\newlabelxx\{ \string#\#1\string#\#2}\}}^^J%
5704   \string\gdef\string\newlabelxx{%
5705    \string#\#1\string#\#2\string#\#3\string#\#4\string#\#5\string#\#6{%
5706     \string\oldnewlabel\{ \string#\#1\{ \string#\#2\{ \string#\#3\}\}}}}^^J%
```

But the new aux file will be read again at the end, with the normal definitions expected, so better put things back as they were.

```

5707 \string\AtEndDocument{%
5708  \string\ifx\string\hyper@anchor\string\@undefined^^J%
5709   \string\let\string\contentsline\string\oldcontentsline^^J%
5710   \string\let\string\newlabel\string\oldnewlabel^^J%
5711 \string\fi%
```

```
5712     }^^J%
```

If the document is being run with hyperref put this definition into the aux file, so we can spot it on the next run.

```
5713     \string\f%
5714     }^^J%
5715     \string\global\string\let\string\hyper@last\relax^^J%
5716     \string\gdef\string\HyperFirstAtBeginDocument\string#1{\string#\1}%
5717   }%
5718 \fi
5719 \def\HyperFirstAtBeginDocument#1{#1}%
```

Now the code to deal with adding the hyperref package to a document with aux and toc written the standard way.

If hyperref was used last time, do nothing. If it was not used, or an old version of hyperref was used, don't use that TOC at all but generate a warning. Not ideal, but better than failing with pre-5.0 hyperref TOCs.

```
5720 \ifx\hyper@last\@undefined
5721   \def\@starttoc#1{%
5722     \begingroup
5723       \makeatletter
5724       \IfFileExists{\jobname.\#1}{%
5725         \Hy@WarningNoLine{%
5726           old #1 file detected, not used; run LaTeX again%
5727         }%
5728       }%
5729       \if@filesw
5730         \expandafter\newwrite\csname tf@\#1\endcsname
5731         \immediate\openout\csname tf@\#1\endcsname \jobname.\#1\relax
5732       \fi
5733       \nobreakfalse
5734     \endgroup
5735   }%
5736   \def\newlabel#1#2{\@newl@bel r{\#1}{\#2}{\{}{\}{}{\}}%
5737 \fi
5738 }
```

25 Title strings

If options pdftitle and pdfauthor are not used, these informations for the pdf information dictionary can be extracted by the nd

```
5739 \ifHy@usetitle
5740   \let\HyOrg@title\title
5741   \let\HyOrg@author\author
5742   \def\title{\@ifnextchar[\Hy@scantitle]{\Hy@scantitle}{}}
5743   \def\Hy@scantitle[#1]{%
5744     \gdef\Hy@title{\#1}%
5745     \HyOrg@title{\#1}%
5746   }%
5747   \def\Hy@scantitle#1{%
5748     \gdef\Hy@title{\#1}%
5749     \HyOrg@title{\#1}%
5750   }%
5751   \def\author{\@ifnextchar[\Hy@scantauthor]{\Hy@scantauthor}{}}
5752   \def\Hy@scantauthor[#1]{%
5753     \gdef\Hy@author{\#1}%
5754 }
```

```

5754     \HyOrg@author{#1}%
5755   }%
5756   \def\Hy@scanauthor#1{%
5757     \gdef\Hy@author{#1}%
5758     \HyOrg@author{#1}%
5759   }%

```

The case, that or re given before hyperref is loaded, is much more complicate, because LaTeX initializes the macros title and author with LaTeX error and warning messages.

```

5760   \begingroup
5761   \def\process@me#1\@nil#2{%
5762     \expandafter\let\expandafter\x\csname @#2\endcsname
5763     \edef\y{\expandafter\strip@prefix\meaning\x}%
5764     \def\c##1#1##2\@nil{%
5765       \ifx\\##1\\%
5766       \else
5767         \expandafter\gdef\csname Hy@#2\expandafter\endcsname
5768           \expandafter{\x}%
5769       \fi
5770     }%
5771     \expandafter\c\y\relax#1\@nil
5772   }%
5773   \expandafter\process@me\string\@latex@{\@nil{title}}%
5774   \expandafter\process@me\string\@latex@{\@nil{author}}%
5775   \endgroup
5776 \fi
5777 \Hy@DisableOption{pdfusetitle}

```

Macro \Hy@UseMaketitleInfos is used in the driver files, before the information entries are used.

The newline macro \newline or \\ is much more complicate. In the title a good replacement can be a space, but can be already a space after \\ in the title string. So this space is removed by scanning for the next non-empty argument.

In the macro \author the newline can perhaps separate the different authors, so the newline expands here to a comma with space.

The possible arguments such as space or the optional argument after the newline macros are not detected.

```

5778 \def\Hy@UseMaketitleString#1{%
5779   \ltx@ifundefined{Hy@#1}{}{%
5780     \begingroup
5781       \let\Hy@saved@hook\pdfstringdefPreHook
5782       \pdfstringdefDisableCommands{%
5783         \expandafter\let\expandafter\\csname Hy@newline@#1\endcsname
5784         \let\newline\\%
5785       }%
5786       \expandafter\ifx\csname @pdf#1\endcsname\@empty
5787         \expandafter\pdfstringdef\csname @pdf#1\endcsname{%
5788           \csname Hy@#1\endcsname\@empty
5789         }%
5790       \fi
5791       \global\let\pdfstringdefPreHook\Hy@saved@hook
5792     \endgroup
5793   }%
5794 }
5795 \def\Hy@newline@title#1{ #1}
5796 \def\Hy@newline@author#1{, #1}
5797 \def\Hy@UseMaketitleInfos{%

```

```

5798 \Hy@UseMakeTitleString{title}%
5799 \Hy@UseMakeTitleString{author}%
5800 }

```

26 Page numbers

This stuff is done by Heiko Oberdiek.

27 Every page

```

5801 \RequirePackage{atbegshi}[2007/09/09]
5802 \def\Hy@EveryPageHook{}
5803 \def\Hy@EveryPageBoxHook{}
5804 \def\Hy@FirstPageHook{}
5805 \AtBeginShipout{%
5806   \Hy@EveryPageHook
5807   \ifx\Hy@EveryPageBoxHook\empty
5808   \else
5809     \setbox\AtBeginShipoutBox=\vbox{%
5810       \offinterlineskip
5811       \Hy@EveryPageBoxHook
5812       \box\AtBeginShipoutBox
5813     }%
5814   \fi
5815 }
5816 \AtBeginShipoutFirst{%
5817   \Hy@FirstPageHook
5818 }
5819 \g@addto@macro\Hy@FirstPageHook{%
5820   \PDF@FinishDoc
5821   \gdef\PDF@FinishDoc{}%
5822 }

```

27.1 PDF /PageLabels

Internal macros of this module are marked with \HyPL@.

```

5823 \ifHy@pagelabels
5824   \begingroup\expandafter\expandafter\expandafter\endgroup
5825   \expandafter\ifx\csname thepage\endcsname\relax
5826     \Hy@pagelabelsfalse
5827     \Hy@WarningNoLine{%
5828       Option 'pdffpagelabels' is turned off\MessageBreak
5829       because \string\thepage\space is undefined%
5830     }%
5831     \csname fi\endcsname
5832     \csname ifffalse\expandafter\endcsname
5833   \fi

```

\thispdfpagelabel The command \thispdfpagelabel allows to label a special page without the redefinition of \thepage for the page.

```

5834 \def\thispdfpagelabel#1{%
5835   \gdef\HyPL@thisLabel{#1}%
5836 }%
5837 \global\let\HyPL@thisLabel\relax

```

\HyPL@Labels The page labels are collected in \HyPL@Labels and set at the end of the document.

```
5838 \def\HyPL@Labels{}%
```

\Hy@abspage We have to know the the absolute page number and introduce a new counter for that.

```
5839 \newcount\Hy@abspage
5840 \Hy@abspage=0 %
```

For comparisons with the values of the previous page, some variables are needed:

```
5841 \def\HyPL@LastType{init}%
5842 \def\HyPL@LastNumber{0}%
5843 \def\HyPL@LastPrefix{}%
```

Definitions for the PDF names of the L^AT_EX pendants.

```
5844 \def\HyPL@arabic{D}%
5845 \def\HyPL@Roman{R}%
5846 \def\HyPL@roman{r}%
5847 \def\HyPL@Alph{A}%
5848 \def\HyPL@alph{a}%
```

\HyPL@EveryPage If a page is shipout and the page number is known, \HyPL@EveryPage has to be called. It stores the current page label.

```
5849 \def\HyPL@EveryPage{%
5850 \begingroup
5851 \ifx\HyPL@thisLabel\relax
5852 \let\HyPL@page\thepage
5853 \else
5854 \let\HyPL@page\HyPL@thisLabel
5855 \global\let\HyPL@thisLabel\relax
5856 \fi
5857 \let\HyPL@Type\relax
5858 \ifnum\the\c@page>0 %
5859 \expandafter\HyPL@CheckThePage\HyPL@page\@nil
5860 \fi
5861 \let\Hy@temp Y%
5862 \ifx\HyPL@Type\HyPL@LastType
5863 \else
5864 \let\Hy@temp N%
5865 \fi
5866 \ifx\HyPL@Type\relax
5867 \pdfstringdef\HyPL@Prefix{\HyPL@page}%
5868 \else
5869 \pdfstringdef\HyPL@Prefix\HyPL@Prefix
5870 \fi
5871 \ifx\HyPL@Prefix\HyPL@LastPrefix
5872 \else
5873 \let\Hy@temp N%
5874 \fi
5875 \if Y\Hy@temp
5876 \advance\c@page by -1 %
5877 \ifnum\HyPL@LastNumber=\the\c@page\relax
5878 \else
5879 \let\Hy@temp N%
5880 \fi
5881 \Hy@StepCount\c@page
5882 \fi
5883 \if N\Hy@temp
5884 \ifx\HyPL@Type\relax
```

```

5885   \HyPL@StorePageLabel{/P(\HyPL@Prefix)}%
5886   \else
5887     \HyPL@StorePageLabel{%
5888       \ifx\HyPL@Prefix\empty
5889       \else
5890         /P(\HyPL@Prefix)%
5891       \fi
5892       /S/\csname HyPL\HyPL@Type\endcsname
5893       \ifnum\the\c@page=1 %
5894       \else
5895         \space/St \the\c@page
5896       \fi
5897     }%
5898   \fi
5899 \fi
5900 \xdef\HyPL@LastNumber{\the\c@page}%
5901 \global\let\HyPL@LastType\HyPL@Type
5902 \global\let\HyPL@LastPrefix\HyPL@Prefix
5903 \endgroup
5904 \Hy@GlobalStepCount\Hy@abspage
5905 }%

```

\HyPL@CheckThePage Macro \HyPL@CheckThePage calls \HyPL@@CheckThePage that does the job.

```

5906 \def\HyPL@CheckThePage#1\@nil{%
5907   \HyPL@@CheckThePage{#1}\#1\csname\endcsname\c@page\@nil
5908 }%

```

\HyPL@@CheckThePage The first check is, is \thepage is defined such as in L^AT_EX, e.g.: \csname @arabic\endcsname\c@page. In the current implemenation the check fails, if there is another \csname before.

The second check tries to detect \arabic{page} at the end of the definition text of \thepage.

```

5909 \def\HyPL@@CheckThePage#1\#2\csname#3\endcsname\c@page\#4\@nil{%
5910   \def\Hy@tempa{\#4}%
5911   \def\Hy@tempb{\csname\endcsname\c@page}%
5912   \ifx\Hy@tempa\Hy@tempb
5913     \expandafter\ifx\csname HyPL#3\endcsname\relax
5914   \else
5915     \def\HyPL@Type{\#3}%
5916     \def\HyPL@Prefix{\#2}%
5917   \fi
5918 \else
5919   \begingroup
5920     \let\Hy@next\endgroup
5921     \let\HyPL@found\@undefined
5922     \def\arabic{\HyPL@Format{arabic}}%
5923     \def\Roman{\HyPL@Format{Roman}}%
5924     \def\roman{\HyPL@Format{roman}}%
5925     \def\Alph{\HyPL@Format{Alph}}%
5926     \def\alph{\HyPL@Format{alph}}%
5927     \protected@edef\Hy@temp{\#1}%
5928   \ifx\HyPL@found\relax
5929     \toks@\expandafter{\Hy@temp}%
5930     \edef\Hy@next{\endgroup
5931       \noexpand\HyPL@@CheckThePage\the\toks@
5932       \noexpand\HyPL@found\relax\noexpand\@nil
5933     }%

```

	<pre> 5934 \fi 5935 \Hy@next 5936 \fi 5937 }% </pre>
\HyPL@Format	The help macro \HyPL@Format is executed while a \protected@edef in the second check method of \HyPL@@CheckPage. The first occurrences of, for example, \arabic{page} is marked by \HyPL@found that is also defined by \csname. <pre> 5938 \def\HyPL@Format#1#2{% 5939 \ifx\HyPL@found\@undefined 5940 \expandafter\ifx\csname c@#2\endcsname\c@page 5941 \expandafter\noexpand\csname HyPL@found\endcsname{#1}% 5942 \else 5943 \expandafter\noexpand\csname#1\endcsname{#2}% 5944 \fi 5945 \else 5946 \expandafter\noexpand\csname#1\endcsname{#2}% 5947 \fi 5948 }% </pre>
\HyPL@@CheckThePage	If the second check method is successful, \HyPL@@CheckThePage scans the result of \HyPL@Format and stores the found values. <pre> 5949 \def\HyPL@@CheckThePage#1\HyPL@found#2#3\@nil{% 5950 \def\Hy@tempa{#3}% 5951 \def\Hy@tempb{\HyPL@found\relax}% 5952 \ifx\Hy@tempa\Hy@tempb 5953 \def\HyPL@Type{#2}% 5954 \def\HyPL@Prefix{#1}% 5955 \fi 5956 }% </pre>
\HyPL@StorePageLabel	Dummy for drivers that does not support /PageLabel. <pre> 5957 \providecommand*\HyPL@StorePageLabel}[1]{} </pre>
\HyPL@Useless	The /PageLabels entry does not make sense, if the absolute page numbers and the page labels are the same. Then \HyPL@Labels has the meaning of \HyPL@Useless. <pre> 5958 \def\HyPL@Useless{0<</S/D>>}% 5959 \Onelevel@sanitize\HyPL@Useless </pre>
\HyPL@SetPageLabels	The page labels are written to the PDF catalogue. The command \Hy@PutCatalog is defined in the driver files. <pre> 5960 \def\HyPL@SetPageLabels{% 5961 \Onelevel@sanitize\HyPL@Labels 5962 \ifx\HyPL@Labels\empty 5963 \else 5964 \ifx\HyPL@Labels\HyPL@Useless 5965 \else 5966 \Hy@PutCatalog{/PageLabels<</Nums[\HyPL@Labels]>>}% 5967 \fi 5968 \fi 5969 }% </pre> <pre> 5970 \g@addto@macro\Hy@EveryPageHook{\HyPL@EveryPage}% 5971 \fi </pre> <p>Option ‘pdffagelabels’ has been used and is now disabled.</p> <pre> 5972 \Hy@DisableOption{pdffagelabels} 5973 </package> </pre>

27.1.1 pdfTeX and VTeX

Because of pdfTeX's \pdfcatalog command the /PageLabels entry can be set at end of document in the first run.

\Hy@PutCatalog

5974 ⟨pdftex⟩\let\Hy@PutCatalog\pdfcatalog

The code for VTeX is more complicated, because it does not allow the direct access to the /Catalog object. The command scans its argument and looks for a /PageLabels entry.

VTeX 6.59g is the first version, that implements \special{!pdfpagelabels...}. For this version \VTeXversion reports 660.

```
5975 {*vtx}
5976 \providecommand*\XR@ext{pdf}
5977 \edef\Hy@VTeXversion{%
5978   \ifx\VTeXversion\undefined
5979     \z@
5980   \else
5981     \ifx\VTeXversion\relax
5982       \z@
5983     \else
5984       \VTeXversion
5985     \fi
5986   \fi
5987 }
5988 \begingroup
5989   \ifnum\Hy@VTeXversion<660 %
5990     \gdef\Hy@PutCatalog#1{%
5991       \Hy@WarningNoLine{%
5992         VTeX 6.59g or above required for pdfpagelabels%
5993       }%
5994     }%
5995   \else
5996     \gdef\Hy@PutCatalog#1{%
5997       \Hy@vt@PutCatalog#1/PageLabels<>>\@nil
5998     }%
5999     \gdef\Hy@vt@PutCatalog#1/PageLabels<<#2>>#3\@nil{%
6000       \ifx\\#2\\%
6001       \else
6002         \immediate\special{!pdfpagelabels #2}%
6003       \fi
6004     }%
6005   \fi
6006 \endgroup
6007 
```

6008 ⟨*pdftex | vtex⟩

\HyPL@StorePageLabel This macro adds the entry #1 to \HyPL@Labels.

```
6009 \ifHy@pageLabels
6010   \def\HyPL@StorePageLabel#1{%
6011     \toks@\expandafter{\HyPL@Labels}%
6012     \xdef\HyPL@Labels{%
6013       \the\toks@
6014       \the\Hy@abspage<<#1>>%
6015     }%
6016   }%
```

Package `atveryend` is used to get behind the final `\clearpage` and to avoid a `\clearpage` in `\AtEndDocument`. Then the PDF catalog entry for `\PageLabels` is set.

```

6017 \RequirePackage{atveryend}[2009/12/07]%
6018 \AtVeryEndDocument{%
6019   \HyPL@SetPageLabels
6020 }%
6021 \fi
6022 </pdftex | vtex>

```

27.1.2 xetex

```

6023 <*xetex>
6024 \HyPsd@LoadUnicode
6025 \Hy@unicodetrue
6026 \ifx\HyPsd@pdfencoding\HyPsd@pdfencoding@unicode
6027 \else
6028 \let\HyPsd@pdfencoding\HyPsd@pdfencoding@auto
6029 \fi
6030 \HyPsd@LoadStringEnc
6031 \define@key{Hyp}{unicode}[true]{%
6032   \Hy@boolkey{unicode}{#1}%
6033   \ifHy@unicode
6034   \else
6035     \Hy@Warning{%
6036       XeTeX driver only supports 'unicode=true'.\MessageBreak
6037       Ignoring option setting 'unicode=false'%
6038     }%
6039   \Hy@unicodetrue
6040   \fi
6041 }%
6042 \define@key{Hyp}{pdfencoding}{%
6043   \edef\HyPsd@temp{#1}%
6044   \ifx\HyPsd@temp\HyPsd@pdfencoding@unicode
6045     \let\HyPsd@pdfencoding\HyPsd@temp
6046   \else
6047     \ifx\HyPsd@temp\HyPsd@pdfencoding@auto
6048       \let\HyPsd@pdfencoding\HyPsd@temp
6049     \else
6050       \Hy@Warning{%
6051         XeTeX driver only supports\MessageBreak
6052         'pdfencoding=unicode|auto'. Ignoring option\MessageBreak
6053         setting 'pdfencoding=\HyPsd@temp'%
6054       }%
6055     \fi
6056   \fi
6057 }%
6058 \let\HyXeTeX@CheckUnicode\relax
6059 </xetex>

```

27.1.3 pdfmarkbase, dvipdfm, xetex

```

6060 <*pdfmarkbase>
6061 \begingroup
6062 \c@ifundefined{headerps@out}{}{%
6063   \toks@\expandafter{\Hy@FirstPageHook}%
6064   \xdef\Hy@FirstPageHook{%

```

```

6065   \noexpand\headerps@out{%
6066     systemdict /pdfmark known%
6067     {%
6068       userdict /?pdfmark systemdict /exec get put%
6069     }{%
6070       userdict /?pdfmark systemdict /pop get put %
6071       userdict /pdfmark systemdict /cleartomark get put%
6072     }%
6073     ifelse%
6074   }%
6075   \the\toks@
6076 }%
6077 }%
6078 \endgroup
6079 
```

\Hy@PutCatalog

```

6080 <dvipdfm | xetex>\def\Hy@PutCatalog#1{\@pdfm@mark{docview << #1 >>}}
6081 {*pdfmarkbase}
6082 \def\Hy@PutCatalog#1{%
6083   \pdfmark{pdfmark=/PUT,Raw={\string{Catalog\string} << #1 >>}}%
6084 }
6085 
```

6086 {*pdfmarkbase | dvipdfm | xetex}

6087 \ifHy@pagelabels

\HyPL@StorePageLabel This macro writes a string to the .aux file.

```

6088 \def\HyPL@StorePageLabel#1{%
6089   \if@filesw
6090     \begingroup
6091       \edef\Hy@tempa{\the\Hy@abspage<<#1>>}%
6092       \immediate\write\@mainaux{%
6093         \string\HyPL@Entry{\Hy@tempa}%
6094       }%
6095     \endgroup
6096   \fi
6097 }%

```

Write a dummy definition of \HyPL@Entry for the case, that the next run is done without hyperref. A marker for the rerun warning is set and the /PageLabels is written.

```

6098 \Hy@AtBeginDocument{%
6099   \if@filesw
6100     \immediate\write\@mainaux{%
6101       \string\providecommand\string*\string\HyPL@Entry[1]{}%
6102     }%
6103   \fi
6104   \ifx\HyPL@Labels\@empty
6105     \Hy@WarningNoLine{Rerun to get /PageLabels entry}%
6106   \else
6107     \HyPL@SetPageLabels
6108   \fi
6109   \let\HyPL@Entry\@gobble
6110 }%

```

\HyPL@Entry

```
6111 \def\HyPL@Entry#1{%
```

```

6112   \expandafter\gdef\expandafter\HyPL@Labels\expandafter{%
6113     \HyPL@Labels
6114     #1%
6115   }%
6116 }%

6117 \fi
6118 </pdfmarkbase | dvipdfm | xetex>
6119 {*package}
6120 \MaybeStopEarly

```

28 Automated L^AT_EX hypertext cross-references

Anything which can be referenced advances some counter; we overload this to put in a hypertext starting point (with no visible anchor), and make a note of that for later use in \label. This will fail badly if \theH<name> does not expand to a sensible reference. This means that classes or package which introduce new elements need to define an equivalent \theH<name> for every \the<name>. We do make a trap to make \theH<name> be the same as \arabic{<name>}, if \theH<name> is not defined, but this is not necessarily a good idea. Alternatively, the ‘naturalnames’ option uses whatever L^AT_EX provides, which may be useable. But then its up to you to make sure these are legal PDF and HTML names. The ‘hypertexnames=false’ option just makes up arbitrary names.

All the shenanigans is to make sure section numbers etc are always arabic, separated by dots. Who knows how people will set up \currentlabel? If they put spaces in, or brackets (quite legal) then the hypertext processors will get upset.

But this is flaky, and open to abuse. Styles like subeqn will mess it up, for starters. Appendices are an issue, too. We just hope to cover most situations. We can at least cope with the standard sectioning structure, allowing for \part and \chapter.

Start with a fallback for equations

```

6121 \def\Hy@CounterExists#1{%
6122   \begingroup\expandafter\expandafter\expandafter\endgroup
6123   \expandafter\ifx\csname c@#1\endcsname\relax
6124     \expandafter\@gobble
6125   \else
6126     \begingroup\expandafter\expandafter\expandafter\endgroup
6127     \expandafter\ifx\csname the#1\endcsname\relax
6128       \expandafter\expandafter\expandafter\@gobble
6129     \else
6130       \expandafter\expandafter\expandafter\@firstofone
6131     \fi
6132   \fi
6133 }
6134 \Hy@CounterExists{section}{%
6135   \newcommand{\theHequation}{\theHsection.\arabic{equation}}%
6136 }
6137 \Hy@CounterExists{part}{%
6138   \newcommand{\theHpart}{\arabic{part}}%
6139 }
6140 \ltx@ifundefined{thechapter}{%
6141   \newcommand{\theHsection}{\arabic{section}}%
6142   \newcommand{\theHfigure}{\arabic{figure}}%
6143   \newcommand{\theHtable}{\arabic{table}}%
6144 }{%
6145   \newcommand{\theHchapter}{\arabic{chapter}}%

```

```

6146 \newcommand{\theHfigure} {\theHchapter.\arabic{figure}}%
6147 \newcommand{\theHtable} {\theHchapter.\arabic{table}}%
6148 \newcommand{\theHsection} {\theHchapter.\arabic{section}}%
6149 }
6150 \newcommand{\theHsubsection} {\theHsection.\arabic{subsection}}%
6151 \newcommand{\theHsubsubsection} {\theHsubsection.\arabic{subsubsection}}%
6152 \newcommand{\theHparagraph} {\theHsubsubsection.\arabic{paragraph}}%
6153 \newcommand{\theH subparagraph} {\theHparagraph.\arabic{subparagraph}}%
6154 \newcommand{\theHtheorem} {\theHsection.\arabic{theorem}}%
6155 \newcommand{\theHthm} {\theHsection.\arabic{thm}}%

```

Thanks to Greta Meyer (gbd@pop.cwru.edu) for making me realize that enumeration starts at 0 for every list! But `\item` occurs inside `\trivlist`, so check if its a real `\item` before incrementing counters.

```

6156 \let\H@item\item
6157 \newcounter{Item}
6158 \def\theHItem{\arabic{Item}}
6159 \def\item{%
6160   \ifhyper@itemfalse
6161   \if@nmbrlist\ifhyper@itemtrue\fi
6162   \H@item
6163 }
6164 \newcommand{\theHenumi}{\theHItem}
6165 \newcommand{\theHenumii}{\theHItem}
6166 \newcommand{\theHenumiii}{\theHItem}
6167 \newcommand{\theHenumiv}{\theHItem}
6168 \newcommand{\theHfootnote}{\arabic{Hfootnote}}
6169 \newcommand{\theHmpfootnote}{\arabic{mpfootnote}}
6170 \let\theHmpfootnote\theHfootnote

```

Tanmoy asked for this default handling of undefined `\theH<name>` situations. It really isn't clear what would be ideal, whether to turn off hyperizing of unknown elements, to pick up the textual definition of the counter, or to default it to something like `\arabic{name}`. We take the latter course, slightly worriedly.

```

6171 \let\H@refstepcounter\refstepcounter
6172 \edef\name@of@eq{equation}%
6173 \edef\name@of@slide{slide}%

```

We do not want the handler for `\refstepcounter` to cut in during the processing of `\item` (we handle that separately), so we provide a bypass conditional.

```

6174 \newif\if@hyper@item
6175 \newif\if@skiphyperref
6176 \ifhyper@itemfalse
6177 \else
6178 \def\refstepcounter{\#1}%
6179 \ifHy@pdfstring
6180 \else
6181 \H@refstepcounter{\#1}%
6182 \edef\This@name{\#1}%
6183 \ifx\This@name\name@of@slide
6184 \else
6185 \if@skiphyperref
6186 \else
6187 \if@hyper@item
6188 \stepcounter{Item}%
6189 \hyper@refstepcounter{Item}%
6190 \else
6191 \else

```

```

6192      \hyper@refstepcounter{#1}%
6193      \fi
6194      \fi
6195      \fi
6196      \fi
6197 }
6198 \let\Hy@saved@refstepcounter\refstepcounter
AMSLATEX processes all equations twice; we want to make sure that the hyper stuff is not
executed twice, so we use the AMS \ifmeasuring@, initialized if AMS math is not used.
6199 \@ifpackageloaded{amsmath}{}{\newif\ifmeasuring@\measuring@false}

\hyper@refstepcounter
6200 \def\hyper@refstepcounter#1{%
6201   \edef\This@name{#1}%
6202   \ifx\This@name\name@of@eq
6203     \ifundefined{theHequation}{%
6204       \make@stripped@name{\theequation}%
6205       \let\theHequation\newname
6206     }{%
6207   }%
6208   \ifundefined{theH#1}{%
6209     \expandafter\def\csname theH#1\endcsname{\arabic{#1}}%
6210   }{%
6211   \hyper@makecurrent{#1}%
6212   \ifmeasuring@
6213   \else
6214     \Hy@raisedlink{%
6215       \hyper@anchorstart{\@currentHref}\hyper@anchorend
6216     }%
6217   }%
6218 }

```

After \appendix “chapter” (or “section” for classes without chapter) should be replaced by “appendix” to get \autoref work. Macro \Hy@chapapp contains the current valid name like \@chapapp, which cannot be used, because this string depends on the current language.

The “french” package defines counter \thechapter by \newcounterchapter, if \ifundefined{chapter}.

```

6219 \begingroup\expandafter\expandafter\expandafter\endgroup
6220 \expandafter\ifx\csname chapter\endcsname\relax
6221   \def\Hy@chapterstring{section}%
6222 \else
6223   \def\Hy@chapterstring{chapter}%
6224 \fi
6225 \def\Hy@appendixstring{appendix}
6226 \def\Hy@chapapp{\Hy@chapterstring}
6227 \let\HyOrg@appendix\appendix
6228 \def\appendix{%
6229   \ltx@ifundefined{chapter}%
6230     {\gdef\theHsection{\Alph{section}}}%
6231     {\gdef\theHchapter{\Alph{chapter}}}%
6232   \xdef\Hy@chapapp{\Hy@appendixstring}%
6233 \HyOrg@appendix
6234 }

```

\Hy@Test@alph

```

6235 \def\Hy@Test@alph#1{%
6236   \ifcase#1\or
6237     a\or b\or c\or d\or e\or f\or g\or h\or i\or j\or
6238     k\or l\or m\or n\or o\or p\or q\or r\or s\or t\or
6239     u\or v\or w\or x\or y\or z%
6240   \else
6241     \ctrerr
6242   \fi
6243 }

\Hy@Test@Alph

6244 \def\Hy@Test@Alph#1{%
6245   \ifcase#1\or
6246     A\or B\or C\or D\or E\or F\or G\or H\or I\or J\or
6247     K\or L\or M\or N\or O\or P\or Q\or R\or S\or T\or
6248     U\or V\or W\or X\or Y\or Z%
6249   \else
6250     \ctrerr
6251   \fi
6252 }

```

\hyper@makecurrent Because of Babel mucking around, nullify \textlatin when making names. And @number because of babel's lrbabel.def.

```

6253 \def\hyper@makecurrent#1{%
6254   \begingroup
6255   \edef\Hy@param{\#1}%
6256   \ifx\Hy@param\Hy@chapterstring
6257     \let\Hy@param\Hy@chapapp
6258   \fi
6259   \ifHy@hypertexnames
6260     \let\@number\@firstofone
6261     \def\fnsymbol##1{fnsymbol\number##1}%
6262     \ifx\@alph\Hy@Test@alph
6263     \else
6264       \def\@alph{\alpha\number}%
6265     \fi
6266     \ifx\@Alph\Hy@Test@Alph
6267     \else
6268       \def\@Alph{\Alpha\number}%
6269     \fi
6270   \ifHy@naturalnames
6271     \let\textlatin\@firstofone
6272     \xdef\HyperGlobalCurrentHref{\csname the\#1\endcsname}%
6273   \else
6274     \xdef\HyperGlobalCurrentHref{%
6275       \csname
6276         the%
6277         \expandafter\ifx\csname theH\#1\endcsname\relax\else H\fi
6278         \#1%
6279       \endcsname
6280     }%
6281   \fi
6282   \xdef\HyperGlobalCurrentHref{%
6283     \Hy@param.\expandafter\strip@prefix\meaning\HyperGlobalCurrentHref
6284   }%
6285   \else
6286     \Hy@GlobalStepCount\Hy@linkcounter

```

```

6287     \xdef\HyperGlobalCurrentHref{\Hy@param.\the\Hy@linkcounter}%
6288     \fi
6289 \endgroup
6290 \let\HyperLocalCurrentHref\HyperGlobalCurrentHref
6291 \ifHy@localanchorname
6292   \let\@currentHref\HyperLocalCurrentHref
6293 \else
6294   \global\let\@currentHref\HyperGlobalCurrentHref
6295 \fi
6296 }

\Hy@MakeCurrentHref
6297 \def\Hy@MakeCurrentHref#1{%
6298   \edef\HyperLocalCurrentHref{\#1}%
6299   \onelevel@sanitize\HyperLocalCurrentHref
6300   \global\let\HyperGlobalCurrentHref\HyperLocalCurrentHref
6301   \let\HyperLocalCurrentHref\HyperGlobalCurrentHref
6302   \ifHy@localanchorname
6303     \let\@currentHref\HyperLocalCurrentHref
6304   \else
6305     \global\let\@currentHref\HyperGlobalCurrentHref
6306   \fi
6307 }

\Hy@MakeCurrentHrefAuto
6308 \def\Hy@MakeCurrentHrefAuto#1{%
6309   \Hy@GlobalStepCount\Hy@linkcounter
6310   \Hy@MakeCurrentHref{\#1.\the\Hy@linkcounter}%
6311 }

\@currentHlabel \@currrentHlabel is only defined for compatibility with package ‘hypdvips’.
6312 \def\@currentHlabel{\@currentHref}

6313 \ifpackage{fancyvrb}{%
6314   \ifpackagelater{fancyvrb}{1998/05/20}{}{%
6315     \def\FV@StepLineNo{%
6316       \FV@SetLineNo
6317       \def\FV@StepLineNo{\H@refstepcounter{FancyVerbLine}}%
6318       \FV@StepLineNo
6319     }%
6320   }%
6321 }{%

```

29 Package lastpage support

Package lastpage directly writes the `\newlabel` command to the aux file. Because package hyperref requires additional arguments, the internal command `\lastpage@putlabel` is redefined. The patch is deferred by `\AtBeginDocument`, because it is possible that package lastpage is loaded after package hyperref. The same algorithm (options hypertexnames and plainpages) is used to get the page anchor name as in `\Hy@EveryPageAnchor` (see sec. 38). The link will not work if option pageanchor is set to false.

```

\lastpage@putlabel
6322 \Hy@AtBeginDocument{%

```

```

6323  \@ifclassloaded{revtex4}{%
6324    \c@namedef{ver@lastpage.sty}{1994/06/25}%
6325  }{}%
6326  \ifpackageloaded{lastpage}{%
6327    \ifHy@pageanchor
6328    \else
6329      \Hy@WarningNoLine{%
6330        The \string\pageref{LastPage} link doesn't work\MessageBreak
6331        with disabled option 'pageanchor'%
6332      }%
6333    \fi
6334    \def\lastpage@putlabel{%
6335      \addtocounter{page}{-1}%
6336      \if@filesw
6337        \begingroup
6338          \let\c@number\c@firstofone
6339          \ifHy@pageanchor
6340            \ifHy@hypertexnames
6341              \ifHy@plainpages
6342                \def\Hy@temp{\arabic{page}}%
6343              \else
6344                \Hy@unicodedefalse
6345                \pdfstringdef\Hy@temp{\the\page}%
6346              \fi
6347            \else
6348              \def\Hy@temp{\the\Hy@pagecounter}%
6349            \fi
6350          \fi
6351          \immediate\write\c@auxout{%
6352            \string\newlabel
6353              {LastPage}{}{\the\page}{}%
6354              \ifHy@pageanchor page.\Hy@temp\fi}%
6355          }%
6356        \endgroup
6357      \fi
6358      \addtocounter{page}{1}%
6359    }%
6360  \ifclassloaded{revtex4}{%
6361    \begingroup
6362      \toks@\expandafter{\lastpage@putlabel}%
6363      \edef\x{\endgroup
6364        \def\noexpand\lastpage@putlabel{%
6365          \noexpand\stepcounter{page}%
6366          \the\toks@
6367          \noexpand\addtocounter{page}\noexpand\m@ne
6368        }%
6369      }%
6370      \x
6371    }{}%
6372  }{}%
6373 }%
6374 </package>
6375 <*check>
6376 \checkpackage{lastpage}[1994/06/25]
6377 \checkcommand\def\lastpage@putlabel{%
6378   \addtocounter{page}{-1}%
6379   \immediate\write\c@auxout{%

```

```

6380     \string\newlabel{LastPage}{}{\thepage}%
6381   }%
6382   \addtocounter{page}{1}%
6383 }
6384 </check>
6385 {*package}

```

30 Package ifthen support

Since version 6.75a this is done in package nameref.

For compatibility \hypergetref and \hypergetpageref are still provided. But they do not generate warnings, if the reference is undefined.

```

6386 \def\hypergetref#1{\getrefbykeydefault{#1}{}{??}}
6387 \def\hypergetpageref#1{\getrefbykeydefault{#1}{page}{0}}

```

31 Package titlesec and titletoc support

This code is contributed by Javier Bezos (Email: jbez@arrakis.es).

Package titlesec support:

```

6388 \@ifpackageloaded{titlesec}{%
6389   \def\ttl@Hy@steplink#1{%
6390     \Hy@MakeCurrentHrefAuto{#1*}%
6391     \edef\ttl@Hy@saveanchor{%
6392       \noexpand\Hy@raisedlink{%
6393         \noexpand\hyper@anchorstart{\@currentHref}%
6394         \noexpand\hyper@anchorend
6395         \def\noexpand\ttl@Hy@SavedCurrentHref{\@currentHref}%
6396         \noexpand\ttl@Hy@PatchSaveWrite
6397       }%
6398     }%
6399   }%
6400   \def\ttl@Hy@PatchSaveWrite{%
6401     \begingroup
6402       \toks@\expandafter{\ttl@savewrite}%
6403       \edef\x{\endgroup
6404         \def\noexpand\ttl@Hy@PatchSaveWrite{%
6405           \let\noexpand\@currentHref
6406             \noexpand\ttl@Hy@SavedCurrentHref
6407             \the\toks@
6408           }%
6409         }%
6410       \x
6411     }%
6412     \def\ttl@Hy@refstepcounter#1{%
6413       \let\ttl@b\Hy@raisedlink
6414       \def\Hy@raisedlink##1{%
6415         \def\ttl@Hy@saveanchor{\Hy@raisedlink{##1}}%
6416       }%
6417       \refstepcounter{#1}%
6418       \let\Hy@raisedlink\ttl@b
6419     }%
6420 }

```

Package titletoc support:

```

6421 \@ifpackageloaded{titletoc}{%

```

```

6422 \def\ttl@gobblecontents#1#2#3#4{\ignorespaces}%
6423 }{}
```

32 Package varioref support

Package nameref uses five arguments for the ref system. Fix provided by Felix Neubauer (felix.neubauer@gmx.net).

```

6424 \def\Hy@varioref@undefined{{?}{?}{?}{?}{?}}%
6425 \@ifpackageloaded{varioref}{%
6426 \def\vref@pagenum#1#2{%
6427 \@ifundefined{r@#2}{%
6428 \expandafter\let\csname r@\#2\endcsname\Hy@varioref@undefined
6429 }{}}%
6430 \edef#1{\getpagerefnumber{#2}}%
6431 }{%
6432 }{}
```

Package varioref redefines \refstepcounter, thus it needs fixing, if the package is loaded *after* hyperref.

```

6433 \def\Hy@varioref@refstepcounter#1{%
6434 \stepcounter{#1}%
6435 \protected@edef\@currentlabel{%
6436 \csname p@\#1\expandafter\endcsname\csname the#\#1\endcsname
6437 }{%
6438 }%
6439 \AtBeginDocument{%
6440 \ifx\refstepcounter\Hy@varioref@refstepcounter
6441 \let\H@refstepcounter\refstepcounter
6442 \let\refstepcounter\Hy@saved@refstepcounter
6443 \fi
6444 }
```

33 Package longtable support

Sometimes the anchor of the longtable goes to the previous page. Thus the following patch separates the anchor setting and counter incrementation by hyperref's \refstepcounter and the anchor setting is moved after \vskip\LTpre.

Patch of \LT@array: replace \refstepcounter by the original \H@refstepcounter without anchor generation

```

6445 \@ifpackageloaded{longtable}{%
6446 \begingroup
6447 \def\y{\LT@array}%
6448 \@ifundefined{scr@LT@array}{%
6449 \at undefine{adl@LT@array}{}{\def\y{\adl@LT@array}}{%
6450 }{\def\y{\scr@LT@array}}{%
6451 \long\def\x{\refstepcounter#1#2\sharp#3#4@nil{%
6452 \expandafter\endgroup
6453 \expandafter\def\y{##1##2{%
6454 \H@refstepcounter{#1}%
6455 \hyper@makecurrent{table}}{%
6456 \let\Hy@LT@currentHref\@currentHref
6457 \sharp#2\sharp####4%
6458 }{%
6459 }{%
6460 \expandafter\expandafter\expandafter\x\y{##1}{##2}\@nil
```

Patch of \LT@start: add anchor before first line after \vskip\LTpre

```
6461  \begingroup
6462  \def\x{\ifvoid\LT@foot#2\fi\#3\@nil}{%
6463  \endgroup
6464  \def\LT@start{%
6465  #1%
6466  \ifvoid\LT@foot#2\fi
6467  \let\@currentHref\Hy@LT@currentHref
6468  \Hy@raisedlink{%
6469  \hyper@anchorstart{\@currentHref}\hyper@anchorend
6470  }%
6471  #3%
6472  }%
6473  }%
6474  \expandafter\x\LT@start\@nil
6475 }{}
```

34 Equations

We want to make the whole equation a target anchor. Overload equation, temporarily reverting to original \refstepcounter. If, however, it is in AMS math, we do not do anything, as the tag mechanism is used there (see section 41). The exception is that we move the equation incrementation inside the math environment to avoid specials outside and a wrong vertical spacing of equation environments.

```
6476 \let\new@refstepcounter\refstepcounter
6477 \let\H@equation\equation
6478 \let\H@endequation\endequation
6479 \c@ifpackageloaded{amsmath}{%
6480  \long\def\Hy@temp{%
6481  \incr@eqnum
6482  \mathdisplay@push
6483  \st@rredfalse \global\@eqnswtrue
6484  \mathdisplay{equation}%
6485 }%
6486 \ifx\Hy@temp\equation
6487  \expandafter\ifx\csname if@fleqn\expandafter\endcsname
6488  \csname iftrue\endcsname
6489 \else
6490  \long\def\equation{%
6491  \mathdisplay@push
6492  \st@rredfalse \global\@eqnswtrue
6493  \mathdisplay{equation}%
6494  \incr@eqnum
6495 }%
6496 \fi
6497 \fi
6498 }{%
6499 \def\equation{%
6500  \let\refstepcounter\H@refstepcounter
6501  \H@equation
6502  \c@ifundefined{theHequation}{%
6503   \make@stripped@name{\theequation}%
6504   \let\theHequation\newname
6505 }{%
6506 \hyper@makecurrent{equation}}%
```

```

6507   \Hy@raisedlink{\hyper@anchorstart{\@currentHref}}%
6508   \let\refstepcounter\new@refstepcounter
6509 }%
6510 \def\endequation{\Hy@raisedlink{\hyper@anchorend}\H@endequation}%
6511 }

```

My goodness, why can't L^AT_EX be consistent? Why is \eqnarray set up differently from other objects?

People (you know who you are, Thomas Beuth) sometimes make an eqnarray where *all* the lines end with \notag, so there is no suitable anchor at all. In this case, pass by on the other side.

```

6512 \newif\if@eqnstar
6513 \c@eqnstarfalse
6514 \let\H@eqnarray\eqnarray
6515 \let\H@endeqnarray\endeqnarray
6516 \def\eqnarray{%
6517   \let\Hy@reserved@a\relax
6518   \def\@currentHref{}%
6519   \H@eqnarray
6520   \if@eqnstar
6521   \else
6522     \ifx\\@\currentHref\\%
6523     \else
6524       \c@ifundefined{theHequation}{%
6525         \make@stripped@name{\theequation}%
6526         \let\theHequation\newname
6527       }{}%
6528       \hyper@makecurrent{equation}%
6529       \hyper@anchorstart{\@currentHref}{}\hyper@anchorend
6530   \fi
6531   \fi
6532 }
6533 \def\endeqnarray{%
6534   \H@endeqnarray
6535 }

```

This is quite heavy-handed, but it works for now. If its an eqnarray* we need to disable the hyperref actions. There may well be a cleaner way to trap this. Bill Moss found this.

```

6536 \c@namedef{eqnarray*}{%
6537   \def\@eqncr{\nonumber\@seqncr}\@eqnstartrue\eqnarray
6538 }
6539 \c@namedef{endeqnarray*}{%
6540   \nonumber\endeqnarray\@eqnstarfalse
6541 }

```

Then again, we have the *subeqnarray* package. Tanmoy provided some code for this:

```

6542 \ltx@IfUndefined{subeqnarray}{}{%
6543   \let\H@subeqnarray\subeqnarray
6544   \let\H@endsubeqnarray\endsubeqnarray
6545   \def\subeqnarray{%
6546     \let\Hy@reserved@a\relax
6547     \H@subeqnarray
6548     \c@ifundefined{theHequation}{%
6549       \make@stripped@name{\theequation}%
6550       \let\theHequation\newname
6551     }{}%
6552     \hyper@makecurrent{equation}%
6553     \hyper@anchorstart{\@currentHref}{}\hyper@anchorend

```

```

6554 }%
6555 \def\endsubeqnarray{%
6556   \H@endsubeqnarray
6557 }%
6558 \newcommand{\theHsubequation}{\theHequation\alph{subequation}}%
6559 }

```

The aim of this macro is to produce a sanitized version of its argument, to make it a safe label.

```

6560 \def\make@stripped@name#1{%
6561   \begingroup
6562     \escapechar`m@ne
6563     \global\let\newname\empty
6564     \protected@edef\Hy@tempa{#1}%
6565     \edef@\tempb{%
6566       \noexpand\@tfor\noexpand\Hy@tempa:=%
6567         \expandafter\strip@prefix\meaning\Hy@tempa
6568     }%
6569     \tempb\do{%
6570       \if{\Hy@tempa}\else
6571         \if}\Hy@tempa\else
6572           \xdef\newname{\newname\Hy@tempa}%
6573         \fi
6574       \fi
6575     }%
6576   \endgroup
6577 }

```

Support for amsmath's subequations:

```

6578 \begingroup\expandafter\expandafter\expandafter\endgroup
6579 \expandafter\ifx\csname subequations\endcsname\relax
6580 \else
6581   \let\HyOrg@subequations\subequations
6582   \def\subequations{%
6583     \stepcounter{equation}%
6584     \protected@edef\theHparentequation{%
6585       \ifundefined{\theHequation}\theequation\theHequation
6586     }%
6587     \addtocounter{equation}{-1}%
6588     \HyOrg@subequations
6589     \def\theHequation{\theHparentequation\alph{equation}}%
6590     \ignorespaces
6591   }%
6592 \fi

```

Support for package amsthm (Daniel Müllner):

```

6593 \@ifpackageloaded{amsthm}{%
6594   \def\@thm#1#2#3{%
6595     \ifhmode
6596       \unskip\unskip\par
6597     \fi
6598     \normalfont
6599     \trivlist
6600     \let\thmheadnl\relax
6601     \let\thm@swap\@gobble
6602     \thm@notefont{\fontseries\mddefault\upshape}%
6603     \thm@headpunct{.}% add period after heading
6604     \thm@headsep 5\p@ plus\p@ minus\p@\relax
6605     \thm@space@setup

```

```

6606  #1% style overrides
6607  \c@topsep \thm@preskip          % used by thm head
6608  \c@topsepadd \thm@postskip       % used by \c@endparenv
6609  \def\dth@counter{\#2}%
6610  \ifx\c@empty\dth@counter
6611    \def\c@tempa{%
6612      \c@oparg{\c@begintheorem{\#3}{}}[]%
6613    }%
6614  \else
6615    \H@refstepcounter{\#2}%
6616    \hyper@makecurrent{\#2}%
6617    \let\Hy@dth@currentHref\@currentHref
6618    \def\c@tempa{%
6619      \c@oparg{\c@begintheorem{\#3}{\csname the\#2\endcsname}}[]%
6620    }%
6621  \fi
6622  \c@tempa
6623 }%
6624 \dth@everypar={%
6625   \c@minipagefalse
6626   \global\c@newlistfalse
6627   \c@noparitemfalse
6628   \ifc@inlabel
6629     \global\c@inlabelfalse
6630     \begingroup
6631       \setbox\z@\lastbox
6632       \ifvoid\z@
6633         \kern-\itemindent
6634       \fi
6635     \endgroup
6636     \ifx\c@empty\dth@counter
6637     \else
6638       \Hy@raisedlink{%
6639         \hyper@anchorstart{%
6640           \ltx@ifundefined{Hy@dth@currentHref}%
6641           \c@currentHref\Hy@dth@currentHref
6642         }\hyper@anchorend
6643       }%
6644     \fi
6645     \unhbox\c@labels
6646   \fi
6647   \ifc@nobreak
6648     \c@nobreakfalse \clubpenalty\c@M
6649   \else
6650     \clubpenalty\clubpenalty \everypar{}%
6651   \fi
6652 }%
6653 }{%

```

35 Footnotes

The footnote mark is a hypertext link, and the text is a target. We separately number the footnotes sequentially through the text, separately from whatever labels the text assigns. Too hard to keep track of markers otherwise. If the raw forms `\footnotemark` and `\footnotetext` are used, force them to use un-hyper original.

`Tabularx` causes footnote problems, disable the linking if that is loaded.

```

6654 \@ifpackageloaded{tabularx}{\Hy@hyperfootnotesfalse}{}
6655 \ifHy@hyperfootnotes
6656   \newcounter{Hfootnote}%
6657   \let\H@@footnotetext\@footnotetext
6658   \let\H@@footnotemark\@footnotemark
6659   \def\xfootnotenext[#1]{%
6660     \begingroup
6661       \csname c@\@mpfn\endcsname #1\relax
6662       \unrestored@protected@xdef\@thefnmark{\thempfn}%
6663     \endgroup
6664     \ifx\@footnotetext\@mpfootnotetext
6665       \expandafter\H@@mpfootnotetext
6666     \else
6667       \expandafter\H@@footnotetext
6668     \fi
6669   }%
6670 \def\xfootnotemark[#1]{%
6671   \begingroup
6672     \c@footnote #1\relax
6673     \unrestored@protected@xdef\@thefnmark{\thefootnote}%
6674   \endgroup
6675   \H@@footnotemark
6676 }%
6677 \let\H@@mpfootnotetext\@mpfootnotetext
6678 \long\def\@mpfootnotetext[#1]{%
6679   \H@@mpfootnotetext{%
6680     \ifHy@nesting
6681       \expandafter\hyper@anchor\expandafter{%
6682         \Hy@footnote@currentHref
6683       }{#1}%
6684     \else
6685       \Hy@raisedlink{%
6686         \expandafter\hyper@anchor\expandafter{%
6687           \Hy@footnote@currentHref
6688         }{\relax}%
6689       }{#1}%
6690     \fi
6691   }%
6692 }%
6693 \long\def\@footnotetext[#1]{%
6694   \H@@footnotetext{%
6695     \ifHy@nesting
6696       \expandafter\hyper@anchor\expandafter{%
6697         \Hy@footnote@currentHref
6698       }{#1}%
6699     \else
6700       \Hy@raisedlink{%
6701         \expandafter\hyper@anchor\expandafter{%
6702           \Hy@footnote@currentHref
6703         }{\relax}%
6704       }{%
6705         \let\@currentHref\Hy@footnote@currentHref
6706         \let\@currentlabelname\@empty
6707         #1%
6708       \fi
6709     }%
6710   }%

```

Redefine `\@footnotemark`, borrowing its code (at the cost of getting out of sync with `latex.ltx`), to take advantage of its white space and hyphenation fudges. If we just overload it, we can get variant documents (the word before the footnote is treated differently). Thanks to David Carlisle and Brian Ripley for confusing and helping me on this.

```

6711 \def\@footnotemark{%
6712 \leavevmode
6713 \ifhmode\edef\x@sf{\the\spacefactor}\nobreak\fi
6714 \stepcounter{Hfootnote}%
6715 \global\let\Hy@saved@currentHref\@currentHref
6716 \hyper@makecurrent{Hfootnote}%
6717 \global\let\Hy@footnote@currentHref\@currentHref
6718 \global\let@\currentHref\Hy@saved@currentHref
6719 \hyper@linkstart{link}{\Hy@footnote@currentHref}%
6720 \makefnmark
6721 \hyper@linkend
6722 \ifhmode\spacefactor\x@sf\fi
6723 \relax
6724 }%

```

Support for footnotes in p columns of longtable. Here `\footnote` commands are splitted into `\footnotemark` and a call of `\footnotetext` with the optional argument, that is not supported by hyperref. The result is a link by `\footnotemark` without valid anchor

```

6725 \@ifpackageloaded{longtable}{%
6726 \CheckCommand*\{LT@p@ftntext}[1]{%
6727 \edef\@tempa{%
6728 \the\LT@p@ftn
6729 \noexpand\footnotetext[\the\c@footnote]%
6730 }%
6731 \global\LT@p@ftn\expandafter{\@tempa\#1}%
6732 }%
6733 \long\def\LT@p@ftntext#1{%
6734 \edef\@tempa{%
6735 \the\LT@p@ftn
6736 \begingroup
6737 \noexpand\c@footnote=\the\c@footnote\relax
6738 \noexpand\protected\@xdef
6739 \noexpand\@thefnmark{\noexpand\thempfn}%
6740 \noexpand\protected\@xdef\noexpand\@thefnmark{%
6741 \noexpand\thempfn
6742 }%
6743 \expandafter\expandafter\expandafter\Hy@LT@footnotetext
6744 \expandafter{%
6745 \Hy@footnote@currentHref
6746 }%
6747 }%
6748 \global\LT@p@ftn\expandafter{%
6749 \@tempa\#1}%
6750 \endgroup
6751 }%
6752 }%
6753 \long\def\Hy@LT@footnotetext#1#2{%
6754 \H@footnotetext{%
6755 \ifHy@nesting
6756 \hyper@anchor{\#1}{\#2}%
6757 \else
6758 \Hy@raisedlink{%

```

```

6759      \hyper@@anchor{\#1}{\relax}%
6760      }%
6761      \def\@currentHref{\#1}%
6762      \let\@currentlabelname\empty
6763      #2%
6764      \fi
6765      }%
6766      }%
6767  }{ }%

```

Footnotes for fancyvrb (Fix by Manuel Pégourié-Gonnard).

```

6768  \@ifpackageloaded{fancyvrb}{%
6769    \def\V@@footnotetext{%
6770      \insert\footins\bgroup
6771      \csname reset@font\endcsname
6772      \footnotesize
6773      \interlinepenalty\interfootnotelinepenalty
6774      \splittopskip\footnotesep
6775      \splitmaxdepth\dp\strutbox
6776      \floatingpenalty\@MM
6777      \hsize\columnwidth
6778      \parboxrestore
6779      \edef\@currentlabel{\csname p@footnote\endcsname\@thefnmark}%
6780      \makefntext{}%
6781      \rule{\z@}{\footnotesep}%
6782      \bgroup
6783      \aftergroup\V@@footnotetext
6784      \Hy@raisedlink{%
6785        \expandafter\hyper@@anchor\expandafter{%
6786          \Hy@footnote@currentHref
6787        }{\relax}}%
6788      }%
6789      \let\@currentHref\Hy@footnote@currentHref
6790      \let\@currentlabelname\empty
6791      \ignorespaces
6792    }%
6793  }{ }%

```

KOMA-Script defines \footref that uses both \ref and \@footnotemark resulting in two links, one of them wrong.

```

6794  \def\Hy@temp#1{%
6795    \begingroup
6796    \unrestored@protected\xdef\@thefnmark{\ref{\#1}}%
6797    \endgroup
6798    \@footnotemark
6799  }%
6800  \ifx\Hy@temp\footref
6801    \def\footref#1{%
6802      \begingroup
6803      \unrestored@protected\xdef\@thefnmark{\ref{\#1}}%
6804      \endgroup
6805      \H@@footnotemark
6806    }%
6807  \fi

```

But the special footnotes in \maketitle are much too hard to deal with properly. Let them revert to plain behaviour. The koma classes add an optional argument.

```

6808  \let\HyOrg@maketitle\maketitle
6809  \def\maketitle{%

```

```

6810 \let\Hy@saved@footnotemark\@footnotemark
6811 \let\Hy@saved@footnotetext\@footnotetext
6812 \let\@footnotemark\H@@footnotemark
6813 \let\@footnotetext\H@@footnotetext
6814 \@ifnextchar[\Hy@maketitle@optarg{%
6815   \Hy@Org@maketitle
6816   \Hy@maketitle@end
6817 }%
6818 }%
6819 \def\Hy@maketitle@optarg[#1]{%
6820   \Hy@Org@maketitle[{\#1}]%
6821   \Hy@maketitle@end
6822 }%
6823 \def\Hy@maketitle@end{%
6824   \ifx\@footnotemark\H@@footnotemark
6825     \let\@footnotemark\Hy@saved@footnotemark
6826   \fi
6827   \ifx\@footnotetext\H@@footnotetext
6828     \let\@footnotetext\Hy@saved@footnotetext
6829   \fi
6830 }%

```

\realfootnote Does anyone remember the function and purpose of \realfootnote?

```

6831 \def\realfootnote{%
6832   \@ifnextchar[\@xfootnote{%
6833     \stepcounter{\@mpfn}%
6834     \protected@xdef\@thefnmark{\thempfn}%
6835     \H@@footnotemark\H@@footnotetext
6836   }%
6837 }%
6838 \fi
6839 \Hy@DisableOption{hyperfootnotes}

6840 </package>
6841 {*check}
6842 \checklateX
6843 \checkcommand\def\@xfootnotenext[#1]{%
6844   \begingroup
6845   \csname c@\@mpfn\endcsname #1\relax
6846   \unrestored\protected\@xdef\@thefnmark{\thempfn}%
6847   \endgroup
6848   \@footnotetext
6849 }
6850 \checkcommand\def\@xfootnotemark[#1]{%
6851   \begingroup
6852   \c@footnote #1\relax
6853   \unrestored\protected\@xdef\@thefnmark{\thefootnote}%
6854   \endgroup
6855   \@footnotemark
6856 }
6857 \checkcommand\def\@footnotemark{%
6858   \leavevmode
6859   \ifhmode\edef\@x@sf{\the\spacefactor}\nobreak\fi
6860   \makefnmark
6861   \ifhmode\spacefactor\@x@sf\fi
6862   \relax
6863 }

```

```

6864 </check>
6865 <*package>
```

36 Float captions

Make the float caption the hypertext anchor; curiously enough, we can't just copy the definition of `\@caption`. Its all to do with expansion. It screws up. Sigh.

```

6866 \def\caption{%
6867   \ifx\@capttype\@undefined
6868     \@latex@error{\noexpand\caption outside float}\@ehd
6869     \expandafter\@gobble
6870   \else
6871     \H@refstepcounter\@capttype
6872     \let\Hy@tempa\@caption
6873     \@ifundefined{float@caption}{%
6874       }{%
6875       \expandafter\ifx\csname @float@c@\@capttype\endcsname
6876         \float@caption
6877         \let\Hy@tempa\Hy@float@caption
6878       \fi
6879     }%
6880     \expandafter\@firstofone
6881   \fi
6882   {\@dblarg{\Hy@tempa\@capttype}}%
6883 }
6884 \long\def\@caption#1[#2]#3{%
6885   \expandafter\ifx\csname if@capstart\expandafter\endcsname
6886     \csname iftrue\endcsname
6887     \global\let\@currentHref\hc@currentHref
6888   \else
6889     \hyper@makecurrent{\@capttype}%
6890   \fi
6891   \@ifundefined{NR@getttitle}{%
6892     \def\@currentlabelname{#2}%
6893   }{%
6894     \NR@getttitle{#2}%
6895   }%
6896   \par\addcontentsline{\csname ext@#1\endcsname}{#1}{%
6897     \protect\numberline{\csname the#1\endcsname}{\ignorespaces #2}%
6898   }%
6899   \begingroup
6900     \parboxrestore
6901     \if@minipage
6902       \setminipage
6903     \fi
6904     \normalsize
6905     \expandafter\ifx\csname if@capstart\expandafter\endcsname
6906       \csname iftrue\endcsname
6907       \global\@capstartfalse
6908       \makecaption{\csname fnum@\#1\endcsname}{\ignorespaces#3}%
6909     \else
6910       \makecaption{\csname fnum@\#1\endcsname}{%
6911         \ignorespaces
```

If we cannot have nesting, the anchor is empty.

```
6912   \ifHy@nesting
```

```

6913      \expandafter\hyper@anchor\expandafter{\@currentHref}{\#3}%
6914      \else
6915          \Hy@raisedlink{%
6916              \expandafter\hyper@anchor\expandafter{%
6917                  \@currentHref
6918              }{\relax}%
6919          }%
6920          \#3%
6921      \fi
6922  }%
6923  \fi
6924  \par
6925 \endgroup
6926 }

```

Compatibility with float.sty: anchor setting at the top of the float, if the float is controlled by float.sty. Several \caption commands inside one float are not supported.

```

6927 \let\Hy@float@caption\@caption
6928 \ifpackage{float}{%
6929     \def\Hy@float@caption{%
6930         \ifx\Hy@float@currentHref\@undefined
6931             \hyper@makecurrent{\@capttype}%
6932             \global\let\Hy@float@currentHref\@currentHref
6933         \else
6934             \let\@currentHref\Hy@float@currentHref
6935         \fi
6936         \float@caption
6937     }%
6938     \let\HyOrg@float@makebox\float@makebox
6939     \renewcommand{\float@makebox}[1]{%
6940         \HyOrg@float@makebox{%
6941             #1\relax
6942             \ifx\Hy@float@currentHref\@undefined
6943             \else
6944                 \expandafter\hyper@anchor\expandafter{%
6945                     \Hy@float@currentHref
6946                 }{\relax}%
6947                 \global\let\Hy@float@currentHref\@undefined
6948             \fi
6949         }%
6950     }%
6951 }{%
6952 </package>
6953 <*check>
6954 \checklateX[1999/06/01 - 2000/06/01]
6955 \checkcommand\def\caption{%
6956     \ifx\@capttype\@undefined
6957         \@latex@error{\noexpand\caption outside float}\@ehd
6958         \expandafter\@gobble
6959     \else
6960         \refstepcounter\@capttype
6961         \expandafter\@firstofone
6962     \fi
6963     {\@dblarg{\@caption\@capttype}}%
6964 }
6965 \checkcommand\long\def\caption#1[#2]{%
6966     \par

```

```

6967 \addcontentsline{\csname ext@#1\endcsname}{#1}{%
6968   \protect\numberline{\csname the#1\endcsname}{\ignorespaces #2}%
6969 }%
6970 \begingroup
6971   \parboxrestore
6972   \if@minipage
6973     \setminipage
6974   \fi
6975   \normalsize
6976   \makecaption{\csname fnum@#1\endcsname}{\ignorespaces #3}\par
6977 \endgroup
6978 }
6979 </check>
6980 <*package>

```

37 Bibliographic references

This is not very robust, since many styles redefine these things. The package used to redefine \citet and the like; then we tried adding the hyperref call explicitly into the .aux file. Now we redefine \bibcite; this still breaks some citation packages so we have to work around them. But this remains extremely dangerous. Any or all of *achemso* and *drftcite* may break.

However, lets make an attempt to get *natbib* right, because thats a powerful, important package. Patrick Daly (daly@linmpi.mpg.de) has provided hooks for us, so all we need to do is activate them.

```

6981 \def\hyper@natlinkstart#1{%
6982   \Hy@backout{#1}%
6983   \hyper@linkstart{cite}{cite.#1}%
6984   \def\hyper@nat@current{#1}%
6985 }
6986 \def\hyper@natlinkend{%
6987   \hyper@linkend
6988 }
6989 \def\hyper@natlinkbreak#1#2{%
6990   \hyper@linkend#1\hyper@linkstart{cite}{cite.#2}%
6991 }
6992 \def\hyper@natanchorstart#1{%
6993   \Hy@raisedlink{\hyper@anchorstart{cite.#1}}%
6994 }
6995 \def\hyper@natanchorend{\hyper@anchorend}

```

Do not play games if we have natbib support. Macro extra@binfo added for chapterbib support. Chapterbib also wants \extra@binfo in the hyper-link, but since the link tag is not expanded immediately, we use \extra@b@citeb, so cites in a chapter will link to the bibliography in that chapter.

```

6996 \ltx@ifundefined{NAT@parse}{%
6997   \providecommand*\extra@binfo{}%
6998   \providecommand*\extra@b@citeb{}%
6999   \def\bibcite#1#2{%
7000     \newl@bel{b}{#1\extra@binfo}%
7001     \hyper@link[cite]{\extra@b@citeb}{#2}%
7002   }%
7003 }%
7004 \gdef\extra@binfo{}%

```

Package `babel` redefines `\bibcite` with macro `\bbl@cite@choice`. It needs to be overwritten to avoid the warning ‘Label(s) may have changed.’.

```

7005 \let\Hy@bibcite\bibcite
7006 \begingroup
7007 \@ifundefined{bbl@cite@choice}{}{%
7008   \g@addto@macro\bbl@cite@choice{%
7009     \let\bibcite\Hy@bibcite
7010   }%
7011 }%
7012 \endgroup
\@BIBLABEL is working around a ‘feature’ of RevTeX.
7013 \providecommand*\@BIBLABEL{\@biblabel}%
7014 \def\@bibitem[#1]#2{%
7015   \@skiphyperreftrue
7016   \H@item{%
7017     \ifx\Hy@raisedlink\empty
7018       \hyper@anchorstart{cite.\#2@\extra@b@citeb}%
7019       \@BIBLABEL{\#1}%
7020       \hyper@anchorend
7021     \else
7022       \Hy@raisedlink{%
7023         \hyper@anchorstart{cite.\#2@\extra@b@citeb}\hyper@anchorend
7024       }%
7025       \@BIBLABEL{\#1}%
7026     \fi
7027     \hfill
7028   }%
7029   \@skiphyperreffalse
7030   \if@filesw
7031     \begingroup
7032       \let\protect\noexpand
7033       \immediate\write\auxout{%
7034         \string\bibcite{\#2}{\#1}%
7035       }%
7036     \endgroup
7037   \fi
7038   \ignorespaces
7039 }%

```

Since `\bibitem` is doing its own labelling, call the raw version of `\item`, to avoid extra spurious labels

```

7040 \def\@bibitem#1{%
7041   \@skiphyperreftrue\H@item\@skiphyperreffalse
7042   \Hy@raisedlink{%
7043     \hyper@anchorstart{cite.\#1@\extra@b@citeb}\relax\hyper@anchorend
7044   }%
7045   \if@filesw
7046     \begingroup
7047       \let\protect\noexpand
7048       \immediate\write\auxout{%
7049         \string\bibcite{\#1}{\the\value{\@listctr}}%
7050       }%
7051     \endgroup
7052   \fi
7053   \ignorespaces
7054 }%
7055 }{%

```

```

7056 </package>
7057 <*check>
7058 \checklateX
7059 \checkcommand\def\@bibitem{\#1}{\#2}{%
7060   \item[\@biblabel{\#1}\hfill]%
7061   \if@filesw
7062     {%
7063       \let\protect\noexpand
7064       \immediate\write\auxout{%
7065         \string\bibcite{\#2}{\#1}%
7066       }%
7067     }%
7068   \fi
7069   \ignorespaces
7070 }
7071 \checkcommand\def\@bibitem{\#1}{%
7072   \item
7073   \if@filesw
7074     \immediate\write\auxout{%
7075       \string\bibcite{\#1}{\the\value{\listctr}}}%
7076     }%
7077   \fi
7078   \ignorespaces
7079 }
7080 </check>
7081 <*package>

```

RevTeX (bless its little heart) takes over \bibcite and looks at the result to measure something. Make this a hypertext link and it goes ape. Therefore, make an anodyne result first, call its business, then go back to the real thing.

```

7082 \ifclassloaded{revtex}{%
7083   \Hy@Info{*** compatibility with revtex ****}%
7084   \def\revtex@checking{\#1\#2}{%
7085     \expandafter\let\expandafter\T@temp\csname b@\#1\endcsname
7086     \expandafter\def\csname b@\#1\endcsname{\#2}%
7087     \SetMaxRnhefLabel{\#1}%
7088     \expandafter\let\csname b@\#1\endcsname\T@temp
7089   }%

```

Tanmoy provided this replacement for CITEX. Lord knows what it does. For chapterbib added: extra@b@citeb

```

7090 \ifundefined{@CITE}{\def{@CITE}{\@cite}}{}%
7091 \providecommand*{\extra@b@citeb}{}%
7092 \def{@CITE}[#1]{%
7093   \let\@cita\empty
7094   \leavevmode
7095   \unskip
7096   $^{\#1}%
7097   \scriptstyle
7098   \@CITE{}%
7099   \for{\@citedb=\#2}{\do{%
7100     \@cita
7101     \def{\@cita}{\penalty\@m}%
7102     \edef{\@citedb}{\expandafter\@firstofone\@citedb}%
7103     \if@filesw
7104       \immediate\write\auxout{\string\citation{\@citedb}}%
7105     \fi
7106   }{\extra@b@citeb}%

```

```

7107      \mbox{\reset@font\bfseries ?}%
7108      \G@refundefinedtrue
7109      \@latex@warning{%
7110          Citation '\@citeb' on page \thepage \space undefined%
7111      }%
7112      }{%
7113      {\csname b@\@citeb\@extra@b@\citeb\endcsname}%
7114      }%
7115      }%
7116      }{\#1}%
7117      }$%
7118  }%

```

No, life is too short. I am not going to understand the Revtex \collapse macro, I shall just restore the original behaviour of \@citex; sigh. This is SO vile.

```

7119  \def\@citex[\#1]{\#2}{%
7120  \let\@citea\empty
7121  \@cite{%
7122  \@for\@citeb:=\#2\do{%
7123  \@citea
7124  \def\@citea{,\penalty\@m\ }%
7125  \edef\@citeb{\expandafter\@firstofone\@citeb}%
7126  \if@filesw
7127    \immediate\write\@auxout{\string\citation{\@citeb}}%
7128  \fi
7129  \@ifundefined{b@\@citeb\@extra@b@\citeb}{%
7130    \mbox{\reset@font\bfseries ?}%
7131    \G@refundefinedtrue
7132    \@latex@warning{%
7133        Citation '\@citeb' on page \thepage \space undefined%
7134    }%
7135  }{%
7136    \hbox{\csname b@\@citeb\@extra@b@\citeb\endcsname}%
7137  }%
7138  }%
7139  }{\#1}%
7140 }%
7141 }{}}

```

37.1 Package harvard

Override Peter Williams' Harvard package; we have to a) make each of the citation types into a link; b) make each citation write a backref entry, and c) kick off a backreference section for each bibliography entry.

The redefinitions have to be deferred to \begin{document}, because if harvard.sty is loaded and html.sty is present and detects pdfTeX, then hyperref is already loaded at the begin of harvard.sty, and the \newcommand macros causes error messages.

```

7142 \ifpackageloaded{harvard}{%
7143   \Hy@AtBeginDocument{%
7144     \Hy@Info{*** compatibility with harvard ***}%
7145     \Hy@raiselinksfalse
7146     \def\harvardcite{\#1\#2\#3\#4{%
7147       \global\@namedef{HAR@fn@\#1}{\hyper@link[cite]{}{\cite.\#1\#2}}%
7148       \global\@namedef{HAR@an@\#1}{\hyper@link[cite]{}{\cite.\#1\#3}}%
7149       \global\@namedef{HAR@yr@\#1}{\hyper@link[cite]{}{\cite.\#1\#4}}%
7150       \global\@namedef{HAR@df@\#1}{\csname HAR@fn@\#1\endcsname}}%
7151   }%

```

```

7152 \def\HAR@citetoaux#1{%
7153   \if@filesw\immediate\write\auxout{\string\citation{\#1}}\fi%
7154   \ifHy@backref
7155     \ifx\empty\@currentlabel
7156     \else
7157       \bsphack
7158       \if@filesw
7159         \protected@write\auxout{}{%
7160           \string\@writefile{brf}{%
7161             \string\backcite{\#1}{%
7162               {\thepage}{\@currentlabel}{\@currentHref}}%
7163             }%
7164           }%
7165         }%
7166       \fi
7167       \esphack
7168     \fi
7169   \fi
7170 }%
7171 \def\harvarditem{%
7172   \c@ifnextchar{`}{\@harvarditem}{\@harvarditem[\null]}%
7173 }%
7174 \def\@harvarditem[#1]{\par{%
7175   \item[]%
7176   \hyper@anchorstart{cite.\#4}\relax\hyper@anchorend
7177   \if@filesw
7178     \begingroup
7179       \def\protect##1{\string ##1\space}%
7180       \ifthenelse{\equal{\#1}{\null}}{%
7181         {\def\next{\#4}{\#2}{\#2}{\#3}}%
7182         {\def\next{\#4}{\#2}{\#1}{\#3}}%
7183         \immediate\write\auxout{\string\harvardcite\codeof\next}%
7184       }\endgroup
7185     \fi
7186     \protect\hspace*{-\labelwidth}%
7187     \protect\hspace*{-\labelsep}%
7188     \ignorespaces
7189   }#5%
7190   \ifHy@backref
7191     \newblock
7192     \backref{\csname br@\#4\endcsname}%
7193   \fi
7194   \par
7195 }%

```

\HAR@checkcitations Package hyperref has added \hyper@@link, so the original test \HAR@checkcitations will fail every time and always will appear the “Changed labels” warning. So we have to redefine \Har@checkcitations:

```

7196 \long\def\HAR@checkcitations#1#2#3#4{%
7197   \def\HAR@tempa{\hyper@@link[cite]{}{cite.\#1}{\#2}}%
7198   \expandafter\ifx\csname HAR@fn\#1\endcsname\HAR@tempa
7199     \def\HAR@tempa{\hyper@@link[cite]{}{cite.\#1}{\#3}}%
7200     \expandafter\ifx\csname HAR@can\#1\endcsname\HAR@tempa
7201       \def\HAR@tempa{\hyper@@link[cite]{}{cite.\#1}{\#4}}%
7202       \expandafter\ifx\csname HAR@yr\#1\endcsname\HAR@tempa
7203         \else
7204           \tempswattrue

```

```

7205      \fi
7206      \else
7207          \c@tempswatrue
7208      \fi
7209      \else
7210          \c@tempswatrue
7211      \fi
7212  }%
7213 }%
7214 }{}}

37.2 Package chicago

The links by \citeN and \shortciteN should include the closing parentheses.

7215 \c@ifpackageloaded{chicago}{%}

\citeN
7216 \def\citeN{%
7217 \def\citeseppen{-1000}%
7218 \def\citere##1##2{##1}%
7219 \def\citeauthoryear##1##2##3{##1 (##3\citedata@opt)}%
7220 \citedata@opt
7221 }%}

\shortciteN
7222 \def\shortciteN{%
7223 \def\citeseppen{-1000}%
7224 \def\citere##1##2{##1}%
7225 \def\citeauthoryear##1##2##3{##2 (##3\citedata@opt)}%
7226 \citedata@opt
7227 }%}

\citedata@opt
7228 \def\citedata@opt{%
7229 \let\citet@opt\empty
7230 \c@ifnextchar [{%
7231 \c@tempswatrue
7232 \citedatax@opt
7233 }{%
7234 \c@tempswafalse
7235 \citedatax[]%
7236 }%
7237 }%}

\citedatax@opt
7238 \def\citedatax@opt[#1]{%
7239 \def\citet@opt{ #1}%
7240 \citedatax[ #1]%
7241 }%}

7242 }{}}

```

38 Page numbers

The last page should not contain a /Dur key, because there is no page after the last page. Therefore at the last page there should be a command \hypersetup{pdfpageduration={} }. This can be set with \AtEndDocument, but it can be too late, if the last page is already finished, or too early, if lots of float pages will follow. Therefore currently nothing is done by hyperref.

This where we supply a destination for each page.

```
7243 \def\Hy@EveryPageAnchor{%
7244   \Hy@DistillerDestFix
7245   \ifHy@pageanchor
7246     \ifHy@hypertexnames
7247       \ifHy@plainpages
7248         \def\Hy@TempPageAnchor{\hyper@anchor{page.\the\c@page}}%
7249     \else
7250       \begingroup
7251         \let\@number\@firstofone
7252         \Hy@unicodedefalse
7253         \pdfstringdef{@the@H@page}{\thepage}%
7254       \endgroup
7255       \def\Hy@TempPageAnchor{\hyper@anchor{page.\@the@H@page}}%
7256     \fi
7257   \else
7258     \Hy@GlobalStepCount\Hy@pagecounter
7259     \def\Hy@TempPageAnchor{%
7260       \hyper@anchor{page.\the\Hy@pagecounter}}%
7261     }%
7262   \fi
7263   \vbox to 0pt{%
7264     \kern\voffset
7265     \kern\topmargin
7266     \kern-1bp\relax
7267     \hbox to 0pt{%
7268       \kern\hoffset
7269       \kern\ifodd\value{page}%
7270         \oddsidemargin
7271       \else
7272         \evensidemargin
7273       \fi
7274       \kern-1bp\relax
7275       \Hy@TempPageAnchor\relax
7276       \hss
7277     }%
7278   \vss
7279 }%
7280 \fi
7281 }
7282 \g@addto@macro\Hy@EveryPageBoxHook{%
7283   \Hy@EveryPageAnchor
7284 }
```

39 Table of contents

TV Raman noticed that people who add arbitrary material into the TOC generate a bad or null link. We avoid that by checking if the current destination is empty. But if ‘the most

recent destination' is not what you expect, you will be in trouble.

```

7285 \def\addcontentsline#1#2#3{%
7286   \begingroup
7287   \let\label\gobble
7288   \ifx\@currentHref\@empty
7289     \Hy@Warning{%
7290       No destination for bookmark of \string\addcontentsline,%}
7291       \MessageBreak destination is added%
7292     }%
7293   \phantomsection
7294   \fi
7295 \expandafter\ifx\csname toclevel@\#2\endcsname\relax
7296   \begingroup
7297     \def\Hy@tempa{#1}%
7298     \ifx\Hy@tempa\Hy@bookmarkstype
7299       \Hy@WarningNoLine{%
7300         bookmark level for unknown #2 defaults to 0%
7301       }%
7302     \else
7303       \Hy@Info{bookmark level for unknown #2 defaults to 0}%
7304     \fi
7305   \endgroup
7306   \expandafter\gdef\csname toclevel@\#2\endcsname{0}%
7307   \fi
7308 \edef\Hy@toclevel{\csname toclevel@\#2\endcsname}%
7309 \Hy@writebookmark{\csname the#\#2\endcsname}%
7310 {#3}%
7311 {\@currentHref}%
7312 {\Hy@toclevel}%
7313 {#1}%
7314 \ifHy@verbose
7315   \begingroup
7316     \def\Hy@tempa{#3}%
7317     \@onelvel@sanitize\Hy@tempa
7318     \let\temp@online\on@line
7319     \let\on@line\@empty
7320     \Hy@Info{%
7321       bookmark\temp@online:\MessageBreak
7322       thecounter {\csname the#\#2\endcsname}\MessageBreak
7323       text {\Hy@tempa}\MessageBreak
7324       reference {\@currentHref}\MessageBreak
7325       toclevel {\Hy@toclevel}\MessageBreak
7326       type {#1}%
7327     }%
7328   \endgroup
7329   \fi
7330 \addtocontents{#1}{%
7331   \protect\contentsline{#2}{#3}{\thepage}{\@currentHref}%
7332 }%
7333 \endgroup
7334 }
7335 \def\contentsline#1#2#3#4{%
7336   \ifx\\#4\\%
7337     \csname l@\#1\endcsname{#2}{#3}%
7338   \else
7339     \ifcase\Hy@linktoc % none
7340       \csname l@\#1\endcsname{#2}{#3}%

```

```

7341 \or % section
7342   \csname l@#1\endcsname{%
7343     \hyper@linkstart{link}{#4}{#2}\hyper@linkend
7344   }{#3}%
7345 \or % page
7346   \csname l@#1\endcsname{#2}{%
7347     \hyper@linkstart{link}{#4}{#3}\hyper@linkend
7348   }%
7349 \else % all
7350   \csname l@#1\endcsname{%
7351     \hyper@linkstart{link}{#4}{#2}\hyper@linkend
7352   }{%
7353     \hyper@linkstart{link}{#4}{#3}\hyper@linkend
7354   }%
7355 \fi
7356 \fi
7357 }

7358 </package>
7359 <*check>
7360 \checklateX
7361 \checkcommand\def\addcontentsline#1#2#3{%
7362   \addtocontents{#1}{\protect\contentsline{#2}{#3}{\thepage}}%
7363 }
7364 \checkcommand\def\contentsline#1{\csname l@#1\endcsname}
7365 </check>
7366 <*package>

```

40 New counters

The whole theorem business makes up new counters on the fly; we are going to intercept this. Sigh. Do it at the level where new counters are defined.

```

7367 \let\H@definecounter\@definecounter
7368 \def\@definecounter#1{%
7369   \H@definecounter{#1}%
7370   \expandafter\def\csname theH#1\endcsname{\arabic{#1}}%
7371 }

```

But what if they have used the optional argument to e.g. `\newtheorem` to determine when the numbering is reset? OK, we'll trap that too.

```

7372 \let\H@newctr\@newctr
7373 \def\@newctr#1[#2]{%
7374   \H@newctr#1[#{#2}]%
7375   \expandafter\def\csname theH#1\endcsname{%
7376     \csname the\@ifundefined{theH#2}{}{H}#2\endcsname.\arabic{#1}}%
7377 }%
7378 }

```

41 AMS \LaTeX compatibility

Oh, no, they don't use anything as simple as `\refstepcounter` in the AMS! We need to intercept some low-level operations of theirs. Damned if we are going to try and work out what they get up to. Just stick a label of 'AMS' on the front, and use the label *they* worked out. If that produces something invalid, I give up. They'll change all the code again anyway, I expect (SR).

Version 6.77p uses a patch by Ross Moore.

```
7379 \@ifpackageloaded{amsmath}{%
7380   \def\Hy@make@anchor{%
7381     \Hy@MakeCurrentHrefAuto{AMS}%
7382     \Hy@raisedlink{\hyper@anchorstart{\@currentHref}\hyper@anchorend}%
7383   }%
7384   \def\Hy@make@df@tag@@#1{%
7385     \gdef\df@tag{%
7386       \maketag@@@\{\Hy@make@anchor#1\}%
7387       \def\@currentlabel{\#1}%
7388     }%
7389   }%
7390   \def\Hy@make@df@tag@@@#1{%
7391     \gdef\df@tag{%
7392       \tagform@\{\Hy@make@anchor#1\}%
7393       \toks@\@xp{\p@equation{\#1}}%
7394       \edef\@currentlabel{\the\toks@}%
7395     }%
7396   }%
7397   \let\HyOrg@make@df@tag@@\make@df@tag@@
7398   \let\HyOrg@make@df@tag@@@ \make@df@tag@@@%
7399   \let\make@df@tag@@\Hy@make@df@tag@@
7400   \let\make@df@tag@@@ \Hy@make@df@tag@@@%
7401 }{}}
```

Only play with `\seteqlebal` if we are using pdftex. Other drivers cause problems; requested by Michael Downes (AMS).

```
7402 \@ifpackagewith{hyperref}{pdftex}{%
7403   \let\H@seteqlabel\@seteqlabel
7404   \def\@seteqlabel#1{%
7405     \H@seteqlabel{\#1}%
7406     \xdef\@currentHref{AMS.\the\Hy@linkcounter}%
7407     \Hy@raisedlink{%
7408       \hyper@anchorstart{\@currentHref}\hyper@anchorend
7409     }%
7410   }%
7411 }{}}
```

This code I simply cannot remember what I was trying to achieve. The final result seems to do nothing anyway.

```
\let\H@tagform@\tagform@
\def\tagform@#1{%
  \maketag@@@\{\hyper@anchor{\@currentHref}%
  {(\ignorespaces#1\unskip)}\}%
}
\def\eqref#1{\textup{\H@tagform@\{\ref{\#1}\}}}
```

41.1 \@addtoreset and \numberwithin patches

`\@addtoreset` puts a counter to the reset list of another counter. After a reset the counter starts again with perhaps already used values. Therefore the hyperref version of the counter print command `\theHcounter` is redefined in order to add the parent counter.

```
7412 \let\HyOrg@addtoreset\@addtoreset
7413 \def\@addtoreset#1#2{%
7414   \HyOrg@addtoreset{\#1}{\#2}%
7415   \expandafter\xdef\csname theH#1\endcsname{%
7416     \expandafter\noexpand
```

```

7417      \csname the\@ifundefined{theH#2}{}H#2\endcsname
7418      .\noexpand\the\noexpand\value{\#1}%
7419  }%
7420 }

```

\numberwithin A appropriate definition of hyperref's companion counter (\theH...) is added for correct link names.

```

7421 </package>
7422 <*check>
7423 \checkpackage{amsmath}[1999/12/14 - 2000/06/06]
7424 \checkcommand\newcommand{\numberwithin}[3][\arabic]{%
7425  \@ifundefined{c@#2}{\@nocounterr{#2}}{%
7426    \@ifundefined{c@#3}{\@nocounterr{#3}}{%
7427      \addtoreset{#2}{#3}%
7428      \xp\xdef\csname the#2\endcsname{%
7429        \xp@\nx\csname the#3\endcsname .\@nx#1{#2}%
7430      }%
7431    }%
7432  }%
7433 }%
7434 </check>
7435 <*package>
7436 \@ifpackageloaded{amsmath}{%
7437  \@ifpackagelater{amsmath}{1999/12/14}{%
7438    \renewcommand*\{\numberwithin}[3][\arabic]{%
7439      \@ifundefined{c@#2}{\@nocounterr{#2}}{%
7440        \@ifundefined{c@#3}{\@nocounterr{#3}}{%
7441          \HyOrg@addtoreset{#2}{#3}%
7442          \xp\xdef\csname the#2\endcsname{%
7443            \xp@\nx\csname the#3\endcsname .\@nx#1{#2}%
7444          }%
7445        }%
7446      }%
7447      \csname the\@ifundefined{theH#3}{}H#3\endcsname
7448      .\@nx#1{#2}%
7449    }%
7450  }%
7451 }%
7452 }%
7453 }{%
7454  \Hy@WarningNoLine{%
7455    \string\numberwithin\space of package 'amsmath' %
7456    only fixed\MessageBreak
7457    for version 2000/06/06 v2.12 or newer%
7458  }%
7459 }%
7460 }{ }

```

42 Included figures

Simply intercept the low level graphics package macro.

```

7461 \ifHy@figures
7462  \let\Hy@Gin@setfile\Gin@setfile
7463  \def\Gin@setfile#1#2#3{%
7464    \hyperimage{#3}{\Hy@Gin@setfile{#1}{#2}{#3}}%
7465  }%

```

```

7466 \fi
7467 \Hy@DisableOption{hyperfigures}

```

43 hyperindex entries

Internal command names are prefixed with `\HyInd@`.

Hyper-indexing works crudely, by forcing code onto the end of the index entry with the `|` feature; this puts a hyperlink around the printed page numbers. It will not proceed if the author has already used the `|` specifier for something like emboldening entries. That would make Makeindex fail (cannot have two `|` specifiers). The solution is for the author to use generic coding, and put in the requisite `\hyperpage` in his/her own macros along with the boldness.

This section is poor stuff; it's open to all sorts of abuse. Sensible large projects will design their own indexing macros any bypass this.

```

7468 \ifHy@hyperindex
7469   \def\HyInd@ParenLeft{()%
7470   \def\HyInd@ParenRight{}%
7471   \def\hyperindexformat#1#2{%
7472     \let\HyOrg@hyperpage\hyperpage
7473     \let\hyperpage\@firstofone
7474     #1{\HyOrg@hyperpage{#2}}%
7475     \let\hyperpage\HyOrg@hyperpage
7476   }%
7477   \Hy@nextfalse
7478   \c@ifpackageloaded{multind}{\Hy@nexttrue}{}%
7479   \c@ifpackageloaded{index}{\Hy@nexttrue}{}%
7480   \c@ifpackageloaded{amsidx}{\Hy@nexttrue}{}%
7481   \begingroup
7482     \lccode`|=`\expandafter`HyInd@EncapChar\relax
7483     \lccode`/='\\relax
7484   \lowercase{\endgroup
7485   \ifHy@next
7486     \let\HyInd@org@wrindex\wrindex
7487     \def@\wrindex#1#2{\HyInd@wrindex{#1}#2||\\}%
7488     \def\HyInd@wrindex#1#2|#3|#4\\{%
7489       \ifx\\#3\\%
7490         \HyInd@org@wrindex{#1}{#2|hyperpage}%
7491       \else
7492         \HyInd@wrindex{#1}{#2}|#3\\%
7493       \fi
7494     }%
7495     \def\HyInd@@@wrindex#1#2#3#4\\{%
7496       \def\Hy@temp@A{#3}%
7497       \ifcase\ifx\Hy@temp@A\HyInd@ParenLeft 1\fi
7498         \ifx\Hy@temp@A\HyInd@ParenRight 1\fi
7499       \relax
7500       \HyInd@org@wrindex{#1}{%
7501         #2|hyperindexformat{/#3#4}}%
7502     }%
7503   \else
7504     \ifx\\#4\\%
7505       \ifx\Hy@temp@A\HyInd@ParenRight
7506         \HyInd@org@wrindex{#1}{#2|#3}%
7507       \else
7508         \HyInd@org@wrindex{#1}{#2|#3hyperpage}%

```

```

7509      \fi
7510  \else
7511      \HyInd@org@wrindex{#1}{%
7512          #2|#3hyperindexformat{/#4}%
7513      }%
7514      \fi
7515  \fi
7516 }%
7517 \else
7518     \def\@wrindex#1{\@wrindex#1||\\}%
7519     \def\@wrindex#1|#2|#3\\{%
7520         \if@filesw
7521             \ifx\\#2\\%
7522                 \protected@write\@indexfile{}{%
7523                     \string\indexentry{#1|hyperpage}{\thepage}%
7524                 }%
7525             \else
7526                 \HyInd@C@wrindex{#1}|#2\\%
7527             \fi
7528         \fi
7529     \endgroup
7530     \@esphack
7531 }%
7532 \def\HyInd@C@wrindex#1|#2|#3\\{%
7533     \def\Hy@temp@A{#2}%
7534     \ifcase0\ifx\Hy@temp@A\HyInd@ParenLeft 1\fi
7535         \ifx\Hy@temp@A\HyInd@ParenRight 1\fi
7536         \relax
7537         \protected@write\@indexfile{}{%
7538             \string\indexentry{%
7539                 #1|hyperindexformat{/#2#3}%
7540             }{\thepage}%
7541         }%
7542     \else
7543         \ifx\\#3\\%
7544             \ifx\Hy@temp@A\HyInd@ParenRight
7545                 \protected@write\@indexfile{}{%
7546                     \string\indexentry{#1|#2}{\thepage}%
7547                 }%
7548             \else
7549                 \protected@write\@indexfile{}{%
7550                     \string\indexentry{#1|#2hyperpage}{\thepage}%
7551                 }%
7552             \fi
7553         \else
7554             \protected@write\@indexfile{}{%
7555                 \string\indexentry{%
7556                     #1|#2hyperindexformat{/#3}%
7557                 }{\thepage}%
7558             }%
7559             \fi
7560         \fi
7561     }%
7562     \fi
7563 }%
7564 \fi
7565 \Hy@DisableOption{hyperindex}

```

```
7566 \Hy@DisableOption{encap}
```

\nohyperpage The definition of \nohyperpage is just a precaution. It is used to mark code that does not belong to a page number, but \nohyperpage is never executed.

```
7567 \def\nohyperpage#1{#1}
```

This again is quite flaky, but allow for the common situation of a page range separated by en-rule. We split this into two different hyperlinked pages.

```
7568 \def\hyperpage#1{%
7569   \HyInd@hyperpage#1\nohyperpage{}@\nil
7570 }
7571 \def\HyInd@hyperpage#1\nohyperpage#2#3@\nil{%
7572   \HyInd@hyperpage{#1}%
7573   #2%
7574   \def\Hy@temp{#3}%
7575   \ifx\Hy@temp\@empty
7576   \else
7577     \Hy@ReturnAfterFi{%
7578       \HyInd@hyperpage#3@\nil
7579     }%
7580   \fi
7581 }
7582 \def\HyInd@hyperpage#1{\@hyperpage#1----\\}
7583 \def@\hyperpage#1--#2--#3\\{%
7584   \ifx\\#2\\%
7585     \@commahyperpage{#1}%
7586   \else
7587     \HyInd@pagelink{#1}--\HyInd@pagelink{#2}%
7588   \fi
7589 }
7590 \def@\commahyperpage#1{\@commahyperpage#1, ,\\}
7591 \def@\commahyperpage#1, #2,#3\\{%
7592   \ifx\\#2\\%
7593     \HyInd@pagelink{#1}%
7594   \else
7595     \HyInd@pagelink{#1}, \HyInd@pagelink{#2}%
7596   \fi
7597 }
```

The argument of \hyperpage can be empty. And the line breaking algorithm of Makeindex can introduce spaces. So we have to remove them.

```
7598 \def\HyInd@pagelink#1{%
7599   \begingroup
7600   \toks@={}
7601   \HyInd@removespaces#1 \nil
7602   \endgroup
7603 }
7604 \def\HyInd@removespaces#1 #2@\nil{%
7605   \toks@=\expandafter{\the\toks@#1}%
7606   \ifx\\#2\\%
7607     \edef\x{\the\toks@}%
7608     \ifx\x\@empty
7609     \else
7610       \hyperlink{page.\the\toks@}{\the\toks@}%
7611     \fi
7612   \else
7613     \Hy@ReturnAfterFi{%
```

```

7614     \HyInd@removespaces#2\@nil
7615   }%
7616   \fi
7617 }

```

44 Compatibility with foiltex

```

7618 \@ifclassloaded{foils}{%
7619   \providecommand*\ext@table{lot}%
7620   \providecommand*\ext@figure{lof}%
7621 }{%

```

45 Compatibility with seminar slide package

This requires `seminar.bg2`, version 1.6 or later. Contributions by Denis Girou (`denis.girou@idris.fr`).

```

7622 \@ifclassloaded{seminar}{%
7623   \Hy@seminarslidestrue\newcommand{\theHslide}{\arabic{slide}}%
7624 }{%
7625   \Hy@seminarslidesfalse
7626 }
7627 \@ifpackageloaded{slidesec}{%
7628   \newcommand{\theHslidesection}{\arabic{slidesection}}%
7629   \newcommand{\theHslidesubsection}{%
7630     \theHslidesection.\arabic{slidesubsection}}%
7631 }%
7632 \def\slide@heading[#1]{%
7633   \H@refstepcounter{slidesection}%
7634   \Caddtoreset{slidesubsection}{slidesection}%
7635   \addtocontents{los}{%
7636     \protect\l@slide{\the\c@slidesection}{\ignorespaces#1}%
7637     {\@SCTR}{slideheading.\theslidesection}%
7638   }%
7639   \def\Hy@tempa{%
7640     \ifx\Hy@tempa\empty
7641     \else
7642     {%
7643       \edef\@currentlabel{%
7644         \csname p@slidesection\endcsname\theslidesection
7645       }%
7646       \makeslideheading{#2}%
7647     }%
7648   \fi
7649   \gdef\theslideheading{#1}%
7650   \gdef\theslidesubsection{}%
7651   \ifHy@bookmarksnumbered
7652     \def\Hy@slidetitle{\theslidesection\space #1}%
7653   \else
7654     \def\Hy@slidetitle{#1}%
7655   \fi
7656   \ifHy@hypertexnames
7657     \ifHy@naturalnames
7658       \hyper@anchor{slideheading.\theslidesection}{\relax}%
7659     \Hy@writebookmark
7660       {\theslidesection}%
7661       {\Hy@slidetitle}%

```

```

7662     {slideheading.\theslidesection}%
7663     {1}%
7664     {toc}%
7665 \else
7666     \hyper@@anchor{slideheading.\theHslidesection}{\relax}%
7667     \Hy@writebookmark
7668     {\theslidesection}%
7669     {\Hy@slidetitle}%
7670     {slideheading.\theHslidesection}%
7671     {1}%
7672     {toc}%
7673     \fi
7674 \else
7675     \Hy@GlobalStepCount\Hy@linkcounter
7676     \hyper@@anchor{slideheading.\the\Hy@linkcounter}{\relax}%
7677     \Hy@writebookmark
7678     {\theslidesection}%
7679     {\Hy@slidetitle}%
7680     {slideheading.\the\Hy@linkcounter}%
7681     {1}%
7682     {toc}%
7683     \fi
7684 }%
7685 \def\slide@subheading[#1]{%
7686     \H@refstepcounter{slidesubsection}%
7687     \addtocontents{los}{%
7688         \protect\l@subslide{\the\c@slidesubsection}{\ignorespaces#1}%
7689         {\@SCTR}{slideheading.\theslidesubsection}%
7690     }%
7691     \def\Hy@tempa{#2}%
7692     \ifx\Hy@tempa\empty
7693     \else
7694     {%
7695         \edef@\currentlabel{%
7696             \csname p@slidesubsection\endcsname\theslidesubsection
7697         }%
7698         \makeslidesubheading{#2}%
7699     }%
7700     \fi
7701     \gdef\theslidesubheading{#1}%
7702     \ifHy@bookmarksnumbered
7703         \def\Hy@slidetitle{\theslidesubsection\space #1}%
7704     \else
7705         \def\Hy@slidetitle{#1}%
7706     \fi
7707     \ifHy@hypertexnames
7708         \ifHy@naturalnames
7709             \hyper@@anchor{slideheading.\theslidesubsection}{\relax}%
7710             \Hy@writebookmark
7711             {\theslidesubsection}%
7712             {\Hy@slidetitle}%
7713             {slideheading.\theslidesubsection}%
7714             {2}%
7715             {toc}%
7716         \else
7717             \hyper@@anchor{slideheading.\theHslidesubsection}{\relax}%
7718             \Hy@writebookmark

```

```

7719      {\theslidesubsection}%
7720      {\Hy@slidetitle}%
7721      {slideheading.\theHslidesubsection}%
7722      {2}%
7723      {toc}%
7724      \fi
7725  \else
7726      \Hy@GlobalStepCount\Hy@linkcounter
7727      \hyper@anchor{slideheading.\the\Hy@linkcounter}{\relax}%
7728      \Hy@writebookmark
7729      {\theslidesubsection}%
7730      {\Hy@slidetitle}%
7731      {slideheading.\the\Hy@linkcounter}%
7732      {1}%
7733      {toc}%
7734      \fi
7735  }%
7736 \providecommand*{\listslidename}{List of Slides}%
7737 \def\listofslides{%
7738     \section*{%
7739         \listslidename
7740         \mkboth{%
7741             \expandafter\MakeUppercase\listslidename
7742         }{%
7743             \expandafter\MakeUppercase\listslidename
7744         }%
7745     }%
7746     \def\l@slide##1##2##3##4{%
7747         \slide@undottedcline{%
7748             \slidenumberline{##3}{\hyperlink{##4}{##2}}%
7749         }%
7750     }%
7751     \let\l@subslide\l@slide
7752     \startlos
7753 }%
7754 \def\slide@contents{%
7755     \def\l@slide##1##2##3##4{%
7756         \slide@cline{\slidenumberline{##3}{\hyperlink{##4}{##2}}}{##3}%
7757     }%
7758     \let\l@subslide\@gobblefour
7759     \startlos
7760 }%
7761 \def\Slide@contents{%
7762     \def\l@slide##1##2##3##4{%
7763         \ifcase\lslide@flag
7764             \message{##1 ** \the\c@slidesection}%
7765             \ifnum##1>\c@slidesection
7766                 \def\lslide@flag{1}%
7767             \fi
7768             \large
7769             \slide@cline{%
7770                 \slidenumberline{$\rightarrow$\bullet}%
7771                 {\hyperlink{##4}{##2}}%
7772             }{##3}%
7773         \else
7774             \else
7775

```

```

7776      \large
7777      \slide@cline{%
7778          \slidenumberline{$\sqrt{\bullet}$}%
7779          {\hyperlink{##4}{##2}}%
7780      }{##3}%
7781  }%
7782  \fi
7783 \or
7784     \def\lslide@flag{2}%
7785  {%
7786      \large
7787      \slide@cline{%
7788          \slidenumberline{$\bullet$}%
7789          {\hyperlink{##4}{##2}}%
7790      }{##3}%
7791  }%
7792 \or
7793  {%
7794      \large
7795      \slide@cline{%
7796          \slidenumberline{$\bullet$}%
7797          {\hyperlink{##4}{##2}}%
7798      }{##3}%
7799  }%
7800 \fi
7801 }%
7802 \def\l@subslide##1##2##3##4{%
7803   \ifnum\lslide@flag=1 %
7804     @undottedtocline{2}{3.8em}{3.2em}{\hyperlink{##4}{##2}}{}%
7805   \fi
7806 }%
7807 \def\lslide@flag{0}%
7808 \atstartlos
7809 }%
7810 }{%

```

This breaks TeX4ht, so leave it to last. Emend `\@setref` to put out a hypertext link as well as its normal text (which is used as an anchor). (`\endinput` have to be on the same line like `\fi`, or you have to use `\expandafter` before.)

```

7811 \ifHy@texht
7812   \expandafter\endinput
7813 \fi
7814 \let\real@\setref\@setref
7815 \def\@setref#1#2#3{%
7816   \csname extract group, refname
7817   \ifx#1\relax
7818     \protect\G@refundefinedtrue
7819     \nfss@text{\reset@font\bfseries ??}%
7820   \else
7821     \real{#3} on page \thepage \space undefined%
7822   \fi
7823 }%
7824 \else
7825   \expandafter\Hy@setref@link#1\empty\empty\@nil{#2}%
7826 \fi
7827 }%

```

`\Hy@setref@link` extracts the reference information entries, because `\hyper@link` does not expand arguments for the automatic link type detection.

```

7826 \def\Hy@setref@link#1#2#3#4#5#6\@nil#7{%

```

```

7827 \begingroup
7828 \toks0={\hyper@@link{\#5}{\#4}}%
7829 \toks1=\expandafter{\#7{\#1}{\#2}{\#3}{\#4}{\#5}}%
7830 \edef\x{\endgroup
7831 \the\toks0 {\the\toks1 }%
7832 }%
7833 \x
7834 }
7835 \def\@pagesetref#1#2#3{%
7836 % csname, extract macro, ref
7837 \ifx#1\relax
7838 \protect\G@refundefinedtrue
7839 \nfss@text{\reset@font\bfseries ??}%
7840 \G@warning{%
7841 Reference '#3' on page \thepage\space undefined}%
7842 }%
7843 \else
7844 \protect\hyper@@link
7845 {\expandafter\@fifthoffive#1}%
7846 {\page.\expandafter\@secondoffive#1}%
7847 {\expandafter\@secondoffive#1}%
7848 }
7849 </package>
7850 <*check>
7851 \checklateX
7852 \checkcommand\def\@setref#1#2#3{%
7853 \ifx#1\relax
7854 \protect\G@refundefinedtrue
7855 \nfss@text{\reset@font\bfseries ??}%
7856 \G@warning{%
7857 Reference '#3' on page \thepage\space undefined}%
7858 }%
7859 \else
7860 \expandafter#2#1\null
7861 \fi
7862 }
7863 </check>
7864 <*package>

```

Now some extended referencing. `\ref*` and `\pageref*` are not linked, and `\autoref` prefixes with a tag based on the type.

```

7865 \def\HyRef@StarSetRef#1{%
7866 \begingroup
7867 \Hy@safe@activesttrue
7868 \edef\x{\#1}%
7869 \G@onelevel@sanitize\x
7870 \edef\x{\endgroup
7871 \noexpand\HyRef@@StarSetRef
7872 \expandafter\noexpand\csname r@\x\endcsname{\x}%
7873 }%
7874 \x
7875 }
7876 \def\HyRef@@StarSetRef#1#2#3{%
7877 \ifx#1\@undefined
7878 \let#1\relax
7879 \fi
7880 \real@setref#1#3{\#2}%

```

```

7881 }
7882 \def\@refstar#1{%
7883   \HyRef@StarSetRef{\#1}\@firstoffive
7884 }
7885 \def\@pagerefstar#1{%
7886   \HyRef@StarSetRef{\#1}\@secondoffive
7887 }
7888 \def\@namerefstar#1{%
7889   \HyRef@StarSetRef{\#1}\@thirdoffive
7890 }
7891 \Hy@AtBeginDocument{%
7892   \@ifpackageloaded{varioref}{%
7893     \def\@Refstar#1{%
7894       \HyRef@StarSetRef{\#1}\HyRef@MakeUppercaseFirstOfFive
7895     }%
7896     \def\HyRef@MakeUppercaseFirstOfFive#1#2#3#4#5{%
7897       \MakeUppercase#1%
7898     }%
7899     \DeclareRobustCommand*\@Ref{%
7900       \@ifstar\@Refstar\HyRef@Ref
7901     }%
7902     \def\HyRef@Ref#1{%
7903       \hyperref{\#1}{\Ref{\#1}}%
7904     }%
7905     \def\Vr@f#1{%
7906       \leavevemode\unskip\vref@space
7907       \hyperref{\#1}{\%
7908         \Ref{\#1}%
7909       \let\vref@space\nobreakspace
7910       \vpageref[\unskip]{\#1}%
7911     }%
7912   }%
7913   \def\vr@f#1{%
7914     \leavevemode\unskip\vref@space
7915     \begingroup
7916       \let\T@pageref\@pagerefstar
7917       \hyperref{\#1}{\%
7918         \ref{\#1}%
7919       \vpageref[\unskip]{\#1}%
7920     }%
7921     \endgroup
7922   }%
7923 }{%
7924 }
7925 \DeclareRobustCommand*\@autpageref{%
7926   \@ifstar{%
7927     \HyRef@autpagerefname\pageref*%
7928   }{\HyRef@autpageref
7929 }
7930 \def\HyRef@autpageref#1{%
7931   \hyperref{\#1}{\HyRef@autpagerefname\pageref{\#1}}%
7932 }
7933 \def\HyRef@autpagerefname{%
7934   \ltx@ifundefined{pageautorefname}{%
7935     \ltx@ifundefined{pagename}{%
7936       \Hy@Warning{No autoref name for 'page'}%
7937     }{%

```

```

7938     \pagename\nobreakspace
7939   }%
7940 }{%
7941   \pageautorefname\nobreakspace
7942 }%
7943 }
7944 \DeclareRobustCommand*\{\autoref}{%
7945   \Ifstar{\HyRef@autoref@gobbletwo}{\HyRef@autoref@hyper@link}%
7946 }
7947 \def\HyRef@autoref#1#2{%
7948   \begingroup
7949   \Hy@safe@activestrue
7950   \expandafter\HyRef@autogetref\csname r@##2\endcsname{##2}{##1}%
7951   \endgroup
7952 }
7953 \def\HyRef@autogetref#1#2#3{%
7954   link command, csname, refname
7955   \HyRef@ShowKeysRef{#2}%
7956   \ifcase 0\ifx#1\relax 1\fi\ifx#1\Hy@variorref@undefined 1\fi\relax
7957   \edef\HyRef@thisref{%
7958     \expandafter\@fourthoffive#1\@empty\@empty\@empty
7959   }%
7960   \expandafter\HyRef@testreftype\HyRef@thisref.\@%
7961   \Hy@safe@activesfalse
7962   #3{%
7963     \expandafter\@fifthoffive#1\@empty\@empty\@empty
7964   }%
7965   \expandafter\@fourthoffive#1\@empty\@empty\@empty
7966   \HyRef@currentHtag
7967   \expandafter\@firstoffive#1\@empty\@empty\@empty
7968   \null
7969 }%
7970 \else
7971   \protect\G@refundefinedtrue
7972   \nfss@text{\reset@font\bfseries ??}%
7973   \@latex@warning{%
7974     Reference '#2' on page \thepage\space undefined%
7975   }%
7976 \fi
7977 }
7978 \def\HyRef@testreftype#1.#2{\%
7979   \ltx@ifundefined{#1autorefname}{%
7980     \ltx@ifundefined{#1name}{%
7981       \HyRef@StripStar#1\@nil{#1}%
7982     }%
7983     \ltx@ifundefined{\HyRef@name autorefname}{%
7984       \def\HyRef@name{#1}%
7985       \Hy@Warning{No autoref name for '#1'}%
7986     }%
7987     \edef\HyRef@currentHtag{%
7988       \expandafter\noexpand\csname\HyRef@name name\endcsname
7989       \noexpand~%
7990     }%
7991   }%
7992 }%
7993 \edef\HyRef@currentHtag{%
7994   \expandafter\noexpand

```

```

7995      \csname\HyRef@name autorefname\endcsname
7996      \noexpand~%
7997      }%
7998      }%
7999      }{%
8000      \edef\HyRef@currentHtag{%
8001      \expandafter\noexpand\csname#1name\endcsname
8002      \noexpand~%
8003      }%
8004      }%
8005      }{%
8006      \edef\HyRef@currentHtag{%
8007      \expandafter\noexpand\csname#1autorefname\endcsname
8008      \noexpand~%
8009      }%
8010      }%
8011 }
8012 \def\HyRef@StripStar#1*\\#2@nil#3{%
8013   \def\HyRef@name{\#2}%
8014   \ifx\HyRef@name\HyRef@CaseStar
8015     \def\HyRef@name{\#1}%
8016   \else
8017     \def\HyRef@name{\#3}%
8018   \fi
8019 }
8020 \def\HyRef@CaseStar{*\\}
8021 \def\HyRef@currentHtag{}}

```

Support for package showkeys.

```

\HyRef@ShowKeysRef
8022 \let\HyRef@ShowKeysRef\@gobble
8023 \def\HyRef@ShowKeysInit{%
8024   \begingroup\expandafter\expandafter\expandafter\endgroup
8025   \expandafter\ifx\csname SK@@label\endcsname\relax
8026   \else
8027     \ifx\SK@ref\@empty
8028     \else
8029       \def\HyRef@ShowKeysRef{%
8030         \SK@\SK@ref
8031       }%
8032     \fi
8033   \fi
8034 }
8035 \@ifpackageloaded{showkeys}{%
8036   \HyRef@ShowKeysInit
8037 }{%
8038   \Hy@AtBeginDocument{%
8039     \@ifpackageloaded{showkeys}{%
8040       \HyRef@ShowKeysInit
8041     }{}%
8042   }%
8043 }

```

Defaults for the names that \autoref uses.

```

8044 \providecommand*\AMSAutorefname{\equationautorefname}
8045 \providecommand*\Hfootnoteautorefname{\footnoteautorefname}
8046 \providecommand*\Itemautorefname{\itemautorefname}

```

```

8047 \providecommand*\itemautorefname{item}
8048 \providecommand*\equationautorefname{Equation}
8049 \providecommand*\footnoteautorefname{footnote}
8050 \providecommand*\itemautorefname{item}
8051 \providecommand*\figureautorefname{Figure}
8052 \providecommand*\tableautorefname{Table}
8053 \providecommand*\partautorefname{Part}
8054 \providecommand*\appendixautorefname{Appendix}
8055 \providecommand*\chapterautorefname{chapter}
8056 \providecommand*\sectionautorefname{section}
8057 \providecommand*\subsectionautorefname{subsection}
8058 \providecommand*\subsubsectionautorefname{subsubsection}
8059 \providecommand*\paragraphautorefname{paragraph}
8060 \providecommand*\ subparagraphautorefname{subparagraph}
8061 \providecommand*\FancyVerbLineautorefname{line}
8062 \providecommand*\theoremautorefname{Theorem}
8063 \providecommand*\pageautorefname{page}
8064 </package>

```

46 Configuration files

46.1 PS/PDF strings

Some drivers write PS or PDF strings. These strings are delimited by parentheses, therefore a lonely unmatched parenthesis must be avoided to avoid PS or PDF syntax errors. Also the backslash character itself has to be protected.

\Hy@pstringdef Therefore such strings should be passed through \Hy@pstringdef. The first argument holds a macro for the result, the second argument is the string that needs protecting. Since version 1.30.0 pdfTeX offers \pdfescapestring.

```

8065 <*pdftex | dvipdfm | xetex | vtex | pdfmarkbase | dviwindo>
8066 \RequirePackage{pdftexcmds}[2009/04/10]
8067 \begingroup\expandafter\expandafter\expandafter\endgroup
8068 \expandafter\ifx\csname pdf@escapestring\endcsname\relax
8069   \begingroup
8070     \catcode`\|=0 %
8071     \@makeother\\%
8072   |\@firstofone{\endgroup
8073   |def|Hy@pstringdef#1#2{%
8074     \begin{group}
8075       \edef~{\string~}%
8076       \xdef|Hy@gtemp{#2}%
8077     \endgroup
8078     |let#1|Hy@gtemp
8079     |\@onelevel@sanitize#1%
8080     |edef#1{|expandafter|Hy@ExchangeBackslash#1\|@nil}%
8081     |edef#1{|expandafter|Hy@ExchangeLeftParenthesis#1(|@nil}%
8082     |edef#1{|expandafter|Hy@ExchangeRightParenthesis#1)|@nil}%
8083   }%
8084   |def|Hy@ExchangeBackslash#1\#2|@nil{%
8085     #1%
8086     |ifx|\#2|\%%
8087     |else
8088     \\%
8089     |Hy@ReturnAfterFi{%
8090       |Hy@ExchangeBackslash#2|@nil

```

```

8091      }%
8092      \fi
8093      }%
8094      }%
8095      \def\Hy@ExchangeLeftParenthesis#1(#2\@nil{%
8096      #1%
8097      \ifx\\#2\\%
8098      \else
8099      \@backslashchar%
8100      \Hy@ReturnAfterFi{%
8101      \Hy@ExchangeLeftParenthesis#2\@nil
8102      }%
8103      \fi
8104      }%
8105      \def\Hy@ExchangeRightParenthesis#1)##2\@nil{%
8106      #1%
8107      \ifx\\#2\\%
8108      \else
8109      \@backslashchar)%
8110      \Hy@ReturnAfterFi{%
8111      \Hy@ExchangeRightParenthesis#2\@nil
8112      }%
8113      \fi
8114      }%
8115 \else
8116 \def\Hy@pstringdef#1#2{%
8117 \begingroup
8118 \edef~{\string~}%
8119 \xdef\Hy@gtemp{\pdf@escapestring{#2}}%
8120 \endgroup
8121 \let#1\Hy@gtemp
8122 }%
8123 \fi
8124 </pdftex | dvipdfm | xetex | vtex | pdfmarkbase | dviwindo>

```

46.2 pdftex

```

8125 (*pdftex)
8126 \providecommand*\XR@ext{pdf}
8127 \Hy@setbreaklinks{true}
8128 \def\HyPat@ObjRef{%
8129 [0-9]*[1-9][0-9]* 0 R%
8130 }

```

This driver is for Han The Thanh's TeX variant which produces PDF directly. This has new primitives to do PDF things, which usually translate almost directly to PDF code, so there is a lot of flexibility which we do not at present harness.

Set PDF version if requested by option `pdfversion`.

- pdfTeX 1.10a, 2003-01-16: `\pdfoptionpdfminorversion`
- pdfTeX 1.30, 2005-08-081: `\pdfminorversion`

```

8131 \let\Hy@pdfminorversion\relax
8132 \begingroup\expandafter\expandafter\expandafter\endgroup
8133 \expandafter\ifx\csname pdfminorversion\endcsname\relax
8134 \begingroup\expandafter\expandafter\expandafter\endgroup
8135 \expandafter\ifx\csname pdfoptionpdfminorversion\endcsname\relax
8136 \else

```

```

8137   \def\Hy@pdfminorversion{\pdfoptionpdfminorversion}%
8138   \fi
8139 \else
8140   \def\Hy@pdfminorversion{\pdfminorversion}%
8141 \fi
8142 \c@ifundefined{Hy@pdfminorversion}{%
8143   \PackageInfo{hyperref}{%
8144     PDF version is not set, because pdfTeX is too old (<1.10a)}%
8145 }%
8146 }{%
8147   \ifHy@ocgcolorlinks
8148     \ifnum\Hy@pdfminorversion<5 %
8149       \kvsetkeys{Hyp}{pdfversion=1.5}%
8150     \fi
8151   \fi
8152 \ifHy@setpdfversion
8153   \ifnum\Hy@pdfminorversion=\Hy@pdfversion\relax
8154   \else
8155     \Hy@pdfminorversion=\Hy@pdfversion\relax
8156   \fi
8157   \PackageInfo{hyperref}{%
8158     \expandafter\string\Hy@pdfminorversion
8159     :=\number\Hy@pdfversion\space
8160   }%
8161 \fi
8162 \edef\Hy@pdfversion{\number\Hy@pdfminorversion}%
8163 }
8164 \Hy@DisableOption{pdfversion}%

8165 \ifHy@ocgcolorlinks
8166   \immediate\pdfobj{%
8167     <<%
8168     /Type/OCG%
8169     /Name(View)%
8170     /Usage<<%
8171     /Print<<%
8172     /PrintState/OFF%
8173     >>%
8174     /View<<%
8175     /ViewState/ON%
8176     >>%
8177     >>%
8178     >>%
8179   }%
8180 \edef\OBJ@OCG@view{\the\pdflastobj\space 0 R}%
8181 \immediate\pdfobj{%
8182   <<%
8183   /Type/OCG%
8184   /Name(Print)%
8185   /Usage<<%
8186   /Print<<%
8187   /PrintState/ON%
8188   >>%
8189   /View<<%
8190   /ViewState/OFF%
8191   >>%
8192   >>%
8193   >>%

```

```

8194  }%
8195  \edef\OBJ@OCG@print{\the\pdflastobj\space 0 R}%
8196  \immediate\pdfobj{%
8197    [%
8198      \OBJ@OCG@view\space\OBJ@OCG@print
8199    ]%
8200  }%
8201  \def\OBJ@OCGs{\the\pdflastobj\space 0 R}%
8202  \pdfcatalog{%
8203    /OCProperties<<%
8204      /OCGs \OBJ@OCGs
8205    /D<<%
8206      /OFF[\OBJ@OCG@print]%
8207      /AS[%
8208        <<%
8209          /Event/View%
8210          /OCGs \OBJ@OCGs
8211          /Category[/View]%
8212        >>%
8213        <<%
8214          /Event/Print%
8215          /OCGs \OBJ@OCGs
8216          /Category[/Print]%
8217        >>%
8218        <<%
8219          /Event/Export%
8220          /OCGs \OBJ@OCGs
8221          /Category[/Print]%
8222        >>%
8223      ]%
8224      >>%
8225    >>%
8226  }%
8227  \begingroup
8228  \edef\x{\endgroup
8229  \pdfpageresources{%
8230    /Properties<<%
8231      /OCView \OBJ@OCG@view
8232      /OCPrint \OBJ@OCG@print
8233    >>%
8234  }%
8235  }%
8236  \x
8237  \Hy@AtBeginDocument{%
8238    \def\Hy@colorlink#1{%
8239      \begin{group}
8240        \ifHy@ocgcolorlinks
8241          \def\Hy@ocgcolor{\#1}%
8242          \setbox0=\hbox\bgroup\color@begingroup
8243        \else
8244          \HyColor@UseColor{\#1}%
8245        \fi
8246    }%
8247    \def\Hy@endcolorlink{%
8248      \ifHy@ocgcolorlinks
8249        \color@endgroup\egroup
8250      \mbox{%

```

```

8251      \pdfliteral page{/OC/OCPrint BDC}%
8252      \rlap{\copy0}%
8253      \pdfliteral page{EMC/OC/OCView BDC}%
8254      \begingroup
8255          \expandafter\HyColor@UseColor\Hy@ocgcolor
8256          \box0 %
8257      \endgroup
8258      \pdfliteral page{EMC}%
8259  }%
8260  \fi
8261  \endgroup
8262 }%
8263 }%
8264 \else
8265 \Hy@DisableOption{ocgcolorlinks}%
8266 \fi

```

First, allow for some changes and additions to pdftex syntax:

```

8267 \def\setpdfinkmargin#1{\pdflinkmargin#1}
8268 \ifx\pdfstartlink\undefined% less than version 14
8269   \let\pdfstartlink\pdfannotlink
8270   \let\pdflinkmargin\tempdima
8271   \let\pdfxform\pdfform
8272   \let\pdflastxform\pdflastform
8273   \let\pdfrefxform\pdfreform
8274 \else
8275   \pdflinkmargin1pt %
8276 \fi

```

First set up the default linking

```
8277 \providecommand*\@pdfview{XYZ}
```

First define the anchors:

```

8278 \def\new@pdflink#1{%
8279   \ifhmode
8280     \savesf\spacefactor
8281   \fi
8282   \Hy@SaveLastskip
8283   \Hy@VerboseAnchor{#1}%
8284   \Hy@PStringDef\Hy@PStringDest{\HyperDestNameFilter{#1}}%
8285   \Hy@DestName\Hy@PStringDest\@pdfview
8286   \Hy@RestoreLastskip
8287   \ifhmode
8288     \spacefactor\savesf
8289   \fi
8290 }
8291 \let\pdf@endanchor\empty

```

\Hy@DestName Wrap the call of \pdfdest name in \Hy@DestName. Then it can easier be catched by package hypdestopt.

```

8292 \def\Hy@DestName#1#2{%
8293   \pdfdest name{#1}#2\relax
8294 }

```

Now the links; the interesting part here is the set of attributes which define how the link looks. We probably want to add a border and color it, but there are other choices. This directly translates to PDF code, so consult the manual for how to change this. We will add an interface at some point.

```

8295 \providecommand*\@pdfborder{0 0 1}
8296 \providecommand*\@pdfborderstyle{}
8297 \def\Hy@undefinedname{UNDEFINED}
8298 \def\find@pdflink#1#2{%
8299   \leavevmode
8300   \protected@edef\Hy@testname{\#2}%
8301   \ifx\Hy@testname\empty
8302     \Hy@Warning{%
8303       Empty destination name,\MessageBreak
8304       using '\Hy@undefinedname'%
8305     }%
8306   \let\Hy@testname\Hy@undefinedname
8307 \else
8308   \Hy@pstringdef\Hy@testname{%
8309     \expandafter\HyperDestNameFilter\expandafter{\Hy@testname}%
8310   }%
8311 \fi
8312 \Hy@StartlinkName{%
8313   \ifHy@pdfa /F 4\fi
8314   \Hy@setpdfborder
8315   \ifx\@pdfhighlight\empty
8316   \else
8317     /H\@pdfhighlight
8318   \fi
8319   \ifx\CurrentBorderColor\relax
8320   \else
8321     /C[\CurrentBorderColor]%
8322   \fi
8323 }\Hy@testname
8324 \expandafter\Hy@colorlink\csname @#1color\endcsname
8325 }
8326 \def\Hy@StartlinkName#1#2{%
8327   \pdfstartlink attr{\#1}goto name{\#2}\relax
8328 }
8329 \def\close@pdflink{%
8330   \Hy@endcolorlink
8331   \Hy@VerboseLinkStop
8332   \pdfendlink
8333 }
8334 \def\hyper@anchor#1{%
8335   \new@pdflink{\#1}\anchor@spot\pdf@endanchor
8336 }
8337 \def\hyper@anchorstart#1{%
8338   \new@pdflink{\#1}%
8339   \Hy@activeanchortrue
8340 }
8341 \def\hyper@anchorend{%
8342   \pdf@endanchor
8343   \Hy@activeanchorfalse
8344 }
8345 \def\hyper@linkstart#1#2{%
8346   \Hy@VerboseLinkStart{\#1}{\#2}%
8347   \ltx@ifundefined{@#1bordercolor}{%
8348     \let\CurrentBorderColor\relax
8349   }{%
8350     \edef\CurrentBorderColor{\csname @#1bordercolor\endcsname}%
8351   }%

```

```

8352 \find@pdflink{#1}{#2}%
8353 }
8354 \def\hyper@linkend{\close@pdflink}
8355 \def\hyper@link#1#2#3{%
8356 \Hy@VerboseLinkStart{#1}{#2}%
8357 \ltx@ifundefined{@#1bordercolor}{%
8358 \let\CurrentBorderColor\relax
8359 }{%
8360 \edef\CurrentBorderColor{\csname @#1bordercolor\endcsname}%
8361 }%
8362 \find@pdflink{#1}{#2}#3%
8363 \close@pdflink
8364 }
8365 \let\CurrentBorderColor\@linkbordercolor
8366 \def\hyper@linkurl#1#2{%
8367 \begingroup
8368 \Hy@pstringdef\Hy@pstringURI{#2}%
8369 \hyper@chars
8370 \leavevmode
8371 \pdfstartlink
8372 attr{%
8373 \Hy@setpdfborder
8374 \ifx\@pdfhighlight\empty
8375 \else
8376 /H\@pdfhighlight
8377 \fi
8378 \ifx\@urlbordercolor\relax
8379 \else
8380 /C[\@urlbordercolor]%
8381 \fi
8382 }%
8383 user{%
8384 /Subtype/Link%
8385 \ifHy@pdfa /F 4\fi
8386 /A<<%
8387 /Type/Action%
8388 /S/URI%
8389 /URI(\Hy@pstringURI)%
8390 \ifHy@href@ismap
8391 /IsMap true%
8392 \fi
8393 \Hy@href@nextactionraw
8394 >>%
8395 }%
8396 \relax
8397 \Hy@colorlink\@urlcolor#1%
8398 \close@pdflink
8399 \endgroup
8400 }
8401 \def\hyper@linkfile#1#2#3{%
8402 anchor text, filename, linkname
8403 \begingroup
8404 \def\Hy@pstringF{#2}%
8405 \Hy@CleanupFile\Hy@pstringF
8406 \Hy@pstringdef\Hy@pstringF\Hy@pstringF
8407 \Hy@pstringdef\Hy@pstringD{#3}%
8408 \Hy@MakeRemoteAction
8409 \leavevmode

```

```

8409   \pdfstartlink
8410     attr{%
8411       \Hy@setpdfborder
8412       \ifx\@pdfhighlight\@empty
8413       \else
8414         /H\@pdfhighlight
8415       \fi
8416       \ifx\@filebordercolor\relax
8417       \else
8418         /C[\@filebordercolor]%
8419       \fi
8420     }%
8421   user {%
8422     /Subtype/Link%
8423     \ifHy@pdflatex /F 4\fi
8424     /A<<%
8425     /F(\Hy@pstringF)%
8426     /S/GoToR%
8427     \Hy@SetNewWindow

```

If #3 is empty, page 0; if its a number, Page number, otherwise a named destination.

```

\afterassignment\xxx\count@=0\foo!%

```

```

\def\xxx#1!{%
\ifx\xxx#1\xxx
  foo was an integer
\else
  it wasnt
\fi}


```

```

8428      \ifx\\#3\\%
8429        /D[\Hy@href@page\@pdfremotestartview]%
8430      \else
8431        /D(\Hy@pstringD)%
8432      \fi
8433      \Hy@href@nextactionraw
8434    >>%
8435  }%
8436  \relax
8437  \Hy@colorlink\@filecolor#1%
8438  \close@pdflink
8439  \endgroup
8440 }
8441 \def\@hyper@launch run:#1\\#2#3{%
  \begingroup
  \Hy@pstringdef\Hy@pstringF{#1}%
  \Hy@pstringdef\Hy@pstringP{#3}%
  \leavevmode
  \pdfstartlink
  attr{%
    \Hy@setpdfborder
    \ifx\@pdfhighlight\@empty
    \else
      /H\@pdfhighlight
    \fi
    \ifx\@runbordercolor\relax
    \else

```

```

8455      /C[\@runbordercolor]%
8456      \fi
8457  }%
8458  user {%
8459    /Subtype/Link%
8460    \ifHy@pdfa /F 4\fi
8461    /A<<%
8462    /F(\Hy@pstringF)%
8463    /S/Launch%
8464    \Hy@SetNewWindow
8465    \ifx\#\#3\%
8466    \else
8467      /Win<</P(\Hy@pstringP)/F(\Hy@pstringF)>>%
8468    \fi
8469    \Hy@href@nextactionraw
8470    >>%
8471  }%
8472  \relax
8473  \Hy@colorlink\@runcolor#2%
8474  \close@pdflink
8475 \endgroup
8476 }

\@pdfproducer

8477 \ifx\@pdfproducer\relax
8478  \begingroup\expandafter\expandafter\expandafter\endgroup
8479  \expandafter\ifx\csname luatexversion\endcsname\relax
8480  \def\@pdfproducer{pdfTeX}%
8481  \ifx\@TeXversion\@undefined
8482  \else
8483  \ifx\@TeXversion\relax
8484  \else
8485  \ifnum\@TeXversion>0 %
8486  \def\@pdfproducer{pdfTeX}%
8487  \fi
8488  \fi
8489  \fi
8490  \ifx\pdftexversion\@undefined
8491  \else
8492  \ifnum\pdftexversion<100 %
8493  \edef\@pdfproducer{%
8494    \@pdfproducer
8495    \the\pdftexversion.\pdftexrevision
8496  }%
8497  \else
8498  \ifnum\pdftexversion<130 %
8499  \edef\@pdfproducer{%
8500    \@pdfproducer-
8501    \expandafter\@car\the\pdftexversion\@empty\@nil.%
8502    \expandafter\@cdr\the\pdftexversion\@empty\@nil
8503    \pdftexrevision
8504  }%
8505  \else
8506  \ifnum\pdftexversion<140 %
8507  \else
8508  \def\@pdfproducer{pdfTeX}%
8509  \fi

```

```

8510      \edef\@pdfproducer{%
8511          \@pdfproducer-%
8512          \expandafter\@car\the\pdftexversion\@empty\@nil.%%
8513          \expandafter\@cdr\the\pdftexversion\@empty\@nil.%%
8514          \pdftexrevision
8515      }%
8516      \fi
8517      \fi
8518      \fi
8519  \else
8520  \begingroup
8521    \count@=\luatexversion
8522    \divide\count@ by 100 %
8523    \edef\x{\the\count@}%
8524    \count@=-\x\relax
8525    \multiply\count@ by 100 %
8526    \advance\count@ by \luatexversion
8527    \edef\x{\endgroup
8528      \def\noexpand\@pdfproducer{%
8529        \LuaTeX-\x.\the\count@\luatexrevision
8530      }%
8531      }%
8532      \x
8533      \fi
8534 \fi

```

\PDF@SetupDox

```

8535 \def\PDF@SetupDoc{%
8536   \ifx\@pdfpagescrop\@empty
8537   \else
8538     \edef\process@me{%
8539       \pdfpagesattr={%
8540         /CropBox[\@pdfpagescrop]%
8541         \expandafter\ifx\expandafter\\ \the\pdfpagesattr\\%
8542       \else
8543         ^J\the\pdfpagesattr
8544       \fi
8545     }%
8546   }%
8547   \process@me
8548 \fi
8549 \Hy@pstringdef\Hy@pstringB{\@baseurl}%
8550 \pdfcatalog{%
8551   /PageMode/\@pdfpagemode
8552   \ifx\@baseurl\@empty
8553   \else
8554     /URI<</Base(\Hy@pstringB)>>%
8555   \fi
8556 }%
8557 \ifx\@pdfstartpage\@empty
8558 \else
8559   \ifx\@pdfstartview\@empty
8560   \else
8561     openaction goto page\@pdfstartpage{\@pdfstartview}%
8562   \fi
8563 \fi
8564 \edef\Hy@temp{%

```

```

8565 \ifHy@toolbar\else /HideToolbar true\fi
8566 \ifHy@menubar\else /HideMenubar true\fi
8567 \ifHy@windowui\else /HideWindowUI true\fi
8568 \ifHy@fitwindow /FitWindow true\fi
8569 \ifHy@centerwindow /CenterWindow true\fi
8570 \ifHy@displaydoctitle /DisplayDocTitle true\fi
8571 \Hy@UseNameKey{NonFullScreenPageMode}\@pdfnonfullscreenpagemode
8572 \Hy@UseNameKey{Direction}\@pdfdirection
8573 \Hy@UseNameKey{ViewArea}\@pdfviewarea
8574 \Hy@UseNameKey{ViewClip}\@pdfviewclip
8575 \Hy@UseNameKey{PrintArea}\@pdfprintarea
8576 \Hy@UseNameKey{PrintClip}\@pdfprintclip
8577 \Hy@UseNameKey{PrintScaling}\@pdfprintscaling
8578 \Hy@UseNameKey{Duplex}\@pdfduplex
8579 \ifx\@pdfpicktraybysize\@empty
8580 \else
8581   /PickTrayByPDFSize \@pdfpicktraybysize
8582 \fi
8583 \ifx\@pdfprintpagerange\@empty
8584 \else
8585   /PrintPageRange[\@pdfprintpagerange]%
8586 \fi
8587 \ifx\@pdfnumcopies\@empty
8588 \else
8589   /NumCopies \@pdfnumcopies
8590 \fi
8591 }%
8592 \pdfcatalog{%
8593 \ifx\Hy@temp\@empty
8594 \else
8595   /ViewerPreferences<<\Hy@temp>>%
8596 \fi
8597 \Hy@UseNameKey{PageLayout}\@pdfpagelayout
8598 \ifx\@pdflang\@empty
8599 \else
8600   /Lang(\@pdflang)%
8601 \fi
8602 }%
8603 }

```

\PDF@FinishDoc

```

8604 \def\PDF@FinishDoc{%
8605   \Hy@UseMaketitleInfos
8606   \HyInfo@GenerateAddons
8607   \pdfinfo{%
8608     /Author(\@pdfauthor)%
8609     /Title(\@pdftitle)%
8610     /Subject(\@pdfsubject)%
8611     /Creator(\@pdfcreator)%
8612     \ifx\@pdfcreationdate\@empty
8613     \else
8614       /CreationDate(\@pdfcreationdate)%
8615     \fi
8616     \ifx\@pdfmoddate\@empty
8617     \else
8618       /ModDate(\@pdfmoddate)%
8619     \fi

```

```

8620  \ifx\@pdfproducer\relax
8621  \else
8622  /Producer(\@pdfproducer)%
8623  \fi
8624  /Keywords(\@pdfkeywords)%
8625  \ifx\@pdftrapped\@empty
8626  \else
8627  /Trapped/\@pdftrapped
8628  \fi
8629  \HyInfo@Addons
8630 }%
8631 \Hy@DisableOption{pdfauthor}%
8632 \Hy@DisableOption{pdftitle}%
8633 \Hy@DisableOption{pdfsubject}%
8634 \Hy@DisableOption{pdfcreator}%
8635 \Hy@DisableOption{pdfcreationdate}%
8636 \Hy@DisableOption{pdfmoddate}%
8637 \Hy@DisableOption{pdfproducer}%
8638 \Hy@DisableOption{pdfkeywords}%
8639 \Hy@DisableOption{pdftrapped}%
8640 \Hy@DisableOption{pdfinfo}%
8641 }

```

\hyper@pagetransition \@pdfpagetransition is initialized with \relax. So it indicates, if option pdfpagetransition is used. First previous /Trans entries are removed. If a new /Trans key exists, it is appended to \pdfpageattr.

```

8642 \def\hyper@pagetransition{%
8643  \ifx\@pdfpagetransition\relax
8644  \else
8645  \expandafter\Hy@RemoveTransPageAttr
8646  \the\pdfpageattr^J/Trans{}>>\END
8647  \ifx\@pdfpagetransition\@empty
8648  \else
8649  \edef\@processme{%
8650   \global\pdfpageattr{%
8651    \the\pdfpageattr
8652    ^J/Trans << /S /\@pdfpagetransition\space >>%
8653   }%
8654  }%
8655  \@processme
8656  \fi
8657 \fi
8658 }

```

\Hy@RemoveTransPageAttr Macro \Hy@RemoveTransPageAttr removes a /Trans entry from \pdfpageattr. It is called with the end marker ^J/Trans{}>>\END. The trick is the empty group that does not appear in legal \pdfpageattr code. It appears in argument #2 and shows, whether the parameter text catches a really /Trans object or the end marker.

```

8659 \gdef\Hy@RemoveTransPageAttr#1^J/Trans#2#3>>#4\END{%
8660  \ifx\\#2\\%
8661  \global\pdfpageattr{#1}%
8662  \else
8663  \Hy@RemoveTransPageAttr#1#4\END
8664  \fi
8665 }

```

\hyper@pageduration \@pdfpageduration is initialized with \relax. So it indicates, if option pdfpageduration

is used. First previous /Dur entries are removed. If a new /Dur key exists, it is appended to \pdfpageattr.

```

8666 \def\hyper@pageduration{%
8667   \ifx\@pdfpageduration\relax
8668   \else
8669     \expandafter
8670     \Hy@RemoveDurPageAttr\the\pdfpageattr^{J/Dur{}} \END
8671   \ifx\@pdfpageduration\empty
8672   \else
8673     \edef\@processme{%
8674       \global\pdfpageattr{%
8675         \the\pdfpageattr
8676         ^{J/Dur} \@pdfpageduration\space
8677       }%
8678     }%
8679     \@processme
8680   \fi
8681 \fi
8682 }

```

\Hy@RemoveDurPageAttr Macro \Hy@RemoveDurPageAttr removes a /Dur entry from \pdfpageattr. It is called with the end marker ^{J/Dur{}} \END. The trick is the empty group that does not appear in legal \pdfpageattr code. It appears in argument #2 and shows, whether the parameter text catches a really /Dur object or the end marker.

```

8683 \gdef\Hy@RemoveDurPageAttr#1^{J/Dur#2#3 #4}\END{%
8684   \ifx\#2\%
8685     \global\pdfpageattr{\#1}%
8686   \else
8687     \Hy@RemoveDurPageAttr#1#4\END
8688   \fi
8689 }

```

\hyper@pagehidden The boolean value of the key /Hid is stored in switch \ifHy@pdfpagehidden. First previous /Hid entries are removed, then the new one is appended, if the value is true (the PDF default is false).

```

8690 \def\hyper@pagehidden{%
8691   \ifHy@useHidKey
8692     \expandafter
8693     \Hy@RemoveHidPageAttr\the\pdfpageattr^{J/Hid{}} \END
8694   \ifHy@pdfpagehidden
8695     \edef\@processme{%
8696       \global\pdfpageattr{%
8697         \the\pdfpageattr
8698         ^{J/Hid true \% SPACE
8699       }%
8700     }%
8701     \@processme
8702   \fi
8703 \fi
8704 }

```

\Hy@RemoveHidPageAttr Macro \Hy@RemoveHidPageAttr removes a /Hid entry from \pdfpageattr. It is called with the end marker ^{J/Hid{}} \END. The trick is the empty group that does not appear in legal \pdfpageattr code. It appears in argument #2 and shows, whether the parameter text catches a really /Hid object or the end marker.

```
8705 \gdef\Hy@RemoveHidPageAttr#1^{J/Hid#2#3 #4}\END{%
```

```

8706   \ifx\\#2\\%
8707     \global\pdfpageattr{#1}%
8708   \else
8709     \Hy@RemoveHidPageAttr#1#4\END
8710   \fi
8711 }

8712 \g@addto@macro\Hy@EveryPageHook{%
8713   \hyper@pagetransition
8714   \hyper@pageduration
8715   \hyper@pagehidden
8716 }

Also XeTEX support \pdfpagewidth and \pdfpageheight, but it does not provide
\pdforigin and \pdfvorigin.

8717 </pdftex>
8718 <*pdftex | xetex>
8719 \Hy@AtBeginDocument{%
8720   \ifHy@setpagesize
8721     \expandafter\@firstofone
8722   \else
8723     \expandafter\@gobble
8724   \fi
8725   \f%
8726   \@ifclassloaded{seminar}{%
8727 <*pdftex>
8728   \setlength{\pdforigin}{1truein}%
8729   \setlength{\pdfvorigin}{1truein}%
8730 </pdftex>
8731   \ifportrait
8732     \ifdim\paperwidth=\z@
8733     \else
8734       \setlength{\pdfpagewidth}{\strip@pt\paperwidth truept}%
8735     \fi
8736     \ifdim\paperheight=\z@
8737     \else
8738       \setlength{\pdfpageheight}{\strip@pt\paperheight truept}%
8739     \fi
8740   \else
8741     \ifdim\paperheight=\z@
8742     \else
8743       \setlength{\pdfpagewidth}{\strip@pt\paperheight truept}%
8744     \fi
8745     \ifdim\paperwidth=\z@
8746     \else
8747       \setlength{\pdfpageheight}{\strip@pt\paperwidth truept}%
8748     \fi
8749   \fi
8750 }{%
8751 \ltx@IfUndefined{stockwidth}{%
8752   \ifdim\paperwidth>\z@
8753     \setlength{\pdfpagewidth}{\paperwidth}%
8754   \fi
8755   \ifdim\paperheight>\z@
8756     \setlength{\pdfpageheight}{\paperheight}%
8757   \fi
8758 }{%
8759   \ifdim\stockwidth>\z@

```

```

8760      \setlength{\pdfpagewidth}{\stockwidth}%
8761      \fi
8762      \ifdim\stockheight>\z@%
8763          \setlength{\pdfpageheight}{\stockheight}%
8764      \fi
8765  }%
8766 }%
8767 }%
8768 \Hy@DisableOption{setpagesize}%
8769 }
8770 </pdftex | xetex>
8771 <*pdftex>
8772 \def\Acrobatmenu#1#2{%
8773   \Hy@Acrobatmenu{#1}{#2}{%
8774     \pdfstartlink
8775       attr{%
8776         \Hy@setpdfborder
8777         \ifx\@pdfhighlight\empty
8778         \else
8779           /H\@pdfhighlight
8780         \fi
8781         \ifx\@menubordercolor\relax
8782         \else
8783           /C[\@menubordercolor]%
8784         \fi
8785       }%
8786     user{%
8787       /Subtype/Link%
8788       \ifHy@pdfa /F 4\fi
8789       /A<<%
8790         /S/Named%
8791         /N/#1%
8792         \Hy@href@nextactionraw
8793       >>%
8794     }%
8795     \relax
8796   \Hy@colorlink\@menucolor#2%
8797   \close@pdflink
8798 }%
8799 }

```

46.2.1 Fix for problem with different nesting levels

\AtBeginShipoutFirst adds an additional box layer around the first output page. This disturbs pdfTeX's low level link commands \pdfstartlink and \pdfendlink, if a link is broken across the first and second output page.

The problem could be fixed by replacing \AtBeginShipoutFirst, because the box layer is not necessary for pdfTeX—no \specials need to be inserted. However it's easier to add an additional box level for the pages after the first one. Also \AtBeginShipoutFirst could be invoked independently from hyperref.

```

8800 \def\Hy@FixNotFirstPage{%
8801   \gdef\Hy@FixNotFirstPage{%
8802     \setbox\AtBeginShipoutBox=\hbox{%
8803       \copy\AtBeginShipoutBox
8804     }%
8805   }%
8806 }

```

```

8807 \AtBeginShipout{\Hy@FixNotFirstPage}
8808 
```

46.3 hypertex

The Hyper \TeX specification (this is borrowed from an article by Arthur Smith) says that conformant viewers/translators must recognize the following set of \backslash special commands:

```

href: html:<a href = "href_string">
name: html:<a name = "name_string">
end: html:</a>
image: html:<img src = "href_string">
base_name: html:<base href = "href_string">
```

The *href*, *name* and *end* commands are used to do the basic hypertext operations of establishing links between sections of documents. The *image* command is intended (as with current html viewers) to place an image of arbitrary graphical format on the page in the current location. The *base_name* command is be used to communicate to the *dvi* viewer the full (URL) location of the current document so that files specified by relative URL's may be retrieved correctly.

The *href* and *name* commands must be paired with an *end* command later in the \TeX file — the \TeX commands between the two ends of a pair form an *anchor* in the document. In the case of an *href* command, the *anchor* is to be highlighted in the *dvi* viewer, and when clicked on will cause the scene to shift to the destination specified by *href_string*. The *anchor* associated with a *name* command represents a possible location to which other hypertext links may refer, either as local references (of the form *href="#name_string*" with the *name_string* identical to the one in the *name* command) or as part of a URL (of the form *URL#name_string*). Here *href_string* is a valid URL or local identifier, while *name_string* could be any string at all: the only caveat is that " " characters should be escaped with a backslash (\), and if it looks like a URL name it may cause problems.

```

8809 {*hypertex}
8810 \providecommand*\{XR@ext\}{dvi}
8811 \def\PDF@FinishDoc{}
8812 \def\PDF@SetupDoc{%
8813   \ifx\@baseurl\empty
8814   \else
8815     \special{html:<base href="\@baseurl">}%
8816   \fi
8817 }
8818 \def\hyper@anchor#1{%
8819   \Hy@SaveLastskip
8820   \Hy@VerboseAnchor{#1}%
8821   \begingroup
8822     \let\protect=\string
8823     \hyper@chars
8824     \special{html:<a name=%
8825       \hyper@quote\HyperDestNameFilter{#1}\hyper@quote>}%
8826   \endgroup
8827   \Hy@activeanchortrue
8828   \Hy@colorlink\@anchorcolor\anchor@spot\Hy@endcolorlink
8829   \special{html:</a>}%
```

```

8830 \Hy@activeanchorfalse
8831 \Hy@RestoreLastskip
8832 }
8833 \def\hyper@anchorstart#1{%
8834 \Hy@SaveLastskip
8835 \Hy@VerboseAnchor{#1}%
8836 \begingroup
8837 \hyper@chars
8838 \special{html:<a name=%
8839 \hyper@quote\HyperDestNameFilter{#1}\hyper@quote}>}%
8840 \endgroup
8841 \Hy@activeanchortrue
8842 }
8843 \def\hyper@anchorend{%
8844 \special{html:</a>}%
8845 \Hy@activeanchorfalse
8846 \Hy@RestoreLastskip
8847 }
8848 \def\curltype{url}
8849 \def\hyper@linkstart#1#2{%
8850 \Hy@VerboseLinkStart{#1}{#2}%
8851 \expandafter\Hy@colorlink\csname @#1color\endcsname
8852 \def\Hy@tempa{#1}%
8853 \ifx\Hy@tempa\curltype
8854 \special{html:<a href=\hyper@quote#2\hyper@quote}>}%
8855 \else
8856 \begingroup
8857 \hyper@chars
8858 \special{html:<a href=%
8859 \hyper@quote#\HyperDestNameFilter{#2}\hyper@quote}>}%
8860 \endgroup
8861 \fi
8862 }
8863 \def\hyper@linkend{%
8864 \special{html:</a>}%
8865 \Hy@endcolorlink
8866 }
8867 \def\hyper@linkfile#1#2#3{%
8868 \hyper@linkurl{#1}{\Hy@linkfileprefix#2\ifx\\#3\\else\\#3\fi}%
8869 }
8870 \def\hyper@linkurl#1#2{%

```

If we want to raise up the final link \special, we need to get its height; ask me why L^AT_EX constructs make this totally foul up, and make us revert to basic T_EX. I do not know.

```

8871 \leavevmode
8872 \ifHy@raiselinks
8873 \Hy@SaveSpaceFactor
8874 \Hy@SaveSavedSpaceFactor
8875 \sbox@\tempboxa{\Hy@RestoreSpaceFactor#1}%
8876 \Hy@RestoreSavedSpaceFactor
8877 \clinkdim\dp\@tempboxa
8878 \lower\clinkdim\hbox{%
8879 \hyper@chars
8880 \special{html:<a href=\hyper@quote#2\hyper@quote}>}%
8881 }%
8882 \Hy@colorlink\curlcolor
8883 \Hy@RestoreSpaceFactor
8884 #1%

```

```

8885     \Hy@SaveSpaceFactor
8886     \@linkdim\ht\@tempboxa

```

Because of the interaction with the dvihps processor, we have to subtract a little from the height. This is not clean, or checked. Check with Mark Doyle about what gives here. It may not be needed with the new dvips (Jan 1997).

```

8887     \advance\@linkdim by -6.5\p@
8888     \raise\@linkdim\hbox{\special{html:</a>}}%
8889     \Hy@endcolorlink
8890     \Hy@RestoreSpaceFactor
8891 \else
8892     \begingroup
8893     \hyper@chars
8894     \special{html:<a href=\hyper@quote#2\hyper@quote>}%
8895     \Hy@colorlink\@urlcolor#1%
8896     \special{html:</a>}%
8897     \Hy@endcolorlink
8898     \endgroup
8899 \fi
8900 }

```

Very poor implementation of \hyper@link without considering #1.

```

8901 \def\hyper@link#1#2#3{%
8902   \Hy@VerboseLinkStart{#1}{#2}%
8903   \hyper@linkurl{#3}{\#\HyperDestNameFilter{#2}}%
8904 }

8905 \def\hyper@image#1#2{%
8906   \begingroup
8907   \hyper@chars
8908   \special{html:<img src=\hyper@quote#1\hyper@quote>}%
8909   \endgroup
8910 }
8911 </hypertex>
8912 <*dviwindo>

```

46.4 dviwindo

[This was developed by David Carlisle]. Within a file dviwindo hyperlinking is used, for external URL's a call to \wwwbrowser is made. (You can define this command before or after loading the hyperref package if the default c:/netscape/netscape is not suitable) Dviwindo could in fact handle external links to dvi files on the same machine without calling a web browser, but that would mean parsing the URL to recognise such, and this is currently not done.

This was more or less blindly copied from the hypertex cfg. For dviwindo, L^AT_EX must specify the size of the active area for links. For some hooks this information is available but for some, the start and end of the link are specified separately in which case a fixed size area of 1000000sp wide by \baselineskip high is used.

```

8913 \providecommand*\XR@ext}{dvi}
8914 \providecommand*\wwwbrowser{c:\string\netscape\string\netscape}
8915 \def\hyper@anchor#1{%
8916   \Hy@SaveLastskip
8917   \Hy@VerboseAnchor{#1}%
8918   \begingroup
8919   \let\protect=\string
8920   \special{mark: #1}%
8921   \endgroup

```

```

8922 \Hy@activeanchortrue
8923 \Hy@colorlink\@anchorcolor\anchor@spot\Hy@endcolorlink
8924 \Hy@activeanchorfalse
8925 \Hy@RestoreLastskip
8926 }
8927 \def\hyper@anchorstart#1{%
8928 \Hy@SaveLastskip
8929 \Hy@VerboseAnchor{#1}%
8930 \special{mark: #1}%
8931 \Hy@activeanchortrue
8932 }
8933 \def\hyper@anchorend{%
8934 \Hy@activeanchorfalse
8935 \Hy@RestoreLastskip
8936 }
8937 \def\hyper@linkstart#1#2{%
8938 \Hy@VerboseLinkStart{#1}{#2}%
8939 \expandafter\Hy@colorlink\csname \#1color\endcsname
8940 \special{button: %
8941 1000000 %
8942 \number\baselineskip\space
8943 #2%
8944 }%
8945 }
8946 \def\hyper@linkend{%
8947 \Hy@endcolorlink
8948 }
8949 \def\hyper@link#1#2#3{%
8950 \Hy@VerboseLinkStart{#1}{#2}%
8951 \leavevmode
8952 \ifHy@raiselinks
8953 \Hy@SaveSpaceFactor
8954 \Hy@SaveSavedSpaceFactor
8955 \sbox\@tempboxa{\Hy@RestoreSpaceFactor#3}%
8956 \Hy@RestoreSavedSpaceFactor
8957 \linkdim\dp\@tempboxa
8958 \lower\linkdim\hbox{%
8959 \special{button: %
8960 \number\wd\@tempboxa\space
8961 \number\ht\@tempboxa\space
8962 #2%
8963 }%
8964 \expandafter\Hy@colorlink\csname \#1color\endcsname
8965 \Hy@RestoreSpaceFactor
8966 #3%
8967 \Hy@SaveSpaceFactor
8968 \Hy@endcolorlink
8969 }%
8970 \linkdim\ht\@tempboxa
8971 \advance\linkdim by -6.5\p@
8972 \raise\linkdim\hbox{}%
8973 \Hy@RestoreSpaceFactor
8974 \else
8975 \special{button: %
8976 \number\wd\@tempboxa\space
8977 \number\ht\@tempboxa\space
8978 #2%

```

```

8979   }%
8980   \expandafter\Hy@colorlink\csname @#1color\endcsname
8981   #3%
8982   \Hy@endcolorlink
8983 \fi
8984 }
8985 \def\hyper@linkurl#1#2{%
8986   \begingroup
8987   \hyper@chars
8988   \leavevmode
8989   \ifHy@raiselinks
8990   \Hy@SaveSpaceFactor
8991   \Hy@SaveSavedSpaceFactor
8992   \sbox\@tempboxa{\Hy@RestoreSpaceFactor#1}%
8993   \Hy@RestoreSavedSpaceFactor
8994   \linkdim\dp\@tempboxa
8995   \lower\linkdim\hbox{%
8996     \special{button: %
8997       \number\wd\@tempboxa\space
8998       \number\ht\@tempboxa\space
8999       launch: \wwwbrowser\space
9000       #2%
9001     }%
9002     \Hy@colorlink\curlcolor
9003     \Hy@RestoreSpaceFactor
9004     #1%
9005     \Hy@SaveSpaceFactor
9006     \Hy@endcolorlink
9007   }%
9008   \linkdim\ht\@tempboxa
9009   \advance\linkdim by -6.5\p@
9010   \raise\linkdim\hbox{}%
9011   \Hy@RestoreSpaceFactor
9012 \else
9013   \special{button: %
9014     \number\wd\@tempboxa\space
9015     \number\ht\@tempboxa\space
9016     launch: \wwwbrowser\space
9017     #2%
9018   }%
9019   \Hy@colorlink\curlcolor#1\Hy@endcolorlink
9020 \fi
9021 \endgroup
9022 }
9023 \def\hyper@linkfile#1#2#3{%
9024   \begingroup
9025   \hyper@chars
9026   \leavevmode
9027   \ifHy@raiselinks
9028   \Hy@SaveSpaceFactor
9029   \Hy@SaveSavedSpaceFactor
9030   \sbox\@tempboxa{\Hy@RestoreSpaceFactor#1}%
9031   \Hy@RestoreSavedSpaceFactor
9032   \linkdim\dp\@tempboxa
9033   \lower\linkdim\hbox{%
9034     \special{button: %
9035       \number\wd\@tempboxa\space

```

```

9036      \number\ht\@tempboxa\space
9037      #3,%
9038      file: #2%
9039      }%
9040      \Hy@colorlink\@filecolor
9041      \Hy@RestoreSpaceFactor
9042      #1%
9043      \Hy@SaveSpaceFactor
9044      \Hy@endcolorlink
9045      }%
9046      \clinkdim\ht\@tempboxa
9047      \advance\clinkdim by -6.5\p@
9048      \raise\clinkdim\hbox{}}%
9049      \Hy@RestoreSpaceFactor
9050      \else
9051      \special{button: %
9052      \number\wd\@tempboxa\space
9053      \number\ht\@tempboxa\space
9054      #3,%
9055      file: #2%
9056      }%
9057      \Hy@colorlink\@filecolor#1\Hy@endcolorlink
9058      \fi
9059      \endgroup
9060 }
9061 \ifx\@pdfproducer\relax
9062   \def\@pdfproducer{dviwindo + Distiller}%
9063 \fi
9064 \HyInfo@AddonUnsupportedtrue
9065 \def\PDF@FinishDoc{%
9066   \Hy@UseMaketitleInfos
9067   \HyInfo@TrappedUnsupported
9068   \special{PDF: Keywords \@pdfkeywords}%
9069   \special{PDF: Title \@pdftitle}%
9070   \special{PDF: Creator \@pdfcreator}%
9071   \ifx\@pdfcreationdate\@empty
9072   \else
9073     \special{PDF: CreationDate \@pdfcreationdate}%
9074   \fi
9075   \ifx\@pdfmoddate\@empty
9076   \else
9077     \special{PDF: ModDate \@pdfmoddate}%
9078   \fi
9079   \special{PDF: Author \@pdfauthor}%
9080   \ifx\@pdfproducer\relax
9081   \else
9082     \special{PDF: Producer \@pdfproducer}%
9083   \fi
9084   \special{PDF: Subject \@pdfsubject}%
9085   \Hy@DisableOption{pdfauthor}%
9086   \Hy@DisableOption{pdftitle}%
9087   \Hy@DisableOption{pdfsubject}%
9088   \Hy@DisableOption{pdfcreator}%
9089   \Hy@DisableOption{pdfcreationdate}%
9090   \Hy@DisableOption{pdfmoddate}%
9091   \Hy@DisableOption{pdfproducer}%
9092   \Hy@DisableOption{pdfkeywords}%

```

```

9093 \Hy@DisableOption{pdftrapped}%
9094 \Hy@DisableOption{pdfinfo}%
9095 }
9096 \def\PDF@SetupDoc{%
9097 \ifx\@baseurl\@empty
9098 \else
9099 \special{PDF: Base \@baseurl}%
9100 \fi
9101 \ifx\@pdfpagescrop\@empty\else
9102 \special{PDF: BBox \@pdfpagescrop}%
9103 \fi
9104 \def\Hy@temp{}%
9105 \ifx\@pdfstartpage\@empty
9106 \else
9107 \ifx\@pdfstartview\@empty
9108 \else
9109 \edef\Hy@temp{%
9110 ,Page=\@pdfstartpage
9111 ,View=\@pdfstartview
9112 }%
9113 \fi
9114 \fi
9115 \edef\Hy@temp{%
9116 \noexpand\pdfmark{%
9117 pdfmark=/DOCVIEW,%
9118 PageMode=/\@pdffagemode
9119 \Hy@temp
9120 }%
9121 }%
9122 \Hy@temp
9123 \ifx\@pdfpagescrop\@empty
9124 \else
9125 \pdfmark{pdfmark=/PAGES,CropBox=\@pdfpagescrop}%
9126 \fi
9127 \edef\Hy@temp{%
9128 \ifHy@toolbar\else /HideToolbar true\fi
9129 \ifHy@menubar\else /HideMenubar true\fi
9130 \ifHy@windowui\else /HideWindowUI true\fi
9131 \ifHy@fitwindow /FitWindow true\fi
9132 \ifHy@centerwindow /CenterWindow true\fi
9133 \ifHy@displaydoctitle /DisplayDocTitle true\fi
9134 \Hy@UseNameKey{NonFullScreenPageMode}\@pdfnonfullscreenpagemode
9135 \Hy@UseNameKey{Direction}\@pdfdirection
9136 \Hy@UseNameKey{ViewArea}\@pdfviewarea
9137 \Hy@UseNameKey{ViewClip}\@pdfviewclip
9138 \Hy@UseNameKey{PrintArea}\@pdfprintarea
9139 \Hy@UseNameKey{PrintClip}\@pdfprintclip
9140 \Hy@UseNameKey{PrintScaling}\@pdfprintscaling
9141 \Hy@UseNameKey{Duplex}\@pdfduplex
9142 \ifx\@pdfpicktraybypdfsize\@empty
9143 \else
9144 /PickTrayByPDFSize \@pdfpicktraybypdfsize
9145 \fi
9146 \ifx\@pdfprintpagerange\@empty
9147 \else
9148 /PrintPageRange[\@pdfprintpagerange]%
9149 \fi

```

```

9150   \ifx\@pdfnumcopies\@empty
9151     \else
9152       /NumCopies \@pdfnumcopies
9153     \fi
9154   }%
9155 \pdfmark{pdfmark=/PUT,%
9156   Raw={%
9157     \string{Catalog\string}<<%
9158       \ifx\Hy@temp\@empty
9159         \else
9160           /ViewerPreferences<<\Hy@temp>>%
9161         \fi
9162       \Hy@UseNameKey{PageLayout}\@pdfpagelayout
9163       \ifx\@pdflang\@empty
9164         \else
9165           /Lang(\@pdflang)%
9166         \fi
9167       >>%
9168   }%
9169 }%
9170 }
9171 </dviwindo>
9172 <*dvipdfm | xetex>

```

46.5 dvipdfm/xetex dvi to PDF converter

Provided by Mark Wicks (mwicks@kettering.edu)

```

9173 \providecommand*\XR@ext}{pdf}
9174 \Hy@setbreaklinks{true}
9175 \def\HyPat@ObjRef{%
9176   @[^ ]+%
9177 }
9178 \newsavebox{\pdfm@box}
9179 \def\@pdfm@mark#1{\special{pdf:#1}}
9180 \def\@pdfm@dest#1{%
9181   \Hy@SaveLastskip
9182   \Hy@VerboseAnchor{#1}%
9183   \begingroup
9184     \Hy@pstringdef\Hy@pstringDest{\HyperDestNameFilter{#1}}%
9185     \def\x{XYZ}%
9186     \ifx\x\@pdfview
9187       \def\x{XYZ @xpos @ypos null}%
9188     \else
9189       \def\x{FitH}%
9190       \ifx\x\@pdfview
9191         \def\x{FitH @ypos}%
9192       \else
9193         \def\x{FitBH}%
9194         \ifx\x\@pdfview
9195           \def\x{FitBH @ypos}%
9196         \else
9197           \def\x{FitV}%
9198           \ifx\x\@pdfview
9199             \def\x{FitV @xpos}%
9200           \else
9201             \def\x{FitBV}%
9202             \ifx\x\@pdfview

```

```

9203      \def\x{FitBV @xpos}%
9204      \else
9205          \def\x{Fit}%
9206          \ifx\x\@pdfview
9207              \let\x\@pdfview
9208          \else
9209              \def\x{FitB}%
9210              \ifx\x\@pdfview
9211                  \let\x\@pdfview
9212          \else
9213              \def\x{FitR}%
9214              \ifx\x\@pdfview
9215                  \Hy@Warning{'pdfview=FitR' is not supported}%
9216                  \def\x{XYZ @xpos @ypos null}%
9217          \else
9218              \onelevel@sanitize\@pdfview
9219              \Hy@Warning{%
9220                  Unknown value '\@pdfview' for pdfview%
9221              }%
9222              \def\x{XYZ @xpos @ypos null}%
9223          \fi
9224      \fi
9225      \fi
9226      \fi
9227      \fi
9228      \fi
9229      \fi
9230      \fi
9231  \pdfmark{dest (\Hy@pstringDest) [at thispage /x]}%
9232  \endgroup
9233  \Hy@RestoreLastskip
9234 }
9235 \providecommand*\@pdfview{XYZ}
9236 \providecommand*\@pdfborder{0 0 1}
9237 \providecommand*\@pdfborderstyle{}
9238 \def\hyper@anchor#1{%
9239   \pdfmark{dest{#1}}%
9240 }
9241 \def\hyper@anchorstart#1{%
9242   \Hy@activeanchortrue
9243   \pdfmark{dest{#1}}%
9244 }
9245 \def\hyper@anchorend{%
9246   \Hy@activeanchorfalse
9247 }

9248 \newcounter{Hy@AnnotLevel}

9249 \ifHy@ocgcolorlinks
9250   \def\OBJ@OCG@view{@OCG@view}%
9251   \pdfmark{%
9252     obj \OBJ@OCG@view <<%
9253     /Type/OCG%
9254     /Name(View)%
9255     /Usage<<%
9256     /Print<<%
9257     /PrintState/OFF%
9258     >>%
9259     /View<<%

```

```

9260      /ViewState/ON%
9261      >>%
9262      >>%
9263      >>%
9264  }%
9265  \@pdfm@mark{close \OBJ@OCG@view}%
9266  \def\OBJ@OCG@print{@OCG@print}%
9267  \@pdfm@mark{%
9268  obj \OBJ@OCG@print <<%
9269  /Type/OCG%
9270  /Name(Print)%
9271  /Usage<<%
9272  /Print<<%
9273  /PrintState/ON%
9274  >>%
9275  /View<<%
9276  /ViewState/OFF%
9277  >>%
9278  >>%
9279  >>%
9280  }%
9281  \@pdfm@mark{close \OBJ@OCG@print}%
9282  \def\OBJ@OCGs{@OCGs}%
9283  \@pdfm@mark{%
9284  obj \OBJ@OCGs [%
9285  \OBJ@OCG@view\space\OBJ@OCG@print
9286  ]%
9287  }%
9288  \@pdfm@mark{close \OBJ@OCGs}%
9289  \@pdfm@mark{%
9290  put @catalog <<%
9291  /OCProperties<<%
9292  /OCGs \OBJ@OCGs
9293  /D<<%
9294  /OFF[\OBJ@OCG@print]%
9295  /AS[%<<%
9296  /Event/View%
9297  /OCGs \OBJ@OCGs
9298  /Category[/View]%
9300  >>%
9301  <<%
9302  /Event/Print%
9303  /OCGs \OBJ@OCGs
9304  /Category[/Print]%
9305  >>%
9306  <<%
9307  /Event/Export%
9308  /OCGs \OBJ@OCGs
9309  /Category[/Print]%
9310  >>%
9311  ]%
9312  >>%
9313  >>%
9314  >>%
9315  }%
9316  \AtBeginShipout{%

```

```

9317 \setbox\AtBeginShipoutBox=\hbox{%
9318   \copy\AtBeginShipoutBox
9319   \pdfmark{%
9320     put @resources <<%
9321       /Properties<<%
9322         /OCView \OBJ@OCG@view
9323         /OCPrint \OBJ@OCG@print
9324       >>%
9325     >>%
9326   }%
9327 }%
9328 }%
9329 \Hy@AtBeginDocument{%
9330   \def\Hy@colorlink#1{%
9331     \begingroup
9332       \ifHy@ocgcolorlinks
9333         \def\Hy@ocgcolor{\#1}%
9334         \setbox0=\hbox\bgroup\color@begingroup
9335       \else
9336         \HyColor@UseColor{\#1}%
9337       \fi
9338   }%
9339   \def\Hy@endcolorlink{%
9340     \ifHy@ocgcolorlinks
9341       \color@endgroup\egroup
9342       \mbox{%
9343         \pdfmark{content /OC/OPrint BDC}%
9344         \rlap{\copy0}%
9345         \pdfmark{content EMC/OC/OCView BDC}%
9346       \begingroup
9347         \expandafter\HyColor@UseColor\Hy@ocgcolor
9348         \box0 %
9349       \endgroup
9350       \pdfmark{content EMC}%
9351     }%
9352     \fi
9353   \endgroup
9354 }%
9355 }%
9356 \else
9357   \Hy@DisableOption{ocgcolorlinks}%
9358 \fi
9359 \def\Hy@BeginAnnot#1{%
9360   \stepcounter{Hy@AnnotLevel}%
9361   \ifnum\value{Hy@AnnotLevel}=\@ne
9362     #1%
9363   \fi
9364 }
9365 \def\Hy@EndAnnot{%
9366   \ifnum\value{Hy@AnnotLevel}=\@ne
9367     \Hy@endcolorlink
9368     \pdfmark{eann}%
9369   \fi
9370   \addtocounter{Hy@AnnotLevel}\m@ne
9371 }
9372 \def\Hy@undefinedname{UNDEFINED}
9373 \def\hyper@linkstart#1#2{%

```

```

9374 \Hy@VerboseLinkStart{\#1}{\#2}%
9375 \Hy@BeginAnnot{%
9376   \protected@edef\Hy@testname{\#2}%
9377   \ifx\Hy@testname\empty
9378     \Hy@Warning{%
9379       Empty destination name,\MessageBreak
9380       using ‘\Hy@undefinedname’%}
9381   }%
9382   \let\Hy@testname\Hy@undefinedname
9383 \else
9384   \Hy@pstringdef\Hy@testname{%
9385     \expandafter\HyperDestNameFilter\expandafter{%
9386       \Hy@testname
9387     }%
9388   }%
9389 \fi
9390 \@pdfm@mark{%
9391   bann<<%
9392   /Type/Annot%
9393   /Subtype/Link%
9394   \ifHy@pdflatex/F 4\fi
9395   \Hy@setpdfborder
9396   \expandafter\ifx\csname @#1bordercolor\endcsname\relax
9397   \else
9398     /C[\csname @#1bordercolor\endcsname]%
9399   \fi
9400   /A<<%
9401   /S/GoTo%
9402   /D(\Hy@testname)%
9403   \Hy@href@nextactionraw
9404   >>%
9405   >>%
9406 }%
9407 \expandafter\Hy@colorlink\csname @#1color\endcsname
9408 }%
9409 }
9410 \def\hyper@linkend{\Hy@EndAnnot}%
9411 \def\hyper@link#1#2#3{%
9412   \hyper@linkstart{\#1}{\#2}{\#3}\hyper@linkend
9413 }
9414 \def\hyper@linkfile#1#2#3{%
9415   \leavevemode
9416   \Hy@BeginAnnot{%
9417     \def\Hy@pstringF{\#2}%
9418     \Hy@CleanupFile\Hy@pstringF
9419     \Hy@pstringdef\Hy@pstringF\Hy@pstringF
9420     \Hy@pstringdef\Hy@pstringD{\#3}%
9421     \Hy@MakeRemoteAction
9422     \@pdfm@mark{%
9423       bann<<%
9424       /Type/Annot%
9425       /Subtype/Link%
9426       \ifHy@pdflatex/F 4\fi
9427       \Hy@setpdfborder
9428       \ifx\@filebordercolor\relax
9429       \else
9430         /C[\@filebordercolor]%

```

```

9431      \fi
9432      /A<<%
9433          /S/GoToR%
9434          /F('Hy@pstringF)%
9435          /D%
9436          \ifx\\#3\\%
9437              [\Hy@href@page\@pdfremotestartview]%
9438          \else
9439              (\Hy@pstringD)%
9440          \fi
9441          \Hy@SetNewWindow
9442          \Hy@href@nextactionraw
9443          >>%
9444          >>%
9445      }%
9446      \Hy@colorlink\@filecolor
9447  }%
9448  #1%
9449  \Hy@EndAnnot
9450 }
9451 \def\hyper@linkurl#1#2{%
9452   \leavevmode
9453   \Hy@BeginAnnot{%
9454     \Hy@pstringdef\Hy@pstringURI{#2}%
9455     \@pdfm@mark{%
9456       bann<<%
9457       /Type/Annot%
9458       /Subtype/Link%
9459       \ifHy@pdflatex /F 4\fi
9460       \Hy@setpdfborder
9461       \ifx\@urlbordercolor\relax
9462       \else
9463         /C[\@urlbordercolor]%
9464       \fi
9465       /A<<%
9466       /S/URI%
9467       /URI(\Hy@pstringURI)%
9468       \ifHy@href@ismap
9469         /IsMap true%
9470       \fi
9471       \Hy@href@nextactionraw
9472       >>%
9473       >>%
9474     }%
9475     \Hy@colorlink\@urlcolor
9476   }%
9477   #1%
9478   \Hy@EndAnnot
9479 }
9480 \def\Acrobatmenu#1#2{%
9481   \Hy@Acrobatmenu{#1}{#2}{%
9482     \Hy@BeginAnnot{%
9483       \@pdfm@mark{%
9484         bann<<%
9485         /Type/Annot%
9486         /Subtype/Link%
9487         \ifHy@pdflatex /F 4\fi

```

```

9488      /A<<%
9489          /S/Named%
9490          /N/#1%
9491          \Hy@href@nextactionraw
9492          >>%
9493          \Hy@setpdfborder
9494          \ifx\@menubordercolor\relax
9495          \relax
9496          /C[\@menubordercolor]%
9497          \fi
9498          >>%
9499      }%
9500      \Hy@colorlink\@menucolor
9501  }%
9502  #2%
9503  \Hy@EndAnnot
9504 }%
9505 }
9506 \ifx\@pdfproducer\relax
9507  \def\@pdfproducer{dvipdfm}%

```

Detect XeTeX. However, but `xdvipdfmx` will overwrite it in the final PDF file.

```

9508  \begingroup\expandafter\expandafter\expandafter\endgroup
9509  \expandafter\ifx\csname XeTeXversion\endcsname\relax
9510  \else
9511  \edef\@pdfproducer{XeTeX \the\XeTeXversion\XeTeXrevision}%
9512  \fi
9513 \fi
9514 \def\PDF@FinishDoc{%
9515  \Hy@UseMaketitleInfos
9516  \HyInfo@GenerateAddons
9517  \@pdfm@mark{%
9518  docinfo<<%
9519  /Title(\@pdftitle)%
9520  /Subject(\@pdfsubject)%
9521  /Creator(\@pdfcreator)%
9522  \ifx\@pdfcreationdate\empty
9523  \else
9524  /CreationDate(\@pdfcreationdate)%
9525  \fi
9526  \ifx\@pdfmoddate\empty
9527  \else
9528  /ModDate(\@pdfmoddate)%
9529  \fi
9530  /Author(\@pdfauthor)%
9531  \ifx\@pdfproducer\relax
9532  \else
9533  /Producer(\@pdfproducer)%
9534  \fi
9535  /Keywords(\@pdfkeywords)%
9536  \ifx\@pdftrapped\empty
9537  \else
9538  /Trapped/\@pdftrapped
9539  \fi
9540  \HyInfo@Addons
9541  >>%
9542 }%
9543 \Hy@DisableOption{pdfauthor}%

```

```

9544 \Hy@DisableOption{pdftitle}%
9545 \Hy@DisableOption{pdfsubject}%
9546 \Hy@DisableOption{pdfcreator}%
9547 \Hy@DisableOption{pdfcreationdate}%
9548 \Hy@DisableOption{pdfmoddate}%
9549 \Hy@DisableOption{pdfproducer}%
9550 \Hy@DisableOption{pdfkeywords}%
9551 \Hy@DisableOption{pdftrapped}%
9552 \Hy@DisableOption{pdfinfo}%
9553 }

9554 \def\PDF@SetupDoc{%
9555 \edef\Hy@temp{%
9556 \ifHy@toolbar\else /HideToolbar true\fi
9557 \ifHy@menubar\else /HideMenubar true\fi
9558 \ifHy@windowui\else /HideWindowUI true\fi
9559 \ifHy@fitwindow /FitWindow true\fi
9560 \ifHy@centerwindow /CenterWindow true\fi
9561 \ifHy@displaydoctitle /DisplayDocTitle true\fi
9562 \Hy@UseNameKey{NonFullScreenPageMode}\@pdfnonfullscreenpagemode
9563 \Hy@UseNameKey{Direction}\@pdfdirection
9564 \Hy@UseNameKey{ViewArea}\@pdfviewarea
9565 \Hy@UseNameKey{ViewClip}\@pdfviewclip
9566 \Hy@UseNameKey{PrintArea}\@pdfprintarea
9567 \Hy@UseNameKey{PrintClip}\@pdfprintclip
9568 \Hy@UseNameKey{PrintScaling}\@pdfprintscaling
9569 \Hy@UseNameKey{Duplex}\@pdfduplex
9570 \ifx\@pdfpicktraybysize\@empty
9571 \else
9572 /PickTrayByPDFSize \@pdfpicktraybysize
9573 \fi
9574 \ifx\@pdfprintpagerange\@empty
9575 \else
9576 /PrintPageRange[\@pdfprintpagerange]%
9577 \fi
9578 \ifx\@pdfnumcopies\@empty
9579 \else
9580 /NumCopies \@pdfnumcopies
9581 \fi
9582 }%
9583 \Hy@PStringDef\Hy@PStringB{\@baseurl}%
9584 \@pdfm@mark{%
9585 docview<<%
9586 \ifx\@pdfstartpage\@empty
9587 \else
9588 \ifx\@pdfstartview\@empty
9589 \else
9590 /OpenAction[@page\@pdfstartpage\@pdfstartview]%
9591 \fi
9592 \fi
9593 \ifx\@baseurl\@empty
9594 \else
9595 /URI<</Base(\Hy@PStringB)>>%
9596 \fi
9597 /PageMode/\@pdfpagemode
9598 \ifx\Hy@temp\@empty
9599 \else
9600 /ViewerPreferences<<\Hy@temp>>%

```

```

9601     \fi
9602     \Hy@UseNameKey{PageLayout}\@pdfpagelayout
9603     \ifx\@pdflang\@empty
9604     \else
9605       /Lang(\@pdflang)%
9606     \fi
9607   >>%
9608 }%
9609 \ifx\@pdfpagescrop\@empty
9610 \else
9611   \@pdfm@mark{put @pages <</CropBox[\@pdfpagescrop]>>}%
9612 \fi
9613 }
9614 </dvipdfm | xetex>

```

Xe^Te_X uses pdf^Te_X's method \pdfpagewidth and \pdfpageheight for setting the paper size.

```

9615 <*dvipdfm>
9616 \AtBeginShipoutFirst{%
9617   \ifHy@setpagesize
9618     \begingroup
9619       \c@ifundefined{stockwidth}{%
9620         \ifdim\paperwidth>\z@
9621           \ifdim\paperheight>\z@
9622             \special{papersize=\the\paperwidth,\the\paperheight}%
9623           \fi
9624         \fi
9625       }{%
9626         \ifdim\stockwidth>\z@
9627           \ifdim\stockheight>\z@
9628             \special{papersize=\the\stockwidth,\the\stockheight}%
9629           \fi
9630         \fi
9631       }%
9632     \endgroup
9633   \fi
9634   \Hy@DisableOption{setpagesize}%
9635 }
9636 </dvipdfm>

```

46.6 VTeX typesetting system

Provided by MicroPress, May 1998. They require VTeX version 6.02 or newer; see <http://www.micropress-inc.com/> for details.

```

9637 <*vtexhtml>
9638 \providecommand*{\XR@ext}{htm}
9639 \RequirePackage{vtexhtml}
9640 \newif\if@Localurl
9641 \def\PDF@FinishDoc{}
9642 \def\PDF@SetupDoc{%
9643   \ifx\@baseurl\@empty
9644   \else
9645     \special{!direct <base href="\@baseurl">}%
9646   \fi
9647 }
9648 \def\@curltype{url}
9649 \def\hyper@link#1#2#3{%

```

```

9650 \Hy@VerboseLinkStart{\#1}{\#2}%
9651 \leavevmode
9652 \special{!direct <a href=%
9653   \hyper@quote\hyper@hash\HyperDestNameFilter{\#2}\hyper@quote}%
9654 #3%
9655 \special{!direct </a>}%
9656 }
9657 \def\hyper@linkurl{\#1\#2{%
9658 \begingroup
9659 \hyper@chars
9660 \leavevmode
9661 \MathBSuppress=1\relax
9662 \special{!direct <a href=%
9663   \hyper@quote\HyperDestNameFilter{\#2}\hyper@quote}%
9664 #1%
9665 \MathBSuppress=0\relax
9666 \special{!direct </a>}%
9667 \endgroup
9668 }
9669 \def\hyper@linkfile{\#1\#2\#3{%
9670 \hyper@linkurl{\#1}{\Hy@linkfileprefix\#2\ifx\\#3\\else\\#3\fi}%
9671 }
9672 \def\hyper@linkstart{\#1\#2{%
9673 \Hy@VerboseLinkStart{\#1}{\#2}%
9674 \def\Hy@tempa{\#1}\ifx\Hy@tempa\@urlype
9675 \@Localurltrue
9676 \special{!direct <a href=\hyper@quote\#2\hyper@quote}%
9677 \else
9678 \@Localurlfalse
9679 \begingroup
9680 \hyper@chars
9681 \special{!aref \HyperDestNameFilter{\#2}}%
9682 \endgroup
9683 \fi
9684 }
9685 \def\hyper@linkend{%
9686 \if@Localurl
9687 \special{!endaref}%
9688 \else
9689 \special{!direct </a>}%
9690 \fi
9691 }
9692 \def\hyper@anchorstart{\#1{%
9693 \Hy@SaveLastskip
9694 \Hy@VerboseAnchor{\#1}%
9695 \begingroup
9696 \hyper@chars
9697 \special{!aname \#1}%
9698 \special{!direct <a name=%
9699   \hyper@quote\HyperDestNameFilter{\#1}\hyper@quote}%
9700 \endgroup
9701 \Hy@activeanchortrue
9702 }
9703 \def\hyper@anchorend{%
9704 \special{!direct </a>}%
9705 \Hy@activeanchorfalse
9706 \Hy@RestoreLastskip

```

```

9707 }
9708 \def\hyper@anchor#1{%
9709   \Hy@SaveLastskip
9710   \Hy@VerboseAnchor{#1}%
9711   \begingroup
9712     \let\protect=\string
9713     \hyper@chars
9714     \leavevmode
9715     \special{!aname #1}%
9716     \special{!direct <a name=%
9717       \hyper@quote\HyperDestNameFilter{#1}\hyper@quote}%
9718   \endgroup
9719   \Hy@activeveanchortrue
9720   \bgroup\anchor@spot\egroup
9721   \special{!direct </a>}%
9722   \Hy@activeveanchorfalset
9723   \Hy@RestoreLastskip
9724 }
9725 \def\@Form[#1]{%
9726   \typeout{Sorry, TeXpider does not yet support FORMs}%
9727 }
9728 \def\@endForm{}
9729 \def\@Gauge[#1]#2#3#4{%
9730   \typeout{Sorry, TeXpider does not yet support FORM gauges}%
9731 }
9732 \def\@TextField[#1]#2{%
9733   \typeout{Sorry, TeXpider does not yet support FORM text fields}%
9734 }
9735 \def\@CheckBox[#1]#2{%
9736   \typeout{Sorry, TeXpider does not yet support FORM checkboxes}%
9737 }
9738 \def\@ChoiceMenu[#1]#2#3{%
9739   \typeout{Sorry, TeXpider does not yet support FORM choice menus}%
9740 }
9741 \def\@PushButton[#1]#2{%
9742   \typeout{Sorry, TeXpider does not yet support FORM pushbuttons}%
9743 }
9744 \def\@Reset[#1]#2{%
9745   \typeout{Sorry, TeXpider does not yet support FORMs}%
9746 }
9747 \def\@Submit[#1]#2{%
9748   \typeout{Sorry, TeXpider does not yet support FORMs}%
9749 }
9750 (/vtexhtml)
9751 /*vtex*/

```

VTeX version 6.68 supports `\mediawidth` and `\mediaheight`. The `\ifx` construct is better than a `\csname`, because it avoids the definition and the hash table entry of a previous undefined macro.

```

9752 \ifx\mediaheight\undefined
9753 \else
9754   \ifx\mediaheight\relax
9755   \else
9756     \ifHy@setpagesize
9757       \providecommand*\VTeXInitMediaSize{%
9758         \ltx@ifUndefined{stockwidth}{%
9759           \ifdim\paperheight>0pt %

```

```

9760      \setlength\mediaheight\paperheight
9761      \fi
9762      \ifdim\paperheight>0pt %
9763          \setlength\mediawidth\paperwidth
9764          \fi
9765      }%
9766      \ifdim\stockheight>0pt %
9767          \setlength\mediaheight\stockheight
9768          \fi
9769      \ifdim\stockwidth>0pt %
9770          \setlength\mediawidth\stockwidth
9771          \fi
9772      }%
9773  }%
9774  \Hy@AtBeginDocument{\VTeXInitMediaSize}%
9775  \fi
9776  \Hy@DisableOption{setpagesize}%
9777  \fi
9778 \fi

```

Older versions of VTeX require xyz in lower case.

```

9779 \providecommand*\@pdfview{xyz}
9780 \providecommand*\@pdfborder{0 0 1}
9781 \providecommand*\@pdfborderstyle{}
9782 \let\CurrentBorderColor\@linkbordercolor
9783 \def\hyper@anchor#1{%
9784     \Hy@SaveLastskip
9785     \Hy@VerboseAnchor{#1}%
9786     \begingroup
9787         \let\protect=\string
9788         \hyper@chars
9789         \special{!aname \HyperDestNameFilter{#1};\@pdfview}%
9790     \endgroup
9791     \Hy@activeanchortrue
9792     \Hy@colorlink\@anchorcolor\anchor@spot\Hy@endcolorlink
9793     \Hy@activeanchorfalse
9794     \Hy@RestoreLastskip
9795 }
9796 \def\hyper@anchorstart#1{%
9797     \Hy@SaveLastskip
9798     \Hy@VerboseAnchor{#1}%
9799     \begingroup
9800         \hyper@chars
9801         \special{!aname \HyperDestNameFilter{#1};\@pdfview}%
9802     \endgroup
9803     \Hy@activeanchortrue
9804 }
9805 \def\hyper@anchorend{%
9806     \Hy@activeanchorfalse
9807     \Hy@RestoreLastskip
9808 }
9809 \def\curltype[url]
9810 \def\Hy@undefinedname{UNDEFINED}
9811 \def\hyper@linkstart#1#2{%
9812     \Hy@VerboseLinkStart{#1}{#2}%
9813     \Hy@pstringdef\Hy@pstringURI{#2}%
9814     \expandafter\Hy@colorlink\csname @#1color\endcsname
9815     \ltx@ifundefined{@#1bordercolor}{%

```

```

9816   \let\CurrentBorderColor\relax
9817 }{%
9818   \edef\CurrentBorderColor{%
9819     \csname @#1bordercolor\endcsname
9820   }%
9821 }%
9822 \def\Hy@tempa{\#1}%
9823 \ifx\Hy@tempa\@urlype
9824   \special{!%
9825     aref <u=/Type/Action/S/URI/URI(\Hy@pstringURI)%
9826     \ifHy@href@ismap
9827       /IsMap true%
9828     \fi
9829     \Hy@href@nextactionraw
9830   >%
9831   a=<%
9832   \ifHy@pdfa /F 4\fi
9833   \Hy@setpdfborder
9834   \ifx\CurrentBorderColor\relax
9835   \else
9836     /C [\CurrentBorderColor]%
9837   \fi
9838   >%
9839 }%
9840 \else
9841   \protected@edef\Hy@testname{\#2}%
9842   \ifx\Hy@testname\@empty
9843     \Hy@Warning{%
9844       Empty destination name,\MessageBreak
9845       using '\Hy@undefinedname'%
9846     }%
9847     \let\Hy@testname\Hy@undefinedname
9848   \fi
9849   \special{!%
9850     aref \expandafter\HyperDestNameFilter
9851     \expandafter{\Hy@testname};%
9852   a=<%
9853   \ifHy@pdfa /F 4\fi
9854   \Hy@setpdfborder
9855   \ifx\CurrentBorderColor\relax
9856   \else
9857     /C [\CurrentBorderColor]%
9858   \fi
9859   >%
9860 }%
9861 \fi
9862 }
9863 \def\hyper@linkend{%
9864   \special{!endaref}%
9865   \Hy@endcolorlink
9866 }
9867 \def\hyper@linkfile#1#2#3{%
9868   \leavevmode
9869   \def\Hy@pstringF{\#2}%
9870   \Hy@CleanupFile\Hy@pstringF
9871   \special{!%
9872     aref <%

```

```

9873 \ifnum\Hy@VTeXversion>753 \ifHy@newwindow n\fi\fi
9874 f=\Hy@pstringF>#3;%
9875 a=<%
9876 \ifHy@pdfa /F 4\fi
9877 \Hy@setpdfborder
9878 \ifx\@filebordercolor\relax
9879 \else
9880 /C [\@filebordercolor]%
9881 \fi
9882 >%
9883 }%
9884 \Hy@colorlink\@filecolor#1\Hy@endcolorlink
9885 \special{!endaref}%
9886 }
9887 \def\hyper@linkurl#1#2{%
9888 \begingroup
9889 \Hy@pstringdef\Hy@pstringURI{#2}%
9890 \hyper@chars
9891 \leavevmode
9892 \special{!%
9893 aref <u=/Type/Action/S/URI/URI(\Hy@pstringURI)%
9894 \ifHy@href@ismap
9895 /IsMap true%
9896 \fi
9897 \Hy@href@nextactionraw
9898 >%
9899 a=<%
9900 \ifHy@pdfa /F 4\fi
9901 \Hy@setpdfborder
9902 \ifx\@urlbordercolor\relax
9903 \else
9904 /C [\@urlbordercolor]%
9905 \fi
9906 >%
9907 }%
9908 \Hy@colorlink\@urlcolor#1\Hy@endcolorlink
9909 \special{!endaref}%
9910 \endgroup
9911 }
9912 \def\hyper@link#1#2#3{%
9913 \Hy@VerboseLinkStart{#1}{#2}%
9914 \ltx@ifUndefined{@#1bordercolor}{%
9915 \let\CurrentBorderColor\relax
9916 }{%
9917 \edef\CurrentBorderColor{\csname @#1bordercolor\endcsname}%
9918 }%
9919 \leavevmode
9920 \protected\edef\Hy@testname{#2}%
9921 \ifx\Hy@testname\empty
9922 \Hy@Warning{%
9923 Empty destination name,\MessageBreak
9924 using '\Hy@undefinedname'%
9925 }%
9926 \let\Hy@testname\Hy@undefinedname
9927 \fi
9928 \special{!%
9929 aref \expandafter\HyperDestNameFilter

```

```

9930      \expandafter{\Hy@testname}%
9931  a=<%
9932      \ifHy@pdfa /F 4\fi
9933      \Hy@setpdfborder
9934      \ifx\CurrentBorderColor\relax
9935      \else
9936          /C [\CurrentBorderColor]%
9937      \fi
9938      >%
9939  }%
9940 \expandafter
9941 \Hy@colorlink\csname @#1color\endcsname#3\Hy@endcolorlink
9942 \special{!endaref}%
9943 }
9944 \def\hyper@image#1#2{%
9945   \hyper@linkurl{#2}{#1}%
9946 }
9947 \def\@hyper@launch run:#1\\#2#3{%
9948   \Hy@pstringdef\Hy@pstringF{#1}%
9949   \Hy@pstringdef\Hy@pstringP{#3}%
9950   \leavevmode
9951   \special{!aref %
9952     <u=%
9953     /Type/Action%
9954     /S/Launch%
9955     /F(\Hy@pstringF)%
9956     \Hy@SetNewWindow
9957     \ifx\\#3\\%
9958     \else
9959       /Win<</F(\Hy@pstringF)/P(\Hy@pstringP)>>%
9960     \fi
9961     \Hy@href@nextactionraw
9962   >%
9963   a=<%
9964   \ifHy@pdfa /F 4\fi
9965   \Hy@setpdfborder
9966   \ifx\@runbordercolor\relax
9967   \else
9968       /C[\@runbordercolor]%
9969   \fi
9970   >%
9971 }%
9972 \Hy@colorlink\@runcolor#2\Hy@endcolorlink
9973 \special{!endaref}%
9974 }
9975 \def\Acrobatmenu#1#2{%
9976   \Hy@Acrobatmenu{#1}{#2}%
9977   \special{!%
9978     aref <u=/S /Named /N /#1>;%
9979   a=<%
9980     \ifHy@pdfa /F 4\fi
9981     \Hy@setpdfborder
9982     \ifx\@menubordercolor\relax
9983     \else
9984         /C[\@menubordercolor]%
9985     \fi
9986   >%

```

```

9987   }%
9988   \Hy@colorlink\@menucolor#2\Hy@endcolorlink
9989   \special{!endaref}%
9990 }%
9991 }

```

The following code (transition effects) is made by Alex Kostin.

The code below makes sense for VTeX 7.02 or later.

Please never use \undefined{VTeXversion}{..}{..} *globally*.

```

9992 \ifnum\Hy@VTeXversion<702 %
9993 \else
9994 \def\hyper@pagetransition{%
9995   \ifx\@pdfpagetransition\relax
9996   \else
9997     \ifx\@pdfpagetransition\@empty

```

Standard incantation.

1. Does an old entry have to be deleted? 2. If 1=yes, how to delete?

```

9998   \else
9999     \hvtex@parse@trans\@pdfpagetransition
10000   \fi
10001   \fi
10002 }%

```

I have to write an “honest” parser to convert raw PDF code into VTeX \special. (AVK)

Syntax of VTeX \special{!trans <transition_effect>}:

```

<transition_effect> ::= <transition_style>[,<transition_duration>]
<transition_style> ::= <Blinds_effect> | <Box_effect> |
                     <Dissolve_effect> | <Glitter_effect> |
                     <Split_effect> | <Wipe_effect>
<Blinds_effect> ::= B[<effect_dimension>]
<Box_effect> ::= X[<effect_motion>]
<Dissolve_effect> ::= D
<Glitter_effect> ::= G[<effect_direction>]
<Split_effect> ::= S[<effect_motion>][<effect_dimension>]
<Wipe_effect> ::= W[<effect_direction>]
<Replace_effect> ::= R
<effect_direction> ::= <number>
<effect_dimension> ::= H | V
<effect_motion> ::= I | O
<transition_duration> ::= <number>

```

Transition codes:

```

10003 \def\hvtex@trans@effect@Blinds{\def\hvtex@trans@code{B}}%
10004 \def\hvtex@trans@effect@Box{\def\hvtex@trans@code{X}}%
10005 \def\hvtex@trans@effect@Dissolve{\def\hvtex@trans@code{D}}%
10006 \def\hvtex@trans@effect@Glitter{\def\hvtex@trans@code{G}}%
10007 \def\hvtex@trans@effect@Split{\def\hvtex@trans@code{S}}%
10008 \def\hvtex@trans@effect@Wipe{\def\hvtex@trans@code{W}}%
10009 \def\hvtex@trans@effect@R{\def\hvtex@trans@code{R}}%

```

Optional parameters:

```

10010 \def\hvtex@par@dimension{/Dm}%
10011 \def\hvtex@par@direction{/Di}%
10012 \def\hvtex@par@duration{/D}%
10013 \def\hvtex@par@motion{/M}%

```

Tokenizer:

```
10014 \def\hvtex@gettoken{%
10015   \expandafter\hvtex@gettoken@\hvtex@buffer@\nil
10016 }%
```

Notice that tokens in the input buffer must be space delimited.

```
10017 \def\hvtex@gettoken@#1 #2@\nil{%
10018   \edef\hvtex@token{#1}%
10019   \edef\hvtex@buffer{#2}%
10020 }%
10021 \def\hvtex@parse@trans#1{%
```

Initializing code:

```
10022 \let\hvtex@trans@code\empty
10023 \let\hvtex@param@dimension\empty
10024 \let\hvtex@param@direction\empty
10025 \let\hvtex@param@duration\empty
10026 \let\hvtex@param@motion\empty
10027 \edef\hvtex@buffer{#1\space}%
```

First token is the PDF transition name without escape.

```
10028 \hvtex@gettoken
10029 \ifx\hvtex@token\empty
```

Leading space(s)?

```
10030 \ifx\hvtex@buffer\empty
```

The buffer is empty, nothing to do.

```
10031 \else
10032   \hvtex@gettoken
10033 \fi
10034 \fi
10035 \csname hvtex@trans@effect@\hvtex@token\endcsname
```

Now is time to parse optional parameters.

```
10036 \hvtex@trans@params
10037 }%
```

Reentrant macro to parse optional parameters.

```
10038 \def\hvtex@trans@params{%
10039   \ifx\hvtex@buffer\empty
10040   \else
10041     \hvtex@gettoken
10042     \let\hvtex@trans@par\hvtex@token
10043     \ifx\hvtex@buffer\empty
10044     \else
10045       \hvtex@gettoken
10046       \ifx\hvtex@trans@par\hvtex@par@duration
```

/D is the effect duration in seconds. VT_EX special takes it in milliseconds.

```
10047   \let\hvtex@param@duration\hvtex@token
10048   \else \ifx\hvtex@trans@par\hvtex@par@motion
```

/M can be either /I or /O

```
10049   \expandafter\edef\expandafter\hvtex@param@motion
10050     \expandafter{\expandafter\@gobble\hvtex@token}%
10051   \else \ifx\hvtex@trans@par\hvtex@par@dimension
```

/Dm can be either /H or /V

```
10052   \expandafter\edef\expandafter\hvtex@param@dimension
10053     \expandafter{\expandafter\@gobble\hvtex@token}%
10054   \else \ifx\hvtex@trans@par\hvtex@par@direction
```

Valid values for /Di are 0, 270, 315 (the Glitter effect) or 0, 90, 180, 270 (the Wipe effect).

```

10055      \let\hvtex@param@direction\hvtex@token
10056      \fi\fi\fi\fi
10057      \fi
10058      \fi
10059      \ifx\hvtex@buffer\@empty
10060      \let\next\hvtex@produce@trans
10061      \else
10062      \let\next\hvtex@trans@params
10063      \fi
10064      \next
10065  }%

```

Merge <transition_effect> and issue the special when possible. Too lazy to validate optional parameters.

```

10066  \def\hvtex@produce@trans{%
10067  \let\vtx@trans@special\@empty
10068  \if S\hvtex@trans@code
10069  \edef\vtx@trans@special{\hvtex@trans@code
10070  \hvtex@param@dimension\hvtex@param@motion}%
10071  \else\if B\hvtex@trans@code
10072  \edef\vtx@trans@special{%
10073  \hvtex@trans@code\hvtex@param@dimension
10074  }%
10075  \else\if X\hvtex@trans@code
10076  \edef\vtx@trans@special{%
10077  \hvtex@trans@code\hvtex@param@motion
10078  }%
10079  \else\if W\hvtex@trans@code
10080  \edef\vtx@trans@special{%
10081  \hvtex@trans@code\hvtex@param@direction
10082  }%
10083  \else\if D\hvtex@trans@code
10084  \let\vtx@trans@special\hvtex@trans@code
10085  \else\if R\hvtex@trans@code
10086  \let\vtx@trans@special\hvtex@trans@code
10087  \else\if G\hvtex@trans@code
10088  \edef\vtx@trans@special{%
10089  \hvtex@trans@code\hvtex@param@direction
10090  }%
10091  \fi\fi\fi\fi\fi\fi
10092  \ifx\vtx@trans@special\@empty
10093  \else
10094  \ifx\hvtex@param@duration\@empty
10095  \else
10096  \setlength{\dimen@}{\hvtex@param@duration\p@}%

```

I'm not guilty of possible overflow.

```

10097  \multiply\dimen@\@m
10098  \edef\vtx@trans@special{%
10099  \vtx@trans@special,\strip@pt\dimen@
10100  }%
10101  \fi

```

And all the mess is just for this.

```

10102  \special{!trans \vtx@trans@special}%
10103  \fi

```

```

10104  }%
10105  \def\hyper@pageduration{%
10106    \ifx\@pdfpageduration\relax
10107    \else
10108      \ifx\@pdfpageduration\empty
10109        \special{!duration-}%
10110      \else
10111        \special{!duration \@pdfpageduration}%
10112      \fi
10113    \fi
10114  }%
10115  \def\hyper@pagehidden{%
10116    \ifHy@useHidKey
10117      \special{!hidden\ifHy@pdfpagehidden +\else -\fi}%
10118    \fi
10119  }%
10120  \g@addto@macro\Hy@EveryPageBoxHook{%
10121    \hyper@pagetransition
10122    \hyper@pageduration
10123    \hyper@pagehidden
10124  }%
10125 \fi

```

Caution: In opposite to the other drivers, the argument of \special{!onopen #1} is a reference name. The VTeX's postscript mode will work with a version higher than 7.0x.

The command \VTeXOS is defined since version 7.45. Magic values encode the operating system:

- 1: WinTel
- 2: Linux
- 3: OS/2
- 4: MacOS
- 5: MacOS/X

```

10126 \ifx\@pdfproducer\relax
10127  \def\@pdfproducer{\VTeX}%
10128  \ifnum\Hy@VTeXversion>\z@
10129    \count@\VTeXversion
10130    \divide\count@ 100 %
10131    \edef\@pdfproducer{\@pdfproducer\space v\the\count@}%
10132    \multiply\count@ -100 %
10133    \advance\count@\VTeXversion
10134    \edef\@pdfproducer{%
10135      \@pdfproducer
10136      .\ifnum\count@<10 0\fi\the\count@
10137      \ifx\VTeXOS\undefined\else
10138        \ifnum\VTeXOS>0 %
10139          \ifnum\VTeXOS<6 %
10140            \space(%
10141            \ifcase\VTeXOS
10142              \or Windows\or Linux\or OS/2\or MacOS\or MacOS/X%
10143            \fi
10144            )%
10145          \fi
10146        \fi
10147      \fi
10148      ,\space
10149      \ifnum\OpMode=\@ne PDF\else PS\fi
10150      \space backend%

```

```

10151      \ifx\gexmode\@undefined\else
10152          \ifnum\gexmode>\z@\space with GeX\fi
10153          \fi
10154      }%
10155      \fi
10156 \fi

```

Current !pdfinfo key syntax:

Key	Field	Type
a	Author	String
b	CropBox	String
c	Creator	String
k	Keywords	String
l	PageLayout	PS
p	PageMode	PS
r	Producer	String
s	Subject	String
t	Title	String
u	URI	PS
v	ViewPreferences	PS

Note: PS objects that are dicts are in <<<..>>> (yuck; no choice).

```

10157 \def\PDF@SetupDoc{%
10158     \ifx\@pdfpagescrop\@empty
10159     \else
10160         \special{!pdfinfo b=<\@pdfpagescrop>}%
10161     \fi
10162     \ifx\@pdfstartpage\@empty
10163     \else
10164         \ifx\@pdfstartview\@empty
10165             \else
10166                 \special{!onopen Page\@pdfstartpage}%
10167             \fi
10168         \fi
10169         \special{!pdfinfo p=</\@pdffagemode>}%
10170     \ifx\@baseurl\@empty
10171     \else
10172         \special{!pdfinfo u=<<</Base (\@baseurl)>>>}%
10173     \fi
10174     \special{!pdfinfo v=<<<%
10175         \ifHy@toolbar\else /HideToolbar true\fi
10176         \ifHy@menubar\else /HideMenubar true\fi
10177         \ifHy@windowui\else /HideWindowUI true\fi
10178         \ifHy@fitwindow /FitWindow true\fi
10179         \ifHy@centerwindow /CenterWindow true\fi
10180         \ifHy@displaydoctitle /DisplayDocTitle true\fi
10181         \Hy@UseNameKey{NonFullScreenPageMode}\@pdfnonfullscreenpagemode
10182         \Hy@UseNameKey{Direction}\@pdfdirection
10183         \Hy@UseNameKey{ViewArea}\@pdfviewarea
10184         \Hy@UseNameKey{ViewClip}\@pdfviewclip
10185         \Hy@UseNameKey{PrintArea}\@pdfprintarea
10186         \Hy@UseNameKey{PrintClip}\@pdfprintclip
10187         \Hy@UseNameKey{PrintScaling}\@pdfprintscaling
10188         \Hy@UseNameKey{Duplex}\@pdfduplex
10189         \ifx\@pdfpicktraybypdfsize\@empty
10190         \else
10191             /PickTrayByPDFSize \@pdfpicktraybypdfsize
10192         \fi

```

```

10193 \ifx\@pdfprintpagerange\@empty
10194 \else
10195 /PrintPageRange[\@pdfprintpagerange]%
10196 \fi
10197 \ifx\@pdfnumcopies\@empty
10198 \else
10199 /NumCopies \@pdfnumcopies
10200 \fi
10201 >>>}%
10202 \ifx\@pdfpagelayout\@empty
10203 \else
10204 \special{!pdfinfo l=</\@pdfpagelayout\space>}%
10205 \fi
10206 }%
10207 \HyInfo@AddonUnsupportedtrue
10208 \def\PDF@FinishDoc{%
10209 \Hy@UseMaketitleInfos
10210 \HyInfo@TrappedUnsupported
10211 \special{!pdfinfo a=<\@pdfauthor>}%
10212 \special{!pdfinfo t=<\@pdftitle>}%
10213 \special{!pdfinfo s=<\@pdfsubject>}%
10214 \special{!pdfinfo c=<\@pdfcreator>}%
10215 \ifx\@pdfproducer\relax
10216 \else
10217 \special{!pdfinfo r=<\@pdfproducer>}%
10218 \fi
10219 \special{!pdfinfo k=<\@pdfkeywords>}%
10220 \Hy@DisableOption{pdfauthor}%
10221 \Hy@DisableOption{pdftitle}%
10222 \Hy@DisableOption{pdfsubject}%
10223 \Hy@DisableOption{pdfcreator}%
10224 \Hy@DisableOption{pdfcreationdate}%
10225 \Hy@DisableOption{pdfmoddate}%
10226 \Hy@DisableOption{pdfproducer}%
10227 \Hy@DisableOption{pdfkeywords}%
10228 \Hy@DisableOption{pdftrapped}%
10229 \Hy@DisableOption{pdfinfo}%
10230 }
10231 </vtex>

```

46.7 Fix for Adobe bug number 466320

If a destination occurs at the very begin of a page, the destination is moved to the previous page by Adobe Distiller 5. As workaround Adobe suggests:

```

/showpage {
  //showpage
  clippath stroke erasemode
} bind def

```

But unfortunately this fix generates an empty page at the end of the document. Therefore another fix is used by writing some clipped text.

```

10232 <dviwindo>\def\literalps@out#1{\special{ps:#1}}%
10233 <package>\providecommand*{\Hy@DistillerDestFix}{}
10234 {*pdfmark | dviwindo}
10235 \def\Hy@DistillerDestFix{%
10236 \begingroup
10237 \let\x\literalps@out

```

The fix has to be passed unchanged through GeX, if VTeX in PostScript mode with GeX is used.

```

10238 \ifnum \@ifundefined{OpMode}{0}%
10239     \@ifundefined{gexmode}{0}%
10240         \ifnum\gexmode>0 \OpMode\else 0\fi
10241     }>1 %
10242     \def\x{\#1%
10243     \immediate\special{!=##1}%
10244     }%
10245 \fi
10246 \x{%
10247     /product where{%
10248         pop %
10249         product(Distiller)search{%
10250             pop pop pop %
10251             version(.)search{%
10252                 exch pop exch pop%
10253                 (3011)eq{%
10254                     gsave %
10255                     newpath 0 0 moveto closepath clip%
10256                     /Courier findfont 10 scalefont setfont %
10257                     72 72 moveto(.)show %
10258                     grestore%
10259                 }if%
10260             }{pop}ifelse%
10261             }{pop}ifelse%
10262         }if%
10263     }%
10264 \endgroup
10265 }
10266 
```

46.8 Direct pdfmark support

Drivers that load `pdfmark.def` have to provide the correct macro definitions of

```

\@pdfproducer    for document information
\literalps@out   PostScript output
\headerps@out    PostScript output that goes in the header area

```

and the correct definitions of the following PostScript procedures:

H.S	start of anchor, link or rect
#1 H.A	end of anchor, argument=baselineskip in pt
#1 H.L	end of link, argument=baselineskip in pt
H.R	end of rect
H.B	raw rect code

```

10267 /*pdfmark*/
10268 \Hy@breaklinks@unsupported
10269 \def\HyPat@ObjRef{%
10270   \{[^{}]+}\}%
10271 }
10272 \def\hyper@anchor#1{%
10273   \Hy@SaveLastskip
10274   \Hy@VerboseAnchor{#1}%
10275   \begingroup

```

```

10276 \pdfmark[\anchor@spot]{%
10277   pdfmark=/DEST,%
10278   linktype=anchor,%
10279   View=/@\pdfview \@pdfviewparams,%
10280   DestAnchor={#1}%
10281 }%
10282 \endgroup
10283 \Hy@RestoreLastskip
10284 }%
10285 \ltx@ifundefined{hyper@anchorstart}{}{\endinput}
10286 \def\hyper@anchorstart#1{%
10287   \Hy@SaveLastskip
10288   \Hy@VerboseAnchor{#1}%
10289   \literalps@out{H.S}%
10290   \Hy@AllowHyphens
10291   \xdef\hyper@currentanchor{#1}%
10292   \Hy@activeanchortrue
10293 }%
10294 \def\hyper@anchorend{%
10295   \literalps@out{\strip@pt@and@otherjunk\baselineskip\space H.A}%
10296   \pdfmark{%
10297     pdfmark=/DEST,%
10298     linktype=anchor,%
10299     View=/@\pdfview \@pdfviewparams,%
10300     DestAnchor=\hyper@currentanchor,%
10301 }%
10302   \Hy@activeanchorfalse
10303   \Hy@RestoreLastskip
10304 }%
10305 \def\hyper@linkstart#1#2{%
10306   \Hy@VerboseLinkStart{#1}{#2}%
10307   \ifHy@breaklinks
10308     \else
10309       \leavevmode
10310       \Hy@SaveSpaceFactor
10311       \hbox\bgroup
10312       \Hy@RestoreSpaceFactor
10313     \fi
10314     \expandafter\Hy@colorlink\csname @#1color\endcsname
10315     \literalps@out{H.S}%
10316     \Hy@AllowHyphens
10317     \xdef\hyper@currentanchor{#2}%
10318     \gdef\hyper@currentlinktype{#1}%
10319 }%
10320 \def\hyper@linkend{%
10321   \literalps@out{\strip@pt@and@otherjunk\baselineskip\space H.L}%
10322   \ltx@ifundefined{@\hyper@currentlinktype bordercolor}{%
10323     \let\Hy@tempcolor\relax
10324   }{%
10325     \edef\Hy@tempcolor{%
10326       \csname @\hyper@currentlinktype bordercolor\endcsname
10327     }%
10328   }%
10329   \pdfmark{%
10330     pdfmark=/ANN,%
10331     linktype=link,%
10332     Subtype=/Link,%

```

```

10333 PDFAFlags=4,%
10334 Dest=\hyper@currentanchor,%
10335 AcroHighlight=\@pdfhighlight,%
10336 Border=\@pdfborder,%
10337 BorderStyle=\@pdfborderstyle,%
10338 Color=\Hy@tempcolor,%
10339 Raw=H.B%
10340 }%
10341 \Hy@endcolorlink
10342 \ifHy@breaklinks
10343 \else
10344 \Hy@SaveSpaceFactor
10345 \egroup
10346 \Hy@RestoreSpaceFactor
10347 \fi
10348 }

```

We have to allow for `\baselineskip` having an optional stretch and shrink (you meet this in slide packages, for instance), so we need to strip off the junk. David Carlisle, of course, wrote this bit of code.

```

10349 \begingroup
10350 \catcode`P=12 %
10351 \catcode`T=12 %
10352 \lowercase{\endgroup
10353 \gdef\rem@ptetc#1.#2PT#3!{#1\ifnum#2>\z@.#2\fi}%
10354 }
10355 \def\strip@ptc@and@otherjunk#1{\expandafter\rem@ptetc\the#1}

```

`\hyper@pagetransition`

```

10356 \def\hyper@pagetransition{%
10357 \ifx\@pdfpagetransition\relax
10358 \else
10359 \ifx\@pdfpagetransition\empty
10360 % 1. Does an old entry have to be deleted?
10361 % 2. If 1=yes, how to delete?
10362 \else
10363 \pdfmark{%
10364 pdfmark=/PUT,%
10365 Raw={%
10366 \string{ThisPage\string}%
10367 <</Trans << /S /\@pdfpagetransition\space >> >>%
10368 }%
10369 }%
10370 \fi
10371 \fi
10372 }

```

`\hyper@pageduration`

```

10373 \def\hyper@pageduration{%
10374 \ifx\@pdfpageduration\relax
10375 \else
10376 \ifx\@pdfpageduration\empty
10377 % 1. Does an old entry have to be deleted?
10378 % 2. If 1=yes, how to delete?
10379 \else
10380 \pdfmark{%
10381 pdfmark=/PUT,%

```

```

10382     Raw={%
10383         \string{ThisPage\string}%
10384         <</Dur \@pdfpageduration>>%
10385         }%
10386     }%
10387     \fi
10388 \fi
10389 }

\hyper@pagehidden

10390 \def\hyper@pagehidden{%
10391   \ifHy@useHidKey
10392     \pdfmark{%
10393       pdfmark=/PUT,%
10394       Raw={%
10395         \string{ThisPage\string}%
10396         <</Hid \ifHy@pdfpagehidden true\else false\fi>>%
10397         }%
10398     }%
10399   \fi
10400 }

10401 \g@addto@macro\Hy@EveryPageBoxHook{%
10402   \hyper@pagetransition
10403   \hyper@pageduration
10404   \hyper@pagehidden
10405 }

10406 \def\hyper@image##1##2{%
10407   \hyper@linkurl{##2}{##1}%
10408 }
10409 \def\Hy@undefinedname{UNDEFINED}
10410 \def\hyper@link##1##2##3{%
10411   \Hy@VerboseLinkStart{##1}{##2}%
10412   \ltx@ifundefined{@##1bordercolor}{%
10413     \let\Hy@tempcolor\relax
10414   }{%
10415     \edef\Hy@tempcolor{\csname @##1bordercolor\endcsname}%
10416   }%
10417   \begingroup
10418     \protected@edef\Hy@testname{##2}%
10419     \ifx\Hy@testname\empty
10420       \Hy@Warning{%
10421         Empty destination name,\MessageBreak
10422         using '\Hy@undefinedname'%
10423       }%
10424       \let\Hy@testname\Hy@undefinedname
10425     \fi
10426   \pdfmark[##3]{%
10427     Color=\Hy@tempcolor,%
10428     linktype=##1,%
10429     AcroHighlight=\@pdfhighlight,%
10430     Border=\@pdfborder,%
10431     BorderStyle=\@pdfborderstyle,%
10432     pdfmark=/ANN,%
10433     Subtype=/Link,%
10434     PDFAFlags=4,%
10435     Dest=\Hy@testname

```

```

10436    }%
10437 \endgroup
10438 }
10439 \newtoks\pdf@docset
10440 \def\PDF@FinishDoc{%
10441   \Hy@UseMaketitleInfos
10442   \HyInfo@GenerateAddons
10443   \let\Hy@temp\@empty
10444   \ifx\@pdfcreationdate\@empty
10445   \else
10446     \def\Hy@temp{CreationDate=\@pdfcreationdate,}%
10447   \fi
10448   \ifx\@pdfmoddate\@empty
10449   \else
10450     \expandafter\def\expandafter\Hy@temp\expandafter{%
10451       \Hy@temp
10452       ModDate=\@pdfmoddate,%
10453     }%
10454   \fi
10455   \ifx\@pdfproducer\relax
10456   \else
10457     \expandafter\def\expandafter\Hy@temp\expandafter{%
10458       \Hy@temp
10459       Producer=\@pdfproducer,%
10460     }%
10461   \fi
10462   \expandafter
10463   \pdfmark\expandafter{%
10464     \Hy@temp
10465     pdfmark=/DOCINFO,%
10466     Title=\@pdftitle,%
10467     Subject=\@pdfsubject,%
10468     Creator=\@pdfcreator,%
10469     Author=\@pdfauthor,%
10470     Keywords=\@pdfkeywords,%
10471     Trapped=\@pdftrapped
10472   }%
10473   \ifx\HyInfo@Addons\@empty
10474   \else
10475     \pdfmark{%
10476       pdfmark=/DOCINFO,%
10477       Raw={\HyInfo@Addons}%
10478     }%
10479   \fi
10480   \Hy@DisableOption{pdfauthor}%
10481   \Hy@DisableOption{pdftitle}%
10482   \Hy@DisableOption{pdfsubject}%
10483   \Hy@DisableOption{pdfcreator}%
10484   \Hy@DisableOption{pdfcreationdate}%
10485   \Hy@DisableOption{pdfmoddate}%
10486   \Hy@DisableOption{pdfproducer}%
10487   \Hy@DisableOption{pdfkeywords}%
10488   \Hy@DisableOption{pdftrapped}%
10489   \Hy@DisableOption{pdfinfo}%
10490 }
10491 \def\PDF@SetupDoc{%
10492   \def\Hy@temp{}%

```

```

10493 \ifx\@pdfstartpage\@empty
10494 \else
10495   \ifx\@pdfstartview\@empty
10496   \else
10497     \edef\Hy@temp{%
10498       ,Page=\@pdfstartpage
10499       ,View=\@pdfstartview
10500     }%
10501   \fi
10502 \fi
10503 \edef\Hy@temp{%
10504   \noexpand\pdfmark{%
10505     pdfmark=/DOCVIEW,%
10506     PageMode=/\@pdffpagemode
10507     \Hy@temp
10508   }%
10509 }%
10510 \Hy@temp
10511 \ifx\@pdfpagescrop\@empty
10512 \else
10513   \pdfmark{pdfmark=/PAGES,CropBox=\@pdfpagescrop}%
10514 \fi
10515 \edef\Hy@temp{%
10516   \ifHy@toolbar\else /HideToolbar true\fi
10517   \ifHy@menubar\else /HideMenubar true\fi
10518   \ifHy@windowui\else /HideWindowUI true\fi
10519   \ifHy@fitwindow /FitWindow true\fi
10520   \ifHy@centerwindow /CenterWindow true\fi
10521   \ifHy@displaydoctitle /DisplayDocTitle true\fi
10522   \Hy@UseNameKey{NonFullScreenPageMode}\@pdfnonfullscreenpagemode
10523   \Hy@UseNameKey{Direction}\@pdfdirection
10524   \Hy@UseNameKey{ViewArea}\@pdfviewarea
10525   \Hy@UseNameKey{ViewClip}\@pdfviewclip
10526   \Hy@UseNameKey{PrintArea}\@pdfprintarea
10527   \Hy@UseNameKey{PrintClip}\@pdfprintclip
10528   \Hy@UseNameKey{PrintScaling}\@pdfprintscaling
10529   \Hy@UseNameKey{Duplex}\@pdfduplex
10530 \ifx\@pdfpicktraybypdfsize\@empty
10531 \else
10532   /PickTrayByPDFSize \@pdfpicktraybypdfsize
10533 \fi
10534 \ifx\@pdfprintpagerange\@empty
10535 \else
10536   /PrintPageRange[\@pdfprintpagerange]%
10537 \fi
10538 \ifx\@pdfnumcopies\@empty
10539 \else
10540   /NumCopies \@pdfnumcopies
10541 \fi
10542 }%
10543 \Hy@pstringdef\Hy@pstringB{\@baseurl}%
10544 \pdfmark{%
10545   pdfmark=/PUT,%
10546   Raw={%
10547     \string{Catalog\string}<<%
10548     \ifx\Hy@temp\@empty
10549     \else

```

```

10550     /ViewerPreferences<<\Hy@temp>>%
10551     \fi
10552     \Hy@UseNameKey{PageLayout}\@pdfpagelayout
10553     \ifx\@pdflang\@empty
10554     \else
10555     /Lang(\@pdflang)%
10556     \fi
10557     \ifx\@baseurl\@empty
10558     \else
10559     /URI<</Base(\Hy@pstringB)>>%
10560     \fi
10561     >>%
10562   }%
10563 }%
10564 }
10565 </pdfmark>
10566 <*pdfmarkbase>

```

We define a single macro, pdfmark, which uses the ‘keyval’ system to define the various allowable keys; these are *exactly* as listed in the pdfmark reference for Acrobat 3.0. The only addition is pdfmark which specifies the type of pdfmark to create (like ANN, LINK etc). The surrounding round and square brackets in the pdfmark commands are supplied, but you have to put in / characters as needed for the values.

```

10567 \newif\ifHy@pdfmarkerror
10568 \def\pdfmark{\@ifnextchar[{\pdfmark@}{\pdfmark@[[]]}}
10569 \def\pdfmark@[#1]{#2}%
10570   \Hy@pdfmarkerrorfalse
10571   \edef\@processme{\noexpand\pdf@toks={\the\pdf@defaulttoks}}%
10572   \@processme
10573   \let\pdf@type\relax
10574   \kvsetkeys{PDF}{#2}%
10575   \ifHy@pdfmarkerror
10576   \else
10577     \ifx\pdf@type\relax
10578       \Hy@WarningNoLine{no pdfmark type specified in #2!!}%
10579       \ifx\#1\%
10580       \else
10581         \pdf@rect{#1}%
10582       \fi
10583     \else
10584       \ifx\#1\%
10585         \literalps@out{%
10586           [\the\pdf@toks\space\pdf@type\space pdfmark]%
10587         }%
10588     \else
10589       \ltx@ifundefined{@\pdf@linktype color}{%
10590         \Hy@colorlink\@linkcolor
10591       }{%
10592         \expandafter\Hy@colorlink
10593           \csname@\pdf@linktype color\endcsname
10594       }%
10595       \pdf@rect{#1}%
10596       \literalps@out{%
10597         [\the\pdf@toks\space\pdf@type\space pdfmark]%
10598       }%
10599       \Hy@endcolorlink
10600     \fi

```

```

10601   \fi
10602   \fi
10603 }

```

The complicated bit is working out the right enclosing rectangle of some piece of T_EX text, needed by the /Rect key. This solution originates with Toby Thain (tobyt@netspace.net.au).

For the case breaklinks is enabled, I have added two hooks, the first one for package setouterhbox, it provides a hopefully better method without setting the text twice.

```
\usepackage[hyperref]{setouterhbox}
```

With the second hook, also you can set the text twice, e.g.:

```

\long\def\Hy@setouterhbox#1#2{\long\def\my@temp{#2}}
\def\Hy@breaklinksunhbox#1{\my@temp}

10604 \newsavebox{\pdf@box}
10605 \providecommand*{\Hy@setouterhbox}{\sbox}
10606 \providecommand*{\Hy@breaklinksunhbox}{\unhbox}
10607 \def\Hy@DEST{/DEST}
10608 \def\pdf@rect#1{%
10609   \begingroup
10610   \chardef\x=1 %
10611   \def\Hy@temp{#1}%
10612   \ifx\Hy@temp\ltx@empty
10613     \chardef\x=0 %
10614   \else
10615     \def\y{\anchor@spot}%
10616     \ifx\Hy@temp\y
10617       \def\y{\relax}%
10618       \ifx\anchor@spot\y
10619         \chardef\x=0 %
10620       \fi
10621     \fi
10622   \fi
10623 \expandafter\endgroup
10624 \ifcase\x
10625   \literalps@out{H.S}%
10626   \literalps@out{H.R}%
10627 \else
10628   \leavevmode
10629   \Hy@SaveSpaceFactor
10630   \ifHy@breaklinks
10631     \Hy@setouterhbox\pdf@box{%
10632       \Hy@RestoreSpaceFactor
10633       \Hy@AllowHyphens#1%
10634       \Hy@SaveSpaceFactor
10635     }%
10636   \else
10637     \sbox\pdf@box{%
10638       \Hy@RestoreSpaceFactor
10639       #1%
10640       \Hy@SaveSpaceFactor
10641     }%
10642   \fi
10643   \dimen@\ht\pdf@box
10644   \ifdim\dp\pdf@box=\z@
10645     \literalps@out{H.S}%
10646   \else

```

```

10647     \lower\dp\pdf@box\hbox{\literalps@out{H.S}}%
10648     \fi

```

If the text has to be horizontal mode stuff then just unbox the saved box like this, which saves executing it twice, which can mess up counters etc (thanks DPC...).

```

10649     \ifHy@breaklinks
10650     \expandafter\Hy@breaklinksunhbox
10651     \else
10652     \expandafter\box
10653     \fi
10654     \pdf@box

```

but if it can have multiple paragraphs you'd need one of these, but in that case the measured box size would be wrong anyway.

```

\ifHy@breaklinks#1\else\box\pdf@box\fi
\ifHy@breaklinks{#1}\else\box\pdf@box\fi

10655     \ifdim\dimen@=\z@
10656     \literalps@out{H.R}%
10657     \else
10658     \raise\dimen@\hbox{\literalps@out{H.R}}%
10659     \fi
10660     \Hy@RestoreSpaceFactor
10661     \fi
10662     \ifx\pdf@type\Hy@DEST
10663     \else
10664     \pdf@addtoksx{H.B}%
10665     \fi
10666 }

```

All the supplied material is stored in a token list; since I do not feel sure I quite understand these, things may not work as expected with expansion. We'll have to experiment.

```

10667 \newtoks\pdf@toks
10668 \newtoks\pdf@defaulttoks
10669 \pdf@defaulttoks={}
10670 \def\pdf@addtoks#1#2{%
10671   \edef\@processme{\pdf@toks{\the\pdf@toks/#2 #1}}%
10672   \@processme
10673 }
10674 \def\pdf@addtoksx#1{%
10675   \edef\@processme{\pdf@toks{\the\pdf@toks\space #1}}%
10676   \@processme
10677 }
10678 \def\PDFdefaults#1{%
10679   \pdf@defaulttoks={#1}%
10680 }

```

This is the list of allowed keys. See the Acrobat manual for an explanation.

```

10681 % what is the type of pdfmark?
10682 \define@key{PDF}{pdfmark}{\def\pdf@type{#1}}
10683 % what is the link type?
10684 \define@key{PDF}{linktype}{\def\pdf@linktype{#1}}
10685 \def\pdf@linktype{link}
10686 % parameter is a stream of PDF
10687 \define@key{PDF}{Raw}{\pdf@addtoksx{#1}}
10688 % parameter is a name
10689 \define@key{PDF}{Action}{\pdf@addtoks{#1}{Action}}
10690 % parameter is a array

```

```

10691 \define@key{PDF}{Border}{%
10692   \edef\Hy@temp{\#1}%
10693   \ifx\Hy@temp\empty
10694   \else
10695     \pdf@addtoks{[\#1]\Hy@BorderArrayPatch}{Border}%
10696   \fi
10697 }
10698 \let\Hy@BorderArrayPatch\empty
10699 % parameter is a dictionary
10700 \define@key{PDF}{BorderStyle}{%
10701   \edef\Hy@temp{\#1}%
10702   \ifx\Hy@temp\empty
10703   \else
10704     \pdf@addtoks{<<\#1>>}{BS}%
10705   \fi
10706 }
10707 % parameter is a array
10708 \define@key{PDF}{Color}{%
10709   \ifx\relax\#1\relax
10710   \else
10711     \pdf@addtoks{[\#1]}{Color}%
10712   \fi
10713 }
10714 % parameter is a string
10715 \define@key{PDF}{Contents}{\pdf@addtoks{(\#1)}{Contents}}
10716 % parameter is a integer
10717 \define@key{PDF}{Count}{\pdf@addtoks{\#1}{Count}}
10718 % parameter is a array
10719 \define@key{PDF}{CropBox}{\pdf@addtoks{[\#1]}{CropBox}}%
10720 % parameter is a string
10721 \define@key{PDF}{DOSFile}{\pdf@addtoks{(\#1)}{DOSFile}}
10722 % parameter is a string or file
10723 \define@key{PDF}{DataSource}{\pdf@addtoks{(\#1)}{DataSource}}
10724 % parameter is a destination
10725 \define@key{PDF}{Dest}{%
10726   \Hy@pstringdef\Hy@pstringDest{\HyperDestNameFilter{\#1}}%
10727   \ifx\Hy@pstringDest\empty
10728     \Hy@pdfmarkerrortrue
10729     \Hy@Warning{Destination with empty name ignored}%
10730   \else
10731     \pdf@addtoks{(\Hy@pstringDest) cvn}{Dest}%
10732   \fi
10733 }
10734 \define@key{PDF}{DestAnchor}{%
10735   \Hy@pstringdef\Hy@pstringDest{\HyperDestNameFilter{\#1}}%
10736   \ifx\Hy@pstringDest\empty
10737     \Hy@pdfmarkerrortrue
10738     \Hy@Warning{Destination with empty name ignored}%
10739   \else
10740     \pdf@addtoks{(\Hy@pstringDest) cvn}{Dest}%
10741   \fi
10742 }
10743 % parameter is a string
10744 \define@key{PDF}{Dir}{\pdf@addtoks{(\#1)}{Dir}}
10745 % parameter is a string
10746 \define@key{PDF}{File}{\pdf@addtoks{(\#1)}{File}}
10747 % parameter is a int

```

```

10748 \define@key{PDF}{Flags}{\pdf@addtoks{\#1}{Flags}}
10749 \define@key{PDF}{PDFAFlags}{%
10750   \ifHy@pdfa
10751     \pdf@addtoks{\#1}{F}%
10752   \fi
10753 }
10754 % parameter is a name
10755 \define@key{PDF}{AcroHighlight}{%
10756   \begingroup
10757   \edef\x{\#1}%
10758   \expandafter\endgroup\ifx\x\empty
10759   \else
10760     \pdf@addtoks{\#1}{H}%
10761   \fi
10762 }
10763 % parameter is a string
10764 \define@key{PDF}{ID}{\pdf@addtoks{\#1}{ID}}% hash-ok
10765 % parameter is a string
10766 \define@key{PDF}{MacFile}{\pdf@addtoks{\#1}{MacFile}}
10767 % parameter is a string
10768 \define@key{PDF}{ModDate}{\pdf@addtoks{\#1}{ModDate}}
10769 % parameter is a string
10770 \define@key{PDF}{Op}{\pdf@addtoks{\#1}{Op}}
10771 % parameter is a Boolean
10772 \define@key{PDF}{Open}{\pdf@addtoks{\#1}{Open}}
10773 % parameter is a integer or name
10774 \define@key{PDF}{Page}{\pdf@addtoks{\#1}{Page}}
10775 % parameter is a name
10776 \define@key{PDF}{PageMode}{\pdf@addtoks{\#1}{PageMode}}
10777 % parameter is a string
10778 \define@key{PDF}{Params}{\pdf@addtoks{\#1}{Params}}
10779 % parameter is a array
10780 \define@key{PDF}{Rect}{\pdf@addtoks{\#1}{Rect}}% hash-ok
10781 % parameter is a integer
10782 \define@key{PDF}{SrcPg}{\pdf@addtoks{\#1}{SrcPg}}
10783 % parameter is a name
10784 \define@key{PDF}{Subtype}{\pdf@addtoks{\#1}{Subtype}}
10785 % parameter is a string
10786 \define@key{PDF}{Title}{\pdf@addtoks{\#1}{Title}}
10787 % parameter is a string
10788 \define@key{PDF}{Unix}{\pdf@addtoks{\#1}{Unix}}
10789 % parameter is a string
10790 \define@key{PDF}{UnixFile}{\pdf@addtoks{\#1}{UnixFile}}
10791 % parameter is an array
10792 \define@key{PDF}{View}{\pdf@addtoks{\#1}{View}}% hash-ok
10793 % parameter is a string
10794 \define@key{PDF}{WinFile}{\pdf@addtoks{\#1}{WinFile}}

```

These are the keys used in the DOCINFO section.

```

10795 \define@key{PDF}{Author}{\pdf@addtoks{\#1}{Author}}
10796 \define@key{PDF}{Creator}{\pdf@addtoks{\#1}{Creator}}
10797 \define@key{PDF}{CreationDate}{\pdf@addtoks{\#1}{CreationDate}}
10798 \define@key{PDF}{ModDate}{\pdf@addtoks{\#1}{ModDate}}
10799 \define@key{PDF}{Producer}{\pdf@addtoks{\#1}{Producer}}
10800 \define@key{PDF}{Subject}{\pdf@addtoks{\#1}{Subject}}
10801 \define@key{PDF}{Keywords}{\pdf@addtoks{\#1}{Keywords}}
10802 \define@key{PDF}{ModDate}{\pdf@addtoks{\#1}{ModDate}}
10803 \define@key{PDF}{Base}{\pdf@addtoks{\#1}{Base}}

```

```

10804 \define@key{PDF}{URI}{\pdf@addtoks{\#1}{URI}}
10805 \define@key{PDF}{Trapped}{%
10806   \edef\Hy@temp{\#1}%
10807   \ifx\Hy@temp\empty
10808   \else
10809     \pdf@addtoks{/#1}{Trapped}%
10810   \fi
10811 }
10812
10813 </pdfmarkbase>
10814 <*pdfmark>
10815 \def\Acrobatmenu#1#2{%
10816   \Hy@Acrobatmenu{\#1}{\#2}%
10817   \pdfmark[\#2]%
10818   linktype=menu,%
10819   pdfmark=/ANN,%
10820   AcroHighlight=\@pdfhighlight,%
10821   Border=\@pdfborder,%
10822   BorderStyle=\@pdfborderstyle,%
10823   Action={<< /Subtype /Named /N /\#1 >>},%
10824   Subtype=/Link,%
10825   PDFAFlags=4%
10826 }%
10827 }%
10828 }

```

And now for some useful examples:

```

10829 \def\PDFNextPage{\c@ifnextchar[\{\PDFNextPage@]{\PDFNextPage@[]}{}
10830 \def\PDFNextPage@[#1]#2{%
10831   \pdfmark[\#2]%
10832   #1,%
10833   Border=\@pdfborder,%
10834   BorderStyle=\@pdfborderstyle,%
10835   Color=.2 .1 .5,%
10836   pdfmark=/ANN,%
10837   Subtype=/Link,%
10838   PDFAFlags=4,%
10839   Page=/Next%
10840 }%
10841 }
10842 \def\PDFPreviousPage{%
10843   \c@ifnextchar[\{\PDFPreviousPage@]{\PDFPreviousPage@[]}{%
10844 }
10845 \def\PDFPreviousPage@[#1]#2{%
10846   \pdfmark[\#2]%
10847   #1,%
10848   Border=\@pdfborder,%
10849   BorderStyle=\@pdfborderstyle,%
10850   Color=.4 .4 .1,%
10851   pdfmark=/ANN,%
10852   Subtype=/Link,%
10853   PDFAFlags=4,%
10854   Page=/Prev%
10855 }%
10856 }
10857 \def\PDFOpen#1{%
10858   \pdfmark{\#1, pdfmark=/DOCVIEW}%
10859 }

```

This will only work if you use Distiller 2.1 or higher.

```
10860 \def\hyper@linkurl#1#2{%
10861   \begingroup
10862     \Hy@pstringdef\Hy@pstringURI{\#2}%
10863     \hyper@chars
10864     \leavevmode
10865     \pdfmark[\#1]{%
10866       pdfmark=/ANN,%
10867       linktype=url,%
10868       AcroHighlight=\@pdfhighlight,%
10869       Border=\@pdfborder,%
10870       BorderStyle=\@pdfborderstyle,%
10871       Color=\@urlbordercolor,%
10872       Action={<<%
10873         /Subtype/URI%
10874         /URI(\Hy@pstringURI)%
10875         \ifHy@href@ismap
10876           /IsMap true%
10877           \fi
10878         >>},%
10879       Subtype=/Link,%
10880       PDFAFlags=4%
10881     }%
10882   \endgroup
10883 }
10884 \def\hyper@linkfile#1#2#3{%
10885   \begingroup
10886     \def\Hy@pstringF{\#2}%
10887     \Hy@CleanupFile\Hy@pstringF
10888     \Hy@pstringdef\Hy@pstringF\Hy@pstringF
10889     \Hy@pstringdef\Hy@pstringD{\#3}%
10890     \Hy@MakeRemoteAction
10891     \leavevmode
10892     \pdfmark[\#1]{%
10893       pdfmark=/ANN,%
10894       Subtype=/Link,%
10895       PDFAFlags=4,%
10896       AcroHighlight=\@pdfhighlight,%
10897       Border=\@pdfborder,%
10898       BorderStyle=\@pdfborderstyle,%
10899       linktype=file,%
10900       Color=\@filebordercolor,%
10901       Action={%
10902         <<%
10903           /S/GoToR%
10904           \Hy@SetNewWindow
10905           /F(\Hy@pstringF)%
10906           /D%
10907           \ifx\\#3\\%
10908             [\Hy@href@page\@pdfremotestartview]%
10909           \else
10910             (\Hy@pstringD)cvn%
10911           \fi
10912           \Hy@href@nextactionraw
10913         >>%
10914     }%
10915 }
```

```

10916 \endgroup
10917 }
10918 \def\@hyper@launch run:#1\#2#3{%
10919 \begingroup
10920 \Hy@pstringdef\Hy@pstringF{\#1}%
10921 \Hy@pstringdef\Hy@pstringP{\#3}%
10922 \leavevmode
10923 \pdfmark[\#2]{%
10924 pdfmark=/ANN,%
10925 Subtype=/Link,%
10926 PDFAFlags=4,%
10927 AcroHighlight=\@pdfhighlight,%
10928 Border=\@pdfborder,%
10929 BorderStyle=\@pdfborderstyle,%
10930 linktype=run,%
10931 Color=\@runbordercolor,%
10932 Action=f%
10933 <<%
10934 /S/Launch%
10935 \Hy@SetNewWindow
10936 /F(\Hy@pstringF)%
10937 \ifx\#3\%
10938 \else
10939 /Win<</P(\Hy@pstringP)/F(\Hy@pstringF)>>%
10940 \fi
10941 \Hy@href@nextactionraw
10942 >>%
10943 }%
10944 }%
10945 \endgroup
10946 }
10947 
```

Unfortunately, some parts of the pdfmark PostScript code depend on vagaries of the dvi driver. We isolate here all the problems.

46.9 Rokicki's dvips

dvips thinks in 10ths of a big point, its coordinate space is resolution dependent, and its *y* axis starts at the top of the page. Other drivers can and will be different!

The work is done in SDict, because we add in some header definitions in a moment.

```

10948 {*dvips}
10949 \providecommand*\XR@ext{pdf}
10950 \def\Hy@raisedlink{%
10951 \def\literalps@out#1{\special{ps:SDict begin #1 end}}%
10952 \def\headerps@out#1{\special{! #1}}%
10953 \input{pdfmark.def}%
10954 \ifx\@pdfproducer\relax
10955 \def\@pdfproducer{dvips + Distiller}%
10956 \fi
10957 \providecommand*\@pdfborder{0 0 1}
10958 \providecommand*\@pdfborderstyle{}%
10959 \providecommand*\@pdfview{XYZ}%
10960 \providecommand*\@pdfviewparams{ H.V}%
10961 \def\Hy@BorderArrayPatch{BorderArrayPatch}%
10962 \g@addto@macro\Hy@FirstPageHook{%
10963 \headerps@out{%

```

Unless I am going mad, this *appears* to be the relationship between the default coordinate system (PDF), and dvips;

```
/DvipsToPDF { .01383701 div Resolution div } def
/PDFToDvips { .01383701 mul Resolution mul } def
```

the latter's coordinates are resolution dependent, but what that .01383701 is, who knows? well, almost everyone except me, I expect... And yes, Maarten Gelderman <mgelder-
man@econ.vu.nl> points out that its 1/72.27 (the number of points to an inch, big points
to inch is 1/72). This also suggests that the code would be more understandable (and
exact) if 0.013 div would be replaced by 72.27 mul, so here we go. If this isn't right, I'll
revert it.

```
10964 /DvipsToPDF{72.27 mul Resolution div} def%
10965 /PDFToDvips{72.27 div Resolution mul} def%
10966 /BPToDvips{72 div Resolution mul}def%
```

The values inside the /Boder array are not taken literally, but interpreted by ghostscript
using the resolution of the dvi driver. I don't know how other distiller programs behaves
in this manner.

```
10967 /BorderArrayPatch{%
10968 [exch{%
10969 dup dup type/integertype eq exch type/realtytype eq or%
10970 {BPToDvips}if%
10971 }forall]%
10972 }def%
```

The rectangle around the links starts off *exactly* the size of the box; we will to make it
slightly bigger, 1 point on all sides.

```
10973 /HyperBorder {1 PDFToDvips} def%
10974 /H.V {pdf@hoff pdf@voff null} def%
10975 /H.B {/Rect[pdf@llx pdf@lly pdf@urx pdf@ury]} def%
```

H.S (start of anchor, link, or rect) stores the *x* and *y* coordinates of the current point, in
PDF coordinates

```
10976 /H.S {%
10977 currentpoint %
10978 HyperBorder add /pdf@lly exch def %
10979 dup DvipsToPDF 72 add /pdf@hoff exch def %
10980 HyperBorder sub /pdf@llx exch def%
10981 } def%
```

The calculation of upper left *y* is done without raising the point in TeX, by simply
adding on the current \baselineskip to the current *y*. This is usually too much, so we
remove a notional 2 points.

We have to see what the current baselineskip is, and convert it to the dvips coordinate
system.

Argument: baselineskip in pt. The *x* and *y* coordinates of the current point, minus the
baselineskip

```
10982 /H.L {%
10983 2 sub dup%
10984 /HyperBasePt exch def %
10985 PDFToDvips /HyperBaseDvips exch def %
10986 currentpoint %
10987 HyperBaseDvips sub /pdf@ury exch def%
10988 /pdf@urx exch def%
10989 } def%
10990 /H.A {%
```

```

10991      H.L %
10992 % |/pdf@voff| = the distance from the top of the page to a point
10993 % |\baselineskip| above the current point in PDF coordinates
10994     currentpoint exch pop %
10995     vsize 72 sub exch DvipsToPDF %
10996     HyperBasePt sub % baseline skip
10997     sub /pdf@voff exch def%
10998 } def%
10999 /H.R {%
11000     currentpoint %
11001     HyperBorder sub /pdf@ury exch def %
11002     HyperBorder add /pdf@urx exch def %
11003 % |/pdf@voff| = the distance from the top of the page to the current point, in
11004 % PDF coordinates
11005     currentpoint exch pop vsize 72 sub %
11006     exch DvipsToPDF sub /pdf@voff exch def%
11007 } def%
11008 }%
11009 }
11010 \AtBeginShipoutFirst{%
11011   \ifHy@setpagesize
11012     \begingroup
11013       \@ifundefined{stockwidth}{%
11014         \ifdim\paperwidth>\z@
11015           \ifdim\paperheight>\z@
11016             \special{papersize=\the\paperwidth,\the\paperheight}%
11017           \fi
11018         \fi
11019       }{%
11020         \ifdim\stockwidth>\z@
11021           \ifdim\stockheight>\z@
11022             \special{papersize=\the\stockwidth,\the\stockheight}%
11023           \fi
11024         \fi
11025       }%
11026     \endgroup
11027   \fi
11028   \Hy@DisableOption{setpagesize}%
11029 }
11030 </dvips>

```

46.10 VTeX's vtexpdfmark driver

This part is derived from the dvips (many names reflect this).

The origin seems to be the same as TeX's origin, 1 in from the left and 1 in downwards from the top. The direction of the *y* axis is downwards, the opposite of the dvips case. Units seems to be pt or bp.

```

11031 <*vtexpdfmark>
11032 \providecommand*\XR@ext{pdf}
11033 \def\Hy@raisedlink{}
11034 \def\literalps@out#1{\special{pS:#1}}%
11035 \def\headerps@out#1{\immediate\special{pS:#1}}%
11036 \input{pdfmark.def}%
11037 \ifx\@pdfproducer\relax
11038   \ifnum\OpMode=\@ne
11039     \def\@pdfproducer{VTeX}%

```

```

11040 \else
11041   \def\@pdfproducer{VTeX + Distiller}%
11042 \fi
11043 \fi
11044 \providecommand*\@pdfborder{0 0 1}
11045 \providecommand*\@pdfborderstyle{}
11046 \providecommand*\@pdfview{XYZ}
11047 \providecommand*\@pdfviewparams{ H.V}
11048 \g@addto@macro\Hy@FirstPageHook{%
11049   \headerps@out{%
11050     /vsize {\Hy@pageheight} def%

```

The rectangle around the links starts off *exactly* the size of the box; we will to make it slightly bigger, 1 point on all sides.

```

11051 /HyperBorder {1} def%
11052 /H.V {pdf@hoff pdf@voff null} def%
11053 /H.B {/Rect[pdf@llx pdf@lly pdf@urx pdf@ury]} def%

```

H.S (start of anchor, link, or rect) stores the x and y coordinates of the current point, in PDF coordinates: $\text{pdf}@llx = Y_c - \text{HyperBorder}$, $\text{pdf}@hoff = X_c + 72$, $\text{pdf}@llx = X_c - \text{HyperBorder}$

```

11054 /H.S {%
11055   currentpoint %
11056   HyperBorder sub%
11057   /pdf@lly exch def %
11058   dup 72 add /pdf@hoff exch def %
11059   HyperBorder sub%
11060   /pdf@llx exch def%
11061 } def%

```

The x and y coordinates of the current point, minus the \baselineskip: $\text{pdf}@ury} = Y_c + \text{HyperBasePt} + \text{HyperBorder}$, $\text{pdf}@urx} = X_c + \text{HyperBorder}$

```

11062 /H.L {%
11063   2 sub%
11064   /HyperBasePt exch def %
11065   currentpoint %
11066   HyperBasePt add HyperBorder add%
11067   /pdf@ury exch def %
11068   HyperBorder add%
11069   /pdf@urx exch def%
11070 } def%
11071 /H.A {%
11072   H.L %
11073   currentpoint exch pop %
11074   vsize 72 sub exch %
11075   HyperBasePt add add%
11076   /pdf@voff exch def%
11077 } def%

```

$\text{pdf}@ury} = Y_c + \text{HyperBorder}$, $\text{pdf}@urx} = X_c + \text{HyperBorder}$

```

11078 /H.R {%
11079   currentpoint %
11080   HyperBorder add%
11081   /pdf@ury exch def %
11082   HyperBorder add%
11083   /pdf@urx exch def %
11084   currentpoint exch pop vsize 72 sub add%
11085   /pdf@voff exch def%

```

```

11086   } def%
11087 }%
11088 }
11089 </vtexpdfmark>

```

46.11 Textures

```

11090 {*textures}
11091 \providecommand*{\XR@ext}{pdf}

```

At the suggestion of Jacques Distler (distler@golem.ph.utexas.edu), try to derive a suitable driver for Textures. This was initially a copy of dvips, with some guesses about Textures behaviour. Ross Moore (ross@maths.mq.edu.au) has added modifications for better compatibility, and to support use of pdfmark.

Start by defining a macro that expands to the end-of-line character. This will be used to format the appearance of PostScript code, to enhance readability, and avoid excessively long lines which might otherwise become broken to bad places.

\Hy@ps@CR The macro \Hy@ps@CR contains the end-of-line character.

```

11092 \begingroup
11093   \obeylines %
11094   \gdef\Hy@ps@CR{\noexpand
11095 }%
11096 \endgroup %

```

Textures has two types of \special command for inserting PostScript code directly into the dvi output. The ‘postscript’ way preserves TeX’s idea of where on the page the \special occurred, but it wraps the contents with a save–restore pair, and adjusts the user-space coordinate system for local drawing commands. The ‘rawpostscript’ way simply inserts code, without regard for the location on the page.

Thus, to put arbitrary PostScript coding at a fixed location requires using *both* \special constructions. It works by pushing the device-space coordinates onto the operand stack, where they can be used to transform back to the correct user-space coordinates for the whole page, within a ‘rawpostscript’ \special.

```

11097 \def\literalps@out#1{%
11098   \special{postscript 0 0 transform}%
11099   \special{rawpostscript itransform moveto\Hy@ps@CR #1}%
11100 }%
11101 %

```

The ‘prepostscript’ is a 3rd kind of \special, used for inserting definitions into the dictionaries, before page-building begins. These are to be available for use on all pages.

```

11102 \def\headerps@out#1{%
11103   \special{%
11104     prepostscript TeXdict begin\Hy@ps@CR
11105       #1\Hy@ps@CR
11106     end%
11107   }%
11108 }%
11109 %

```

To correctly support the pdfmark method, for embedding PDF definitions with .ps files in a non-intrusive way, an appropriate definition needs to be made *before* the file pdfmark.def is read. Other parameters are best set afterwards.

```

11110 \g@addto@macro\Hy@FirstPageHook{%
11111   \headerps@out{%
11112     /betterpdfmark {%

```

```

11113    systemdict begin %
11114      dup /BP eq%
11115      {cleartomark gsave nulldevice []%
11116      {dup /EP eq%
11117        {cleartomark cleartomark grestore}%
11118        {cleartomark}%
11119        ifelse%
11120      }ifelse %
11121      end%
11122    }def\Hy@ps@CR
11123    __pdfmark__ not{/pdfmark /betterpdfmark load def}if%
11124  }% end of \headerps@out
11125 }% end of \AtBeginShipoutFirst
11126 %
11127 \input{pdfmark.def}%
11128 %
11129 \ifx\@pdfproducer\relax
11130  \def\@pdfproducer{Textures + Distiller}%
11131 \fi
11132 \providecommand*\@pdfborder{0 0 1}
11133 \providecommand*\@pdfborderstyle{}
11134 \providecommand*\@pdfview{XYZ}
11135 \providecommand*\@pdfviewparams{ H.V}
11136 %

```

These are called at the start and end of unboxed links; their job is to leave available PS variables called pdf@llx pdf@lly pdf@urx pdf@ury, which are the coordinates of the bounding rectangle of the link, and pdf@hoff pdf@voff which are the PDF page offsets. The Rect pair are called at the LL and UR corners of a box known to T_EX.

```

11137 \Hy@AtBeginDocument{%
11138  \headerps@out{%

```

Textures lives in normal points, I think. So conversion from one coordinate system to another involves doing nothing.

```

11139  /vsize {\Hy@pageheight} def%
11140  /DvipsToPDF {} def%
11141  /PDFToDvips {} def%
11142  /BPToDvips {} def%
11143  /HyperBorder { 1 PDFToDvips } def\Hy@ps@CR
11144  /H.V {pdf@hoff pdf@voff null} def\Hy@ps@CR
11145  /H.B {/Rect[pdf@llx pdf@lly pdf@urx pdf@ury]} def\Hy@ps@CR
11146  /H.S {%
11147    currentpoint %
11148    HyperBorder add /pdf@lly exch def %
11149    dup DvipsToPDF 72 add /pdf@hoff exch def %
11150    HyperBorder sub /pdf@llx exch def%
11151  } def\Hy@ps@CR
11152  /H.L {%
11153    2 sub %
11154    PDFToDvips /HyperBase exch def %
11155    currentpoint %
11156    HyperBase sub /pdf@ury exch def%
11157    /pdf@urx exch def%
11158  } def\Hy@ps@CR
11159  /H.A {%
11160    H.L %
11161    currentpoint exch pop %
11162    vsize 72 sub exch DvipsToPDF %

```

```

11163     HyperBase sub % baseline skip
11164     sub /pdf@voff exch def%
11165 } def\Hy@ps@CR
11166 /H.R {%
11167     currentpoint %
11168     HyperBorder sub /pdf@ury exch def %
11169     HyperBorder add /pdf@urx exch def %
11170     currentpoint exch pop vscale 72 sub %
11171     exch DvipsToPDF sub /pdf@voff exch def%
11172 } def\Hy@ps@CR
11173 }%
11174 }

11175 \Hy@AtBeginDocument{%
11176   \ifHy@colorlinks
11177     \headerps@out{/PDFBorder{/Border [0 0 0]}def}%
11178   \fi
11179 }

```

Textures provides built-in support for HyperTeX specials so this part combines code from `hypertex.def` with what is established by loading `pdfmark.def`, or any other driver.

```

11180 \expandafter\let\expandafter\keepPDF@SetupDoc
11181 \csname PDF@SetupDoc\endcsname
11182 \def\PDF@SetupDoc{%
11183   \ifx\@baseurl\@empty
11184   \else
11185     \special{html:<base href="\@baseurl">}%
11186   \fi
11187 \keepPDF@SetupDoc
11188 }
11189 \def\hyper@anchor#1{%
11190   \Hy@SaveLastskip
11191   \Hy@VerboseAnchor{#1}%
11192   \begingroup
11193     \let\protect=\string
11194     \special{html:<a name=%
11195       \hyper@quote\HyperDestNameFilter{#1}\hyper@quote>}%
11196   \endgroup
11197   \Hy@activeanchortrue
11198   \Hy@colorlink\@anchorcolor\anchor@spot\Hy@endcolorlink
11199   \special{html:</a>}%
11200   \Hy@activeanchorfalse
11201   \Hy@RestoreLastskip
11202 }
11203 \def\hyper@anchorstart#1{%
11204   \Hy@SaveLastskip
11205   \Hy@VerboseAnchor{#1}%
11206   \begingroup
11207     \hyper@chars
11208     \special{html:<a name=%
11209       \hyper@quote\HyperDestNameFilter{#1}\hyper@quote>}%
11210   \endgroup
11211   \Hy@activeanchortrue
11212 }
11213 \def\hyper@anchorend{%
11214   \special{html:</a>}%
11215   \Hy@activeanchorfalse
11216   \Hy@RestoreLastskip

```

```

11217 }
11218 \def\@curltype{url}
11219 \def\hyper@linkstart{\#1\#2{%
11220   \Hy@VerboseLinkStart{\#1}{\#2}%
11221   \expandafter\Hy@colorlink\csname \#1color\endcsname
11222   \def\Hy@tempa{\#1}%
11223   \ifx\Hy@tempa\@curltype
11224     \special{html:<a href=\hyper@quote\#2\hyper@quote>}%
11225   \else
11226     \begingroup
11227       \hyper@chars
11228       \special{%
11229         html:<a href=%
11230         \hyper@quote\#\HyperDestNameFilter{\#2}\hyper@quote>%
11231       }%
11232     \endgroup
11233   \fi
11234 }
11235 \def\hyper@linkend{%
11236   \special{html:</a>}%
11237   \Hy@endcolorlink
11238 }
11239 \def\hyper@linkfile{\#1\#2\#3{%
11240   \hyper@linkurl{\#1}{%
11241     \Hy@linkfileprefix\#2\ifx\\#3\\else\#\#3\fi
11242   }%
11243 }
11244 \def\hyper@linkurl{\#1\#2{%
11245   \leavevmode
11246   \ifHy@raiselinks
11247     \Hy@SaveSpaceFactor
11248     \Hy@SaveSavedSpaceFactor
11249     \sbox\@tempboxa{\Hy@RestoreSpaceFactor\#1}%
11250     \Hy@RestoreSavedSpaceFactor
11251     \linkdim\dp\@tempboxa
11252     \lower\linkdim\hbox{%
11253       \hyper@chars
11254       \special{html:<a href=\hyper@quote\#2\hyper@quote>}%
11255     }%
11256     \Hy@colorlink\curlcolor
11257     \Hy@RestoreSpaceFactor
11258     \#1%
11259     \Hy@SaveSpaceFactor
11260     \linkdim\ht\@tempboxa
11261     \advance\linkdim by -6.5\p@
11262     \raise\linkdim\hbox{\special{html:</a>}}%
11263   \Hy@endcolorlink
11264   \Hy@RestoreSpaceFactor
11265 \else
11266   \begingroup
11267     \hyper@chars
11268     \special{html:<a href=\hyper@quote\#2\hyper@quote>}%
11269     \Hy@colorlink\curlcolor\#1%
11270     \special{html:</a>}%
11271     \Hy@endcolorlink
11272   \endgroup
11273 \fi

```

```

11274 }
Very poor implementation of \hyper@link without considering #1.
11275 \def\hyper@link#1#2#3{%
11276   \Hy@VerboseLinkStart{#1}{#2}%
11277   \hyper@linkurl{#3}{\#HyperDestNameFilter{#2}}%
11278 }
11279 \def\hyper@image#1#2{%
11280   \begingroup
11281     \hyper@chars
11282     \special{html:<img src=\hyper@quote#1\hyper@quote>}%
11283   \endgroup
11284 }
11285 </textures>

```

46.12 dvipsone

```

11286 % \subsection{dvipsone driver}
11287 % Over-ride the default setup macro in pdfmark driver to use Y\&Y
11288 % |\special| commands.
11289 (*dvipsone)
11290 \providecommand*\XR@ext{pdf}
11291 \def\Hy@raisedlink{}
11292 \providecommand*\@pdfborder{0 0 1}
11293 \providecommand*\@pdfborderstyle{}
11294 \def\literalps@out#1{\special{ps:#1}}%
11295 \def\headerps@out#1{\special{headertext=#1}}%
11296 \input{pdfmark.def}%
11297 \ifx\@pdfproducer\relax
11298   \def\@pdfproducer{dvipsone + Distiller}%
11299 \fi
11300 \HyInfo@AddonUnsupportedtrue
11301 \def\PDF@FinishDoc{%
11302   \Hy@UseMaketitleInfos
11303   \HyInfo@TrappedUnsupported
11304   \special{PDF: Keywords \@pdfkeywords}%
11305   \special{PDF: Title \@pdftitle}%
11306   \special{PDF: Creator \@pdfcreator}%
11307   \ifx\@pdfcreationdate\@empty
11308   \else
11309     \special{PDF: CreationDate \@pdfcreationdate}%
11310   \fi
11311   \ifx\@pdfmoddate\@empty
11312   \else
11313     \special{PDF: ModDate \@pdfmoddate}%
11314   \fi
11315   \special{PDF: Author \@pdfauthor}%
11316   \ifx\@pdfproducer\relax
11317   \else
11318     \special{PDF: Producer \@pdfproducer}%
11319   \fi
11320   \special{PDF: Subject \@pdfsubject}%
11321   \Hy@DisableOption{pdfauthor}%
11322   \Hy@DisableOption{pdftitle}%
11323   \Hy@DisableOption{pdfsubject}%
11324   \Hy@DisableOption{pdfcreator}%
11325   \Hy@DisableOption{pdfcreationdate}%
11326   \Hy@DisableOption{pdfmoddate}%

```

```

11327 \Hy@DisableOption{pdfproducer}%
11328 \Hy@DisableOption{pdfkeywords}%
11329 \Hy@DisableOption{pdftrapped}%
11330 \Hy@DisableOption{pdffinfo}%
11331 }
11332 \def\PDF@SetupDoc{%
11333 \def\Hy@temp{}%
11334 \ifx\@pdfstartpage\@empty
11335 \else
11336 \ifx\@pdfstartview\@empty
11337 \else
11338 \edef\Hy@temp{%
11339 ,Page=\@pdfstartpage
11340 ,View=\@pdfstartview
11341 }%
11342 \fi
11343 \fi
11344 \edef\Hy@temp{%
11345 \noexpand\pdfmark{%
11346 pdfmark=/DOCVIEW,%
11347 PageMode=/\@pdfpagemode
11348 \Hy@temp
11349 }%
11350 }%
11351 \Hy@temp
11352 \ifx\@pdfpagescrop\@empty
11353 \else
11354 \pdfmark{pdfmark=/PAGES,CropBox=\@pdfpagescrop}%
11355 \fi
11356 \edef\Hy@temp{%
11357 \ifHy@toolbar\else /HideToolbar true\fi
11358 \ifHy@menubar\else /HideMenubar true\fi
11359 \ifHy@windowui\else /HideWindowUI true\fi
11360 \ifHy@fitwindow /FitWindow true\fi
11361 \ifHy@centerwindow /CenterWindow true\fi
11362 \ifHy@displaydoctitle /DisplayDocTitle true\fi
11363 \Hy@UseNameKey{NonFullScreenPageMode}\@pdfnonfullscreenpagemode
11364 \Hy@UseNameKey{Direction}\@pdfdirection
11365 \Hy@UseNameKey{ViewArea}\@pdfviewarea
11366 \Hy@UseNameKey{ViewClip}\@pdfviewclip
11367 \Hy@UseNameKey{PrintArea}\@pdfprintarea
11368 \Hy@UseNameKey{PrintClip}\@pdfprintclip
11369 \Hy@UseNameKey{PrintScaling}\@pdfprintscaling
11370 \Hy@UseNameKey{Duplex}\@pdfduplex
11371 \ifx\@pdfpicktraybysize\@empty
11372 \else
11373 /PickTrayByPDFSize \@pdfpicktraybysize
11374 \fi
11375 \ifx\@pdfprintpagerange\@empty
11376 \else
11377 /PrintPageRange[\@pdfprintpagerange]%
11378 \fi
11379 \ifx\@pdfnumcopies\@empty
11380 \else
11381 /NumCopies \@pdfnumcopies
11382 \fi
11383 }%

```

```

11384 \Hy@pstringdef\Hy@pstringB{\@baseurl}%
11385 \pdfmark{%
11386   pdfmark=/PUT,%
11387   Raw={%
11388     \string{Catalog\string}<<%
11389     \ifx\Hy@temp\@empty
11390     \else
11391       /ViewerPreferences<<\Hy@temp>>%
11392     \fi
11393   \Hy@UseNameKey{PageLayout}\@pdfpagelayout
11394   \ifx\@pdflang\@empty
11395   \else
11396     /Lang(\@pdflang)%
11397   \fi
11398   \ifx\@baseurl\@empty
11399   \else
11400     /URI<</Base(\Hy@pstringB)>>%
11401   \fi
11402 >>%
11403 }%
11404 }%
11405 }
11406 \providecommand*\@pdfview{XYZ}
11407 \providecommand*\@pdfviewparams{ %
11408   gsave revscl currentpoint grestore %
11409   72 add exch pop null exch null%
11410 }
11411 \def\Hy@BorderArrayPatch{BorderArrayPatch}

```

These are called at the start and end of unboxed links; their job is to leave available PS variables called pdf@llx pdf@lly pdf@urx pdf@ury, which are the coordinates of the bounding rectangle of the link, and pdf@hoff pdf@voff which are the PDF page offsets. These latter are currently not used in the dvipsone setup. The Rect pair are called at the LL and UR corners of a box known to TeX.

```

11412 \g@addto@macro\Hy@FirstPageHook{%
11413   \headerps@out{%

```

dvipsone lives in scaled points; does this mean 65536 or 65781?

```

11414   /DvipsToPDF { 65781 div } def%
11415   /PDFToDvips { 65781 mul } def%
11416   /BPToDvips{65781 mul}def%
11417   /HyperBorder { 1 PDFToDvips } def%
11418   /H.B {/Rect[pdf@llx pdf@lly pdf@urx pdf@ury]} def%

```

The values inside the /Boder array are not taken literally, but interpreted by ghostscript using the resolution of the dvi driver. I don't know how other distiller programs behaves in this manner.

```

11419   /BorderArrayPatch{%
11420     [exch{%
11421       dup dup type/integertype eq exch type/realtypes eq or%
11422       {BPToDvips}if%
11423     }forall]%
11424   }def%
11425   /H.S {%
11426     currentpoint %
11427     HyperBorder add /pdf@lly exch def %
11428     dup DvipsToPDF 72 add /pdf@hoff exch def %
11429     HyperBorder sub /pdf@llx exch def%
11430   } def%

```

```

11431 /H.L {%
11432   2 sub %
11433   PDFToDvips /HyperBase exch def %
11434   currentpoint %
11435   HyperBase sub /pdf@ury exch def%
11436   /pdf@urx exch def%
11437 } def%
11438 /H.A {%
11439   H.L %
11440   currentpoint exch pop %
11441   HyperBase sub % baseline skip
11442   DvipsToPDF /pdf@voff exch def%
11443 } def%
11444 /H.R {%
11445   currentpoint %
11446   HyperBorder sub /pdf@ury exch def %
11447   HyperBorder add /pdf@urx exch def %
11448   currentpoint exch pop DvipsToPDF /pdf@voff exch def%
11449 } def%
11450 }%
11451 }
11452 </dvipsone>

```

46.13 TeX4ht

```

11453 <*tex4ht>
11454 \providecommand*{\XR@ext}{html}
11455 \def\Hy@raisedlink{%
11456 \@ifpackageloaded{tex4ht}{%
11457   \typeout{hyperref tex4ht: tex4ht already loaded}%
11458 }{%
11459   \RequirePackage[htex4ht]{tex4ht}%
11460 }%
11461 \hyperlinkfileprefix{}%
11462 \def\PDF@FinishDoc{}%
11463 \def\PDF@SetupDoc{%
11464   \ifx\@baseurl\@empty%
11465   \else%
11466     \special{t4ht=<base href="\@baseurl">}%
11467   \fi%
11468 }%
11469 \def\hyper@anchor#1{%
11470   \Hy@SaveLastskip%
11471   \Hy@VerboseAnchor{#1}%
11472   \begingroup%
11473     \let\protect=\string%
11474     \special{t4ht=<a name=%
11475       \hyper@quote\HyperDestNameFilter{#1}\hyper@quote>}%
11476   \endgroup%
11477   \Hy@activeanchortrue%
11478   \Hy@colorlink\@anchorcolor\anchor@spot\Hy@endcolorlink%
11479   \special{t4ht=</a>}%
11480   \Hy@activeanchorfalse%
11481   \Hy@RestoreLastskip%
11482 }%
11483 \def\hyper@anchorstart#1{%
11484   \Hy@SaveLastskip%
11485   \Hy@VerboseAnchor{#1}%

```

```

11486 \begingroup
11487   \hyper@chars\special{t4ht=<a name=%
11488     \hyper@quote\HyperDestNameFilter{\#1}\hyper@quote>}%
11489 \endgroup
11490 \Hy@activeanchortrue
11491 }
11492 \def\hyper@anchorend{%
11493   \special{t4ht=</a>}%
11494 \Hy@activeanchorfalse
11495 \Hy@RestoreLastskip
11496 }
11497 \def\@curltype{url}
11498 \def\hyper@linkstart{\#1\#2{%
11499   \Hy@VerboseLinkStart{\#1}{\#2}%
11500   \expandafter\Hy@colorlink\csname @\#1color\endcsname
11501   \def\Hy@tempa{\#1}%
11502   \ifx\Hy@tempa\@curltype
11503     \special{t4ht=<a href=\hyper@quote\#2\hyper@quote>}%
11504   \else
11505     \begingroup
11506       \hyper@chars
11507       \special{t4ht=<a href=%
11508         \hyper@quote\#\HyperDestNameFilter{\#2}\hyper@quote>}%
11509     \endgroup
11510   \fi
11511 }
11512 \def\hyper@linkend{%
11513   \special{t4ht=</a>}%
11514 \Hy@endcolorlink
11515 }
11516 \def\hyper@linkfile{\#1\#2\#3{%
11517   \hyper@linkurl{\#1}{\Hy@linkfileprefix\#2\ifx\\#3\\else\\#3\fi}%
11518 }
11519 \def\hyper@linkurl{\#1\#2{%
11520   \leavevemode
11521   \ifHy@raiselinks
11522     \Hy@SaveSpaceFactor
11523     \Hy@SaveSavedSpaceFactor
11524     \sbox{\@tempboxa{\Hy@RestoreSpaceFactor\#1}}%
11525     \Hy@RestoreSavedSpaceFactor
11526     \linkdim\dp\@tempboxa
11527     \lower\linkdim\hbox{%
11528       \begingroup
11529         \hyper@chars
11530         \special{%
11531           t4ht=<a href=\hyper@quote\#2\hyper@quote>%
11532         }%
11533       \endgroup
11534     }%
11535     \Hy@colorlink\@urlicon
11536     \Hy@RestoreSpaceFactor
11537     \#1%
11538     \Hy@SaveSpaceFactor
11539     \Hy@endcolorlink
11540     \linkdim\ht\@tempboxa
11541     \advance\linkdim by -6.5\p@
11542     \raise\linkdim\hbox{\special{t4ht=</a>}}%

```

```

11543   \Hy@RestoreSpaceFactor
11544 \else
11545   \begingroup
11546     \hyper@chars
11547     \special{t4ht=<a href=\hyper@quote\#2\hyper@quote>}%
11548     \Hy@colorlink\curlcolor\#1\Hy@endcolorlink
11549     \special{t4ht=</a>}%
11550   \endgroup
11551 \fi
11552 }

```

Poor implementation of \hyper@link without considering #1.

```

11553 \def\hyper@link{\#1\#2\#3{%
11554   \Hy@VerboseLinkStart{\#1}{\#2}%
11555   \hyper@linkurl{\#3}{\#\HyperDestNameFilter{\#2}}%
11556 }%
11557 \def\hyper@image{\#1\#2{%
11558   \begingroup
11559     \hyper@chars
11560     \special{t4ht=<img src=\hyper@quote\#1\hyper@quote>}%
11561   \endgroup
11562 }%
11563 \let\autoref\ref
11564 \ifx \rEfLiNK \UnDef
11565   \def\rEfLiNK {\#1\#2{\#2}}%
11566 \fi
11567 \def\backref{\#1{}}

```

Fix for tex4ht.

```

11568 \AtBeginDocument{%
11569   \expandafter\let\expandafter\Hy@OrgMakeLabel\csname Make:Label\endcsname
11570   \expandafter\def\csname Make:Label\endcsname{\#1\#2{%
11571     \ifhmode
11572       \Hy@SaveSpaceFactor
11573     \else
11574       \global\Hy@SavedSpaceFactor=1000 %
11575     \fi
11576   \Hy@OrgMakeLabel{\#1}{%
11577     \Hy@RestoreSpaceFactor
11578     \#2%
11579     \Hy@SaveSpaceFactor
11580   }%
11581   \Hy@RestoreSpaceFactor
11582 }%
11583 }%
11584 </tex4ht>
11585 <*tex4htcfg>
11586 \IfFileExists{\jobname.cfg}{\endinput}{}
11587 \Preamble{html}
11588 \begin{document}%
11589 \EndPreamble
11590 \def\TeX{\TeX}
11591 \def\OMEGA{\Omega}
11592 \def\LaTeX{\LaTeX}
11593 \def\LaTeXe{\LaTeXe}
11594 \def\TeXe{\TeXe}
11595 \def\MF{\Metafont}
11596 \def\MP{\MetaPost}
11597 </tex4htcfg>

```

47 Driver-specific form support

47.1 pdfmarks

```
11598 {*pdfmark}
11599 \long\def\@Form[#1]{%
11600 \g@addto@macro\Hy@FirstPageHook{%
11601 \headerps@out{%
11602 [%}
11603 /_objdef{pdfDocEncoding}%
11604 /type/dict%
11605 /OBJ pdfmark%
11606 [%}
11607 {pdfDocEncoding}%
11608 <<%
11609 /Type/Encoding%
11610 /Differences[%}
11611 24/breve/caron/circumflex/dotaccent/hungarumlaut/ogonek/ring%
11612 /tilde %
11613 39/quotesingle %
11614 96/grave %
11615 128/bullet/dagger/daggerdbl/ellipsis/emdash/endash/florin%
11616 /fraction/guilsinglleft/guilsinglright/minus/perthousand%
11617 /quotedblbase/quotedblleft/quotedblright/quotelleft%
11618 /quoteright/quotesinglbase/trademark/fi/fl/Lslash/OE/Scaron%
11619 /Ydieresis/Zcaron/dotlessi/lslash/oe/scaron/zcaron %
11620 164/currency %
11621 166/brokenbar %
11622 168/dieresis/copyright/ordfeminine %
11623 172/logicalnot/.notdef/registered/macron/degree/plusminus%
11624 /twosuperior/threesuperior/acute/mu %
11625 183/periodcentered/cedilla/onesuperior/ordmasculine %
11626 188/onequarter/onehalf/threequarters %
11627 192/Agrave/Aacute/Acircumflex/Atilde/Adieresis/Aring/AE%
11628 /Ccedilla/Egrave/Eacute/Ecircumflex/Edieresis/Igrave%
11629 /Iacute/Icircumflex/Idieresis/Eth/Ntilde/Ograve/Oacute%
11630 /Ocircumflex/Otilde/Odieresis/multiply/Oslash/Ugrave%
11631 /Uacute/Ucircumflex/Udieresis/Yacute/Thorn/germandbls%
11632 /grave/aacute/acircumflex/tilde/adieresis/aring/ae%
11633 /ccedilla/egrave/eacute/ecircumflex/edieresis/igrave%
11634 /iacute/icircumflex/idieresis/eth/ntilde/ograve/oacute%
11635 /ocircumflex/otilde/odieresis/divide/oslash/ugrave/uacute%
11636 /ucircumflex/udieresis/yacute/thorn/ydieresis%
11637 ]%
11638 >>%
11639 /PUT pdfmark%
11640 [%}
11641 /_objdef{ZaDb}%
11642 /type/dict%
11643 /OBJ pdfmark%
11644 [%}
11645 {ZaDb}%
11646 <<%
11647 /Type/Font%
11648 /Subtype/Type1%
11649 /Name/ZaDb%
11650 /BaseFont/ZapfDingbats%
```

```

11651  >>%
11652 /PUT pdfmark%
11653 [%]
11654 /_objdef{Helv}%
11655 /type/dict%
11656 /OBJ pdfmark%
11657 [%]
11658 {Helv}%
11659 <<%
11660 /Type/Font%
11661 /Subtype/Type1%
11662 /Name/Helv%
11663 /BaseFont/Helvetica%
11664 /Encoding{pdfDocEncoding}%
11665 >>%
11666 /PUT pdfmark%
11667 [%]
11668 /_objdef{aform}%
11669 /type/dict%
11670 /OBJ pdfmark%
11671 [%]
11672 /_objdef{afields}%
11673 /type/array%
11674 /OBJ pdfmark%
11675 {%
11676 [%]
11677 /BBox[0 0 100 100]%
11678 /_objdef{Check}%
11679 /BP pdfmark %
11680 1 0 0 setrgbcolor%
11681 /ZapfDingbats 80 selectfont %
11682 20 20 moveto%
11683 (4)show%
11684 [/EP pdfmark%
11685 [%]
11686 /BBox[0 0 100 100]%
11687 /_objdef{Cross}%
11688 /BP pdfmark %
11689 1 0 0 setrgbcolor%
11690 /ZapfDingbats 80 selectfont %
11691 20 20 moveto%
11692 (8)show%
11693 [/EP pdfmark%
11694 [%]
11695 /BBox[0 0 250 100]%
11696 /_objdef{Submit}%
11697 /BP pdfmark %
11698 0.6 setgray %
11699 0 0 250 100 rectfill %
11700 1 setgray %
11701 2 2 moveto %
11702 2 98 lineto %
11703 248 98 lineto %
11704 246 96 lineto %
11705 4 96 lineto %
11706 4 4 lineto %
11707 fill %

```

```

11708 0.34 setgray %
11709 248 98 moveto %
11710 248 2 lineto %
11711 2 2 lineto %
11712 4 4 lineto %
11713 246 4 lineto %
11714 246 96 lineto %
11715 fill%
11716 /Helvetica 76 selectfont %
11717 0 setgray %
11718 8 22.5 moveto%
11719 (Submit)show%
11720 [/EP pdfmark%
11721 [%]
11722 /BBox[0 0 250 100]%
11723 /_objdef{SubmitP}%
11724 /BP pdfmark %
11725 0.6 setgray %
11726 0 0 250 100 rectfill %
11727 0.34 setgray %
11728 2 2 moveto %
11729 2 98 lineto %
11730 248 98 lineto %
11731 246 96 lineto %
11732 4 96 lineto %
11733 4 4 lineto %
11734 fill %
11735 1 setgray %
11736 248 98 moveto %
11737 248 2 lineto %
11738 2 2 lineto %
11739 4 4 lineto %
11740 246 4 lineto %
11741 246 96 lineto %
11742 fill%
11743 /Helvetica 76 selectfont %
11744 0 setgray %
11745 10 20.5 moveto%
11746 (Submit)show%
11747 [/EP pdfmark%
11748 } ?pdfmark%
11749 [%]
11750 {aform}%
11751 <<%
11752 /Fields{afields}%
11753 /DR<<%
11754 /Font<<%
11755 /ZaDb{ZaDb}%
11756 /Helv{Helv}%
11757 >>%
11758 >>%
11759 /DA(/Helv 10 Tf 0 g)%
11760 /CO{corder}%
11761 \ifHy@pdfa
11762 \else
11763 /NeedAppearances true%
11764 \fi

```

```

11765  >>%
11766 /PUT pdfmark%
11767 [%]
11768 {Catalog}%
11769 <<%
11770 /AcroForm{aform}%
11771 >>%
11772 /PUT pdfmark%
11773 [%]
11774 /_objdef{corder}%
11775 /type/array%
11776 /OBJ pdfmark% dps
11777 }}%
11778 \kvsetkeys{Form}{#1}%
11779 }
11780 \def\@endForm{}
11781 \def\@Gauge[#1]#2#3#4{%
  parameters, label, minimum, maximum
  \typeout{Sorry, pdfmark drivers do not support FORM gauges}%
}
11782 }
11783 \def\@TextField[#1]#2{%
  parameters, label
  \def\Fld@name{#2}%
  \def\Fld@default{}%
  \let\Fld@value\empty
  \def\Fld@width{\DefaultWidthofText}%
  \def\Fld@height{%
    \ifFld@multiline
      \DefaultHeightofTextMultiline
    \else
      \DefaultHeightofText
    \fi
  }%
  \begingroup
  \expandafter\HyField@SetKeys\expandafter{%
    \DefaultOptionsofText,#1}%
  }%
  \HyField@FlagsText
  \ifFld@hidden\def\Fld@width{1sp}\fi
  \ifx\Fld@value\empty\def\Fld@value{\Fld@default}\fi
  \LayoutTextField{#2}{%
    \Hy@escapeform\PDFForm@Text
    \pdfmark{\MakeTextField{\Fld@width}{\Fld@height}}{%
      pdfmark=/ANN,Raw={\PDFForm@Text}}%
  }%
  }%
  \endgroup
}
11809 \endgroup
11810 }
11811 \def\@ChoiceMenu[#1]#2#3{%
  parameters, label, choices
  \def\Fld@name{#2}%
  \let\Fld@default\relax
  \let\Fld@value\relax
  \def\Fld@width{\DefaultWidthofChoiceMenu}%
  \def\Fld@height{\DefaultHeightofChoiceMenu}%
  \begingroup
  \Fld@menulength=0 %
  \tempdima\z@
  \for\curropt:=#3\do{%
    \expandafter\Fld@checkequals\curropt==\%
  }
}

```

```

11822   \Hy@StepCount\Fld@menulength
11823   \settowidth{\@tempdimb}{\currDisplay}%
11824   \ifdim\@tempdimb>\@tempdima\@tempdima\@tempdimb\fi
11825 }%
11826 \advance\@tempdima by 15\p@
11827 \begingroup
11828   \HyField@SetKeys{#1}%
11829 \edef\x{\endgroup
11830   \noexpand\expandafter
11831   \noexpand\HyField@SetKeys
11832   \noexpand\expandafter{%
11833     \expandafter\noexpand\csname DefaultOptionsof%
11834     \ifFld@radio
11835       Radio%
11836     \else
11837       \ifFld@combo
11838         \ifFld@popdown
11839           PopdownBox%
11840         \else
11841           ComboBox%
11842         \fi
11843       \else
11844         ListBox%
11845       \fi
11846     \fi
11847   \endcsname
11848 }%
11849 }\x
11850 \HyField@SetKeys{#1}%
11851 \ifFld@hidden\def\Fld@width{1sp}\fi
11852 \ifx\Fld@value\relax
11853   \let\Fld@value\Fld@default
11854 \fi
11855 \LayoutChoiceField{#2}{%
11856   \ifFld@radio
11857     \HyField@FlagsRadioButton
11858     \@@Radio{#3}%
11859   \else
11860     \begingroup
11861       \HyField@FlagsChoice
11862       \ifdim\Fld@width<\@tempdima
11863         \ifdim\@tempdima<1cm\@tempdima1cm\fi
11864         \edef\Fld@width{\the\@tempdima}%
11865       \fi
11866     \ifFld@combo
11867     \else
11868       \tempdima=\the\Fld@menulength\Fld@charsize
11869       \advance\@tempdima by \Fld@borderwidth bp %
11870       \advance\@tempdima by \Fld@borderwidth bp %
11871       \edef\Fld@height{\the\@tempdima}%
11872     \fi
11873     \@@Listbox{#3}%
11874   \endgroup
11875 }%
11876 }%
11877 \endgroup
11878 }

```

```

11879 \def\@@Radio#1{%
11880   \Fld@listcount=0 %
11881   \for\@curropt:=#1\do{%
11882     \expandafter\Fld@checkequals\@curropt==\\%
11883     \Hy@StepCount\Fld@listcount
11884     \currDisplay\space
11885     \Hy@escapeform\PDFForm@Radio
11886     \pdfmark[\MakeRadioField{\Fld@width}{\Fld@height}]{%
11887       pdfmark=/ANN,%
11888       Raw={%
11889         \PDFForm@Radio /AP <>/N <>/\currValue\space {Check}>> >>%
11890       }%
11891     } % deliberate space between radio buttons
11892   }%
11893 }
11894 \newcount\Fld@listcount
11895 \def\@@Listbox#1{%
11896   \HyField@PDFChoices{#1}%
11897   \Hy@escapeform\PDFForm@List
11898   \pdfmark[\MakeChoiceField{\Fld@width}{\Fld@height}]{%
11899     pdfmark=/ANN,Raw={\PDFForm@List}%
11900   }%
11901 }
11902 \def\@PushButton[#1]#2{%
parameters, label
11903   \def\Fld@name{#2}%
11904   \begingroup
11905     \expandafter\HyField@SetKeys\expandafter{%
11906       \DefaultOptionsofPushButton,#1%
11907     }%
11908     \ifHy@pdfa
11909       \PackageError{hyperref}{%
11910         PDF/A: Push button with JavaScript is prohibited%
11911       }@\ehc
11912       \LayoutPushButtonField{%
11913         \leavevmode
11914         \MakeButtonField{#2}%
11915       }%
11916     \else
11917       \HyField@FlagsPushButton
11918       \ifFld@hidden\def\Fld@width{1sp}\fi
11919       \LayoutPushButtonField{%
11920         \leavevmode
11921         \Hy@escapeform\PDFForm@Push
11922         \pdfmark[\MakeButtonField{#2}]{%
11923           pdfmark=/ANN,Raw={\PDFForm@Push}%
11924         }%
11925       }%
11926     \fi
11927   \endgroup
11928 }
11929 \def\@Submit[#1]#2{%
11930   \def\Fld@width{\DefaultWidthofSubmit}%
11931   \def\Fld@height{\DefaultHeightofSubmit}%
11932   \begingroup
11933     \expandafter\HyField@SetKeys\expandafter{%
11934       \DefaultOptionsofSubmit,#1%
11935     }%

```

```

11936 \HyField@FlagsPushButton
11937 \HyField@FlagsSubmit
11938 \ifFld@hidden\def\Fld@width{1sp}\fi
11939 \Hy@escapeform\PDFForm@Submit
11940 \pdfmark[\MakeButtonField{\#2}]{%
11941   pdfmark=/ANN,%
11942   Raw={\PDFForm@Submit /AP << /N {Submit} /D {SubmitP} >>}%
11943 }%
11944 \endgroup
11945 }%
11946 \def\@Reset[#1]{%
11947 \def\Fld@width{\DefaultWidthofReset}%
11948 \def\Fld@height{\DefaultHeightofReset}%
11949 \begingroup
11950   \expandafter\HyField@SetKeys\expandafter{%
11951     \DefaultOptionsofReset,\#1}%
11952 }%
11953 \leavevmode
11954 \ifHy@pdflatex
11955   \PackageError{hyperref}{%
11956     PDF/A: Reset action is prohibited}%
11957 }@\ehc
11958   \MakeButtonField{\#2}%
11959 \else
11960   \HyField@FlagsPushButton
11961   \ifFld@hidden\def\Fld@width{1sp}\fi
11962   \Hy@escapeform\PDFForm@Reset
11963   \pdfmark[\MakeButtonField{\#2}]{%
11964     pdfmark=/ANN,Raw={\PDFForm@Reset}%
11965   }%
11966 \fi
11967 \endgroup
11968 }%
11969 \def\@CheckBox[#1]{%
11970   \def\Fld@name{\#2}%
11971   \def\Fld@default{0}%
11972 \begingroup
11973   \def\Fld@width{\DefaultWidthofCheckBox}%
11974   \def\Fld@height{\DefaultHeightofCheckBox}%
11975   \expandafter\HyField@SetKeys\expandafter{%
11976     \DefaultOptionsofCheckBox,\#1}%
11977 }%
11978 \HyField@FlagsCheckBox
11979 \ifFld@hidden\def\Fld@width{1sp}\fi
11980 \LayoutCheckField{\#2}{%
11981   \Hy@escapeform\PDFForm@Check
11982   \pdfmark[\MakeCheckField{\Fld@width}{\Fld@height}]{%
11983     pdfmark=/ANN,Raw={\PDFForm@Check}%
11984   }%
11985 }%
11986 \endgroup
11987 }%
11988 
```

47.2 HyperTeX

```

11989 (*hypertex)
11990 \def\@Form[#1]{\typeout{Sorry, HyperTeX does not support FORMs}}

```

```

11991 \def\@endForm{}
11992 \def\@Gauge[#1]\#2\#3\#4{%
  parameters, label, minimum, maximum
  \typeout{Sorry, HyperTeX does not support FORM gauges}%
}
11993 }
11994 \def\@TextField[#1]\#2{%
  parameters, label
  \typeout{Sorry, HyperTeX does not support FORM text fields}%
}
11995 }
11996 \def\@CheckBox[#1]\#2{%
  parameters, label
  \typeout{Sorry, HyperTeX does not support FORM checkboxes}%
}
11997 }
11998 \def\@ChoiceMenu[#1]\#2\#3{%
  parameters, label, choices
  \typeout{Sorry, HyperTeX does not support FORM choice menus}%
}
11999 }
12000 }
12001 \def\@PushButton[#1]\#2{%
  parameters, label
  \typeout{Sorry, HyperTeX does not support FORM pushbuttons}%
}
12002 }
12003 }
12004 \def\@Reset[#1]\#2{\typeout{Sorry, HyperTeX does not support FORMs}%
}
12005 \def\@Submit[#1]\#2{\typeout{Sorry, HyperTeX does not support FORMs}%
}
12006 }
12007 \def\@Reset[#1]\#2{\typeout{Sorry, HyperTeX does not support FORMs}%
}
12008 \def\@Submit[#1]\#2{\typeout{Sorry, HyperTeX does not support FORMs}%
}
12009 
```

47.3 TeX4ht

```

12010 (*tex4ht)
12011 \def\@Form[#1]{%
12012   \kvsetkeys{Form}{#1}%
12013   \HCode{<form action="\Form@action" method="\Form@method">}%
}
12014 }
12015 \def\@endForm{\HCode{</form>}}
12016 \def\@Gauge[#1]\#2\#3\#4{%
  parameters, label, minimum, maximum
  \typeout{Sorry, TeX4ht does not support gauges}%
}
12017 }
12018 }
12019 \def\@TextField[#1]\#2{%
  parameters, label
  \let\Hy@reserved@a\empty
  \def\Fld@name{#2}%
  \def\Fld@default{}%
  \bgroup
  \Field@toks={ }%
  \kvsetkeys{Field}{#1}%
  \HCode{<label for="\Fld@name">\#2</label>}%
  \ifFld@password
    \@@PasswordField
  \else
    \@@TextField
  \fi
  \egroup
}
12020 }
12021 }
12022 }
12023 }
12024 }
12025 }
12026 }
12027 }
12028 }
12029 }
12030 }
12031 }
12032 }
12033 }
12034 \def\@@PasswordField{%
12035   \HCode{%
12036     <input type="password" %
12037     id="\Fld@name" %
12038     name="\Fld@name" %
12039     \ifFld@hidden type="hidden" \fi
12040     value="\Fld@default" %
12041     \the\Field@toks
12042   >%
12043 }%
}
12044 }
12045 \def\@@TextField{%

```

```

12046 \ifFld@multiline
12047   \HCode{<textarea %
12048     \ifFld@readonly readonly \fi
12049     id="\Fld@name" %
12050     name="\Fld@name" %
12051     \ifFld@hidden type="hidden" \fi
12052     \the\Field@toks>%
12053   }%
12054   \Fld@default
12055   \HCode{</textarea>}%
12056 \else
12057   \HCode{<input type="textbox" %
12058     \ifFld@readonly readonly \fi
12059     id="\Fld@name" %
12060     name="\Fld@name" %
12061     \ifFld@hidden type="hidden" \fi
12062     value="\Fld@default" %
12063     \the\Field@toks>%
12064   }%
12065 \fi
12066 }
12067 \def\@ChoiceMenu[#1]\#2\#3{%
12068   \def\Fld@name{\#2}%
12069   \def\Fld@default{}%
12070   \let\Hy@reserved@a\relax
12071   \begingroup
12072     \expandafter\Fld@findlength\#3\\%
12073     \Field@toks={ }%
12074     \kvsetkeys{Field}{\#1}%
12075   #2%
12076   \ifFld@radio
12077     \expandafter\@@Radio\#3\\%
12078   \else
12079     \expandafter\@@Menu\#3\\%
12080   \fi
12081   \endgroup
12082 }
12083 \def\Fld@findlength#1\\{%
12084   \Fld@menulength=0 %
12085   \cfor\@curropt:=#1\do{\Hy@StepCount\Fld@menulength}%
12086 }
12087 \def\@@Menu#1\\{%
12088   \HCode{<select size="\the\Fld@menulength" %
12089     name="\Fld@name" %
12090     \the\Field@toks>%
12091   }%
12092   \cfor\@curropt:=#1\do{%
12093     \expandafter\Fld@checkequals\@curropt==\\%
12094     \HCode{<option %
12095       \ifx\@curropt\Fld@default selected \fi
12096       value="@currValue">\currDisplay</option>%
12097     }%
12098   }%
12099   \HCode{</select>}%
12100 }
12101 \def\@@Radio#1\\{%
12102   \cfor\@curropt:=#1\do{%

```

```

12103  \expandafter\Fld@checkequals{@curropt==\\%
12104  \HCode{<input type="radio" %
12105  \ifx\@curropt\Fld@default checked \fi
12106  name=\Fld@name %
12107  value="@currValue" %
12108  \the\Field@toks>%
12109  }%
12110  \@currDisplay
12111 }%
12112 }
12113 \def\@PushButton[#1]#2{%
12114  \def\Fld@name{#2}%
12115  \bgroup
12116  \Field@toks={ }%
12117  \kvsetkeys{Field}{#1}%
12118  \HCode{<input type="button" %
12119  name=\Fld@name %
12120  value="#2" %
12121  \the\Field@toks>%
12122  }%
12123  \HCode{</button>}%
12124  \egroup
12125 }
12126 \def\@Submit[#1]#2{%
12127  \HCode{<button type="submit">#2</button>}%
12128 }
12129 \def\@Reset[#1]#2{%
12130  \HCode{<button type="reset">#2</button>}%
12131 }
12132 \def\@CheckBox[#1]#2{%
12133  \let\Hy@reserved@a\empty
12134  \def\Fld@name{#2}%
12135  \def\Fld@default{0}%
12136  \bgroup
12137  \Field@toks={ }%
12138  \kvsetkeys{Field}{#1}%
12139  \HCode{<input type="checkbox" %
12140  \ifFld@checked checked \fi
12141  \ifFld@disabled disabled \fi
12142  \ifFld@readonly readonly \fi
12143  name=\Fld@name %
12144  \ifFld@hidden type="hidden" \fi
12145  value=\Fld@default %
12146  \the\Field@toks>%
12147  #2%
12148  }%
12149  \egroup
12150 }
12151 </tex4ht>

```

47.4 pdfTeX

```

12152 {*pdftex}
12153 \def\@Gauge[#1]#2#3#4{%
12154  \typeout{Sorry, pdftex does not support FORM gauges}%
12155 }
12156 \def\MakeFieldObject#1#2{\sbox0{#1}%
12157  \immediate\pdfxform0 %

```

```

12158 \expandafter\edef\csname #2Object\endcsname{%
12159   \the\pdflastxform\space 0 R%
12160 }%
12161 % \hbox to 0pt{\hskip-\maxdimen{\pdfrefxform \the\pdflastxform}}%
12162 }%
12163 \def\HyField@fields{}%
12164 \begingroup\expandafter\expandafter\expandafter\endgroup
12165 \expandafter\ifx\csname pdflastlink\endcsname\relax
12166   \let\HyField@AddToFields\relax
12167   \PackageInfo{hyperref}{%
12168     You need pdfTeX 1.40.0 for setting the /Fields entry.%
12169     \MessageBreak
12170     Adobe Reader/Acrobat accepts an empty /Field array,%
12171     \MessageBreak
12172     but other PDF viewers might complain%
12173   }%
12174 \else
12175   \def\HyField@AuxAddToFields#1{}%
12176   \def\HyField@AfterAuxOpen{\Hy@AtBeginDocument}%
12177 \Hy@AtBeginDocument{%
12178   \if@filesw
12179     \immediate\write\@mainaux{%
12180       \string\providecommand\string\HyField@AuxAddToFields[1]{}}%
12181     }%
12182   \fi
12183   \let\HyField@AfterAuxOpen\@firstofone
12184   \def\HyField@AuxAddToFields#1{%
12185     \xdef\HyField@fields{%
12186       \ifx\HyField@fields\@empty
12187         \else
12188           \HyField@fields
12189           \space
12190         \fi
12191         #1 0 R%
12192       }%
12193     }%
12194   }%
12195   \def\HyField@AddToFields{%
12196     \expandafter\HyField@@AddToFields\expandafter{%
12197       \the\pdflastlink
12198     }%
12199   }%
12200   \def\HyField@@AddToFields#1{%
12201     \HyField@AfterAuxOpen{%
12202       \if@filesw
12203         \write\@mainaux{%
12204           \string\HyField@AuxAddToFields{#1}}%
12205         }%
12206       \fi
12207     }%
12208   }%
12209 \fi
12210 \def\@Form[#1]{%
12211   \@ifundefined{textcolor}{\let\textcolor\@gobble}{}%
12212   \kvsetkeys{Form}{#1}%
12213   \Hy@FormObjects
12214   \ifnum\pdftexversion>13 %

```

```

12215 \pdrefobj\OBJ@pdfdocencoding
12216 \pdrefobj\OBJ@ZaDb
12217 \pdrefobj\OBJ@Helv
12218 \fi
12219 \AtVeryEndDocument{%
12220 \immediate\pdfobj{%
12221 <<%
12222 /Fields[\HyField@afIELDS]%
12223 /DR<<%
12224 /Font<<%
12225 /ZaDb \OBJ@ZaDb\space 0 R%
12226 /Helv \OBJ@Helv\space 0 R%
12227 >>%
12228 >>%
12229 /DA(/Helv 10 Tf 0 g)%
12230 \ifHy@pdFA
12231 \else
12232 /NeedAppearances true%
12233 \fi
12234 >>%
12235 }%
12236 \edef\OBJ@acroform{\the\pdflastobj}%
12237 \pdfcatalog{/AcroForm \OBJ@acroform\space 0 R}%
12238 }%
12239 \MakeFieldObject{%

```

Same as \ding{123} of package pifont.

```

12240 \begingroup
12241 \fontfamily{pzd}%
12242 \fontencoding{U}%
12243 \fontseries{m}%
12244 \fontshape{n}%
12245 \selectfont
12246 \char123 %
12247 \endgroup
12248 \{Ding}%
12249 \MakeFieldObject{%
12250 \fbox{\textcolor{yellow}{\textsf{Submit}}}%
12251 \{Submit}%
12252 \MakeFieldObject{%
12253 \fbox{\textcolor{yellow}{\textsf{SubmitP}}}%
12254 \{SubmitP}%
12255 }
12256 \def\@endForm{}
12257 \def\@TextField[#1]{% parameters, label
12258 \def\Fld@name{#2}%
12259 \def\Fld@default{}%
12260 \let\Fld@value\empty
12261 \def\Fld@width{\DefaultWidthofText}%
12262 \def\Fld@height{%
12263 \ifFld@multiline
12264 \DefaultHeightofTextMultiline
12265 \else
12266 \DefaultHeightofText
12267 \fi
12268 }%
12269 \begingroup
12270 \expandafter\HyField@SetKeys\expandafter{%

```

```

12271      \DefaultOptionsofText,#1%
12272  }%
12273  \PDFForm@Name
12274  \HyField@FlagsText
12275  \ifFld@hidden\def\Fld@width{1sp}\fi
12276  \ifx\Fld@value\empty\def\Fld@value{\Fld@default}\fi
12277  \LayoutTextField{#2}{%
12278      \Hy@escapeform\PDFForm@Text
12279      \pdfstartlink user {\PDFForm@Text}\relax
12280      \MakeTextField{\Fld@width}{\Fld@height}\pdfendlink
12281      \HyField@AddToFields
12282  }%
12283  \endgroup
12284 }
12285 \def\@ChoiceMenu[#1]#2#3{%
parameters, label, choices
12286  \def\Fld@name{#2}%
12287  \let\Fld@default\relax
12288  \let\Fld@value\relax
12289  \def\Fld@width{\DefaultWidthofChoiceMenu}%
12290  \def\Fld@height{\DefaultHeightofChoiceMenu}%
12291  \begingroup
12292  \Fld@menulength=0 %
12293  \tempdima\z@
12294  \for\curropt:=#3\do{%
12295      \expandafter\Fld@checkeq\curropt==\\%
12296      \Hy@StepCount\Fld@menulength
12297      \settowidth{\tempdimb}{\currDisplay}%
12298      \ifdim\tempdimb>\tempdima\tempdima\tempdimb\fi
12299  }%
12300  \advance\tempdima by 15\p@
12301  \begingroup
12302  \HyField@SetKeys{#1}%
12303  \edef\x{\endgroup
12304  \noexpand\expandafter
12305  \noexpand\HyField@SetKeys
12306  \noexpand\expandafter{%
12307      \expandafter\noexpand\csname DefaultOptionsof%
12308      \ifFld@radio
12309          Radio%
12310      \else
12311          \ifFld@combo
12312              \ifFld@popdown
12313                  PopdownBox%
12314              \else
12315                  ComboBox%
12316              \fi
12317              \else
12318                  ListBox%
12319              \fi
12320          \fi
12321      \endcsname
12322  }%
12323  }\x
12324  \HyField@SetKeys{#1}%
12325  \PDFForm@Name
12326  \ifFld@hidden\def\Fld@width{1sp}\fi
12327  \ifx\Fld@value\relax

```

```

12328     \let\Fld@value\Fld@default
12329     \fi
12330     \LayoutChoiceField{\#2}{%
12331         \ifFld@radio
12332             \HyField@FlagsRadioButton
12333             \@@Radio{\#3}%
12334         \else
12335             \begingroup
12336                 \HyField@FlagsChoice
12337                 \ifdim\Fld@width<\@tempdima
12338                     \ifdim\@tempdima<1cm\@tempdima1cm\fi
12339                     \edef\Fld@width{\the\@tempdima}%
12340                 \fi
12341                 \ifFld@combo
12342                 \else
12343                     \@tempdima=\the\Fld@menulength\Fld@charsize
12344                     \advance\@tempdima by \Fld@borderwidth bp %
12345                     \advance\@tempdima by \Fld@borderwidth bp %
12346                     \edef\Fld@height{\the\@tempdima}%
12347                 \fi
12348                 \@@Listbox{\#3}%
12349             \endgroup
12350         \fi
12351     }%
12352 \endgroup
12353 }
12354 \def\@@Radio#1{%
12355     \Fld@listcount=0 %
12356     \for\@curropt:=#1\do{%
12357         \expandafter\Fld@checkequals\@curropt==\\%
12358         \Hy@StepCount\Fld@listcount
12359         \currDisplay\space
12360         \leavevmode
12361         \Hy@escapeform\PDFForm@Radio
12362         \pdfstartlink user {%
12363             \PDFForm@Radio
12364             /AP<<%
12365             /N<<%

```

Laurent.Guilope@math.univ-nantes.fr (Laurent Guillope) persuades me that this was wrong: `\Fld@name\the\Fld@listcount`. But I leave it here to remind me that it is untested.

```

12366         /\@currValue\space \DingObject
12367         >>%
12368         >>%
12369     }%
12370     \relax
12371     \MakeRadioField{\Fld@width}{\Fld@height}\pdfendlink
12372     \ifnum\Fld@listcount=1 %
12373         \HyField@AddToFields
12374     \fi
12375     \space % deliberate space between radio buttons
12376 }%
12377 }
12378 \newcount\Fld@listcount
12379 \def\@@Listbox#1{%
12380     \HyField@PDFChoices{\#1}%
12381     \leavevmode

```

```

12382 \Hy@escapeform\PDFForm@List
12383 \pdfstartlink user {\PDFForm@List}\relax
12384 \MakeChoiceField{\Fld@width}{\Fld@height}%
12385 \pdfendlink
12386 \HyField@AddToFields
12387 }
12388 \def\@PushButton[#1]{% parameters, label
12389 \def\Fld@name{#2}%
12390 \begingroup
12391 \expandafter\HyField@SetKeys\expandafter{%
12392 \DefaultOptionsofPushButton,#1}%
12393 }%
12394 \PDFForm@Name
12395 \ifHy@pdfa
12396 \PackageError{hyperref}{%
12397 PDF/A: Push button with JavaScript is prohibited}%
12398 }\@ehc
12399 \LayoutPushButtonField{%
12400 \leavevmode
12401 \MakeButtonField{#2}%
12402 }%
12403 \else
12404 \HyField@FlagsPushButton
12405 \ifFld@hidden\def\Fld@width{1sp}\fi
12406 \LayoutPushButtonField{%
12407 \leavevmode
12408 \Hy@escapeform\PDFForm@Push
12409 \pdfstartlink user {\PDFForm@Push}\relax
12410 \MakeButtonField{#2}%
12411 \pdfendlink
12412 \HyField@AddToFields
12413 }%
12414 \fi
12415 \endgroup
12416 }
12417 \def\@Submit[#1]{%
12418 \def\Fld@width{\DefaultWidthofSubmit}%
12419 \def\Fld@height{\DefaultHeightofSubmit}%
12420 \begingroup
12421 \expandafter\HyField@SetKeys\expandafter{%
12422 \DefaultOptionsofSubmit,#1}%
12423 }%
12424 \HyField@FlagsPushButton
12425 \HyField@FlagsSubmit
12426 \ifFld@hidden\def\Fld@width{1sp}\fi
12427 \leavevmode
12428 \Hy@escapeform\PDFForm@Submit
12429 \pdfstartlink user {%
12430 \PDFForm@Submit
12431 /AP<</N \SubmitObject/D \SubmitPObject>>}%
12432 }%
12433 \relax
12434 \MakeButtonField{#2}%
12435 \pdfendlink
12436 \HyField@AddToFields
12437 \endgroup
12438 }

```

```

12439 \def\@Reset[#1]#2{%
12440   \def\Fld@width{\DefaultWidthofReset}%
12441   \def\Fld@height{\DefaultHeightofReset}%
12442   \begingroup
12443     \expandafter\HyField@SetKeys\expandafter{%
12444       \DefaultOptionsofReset,#1%
12445     }%
12446   \leavevmode
12447   \ifHy@pdflatex
12448     \PackageError{hyperref}{%
12449       PDF/A: Reset action is prohibited%
12450     }%
12451   \MakeButtonField{#2}%
12452 \else
12453   \HyField@FlagsPushButton
12454   \ifFld@hidden\def\Fld@width{1sp}\fi
12455   \Hy@escapeform\PDFForm@Reset
12456   \pdfstartlink user {\PDFForm@Reset}\relax
12457   \MakeButtonField{#2}%
12458   \pdfendlink
12459   \HyField@AddToFields
12460   \fi
12461 \endgroup
12462 }
12463 \def\@CheckBox[#1]#2{%
12464   \def\Fld@name{#2}%
12465   \def\Fld@default{0}%
12466   \begingroup
12467     \def\Fld@width{\DefaultWidthofCheckBox}%
12468     \def\Fld@height{\DefaultHeightofCheckBox}%
12469     \expandafter\HyField@SetKeys\expandafter{%
12470       \DefaultOptionsofCheckBox,#1%
12471     }%
12472     \PDFForm@Name
12473     \HyField@FlagsCheckBox
12474     \ifFld@hidden\def\Fld@width{1sp}\fi
12475     \LayoutCheckField{#2}%
12476     \Hy@escapeform\PDFForm@Check
12477     \pdfstartlink user {\PDFForm@Check}\relax
12478     \MakeCheckField{\Fld@width}{\Fld@height}%
12479     \pdfendlink
12480     \HyField@AddToFields
12481   }%
12482 \endgroup
12483 }
12484 \def\Hy@FormObjects{%
12485   \pdfobj {%
12486     <<%
12487     /Type/Encoding%
12488     /Differences[%
12489       24/breve/caron/circumflex/dotaccent/hungarumlaut/ogonek%
12490       /ring/tilde %
12491       39/quotesingle %
12492       96/grave %
12493       128/bullet/dagger/daggerdbl/ellipsis/emdash/endash/florin%
12494       /fraction/guilingleft/guilingsright/minus/perthousand%
12495       /quotedblbase/quotedblleft/quotedblright/quotefield%

```

```

12496      /quoteright/quotesinglbase/trademark/fi/fi/Lslash/OE%
12497      /Scaron/Ydieresis/Zcaron/dotlessi/lslash/oe/scaron/zcaron %
12498      164/currency %
12499      166/brokenbar %
12500      168/dieresis/copyright/ordfeminine %
12501      172/logicalnot/.notdef/registered/macron/degree/plusminus%
12502      /twosuperior/threesuperior/acute/mu %
12503      183/periodcentered/cedilla/onesuperior/ordmasculine %
12504      188/onequarter/onehalf/threequarters %
12505      192/Agrave/Aacute/Acircumflex/Atilde/Adieresis/Aring/AE%
12506      /Ccedilla/Egrave/Eacute/Ecircumflex/Edieresis/Igrave%
12507      /Iacute/Icircumflex/Idieresis/Eth/Ntilde/Ograve/Oacute%
12508      /Ocircumflex/Otilde/Odieresis/multiply/Oslash/Ugrave%
12509      /Uacute/Ucircumflex/Udieresis/Yacute/Thorn/germandbls%
12510      /agrave/aacute/acircumflex/tilde/adieresis/aring/ae%
12511      /ccedilla/egrave/eacute/ecircumflex/edieresis/igrave%
12512      /iacute/icircumflex/idieresis/eth/ntilde/ograve/oacute%
12513      /ocircumflex/otilde/odieresis/divide/oslash/ugrave%
12514      /uacute/ucircumflex/udieresis/yacute/thorn/ydieresis%
12515      ]%
12516      >>%
12517      }%
12518 \xdef\OBJ@pdfdocencoding{\the\pdflastobj}%
12519 \pdfobj{%
12520     <<%
12521     /Type/Font%
12522     /Subtype/Type1%
12523     /Name/ZaDb%
12524     /BaseFont/ZapfDingbats%
12525     >>%
12526 }%
12527 \xdef\OBJ@ZaDb{\the\pdflastobj}%
12528 \pdfobj{%
12529     <<%
12530     /Type/Font%
12531     /Subtype/Type1%
12532     /Name/Helv%
12533     /BaseFont/Helvetica%
12534     /Encoding \OBJ@pdfdocencoding\space 0 R%
12535     >>%
12536 }%
12537 \xdef\OBJ@Helv{\the\pdflastobj}%
12538 \global\let\Hy@FormObjects\relax
12539 }
12540 
```

47.5 dvipdfm, xetex

D. P. Story adapted the pdf \TeX forms part for dvipdfm, of which version 0.12.7b or higher is required because of a bug.

```
12541 <*dvipdfm | xetex>
```

```
\@Gauge
```

```
12542 \def\@Gauge[#1]#2#3#4{%
12543   parameters, label, minimum, maximum
12544   \typeout{Sorry, dvipdfm/XeTeX does not support FORM gauges}%
12544 }
```

```
\@Form
```

```

12545 \def\@Form[#1]{%
12546   \ifundefined{textcolor}{\let\textcolor\@gobble}{}%
12547   \kvsetkeys{Form}{{#1}}%
12548   \Hy@FormObjects
12549   \c@pdfm@mark{obj @afields []}%
12550   \c@pdfm@mark{obj @corder []}%
12551   \c@pdfm@mark{%
12552     obj @aform <<%
12553       /Fields @afields%
12554       /DR<<%
12555       /Font<<%
12556         /ZaDb @OBJZaDb%
12557         /Helv @OBJHelv%
12558       >>%
12559     >>%
12560     /DA(/Helv 10 Tf 0 g)%
12561     /CO @corder%
12562     \ifHy@pdfa
12563     \else
12564       /NeedAppearances true%
12565     \fi
12566   >>%
12567 }%
12568   \c@pdfm@mark{put @catalog <</AcroForm @aform>>}%
12569 }

\@endForm
12570 \def\@endForm{}

\dvipdfm@setdim \dvipdfm@setdim sets dimensions for ann using \pdfm@box.
12571 \def\dvipdfm@setdim{%
12572   height \the\ht\pdfm@box\space
12573   width \the\wd\pdfm@box\space
12574   depth \the\dp\pdfm@box\space
12575 }

\HyField@AnnotCount
12576 \newcount\HyField@AnnotCount
12577 \HyField@AnnotCount=\z@

\HyField@AdvanceAnnotCount
12578 \def\HyField@AdvanceAnnotCount{%
12579   \global\advance\HyField@AnnotCount\@ne
12580 }

\HyField@TheAnnotCount
12581 \def\HyField@TheAnnotCount{%
12582   \the\HyField@AnnotCount
12583 }

\@TextField
12584 \def\@TextField[#1]#2{%
  parameters, label
12585   \def\Fl@name{#2}%
12586   \def\Fl@default{}%
12587   \let\Fl@value\empty
12588   \def\Fl@width{\DefaultWidthofText}%

```

```

12589 \def\Fld@height{%
12590   \ifFld@multiline
12591     \DefaultHeightofTextMultiline
12592   \else
12593     \DefaultHeightofText
12594   \fi
12595 }%
12596 \begingroup
12597   \expandafter\HyField@SetKeys\expandafter{%
12598     \DefaultOptionsofText,\#1%
12599   }%
12600   \PDFForm@Name
12601   \HyField@FlagsText
12602   \ifFld@hidden\def\Fld@width{1sp}\fi
12603   \ifx\Fld@value\empty\def\Fld@value{\Fld@default}\fi
12604   \setbox\pdfm@box=\hbox{%
12605     \MakeTextField{\Fld@width}{\Fld@height}%
12606   }%
12607   \HyField@AdvanceAnnotCount
12608   \LayoutTextField{\#2}{%
12609     \Hy@escapeform\PDFForm@Text
12610     \pdfm@mark{%
12611       ann @text\HyField@TheAnnotCount\space
12612       \dvipdfm@setdim << \PDFForm@Text >>%
12613     }%
12614   }%
12615   \unhbox\pdfm@box
12616   \pdfm@mark{put @fields @text\HyField@TheAnnotCount}%
12617   % record in @fields array
12618 \endgroup
12619 }

\@ChoiceMenu
12620 \def\@ChoiceMenu[#1]\#2\#3{%
12621   \def\Fld@name{\#2}%
12622   \let\Fld@default\relax
12623   \let\Fld@value\relax
12624   \def\Fld@width{\DefaultWidthofChoiceMenu}%
12625   \def\Fld@height{\DefaultHeightofChoiceMenu}%
12626   \begingroup
12627     \Fld@menulength=0 %
12628     \tempdima\z@
12629     \for\curropt:=\#3\do{%
12630       \expandafter\Fld@checkeq\curropt==\\%
12631       \Hy@StepCount\Fld@menulength
12632       \settowidth{\tempdima}{\currDisplay}%
12633       \ifdim\tempdima>\tempdima\tempdima\tempdima\fi
12634     }%
12635     \advance\tempdima by 15\p@
12636     \begingroup
12637       \HyField@SetKeys{\#1}%
12638       \edef\x{\endgroup
12639         \noexpand\expandafter
12640         \noexpand\HyField@SetKeys
12641         \noexpand\expandafter{%
12642           \expandafter\noexpand\csname DefaultOptionsof%
12643             \ifFld@radio

```

```

12644      Radio%
12645      \else
12646          \ifFld@combo
12647              \ifFld@popdown
12648                  PopdownBox%
12649          \else
12650              ComboBox%
12651          \fi
12652      \else
12653          ListBox%
12654      \fi
12655      \fi
12656      \endcsname
12657  }%
12658 }\x
12659 \HyField@SetKeys{#1}%
12660 \PDFForm@Name
12661 \ifFld@hidden\def\Fld@width{1sp}\fi
12662 \ifx\Fld@value\relax
12663     \let\Fld@value\Fld@default
12664 \fi
12665 \LayoutChoiceField{#2}{%
12666     \ifFld@radio
12667         \HyField@FlagsRadioButton
12668         \@@Radio{#3}%
12669     \else
12670         \begingroup
12671             \HyField@FlagsChoice
12672             \ifdim\Fld@width<\tempdima
12673                 \ifdim\tempdima<1cm\tempdima1cm\fi
12674                 \edef\Fld@width{\the\tempdima}%
12675             \fi
12676         \ifFld@combo
12677         \else
12678             \tempdima=\the\Fld@menulength\Fld@charsize
12679             \advance\tempdima by \Fld@borderwidth bp %
12680             \advance\tempdima by \Fld@borderwidth bp %
12681             \edef\Fld@height{\the\tempdima}%
12682         \fi
12683         \@@Listbox{#3}%
12684     \endgroup
12685 \fi
12686 }%
12687 \endgroup
12688 }

\@@Radio
12689 \def\@@Radio#1{%
12690     \Fld@listcount=0 %
12691     \setbox\pdfm@box=\hbox{%
12692         \MakeRadioField{\Fld@width}{\Fld@height}%
12693     }%
12694     \for\curropt:=#1\do{%
12695         \expandafter\Fld@checkequals\curropt==\\%
12696         \Hy@StepCount\Fld@listcount
12697         \currDisplay\space
12698         \leavevmode

```

```

12699 \Hy@escapeform\PDFForm@Radio
12700 \ifnum\Fld@listcount=1 %
12701   \HyField@AdvanceAnnotCount
12702 \fi
12703 \c@pdfm@mark{%
12704   ann %
12705   \ifnum\Fld@listcount=1 %
12706     @radio\HyField@TheAnnotCount%
12707     \space
12708 \fi
12709 \dvipdfm@setdim
12710 <<%
12711   \PDFForm@Radio
12712   /AP<</N<</@currValue /null>>>%
12713 >>%
12714 }%
12715 \unhcopy\pdfm@box\space% deliberate space between radio buttons
12716 \ifnum\Fld@listcount=1 %
12717   \c@pdfm@mark{%
12718     put @fields @radio\HyField@TheAnnotCount
12719   }%
12720 \fi
12721 }%
12722 }

\Fld@listcount
12723 \newcount\Fld@listcount

\@@Listbox
12724 \def\@@Listbox#1{%
12725   \HyField@PDFChoices{#1}%
12726   \setbox\pdfm@box=\hbox{%
12727     \MakeChoiceField{\Fld@width}{\Fld@height}%
12728   }%
12729   \leavevmode
12730   \Hy@escapeform\PDFForm@List
12731   \HyField@AdvanceAnnotCount
12732   \c@pdfm@mark{%
12733     ann @list\HyField@TheAnnotCount\space
12734     \dvipdfm@setdim
12735     <<\PDFForm@List>>%
12736   }%
12737   \unhbox\pdfm@box
12738   \c@pdfm@mark{put @fields @list\HyField@TheAnnotCount}%
12739 }

\@PushButton
12740 \def\@PushButton[#1]#2{%
parameters, label
12741 \def\Fld@name{#2}%
12742 \begingroup
12743   \expandafter\HyField@SetKeys\expandafter{%
12744     \DefaultOptionsofPushButton,#1%
12745   }%
12746   \PDFForm@Name
12747   \ifHy@pdflatex
12748     \PackageError{hyperref}{%
12749       PDF/A: Push button with JavaScript is prohibited%

```

```

12750   }\@ehc
12751   \LayoutPushButtonField{%
12752     \leavevmode
12753     \MakeButtonField{\#2}%
12754   }%
12755   \else
12756     \setbox\pdfm@box=\hbox{\MakeButtonField{\#2}}%
12757     \HyField@FlagsPushButton
12758     \ifFld@hidden\def\Fld@width{1sp}\fi
12759     \HyField@AdvanceAnnotCount
12760     \LayoutPushButtonField{%
12761       \leavevmode
12762       \Hy@escapeform\PDFForm@Push
12763       \pdfm@mark{%
12764         ann @push\HyField@TheAnnotCount\space
12765         \dvipdfm@setdim
12766         <<\PDFForm@Push>>%
12767       }%
12768     }%
12769     \unhbox\pdfm@box
12770     \pdfm@mark{put @fields @push\HyField@TheAnnotCount}%
12771   \fi
12772 \endgroup
12773 }

\@Submit
12774 \def\@Submit[#1]#2{%
12775   \def\Fld@width{\DefaultWidthofSubmit}%
12776   \def\Fld@height{\DefaultHeightofSubmit}%
12777   \begingroup
12778     \expandafter\HyField@SetKeys\expandafter{%
12779       \DefaultOptionsofSubmit,\#1%
12780     }%
12781     \HyField@FlagsPushButton
12782     \HyField@FlagsSubmit
12783     \ifFld@hidden\def\Fld@width{1sp}\fi
12784     \setbox\pdfm@box=\hbox{\MakeButtonField{\#2}}%
12785     \leavevmode
12786     \Hy@escapeform\PDFForm@Submit
12787     \HyField@AdvanceAnnotCount
12788     \pdfm@mark{%
12789       ann @submit\HyField@TheAnnotCount\space
12790       \dvipdfm@setdim
12791       <<\PDFForm@Submit>>%
12792     }%
12793     \unhbox\pdfm@box%
12794     \pdfm@mark{put @fields @submit\HyField@TheAnnotCount}%
12795   \endgroup
12796 }

\@Reset
12797 \def\@Reset[#1]#2{%
12798   \def\Fld@width{\DefaultWidthofReset}%
12799   \def\Fld@height{\DefaultHeightofReset}%
12800   \begingroup
12801     \expandafter\HyField@SetKeys\expandafter{%
12802       \DefaultOptionsofReset,\#1%

```

```

12803   }%
12804   \leavevmode
12805   \ifHy@pdfa
12806     \PackageError{hyperref}{%
12807       PDF/A: Reset action is prohibited%
12808     }{\@ehc
12809     \MakeButtonField{\#2}%
12810   \else
12811     \HyField@FlagsPushButton
12812     \ifFld@hidden\def\Fld@width{1sp}\fi
12813     \setbox\pdfm@box=\hbox{\MakeButtonField{\#2}}%
12814     \Hy@escapeform\PDFForm@Reset
12815     \HyField@AdvanceAnnotCount
12816     \pdfm@mark{%
12817       \ann @reset\HyField@TheAnnotCount\space
12818       \dvipdfm@setdim
12819       <<\PDFForm@Reset>>%
12820     }%
12821     \unhbox\pdfm@box
12822     \pdfm@mark{put @fields @reset\HyField@TheAnnotCount}%
12823   \fi
12824 \endgroup
12825 }

\@CheckBox
12826 \def\@CheckBox[#1]{% parameters, label
12827   \def\Fld@name{\#2}%
12828   \def\Fld@default{0}%
12829   \begingroup
12830     \def\Fld@width{\DefaultWidthofCheckBox}%
12831     \def\Fld@height{\DefaultHeightofCheckBox}%
12832     \expandafter\HyField@SetKeys\expandafter{%
12833       \DefaultOptionsofCheckBox,\#1%
12834     }%
12835     \PDFForm@Name
12836     \HyField@FlagsCheckBox
12837     \ifFld@hidden\def\Fld@width{1sp}\fi
12838     \setbox\pdfm@box=\hbox{%
12839       \MakeCheckField{\Fld@width}{\Fld@height}%
12840     }%
12841     \HyField@AdvanceAnnotCount
12842     \LayoutCheckField{\#2}{%
12843       \Hy@escapeform\PDFForm@Check
12844       \pdfm@mark{%
12845         \ann @check\HyField@TheAnnotCount\space
12846         \dvipdfm@setdim
12847         <<\PDFForm@Check>>%
12848       }%
12849       \unhbox\pdfm@box
12850       \pdfm@mark{put @fields @check\HyField@TheAnnotCount}%
12851     }%
12852   \endgroup
12853 }

12854 \def\Hy@FormObjects{%
12855   \pdfm@mark{obj @OBJpdfdocencoding}%
12856   <<%
12857   /Type/Encoding%

```

```

12858 /Differences[%]
12859   24/breve/caron/circumflex/dotaccent/hungarumlaut/ogonek/ring/tilde %
12860   39/quotesingle %
12861   96/grave %
12862   128/bullet/dagger/daggerdbl/ellipsis/emdash/endash/florin%
12863   /fraction/guillemotleft/guillemotright/minus/perthousand%
12864   /quotedblbase/quotedblleft/quotedblright/quotelleft/quoteright%
12865   /quotesinglbase/trademark/fi/fl/Lslash/OE/Scaron/Ydieresis%
12866   /Zcaron/dotlessi/lslash/oe/scaron/zcaron %
12867   164/currency %
12868   166/brokenbar %
12869   168/dieresis/copyright/ordfeminine %
12870   172/logicalnot/.notdef/registered/macron/degree/plusminus%
12871   /twosuperior/threesuperior/acute/mu %
12872   183/periodcentered/cedilla/onesuperior/ordmasculine %
12873   188/onequarter/onehalf/threequarters %
12874   192/Agrave/Aacute/Acircumflex/Atilde/Adieresis/Aring/AE%
12875   /Ccedilla/Egrave/Eacute/Ecircumflex/Edieresis/Igrave/Iacute%
12876   /Icircumflex/Idieresis/Eth/Ntilde/Ograve/Oacute/Ocircumflex%
12877   /Otilde/Odieresis/multiply/Oslash/Ugrave/Uacute/Ucircumflex%
12878   /Udieresis/Yacute/Thorn/germandbls/grave/aacute/acircumflex%
12879   /atilde/adieresis/aring/ae/ccedilla/egrave/eacute%
12880   /ecircumflex/edieresis/igrave/iacute/icircumflex/idieresis%
12881   /eth/ntilde/ograve/oacute/ocircumflex/otilde/odieresis%
12882   /divide/oslash/ugrave/uacute/ucircumflex/udieresis/yacute%
12883   /thorn/ydieresis%
12884   ]%
12885   >>%
12886   }%
12887 \@pdfm@mark{obj @OBJZaDb%
12888   <<%
12889   /Type/Font%
12890   /Subtype/Type1%
12891   /Name/ZaDb%
12892   /BaseFont/ZapfDingbats%
12893   >>%
12894   }%
12895 \@pdfm@mark{obj @OBJHelv%
12896   <<%
12897   /Type/Font%
12898   /Subtype/Type1%
12899   /Name/Helv%
12900   /BaseFont/Helvetica%
12901   /Encoding @OBJpdfdocencoding%
12902   >>%
12903   }%
12904 \global\let\Hy@FormObjects\relax
12905 }
12906 
```

47.6 Common forms part

```

12907 {*pdfform}
\Hy@escapestring
12908 \begingroup\expandafter\expandafter\expandafter\endgroup
12909 \expandafter\ifx\csname pdfescapestring\endcsname\relax

```

```

12910 \let\Hy@escapestring\@firstofone
12911 \def\Hy@escapeform#1{%
12912   \ifHy@escapeform
12913     \def\Hy@escapestring##1{%
12914       \noexpand\Hy@escapestring{\noexpand##1}%
12915     }%
12916   \edef\Hy@temp{#1}%
12917   \expandafter\Hy@escapeform\Hy@temp\Hy@escapestring{}@\nil
12918   \def\Hy@escapestring##1{%
12919     \@ifundefined{Hy@esc@\string##1}{%
12920       ##1%
12921       \ThisShouldNotHappen
12922     }%
12923     \csname Hy@esc@\string##1\endcsname
12924   }%
12925 }%
12926 \else
12927   \let\Hy@escapestring\@firstofone
12928 \fi
12929 }%
12930 \def\Hy@@escapeform#1\Hy@escapestring#2#3@\nil{%
12931   \ifx\\#3\\%
12932   \else
12933     \expandafter
12934     \Hy@pstringdef\csname Hy@esc@\string#2\endcsname{#2}%
12935     \Hy@ReturnAfterFi{%
12936       \Hy@@escapeform#3@\nil
12937     }%
12938   \fi
12939 }%
12940 \else
12941   \def\Hy@escapeform#1{%
12942     \ifHy@escapeform
12943       \let\Hy@escapestring\pdfescapestring
12944     \else
12945       \let\Hy@escapestring\@firstofone
12946     \fi
12947   }%
12948 \Hy@escapeform{}%
12949 \fi

```

\PDFForm@Name

```

12950 \def\PDFForm@Name{%
12951   \begingroup
12952     \ifnum\Hy@pdfversion<5 % implementation note 117, PDF spec 1.7
12953       \ifHy@unicode
12954         \Hy@unicodedefalse
12955       \fi
12956     \fi
12957     \HyPsd@XeTeXBigCharstrue
12958     \pdfstringdef\Hy@gtemp\Fld@name
12959   \endgroup
12960   \let\Fld@name\Hy@gtemp
12961 }

```

\Fld@additionalactions

```

12962 \def\Fld@@additionalactions{%

```

```

K input (keystroke) format
12963  \ifx\Fld@keystroke@code\@empty
12964  \else
12965    /K<</S/JavaScript/JS(\Hy@escapestring{\Fld@keystroke@code})>>%
12966  \fi

F display format
12967  \ifx\Fld@format@code\@empty
12968  \else
12969    /F<</S/JavaScript/JS(\Hy@escapestring{\Fld@format@code})>>%
12970  \fi

V validation
12971  \ifx\Fld@validate@code\@empty
12972  \else
12973    /V<</S/JavaScript/JS(\Hy@escapestring{\Fld@validate@code})>>%
12974  \fi

C calculation
12975  \ifx\Fld@calculate@code\@empty
12976  \else
12977    /C<</S/JavaScript/JS(\Hy@escapestring{\Fld@calculate@code})>>%
12978  \fi

Fo receiving the input focus
12979  \ifx\Fld@onfocus@code\@empty
12980  \else
12981    /Fo<</S/JavaScript/JS(\Hy@escapestring{\Fld@onfocus@code})>>%
12982  \fi

Bl loosing the input focus (blurred)
12983  \ifx\Fld@onblur@code\@empty
12984  \else
12985    /Bl<</S/JavaScript/JS(\Hy@escapestring{\Fld@onblur@code})>>%
12986  \fi

D pressing the mouse button (down)
12987  \ifx\Fld@onmousedown@code\@empty
12988  \else
12989    /D<</S/JavaScript/JS(\Hy@escapestring{\Fld@onmousedown@code})>>%
12990  \fi

U releasing the mouse button (up)
12991  \ifx\Fld@onmouseup@code\@empty
12992  \else
12993    /U<</S/JavaScript/JS(\Hy@escapestring{\Fld@onmouseup@code})>>%
12994  \fi

E cursor enters the annotation's active area.
12995  \ifx\Fld@onenter@code\@empty
12996  \else
12997    /E<</S/JavaScript/JS(\Hy@escapestring{\Fld@onenter@code})>>%
12998  \fi

X cursor exits the annotation's active area.
12999  \ifx\Fld@onexit@code\@empty
13000  \else
13001    /X<</S/JavaScript/JS(\Hy@escapestring{\Fld@onexit@code})>>%
13002  \fi
13003 }

13004 \def\Fld@additionalactions{%

```

```

13005 \if-\Fld@additionalactions-%
13006 \else
13007 \ifHy@pdfa
13008 \else
13009 /AA<<\Fld@additionalactions>>%
13010 \fi
13011 \fi
13012 }

```

\PDFForm@Check

```

13013 \def\PDFForm@Check{%
13014 /Subtype/Widget%
13015 \Fld@annotflags
13016 /T(\Fld@name)%
13017 /FT/Btn%
13018 \Fld@flags
13019 /Q \Fld@align
13020 /BS<</W \Fld@borderwidth /S/\Fld@borderstyle>>%
13021 /MK<<%
13022 \ifnum\Fld@rotation=\z@
13023 \else
13024 /R \Fld@rotation
13025 \fi
13026 \ifx\Fld@bordercolor\relax
13027 \else
13028 /BC[\Fld@bordercolor]%
13029 \fi
13030 \ifx\Fld@bcolor\relax
13031 \else
13032 /BG[\Fld@bcolor]%
13033 \fi
13034 /CA(\Hy@escapestring{\Fld@cbsymbol})%
13035 >>%
13036 /DA(/ZaDb \strip@pt\Fld@charsize\space Tf%
13037 \ifx\Fld@color\empty\else\space\Fld@color\fi)%
13038 /H/P%
13039 \ifFld@checked /V/Yes\else /V/Off\fi
13040 \Fld@additionalactions
13041 }

```

\PDFForm@Push

```

13042 \ifHy@pdfa
13043 \else
13044 \def\PDFForm@Push{%
13045 /Subtype/Widget%
13046 \Fld@cannotflags
13047 /T(\Fld@name)%
13048 /FT/Btn%
13049 \Fld@flags
13050 /H/P%
13051 /BS<</W \Fld@borderwidth/S/\Fld@borderstyle>>%
13052 \ifcase0\ifnum\Fld@rotation=\z@ \else 1\fi
13053 \ifx\Fld@bordercolor\relax\else 1\fi
13054 \space
13055 \else
13056 /MK<<%
13057 \ifnum\Fld@rotation=\z@

```

```

13058      \else
13059          /R \Fld@rotation
13060      \fi
13061      \ifx\Fld@bordercolor\relax
13062      \else
13063          /BC[\Fld@bordercolor]%
13064      \fi
13065      >>%
13066      \fi
13067      /A<</S/JavaScript/JS(\Hy@escapestring{\Fld@onclick@code})>>%
13068      \Fld@additionalactions
13069  }%
13070 \fi

\PDFForm@List
13071 \def\PDFForm@List{%
13072   /Subtype/Widget%
13073   \Fld@annotflags
13074   /T(\Fld@name)%
13075   /FT/Ch%
13076   \Fld@flags
13077   /Q \Fld@align
13078   /BS<</W \Fld@borderwidth/S/\Fld@borderstyle>>%
13079   \ifcase0\ifnum\Fld@rotation=\z@\ \else 1\fi
13080       \ifx\Fld@bordercolor\relax\relax\else 1\fi
13081       \ifx\fld@bcolor\relax \relax\else 1\fi
13082       \space
13083   \else
13084     /MK<<%
13085     \ifnum\Fld@rotation=\z@
13086     \else
13087         /R \Fld@rotation
13088     \fi
13089     \ifx\Fld@bordercolor\relax
13090     \else
13091         /BC[\Fld@bordercolor]%
13092     \fi
13093     \ifx\Fld@bcolor\relax
13094     \else
13095         /BG[\Fld@bcolor]%
13096     \fi
13097     >>%
13098   \fi
13099   /DA(/Helv \strip@pt\Fld@charsize\space Tf%
13100     \ifx\Fld@color\@empty\else\space\Fld@color\fi)%
13101   \Fld@choices
13102   \Fld@additionalactions
13103 }

\PDFForm@Radio
13104 \def\PDFForm@Radio{%
13105   /Subtype/Widget%
13106   \Fld@annotflags
13107   /T(\Fld@name)%
13108   /FT/Btn%
13109   \Fld@flags
13110   /H/P%

```

```

13111 /BS<</W \Fld@borderwidth/S/\Fld@borderstyle>>%
13112 /MK<<%
13113   \ifnum\Fld@rotation=\z@
13114   \else
13115     /R \Fld@rotation
13116   \fi
13117   \ifx\Fld@bordercolor\relax
13118   \else
13119     /BC[\Fld@bordercolor]%
13120   \fi
13121   \ifx\Fld@bcolor\relax
13122   \else
13123     /BG[\Fld@bcolor]%
13124   \fi
13125   /CA(\Fld@radiosymbol)%
13126 >>%
13127 /DA(/ZaDb \strip@pt\Fld@charsize\space Tf%
13128   \ifx\Fld@color\empty\else\space\Fld@color\fi)%
13129 \ifx\@currValue\Fld@default
13130   /V/\Fld@default
13131 \else
13132   /V/Off%
13133 \fi
13134 \Fld@additionalactions
13135 }

```

\PDFForm@Text

```

13136 \def\PDFForm@Text{%
13137   /Subtype/Widget%
13138   \Fld@annotflags
13139   /T(\Fld@name)%
13140   /FT/Tx%
13141   \Fld@flags
13142   /Q \Fld@align
13143   /BS<</W \Fld@borderwidth\space /S /\Fld@borderstyle>>%
13144   \ifcase0\ifnum\Fld@rotation=\z@ \else 1\fi
13145     \ifx\Fld@bordercolor\relax\else 1\fi
13146     \ifx\Fld@bcolor\relax    \else 1\fi
13147     \space
13148 \else
13149   /MK<<%
13150   \ifnum\Fld@rotation=\z@
13151   \else
13152     /R \Fld@rotation
13153   \fi
13154   \ifx\Fld@bordercolor\relax
13155   \else
13156     /BC[\Fld@bordercolor]%
13157   \fi
13158   \ifx\Fld@bcolor\relax
13159   \else
13160     /BG[\Fld@bcolor]%
13161   \fi
13162 >>%
13163 \fi
13164 /DA(/Helv \strip@pt\Fld@charsize\space Tf%
13165   \ifx\Fld@color\empty\else\space\Fld@color\fi)%

```

```

13166 /DV(\Hy@escapestring{\Fld@default})%
13167 /V(\Hy@escapestring{\Fld@value})%
13168 \Fld@additionalactions
13169 \ifnum\Fld@maxlen>\z@/MaxLen \Fld@maxlen \fi
13170 }

\PDFForm@Submit

13171 \def\PDFForm@Submit{%
13172 /Subtype/Widget%
13173 \Fld@annotflags
13174 /T(\Fld@name)%
13175 /FT/Btn%
13176 \Fld@flags
13177 /H/P%
13178 /BS<</W \Fld@borderwidth/S/\Fld@borderstyle>>%
13179 \ifcase0\ifnum\Fld@rotation=\z@ \else 1\fi
13180 \ifx\Fld@bordercolor\relax\else 1\fi
13181 \space
13182 \else
13183 /MK<<%
13184 \ifnum\Fld@rotation=\z@
13185 \else
13186 /R \Fld@rotation
13187 \fi
13188 \ifx\Fld@bordercolor\relax
13189 \else
13190 /BC[\Fld@bordercolor]%
13191 \fi
13192 >>%
13193 \fi
13194 /A<<%
13195 /S/SubmitForm%
13196 /F<<%
13197 /FS/URL%
13198 /F(\Hy@escapestring{\Form@action})%
13199 >>%
13200 \Fld@submitflags
13201 >>%
13202 \Fld@additionalactions
13203 }

```

\PDFForm@Reset

```

13204 \ifHy@pdfa
13205 \else
13206 \def\PDFForm@Reset{%
13207 /Subtype/Widget%
13208 \Fld@annotflags
13209 /T(\Fld@name)%
13210 /FT/Btn%
13211 \Fld@flags
13212 /H/P%
13213 /DA(/Helv \strip@pt\Fld@charsize\space Tf 0 0 1 rg)%
13214 \ifcase0\ifnum\Fld@rotation=\z@ \else 1\fi
13215 \ifx\Fld@bordercolor\relax\else 1\fi
13216 \space
13217 \else
13218 /MK<<%

```

```

13219      \ifnum\Fld@rotation=\z@
13220      \else
13221          /R \Fld@rotation
13222          \fi
13223          \ifx\Fld@bordercolor\relax
13224          \else
13225              /BC[\Fld@bordercolor]%
13226          \fi
13227 %     /CA (Clear)
13228 %     /AC (Done)
13229     >>%
13230     \fi
13231     /BS<</W \Fld@borderwidth/S/\Fld@borderstyle>>%
13232     /A<</S/ResetForm>>%
13233     \Fld@additionalactions
13234 }%
13235 \fi
13236 </pdfform>
13237 {*package}

```

48 Bookmarks in the PDF file

This was originally developed by Yannis Haralambous (it was the separate `repere.sty`); it needed the `repere` or `makebook.pl` post-processor to work properly. Now redundant, as it is done entirely in L^AT_EX macros.

To write out the current section title, and its rationalized number, we have to intercept the `\@sect` command, which is rather dangerous. But how else to see the information we need? We do the *same* for `\@ssect`, giving anchors to unnumbered sections. This allows things like bibliographies to get bookmarks when used with a manual `\addcontentsline`

```

13238 \def\phantomsection{%
13239   \Hy@MakeCurrentHrefAuto{section*}%
13240   \Hy@raisedlink{\hyper@anchorstart{\@currentHref}\hyper@anchorend}%
13241 }
13242 </package>

```

48.1 Bookmarks

```
13243 {*outlines}
```

This section was written by Heiko Oberdiek; the code replaces an earlier version by David Carlisle.

The first part of bookmark code is in section 6. Further documentation is available as paper and slides of the talk, that Heiko Oberdiek has given at the EuroTeX'99 meeting in Heidelberg. See `paper.pdf` and `slides.pdf` in the `doc` directory of `hyperref`.

When using the right-to-left typesetting based on ε-T_EX, the order of the `\BOOKMARK` commands written to the `\@outlinefile` could appear wrong, because of mis-feature of ε-T_EX's implementation (that it processes the shipped out lines left-to-right, instead of the order in which they appear in the document). The wrong order will appear when the file contains two bookmarks on the same line typeset right-to-left.

To work around this problem, the `bookmark@seq@number` counter is used to write the bookmark's sequential number into a comment in the `\@outlinefile`, which could be used to post-process it to achieve the proper ordering of `\BOOKMARK` commands in that file.

```
13244 \def\Hy@writebookmark#1#2#3#4#5{%
```

```

13245   % section number, text, label, level, file
13246   \ifx\WriteBookmarks\relax%
13247   \else
13248     \ifnum#4>\Hy@bookmarksdepth\relax
13249     \else
13250       \@@writetorep{\#1}{\#2}{\#3}{\#4}{\#5}%
13251     \fi
13252   \fi
13253 }
13254 \def\Hy@currentbookmarklevel{0}
13255 \def\Hy@numberline#1{#1 }
13256 \def\@@writetorep#1#2#3#4#5{%
13257   \begingroup
13258     \edef\Hy@tempa{#5}%
13259     \ifx\Hy@tempa\Hy@bookmarkstype
13260       \edef\Hy@level{#4}%
13261       \ifx\Hy@levelcheck Y%
13262         \atempcnta\Hy@level\relax
13263         \advance\atempcnta by -1 %
13264         \ifnum\Hy@currentbookmarklevel<\atempcnta
13265           \advance\atempcnta by -\Hy@currentbookmarklevel\relax
13266           \advance\atempcnta by 1 %
13267           \Hy@Warning{%
13268             Difference (\the\atempcnta) between bookmark levels is %
13269             greater \MessageBreak than one, level fixed%
13270           }%
13271           \atempcnta\Hy@currentbookmarklevel
13272           \advance\atempcnta by 1 %
13273           \edef\Hy@level{\the\atempcnta}%
13274         \fi
13275       \else
13276         \global\let\Hy@levelcheck Y%
13277       \fi
13278       \global\let\Hy@currentbookmarklevel\Hy@level
13279       \atempcnta\Hy@level\relax
13280       \expandafter\xdef\csname Parent\Hy@level\endcsname{#3}%
13281       \advance\atempcnta by -1 %
13282       \edef\Hy@tempa{#3}%
13283       \edef\Hy@tempb{\csname Parent\the\atempcnta\endcsname}%
13284       \ifx\Hy@tempa\Hy@tempb
13285         \Hy@Warning{%
13286           The anchor of a bookmark and its parent's must not%
13287           \MessageBreak be the same. Added a new anchor%
13288         }%
13289         \phantomsection
13290       \fi
13291       \ifHy@bookmarksnumbered
13292         \let\numberline\Hy@numberline
13293         \let\booknumberline\Hy@numberline
13294         \let\partnumberline\Hy@numberline
13295         \let\chapternumberline\Hy@numberline
13296       \else
13297         \let\numberline@gobble
13298         \let\booknumberline@gobble
13299         \let\partnumberline@gobble
13300         \let\chapternumberline@gobble
13301       \fi

```

```

13302 \HyPsd@XeTeXBigCharstrue
13303 \pdfstringdef{Hy@tempa}{#2}%
13304 \HyPsd@SanitizeForOutFile{Hy@tempa}
13305 \if@filesw
13306   \stepcounter{bookmark@seq@number}%
13307   \@ifundefined{@outlinefile}%
13308   }{%
13309   \protected@write{\outlinefile}{}{%
13310     \protect\BOOKMARK
13311     [\\Hy@level]{@\bookmarkopenstatus{\\Hy@level}}{#3}%
13312     {\Hy@tempa}{\Hy@tempb}%
13313     \percentchar\space\thebookmark@seq@number
13314   }%
13315   }%
13316 \fi
13317 \fi
13318 \endgroup
13319 }
13320 \newcounter{bookmark@seq@number}

13321 \begingroup
13322 \lccode`={%
13323 \lccode`}=}%
13324 \lccode`1=\z@
13325 \lccode`2=\z@
13326 \lccode`3=\z@
13327 \lccode`5=\z@
13328 \lccode`7=\z@
13329 \lccode`\#= \z@
13330 \lccode`\:= \z@
13331 \lccode`\{= \z@
13332 \lccode`\}= \z@
13333 \lowercase{%
13334 \endgroup
13335 \def\HyPsd@SanitizeForOutFile#1{%
13336   @onelevel@sanitize{Hy@tempa}
13337   \escapechar`\\%
13338   \edef{Hy@tempa}{%
13339     \expandafter\HyPsd@SanitizeOut@BraceLeft{Hy@tempa}(\@nil
13340   }%
13341   \edef{Hy@tempa}{%
13342     \expandafter\HyPsd@SanitizeOut@BraceRight{Hy@tempa})\@nil
13343   }%
13344 }%
13345 \def\HyPsd@SanitizeOut@BraceLeft#1(#2\@nil{%
13346   #1%
13347   \ifx\\#2\\%
13348   \expandafter\ltx@gobble
13349   \else
13350   \expandafter\ltx@firstofone
13351   \fi
13352 }%
13353   \string\173%
13354   \HyPsd@SanitizeOut@BraceLeft#2\@nil
13355 }%
13356 }%
13357 \def\HyPsd@SanitizeOut@BraceRight#1) #2\@nil{%
13358   #1%

```

```

13359   \ifx\\#2\\%
13360     \expandafter\ltx@gobble
13361   \else
13362     \expandafter\ltx@firstofone
13363   \fi
13364   {%
13365     \string\175%
13366     \HyPsd@SanitizeOut@BraceRight#2@nil
13367   }%
13368 }%
13369 }

```

In the call of \BOOKMARK the braces around #4 are omitted, because it is not likely, that the level number contains].

```

13370 \newcommand{\currentpdfbookmark}{%
13371   \pdfbookmark[\Hy@currentbookmarklevel]{%
13372 }{%
13373 \newcommand{\subpdfbookmark}{%
13374   \atempcnta\Hy@currentbookmarklevel
13375   \Hy@StepCount\atempcnta
13376   \expandafter\pdfbookmark\expandafter[\the\atempcnta]{%
13377 }{%
13378 \newcommand{\belowpdfbookmark}[2]{%
13379   \atempcnta\Hy@currentbookmarklevel
13380   \Hy@StepCount\atempcnta
13381   \expandafter\pdfbookmark\expandafter[\the\atempcnta]{#1}{#2}{%
13382   \advance\atempcnta by -1 %
13383   \xdef\Hy@currentbookmarklevel{\the\atempcnta}%
13384 }

```

Tobias Oetiker rightly points out that we need a way to force a bookmark entry. So we introduce \pdfbookmark, with two parameters, the title, and a symbolic name. By default this is at level 1, but we can reset that with the optional first argument.

```

13385 \renewcommand\pdfbookmark[3][0]{%
13386   \Hy@writebookmark{}{#2}{#3.#1}{#1}{toc}%
13387   \hyper@anchorstart{#3.#1}\hyper@anchorend
13388 }
13389 \def\BOOKMARK{%
13390   \ifnextchar{\@BOOKMARK}{\@BOOKMARK[1][-]}{%
13391 }
13392 \def\@BOOKMARK[#1]{%
13393   \ifnextchar{\@BOOKMARK[#1]}{\@BOOKMARK[#1][-]}{%
13394 }

```

The macros for calculating structure of outlines are derived from those by Petr Olsak used in the texinfopdf macros.

48.1.1 Rerun warning

\Hy@OutlineRerunCheck

```

13395 \RequirePackage{rerunfilecheck}[2009/12/10]
13396 \def\Hy@OutlineRerunCheck{%
13397   \RerunFileCheck{\jobname.out}{%
13398     \immediate\closeout\outlinefile
13399   }{%
13400     Rerun to get outlines right\MessageBreak
13401     or use package 'bookmark'%
13402   }%
13403 }

```

48.1.2 Driver stuff

The VTEX section was written originally by VTEX, but then amended by Denis Girou (denis.girou@idris.fr), then by Taco Hoekwater (taco.hoekwater@wkap.nl). The problem is that VTEX, with its close integration of the PDF backend, does look at the contents of bookmarks, escaping \ and the like.

```

13404 {*vtex}
13405 \newcount\@serial@counter\@serial@counter=1\relax

\hv@pdf@char Plain octal codes doesn't work with versions below 6.50. So for early versions hex numbers have to be used. It would be possible to program this instead of the large \ifcase, but I'm too lazy to sort that out now.
13406 \begingroup
13407 \catcode`'=12 %
13408 \ifnum\Hy@VTeXversion<650 %
13409 \catcode`'=12 %
13410 \gdef\hv@pdf@char#1#2#3{%
13411 \char
13412 \ifcase#1#2#3 %
13413 "00\or"01\or"02\or"03\or"04\or"05\or"06\or"07%
13414 \or"08\or"09\or"0A\or"0B\or"0C\or"0D\or"0E\or"0F%
13415 \or"10\or"11\or"12\or"13\or"14\or"15\or"16\or"17%
13416 \or"18\or"19\or"1A\or"1B\or"1C\or"1D\or"1E\or"1F%
13417 \or"20\or"21\or"22\or"23\or"24\or"25\or"26\or"27%
13418 \or"28\or"29\or"2A\or"2B\or"2C\or"2D\or"2E\or"2F%
13419 \or"30\or"31\or"32\or"33\or"34\or"35\or"36\or"37%
13420 \or"38\or"39\or"3A\or"3B\or"3C\or"3D\or"3E\or"3F%
13421 \or"40\or"41\or"42\or"43\or"44\or"45\or"46\or"47%
13422 \or"48\or"49\or"4A\or"4B\or"4C\or"4D\or"4E\or"4F%
13423 \or"50\or"51\or"52\or"53\or"54\or"55\or"56\or"57%
13424 \or"58\or"59\or"5A\or"5B\or"5C\or"5D\or"5E\or"5F%
13425 \or"60\or"61\or"62\or"63\or"64\or"65\or"66\or"67%
13426 \or"68\or"69\or"6A\or"6B\or"6C\or"6D\or"6E\or"6F%
13427 \or"70\or"71\or"72\or"73\or"74\or"75\or"76\or"77%
13428 \or"78\or"79\or"7A\or"7B\or"7C\or"7D\or"7E\or"7F%
13429 \or"80\or"81\or"82\or"83\or"84\or"85\or"86\or"87%
13430 \or"88\or"89\or"8A\or"8B\or"8C\or"8D\or"8E\or"8F%
13431 \or"90\or"91\or"92\or"93\or"94\or"95\or"96\or"97%
13432 \or"98\or"99\or"9A\or"9B\or"9C\or"9D\or"9E\or"9F%
13433 \or"A0\or"A1\or"A2\or"A3\or"A4\or"A5\or"A6\or"A7%
13434 \or"A8\or"A9\or"AA\or"AB\or"AC\or"AD\or"AE\or"AF%
13435 \or"B0\or"B1\or"B2\or"B3\or"B4\or"B5\or"B6\or"B7%
13436 \or"B8\or"B9\or"BA\or"BB\or"BC\or"BD\or"BE\or"BF%
13437 \or"C0\or"C1\or"C2\or"C3\or"C4\or"C5\or"C6\or"C7%
13438 \or"C8\or"C9\or"CA\or"CB\or"CC\or"CD\or"CE\or"CF%
13439 \or"D0\or"D1\or"D2\or"D3\or"D4\or"D5\or"D6\or"D7%
13440 \or"D8\or"D9\or"DA\or"DB\or"DC\or"DD\or"DE\or"DF%
13441 \or"E0\or"E1\or"E2\or"E3\or"E4\or"E5\or"E6\or"E7%
13442 \or"E8\or"E9\or"EA\or"EB\or"EC\or"ED\or"EE\or"EF%
13443 \or"F0\or"F1\or"F2\or"F3\or"F4\or"F5\or"F6\or"F7%
13444 \or"F8\or"F9\or"FA\or"FB\or"FC\or"FD\or"FE\or"FF%
13445 \fi
13446 }%
13447 \else
13448 \gdef\hv@pdf@char{\char}%
13449 \fi
13450 \endgroup

```

```
\@@BOOKMARK
```

```
13451 \def\@@BOOKMARK[#1][#2]{#3#4#5}{%
13452   \expandafter\edef\csname @count\#3\endcsname{%
13453     \the\@serial@counter
13454   }%
13455   \edef\@mycount{\the\@serial@counter}%
13456   \Hy@StepCount\@serial@counter
13457   \edef\@parcount{%
13458     \expandafter\ifx\csname @count\#5\endcsname\relax
13459       0%
13460     \else
13461       \csname @count\#5\endcsname
13462     \fi
13463   }%
13464   \immediate\special{%
13465     !outline \HyperDestNameFilter{\#3};p=\@parcount,i=\@mycount,%
13466     s=\ifx#2-c\else o\fi,t=\#4%
13467   }%
13468 }%
```

```
\ReadBookmarks
```

```
13469 \def\ReadBookmarks{%
13470   \begingroup
13471   \def\0{\hv@pdf@char 0}%
13472   \def\1{\hv@pdf@char 1}%
13473   \def\2{\hv@pdf@char 2}%
13474   \def\3{\hv@pdf@char 3}%
13475   \def\({}%
13476   \def\){}%
13477   \def\do##1{%
13478     \ifnum\catcode'##1=\active
13479       \makeother##1%
13480     \else
13481       \ifnum\catcode'##1=6 %
13482         \makeother##1%
13483       \fi
13484     \fi
13485   }%
13486   \dospecials
13487   \Hy@safe@activestore
13488   \InputIfFileExists{\jobname.out}{}{%
13489   \endgroup
13490   \ifx\WriteBookmarks\relax
13491   \else
13492     \if@filesw
13493       \newwrite\outlinefile
13494       \Hy@OutlineRerunCheck
13495       \immediate\openout\outlinefile=\jobname.out\relax
13496       \ifHy@typexml
13497         \immediate\write\outlinefile{<relaxxml>\relax}%
13498       \fi
13499     \fi
13500   \fi
13501 }%
13502 </vtex>
13503 (*!vtex)
```

```

13504 \def\ReadBookmarks{%
13505   \begingroup
13506     \def\do##1{%
13507       \ifnum\catcode'##1=\active
13508         \makeother##1%
13509       \else
13510         \ifnum\catcode'##1=6 %
13511           \makeother##1%
13512         \fi
13513       \fi
13514     }%
13515     \dospecials
13516     \Hy@safe@activestru
13517     \escapechar='\\%
13518     \def\@@BOOKMARK[##1][##2]##3##4##5{%
13519       \calc@bm@number{##5}%
13520     }%
13521     \InputIfFileExists{\jobname.out}{}{}%
13522     \ifx\WriteBookmarks\relax
13523       \global\let\WriteBookmarks\relax
13524     \fi
13525     \def\@@BOOKMARK[##1][##2]##3##4##5{%
13526       \def\Hy@temp{##4}%
13527     /*pdftex}
13528       \Hy@pstringdef\Hy@pstringName{\HyperDestNameFilter{##3}}%
13529       \Hy@OutlineName{}\Hy@pstringName{%
13530         ##2\check@bm@number{##3}%
13531       }%
13532       \expandafter\strip@prefix\meaning\Hy@temp
13533     }%
13534   /*pdftex}
13535   /*pdfmark}
13536     \pdfmark{%
13537       pdfmark=/OUT,%
13538       Count={##2\check@bm@number{##3}},%
13539       Dest={##3},%
13540       Title=\expandafter\strip@prefix\meaning\Hy@temp
13541     }%
13542   /*pdfmark}
13543   /*dvipdfm | xetex}
13544     \Hy@pstringdef\Hy@pstringName{\HyperDestNameFilter{##3}}%
13545     \pdfmark{%
13546       outline \ifHy@DvipdfmxOutlineOpen
13547         %
13548         \ifnum##21>\z@
13549         \else
13550           %
13551         \fi
13552         ] %
13553       \fi
13554       ##1<<%
13555       /Title(\expandafter\strip@prefix\meaning\Hy@temp)%
13556       /A<<%
13557       /S/GoTo%
13558       /D(\Hy@pstringName)%
13559       >>%
13560     >>%

```

```

13561      }%
13562 </dvipdfm | xetex>
13563      }%
13564      {%
13565      \def\WriteBookmarks#0{%
13566      \InputIfFileExists{\jobname.out}{}{}%
13567      }%
13568      {\escapechar\m@ne\InputIfFileExists{\jobname.out}{}{}%
13569      \ifx\WriteBookmarks\relax
13570      \else
13571      \if@filesw
13572      \newwrite\@outlinefile
13573      \Hy@OutlineRerunCheck
13574      \immediate\openout\@outlinefile=\jobname.out\relax
13575      \ifHy@typexml
13576      \immediate\write\@outlinefile{<relaxxml>}\relax}%
13577      \fi
13578      \fi
13579      \fi
13580      \endgroup
13581 }
13582 {*pdfTeX}
13583 \def\Hy@OutlineName#1#2#3#4{%
13584 \pdfoutline goto name{#2}count{#3}{#4}%
13585 }
13586 </pdfTeX>
13587 \def\check@bm@number#1{%
13588 \expandafter\ifx\csname B_#1\endcsname\relax
13589 0%
13590 \else
13591 \csname B_#1\endcsname
13592 \fi
13593 }
13594 \def\calc@bm@number#1{%
13595 \tempcnta=\check@bm@number{#1}\relax
13596 \advance\tempcnta by 1 %
13597 \expandafter\xdef\csname B_#1\endcsname{\the\tempcnta}%
13598 }
13599 </!vTeX>
13600 \ifHy@implicit
13601 \else
13602 \expandafter\endinput
13603 \fi
13604 </outlines>
13605 {*outlines | hypertex>
13606 \newlength\Hy@SectionHShift
13607 \def\Hy@SectionAnchorHref#1{%
13608 \ifx\protect\@typeset@protect
13609 \Hy@@SectionAnchor{#1}%
13610 \fi
13611 }
13612 \DeclareRobustCommand*\Hy@@SectionAnchor[1]{%
13613 \leavevmode
13614 \hbox to 0pt{%
13615 \kern-\Hy@SectionHShift
13616 \Hy@raisedlink{%

```

```

13617     \hyper@anchorstart{\#1}\hyper@anchorend
13618   }%
13619   \hss
13620 }%
13621 }
13622 \let\H@old@ssect\@ssect
13623 \def\@ssect{\#1\#2\#3\#4\#5{%
13624   \Hy@MakeCurrentHrefAuto{section*}%
13625   \setlength{\Hy@SectionHShift}{\#1}%
13626   \begingroup
13627     \toks@{\H@old@ssect{\#1}{\#2}{\#3}{\#4}}%
13628     \toks\tw@{\expandafter{%
13629       \expandafter\Hy@SectionAnchorHref\expandafter{\@currentHref}%
13630       \#5}%
13631     }%
13632   \edef\x{\endgroup
13633     \the\toks@{\the\toks\tw@}%
13634   }\x
13635 }
13636 \let\H@old@schapter\@schapter
13637 \def\@schapter{\#1{%
13638   \begingroup
13639     \let\c@mkboth\@gobbletwo
13640     \Hy@MakeCurrentHrefAuto{\Hy@chapapp*}%
13641     \Hy@raisedlink{%
13642       \hyper@anchorstart{\@currentHref}\hyper@anchorend
13643     }%
13644   \endgroup
13645   \H@old@schapter{\#1}%
13646 }

```

If there is no chapter number (\frontmatter or \backmatter) then \refstepcounter{chapter} is not executed, so there will be no destination for \ddcontentsline. So \@chapter is overloaded to avoid this:

```

13647 \ltx@ifundefined{@chapter}{}{%
13648   \let\Hy@org@chapter\@chapter
13649   \def\@chapter{%
13650     \def\Hy@next{%
13651       \Hy@MakeCurrentHrefAuto{\Hy@chapapp*}%
13652       \Hy@raisedlink{%
13653         \hyper@anchorstart{\@currentHref}\hyper@anchorend
13654       }%
13655     }%
13656     \ifnum\c@secnumdepth>\m@ne
13657       \ltx@ifundefined{if@mainmatter}%
13658         \iftrue{\csname if@mainmatter\endcsname}%
13659           \let\Hy@next\relax
13660         \fi
13661       \fi
13662     \Hy@next
13663     \Hy@org@chapter
13664   }%
13665 }

13666 \let\H@old@part\@part
13667 \begingroup\expandafter\expandafter\expandafter\expandafter\endgroup
13668 \expandafter\ifx\csname chapter\endcsname\relax
13669 \let\Hy@cseccnum@part\z@

```

```

13670 \else
13671   \let\Hy@secnum@part\m@ne
13672 \fi
13673 \def\@part{%
13674   \ifnum\Hy@secnum@part>\c@secnumdepth
13675     \phantomsection
13676   \fi
13677   \H@old@part
13678 }

13679 \let\H@old@spart\@spart
13680 \def\@spart#1{%
13681   \Hy@MakeCurrentHrefAuto{part*}%
13682   \Hy@raisedlink{%
13683     \hyper@anchorstart{\@currentHref}\hyper@anchorend
13684   }%
13685   \H@old@spart{#1}%
13686 }
13687 \let\H@old@sect\@sect
13688 \def\@sect#1#2#3#4#5#6[#7]#8{%
13689   \ifnum #2>\c@secnumdepth
13690     \expandafter\@firstoftwo
13691   \else
13692     \expandafter\@secondoftwo
13693   \fi
13694 {%
13695   \Hy@MakeCurrentHrefAuto{section*}%
13696   \setlength{\Hy@sectionHShift}{#3}%
13697   \begingroup
13698     \toks@{\H@old@sect{#1}{#2}{#3}{#4}{#5}{#6}{[#7]}}%
13699     \toks\tw@{\expandafter{%
13700       \expandafter\Hy@SectionAnchorHref\expandafter{\@currentHref}%
13701       #8%
13702     }%
13703     \edef\x{\endgroup
13704       \the\toks@{\the\toks\tw@}%
13705     }\x
13706   }{%
13707     \H@old@sect{#1}{#2}{#3}{#4}{#5}{#6}{[#7]}{#8}%
13708   }%
13709 }

13710 </outlines | hypertex>
13711 <*outlines>

13712 \expandafter\def\csname Parent-4\endcsname{}
13713 \expandafter\def\csname Parent-3\endcsname{}
13714 \expandafter\def\csname Parent-2\endcsname{}
13715 \expandafter\def\csname Parent-1\endcsname{}
13716 \expandafter\def\csname Parent0\endcsname{}
13717 \expandafter\def\csname Parent1\endcsname{}
13718 \expandafter\def\csname Parent2\endcsname{}
13719 \expandafter\def\csname Parent3\endcsname{}
13720 \expandafter\def\csname Parent4\endcsname{}

13721 </outlines>

```

49 Compatibility with koma-script classes

```
13722 < *outlines | hypertex >
```

Hard-wire in an unpleasant over-ride of komascript ‘scrbook’ class for Tobias Isenberg (Tobias.Isenberg@gmx.de). With version 6.71b the hack is also applied to ‘scrreprt’ class and is removed for koma-script versions since 2001/01/01, because Markus Kohm supports hyperref in komascript.

```
13723 \def\Hy@tempa{%
13724   \def\@addchap[##1]##2{%
13725     \typeout{##2}%
13726     \if@twoside
13727       \mkboth{##1}{}%
13728     \else
13729       \mkboth{}{##1}%
13730     \fi
13731     \addtocontents{lof}{\protect\addvspace{10\p@}}%
13732     \addtocontents{lot}{\protect\addvspace{10\p@}}%
13733     \Hy@MakeCurrentHrefAuto{\Hy@chapapp*}%
13734     \Hy@raisedlink{%
13735       \hyper@anchorstart{\@currentHref}\hyper@anchorend
13736     }%
13737     \if@twocolumn
13738       \atopnewpage[\makeschapterhead{##2}]%
13739     \else
13740       \makeschapterhead{##2}%
13741       \afterheading
13742     \fi
13743     \addcontentsline{toc}{chapter}{##1}%
13744   }%
13745 }
13746 \@ifclassloaded{scrbook}{%
13747   \ifclasslater{scrbook}{2001/01/01}{%
13748     \let\Hy@tempa\empty
13749   }%
13750 }%
13751 \ifclassloaded{scrreprt}{%
13752   \ifclasslater{scrreprt}{2001/01/01}{%
13753     \let\Hy@tempa\empty
13754   }%
13755 }%
13756 \let\Hy@tempa\empty
13757 }%
13758 }%
13759 \Hy@tempa
13760 </outlines | hypertex >
```

50 Encoding definition files for encodings of PDF strings

This was contributed by Heiko Oberdiek.

50.1 PD1 encoding

```
13761 < *pd1enc>
13762 \DeclareFontEncoding{PD1}{}{%
  Accents
  13763 \DeclareTextAccent{\'}{PD1}{\textasciigrave}%
  13764 \DeclareTextAccent{\'}{PD1}{\textacute}%
  13765 \DeclareTextAccent{\^}{PD1}{\textasciicircum}%
}
```

```

13766 \DeclareTextAccent{\~}{PD1}{\texttilde}
13767 \DeclareTextAccent{\'}{PD1}{\textasciidieresis}
13768 \DeclareTextAccent{\r}{PD1}{\textstring}
13769 \DeclareTextAccent{\v}{PD1}{\textasciicaron}
13770 \DeclareTextAccent{\.}{PD1}{\textdotaccent}
13771 \DeclareTextAccent{\c}{PD1}{\textcedilla}
13772 \DeclareTextAccent{\=}{PD1}{\textasciimacron}
13773 \DeclareTextAccent{\b}{PD1}{\textmacronbelow}
13774 \DeclareTextAccent{\d}{PD1}{\textdotbelow}
13775 \DeclareTextCompositeCommand{\`}{PD1}{\emptyset}{\textasciigrave}
13776 \DeclareTextCompositeCommand{\'}{PD1}{\emptyset}{\textacute}
13777 \DeclareTextCompositeCommand{\^}{PD1}{\emptyset}{\textasciicircum}
13778 \DeclareTextCompositeCommand{\~}{PD1}{\emptyset}{\texttilde}
13779 \DeclareTextCompositeCommand{\"}{PD1}{\emptyset}{\textasciidieresis}
13780 \DeclareTextCompositeCommand{\r}{PD1}{\emptyset}{\textstring}
13781 \DeclareTextCompositeCommand{\v}{PD1}{\emptyset}{\textasciicaron}
13782 \DeclareTextCompositeCommand{\.}{PD1}{\emptyset}{\textdotaccent}
13783 \DeclareTextCompositeCommand{\c}{PD1}{\emptyset}{\textcedilla}
13784 \DeclareTextCompositeCommand{\=}{PD1}{\emptyset}{\textasciimacron}
13785 \DeclareTextCompositeCommand{\b}{PD1}{\emptyset}{\textmacronbelow}
13786 \DeclareTextCompositeCommand{\d}{PD1}{\emptyset}{\textdotbelow}
13787 \DeclareTextCompositeCommand{\'}{PD1}{\emptyset}{\textasciigrave}
13788 \DeclareTextCompositeCommand{\`}{PD1}{\emptyset}{\textacute}
13789 \DeclareTextCompositeCommand{\^}{PD1}{\emptyset}{\textasciicircum}
13790 \DeclareTextCompositeCommand{\~}{PD1}{\emptyset}{\texttilde}
13791 \DeclareTextCompositeCommand{\\"}{PD1}{\emptyset}{\textasciidieresis}
13792 \DeclareTextCompositeCommand{\r}{PD1}{\emptyset}{\textstring}
13793 \DeclareTextCompositeCommand{\v}{PD1}{\emptyset}{\textasciicaron}
13794 \DeclareTextCompositeCommand{\.}{PD1}{\emptyset}{\textdotaccent}
13795 \DeclareTextCompositeCommand{\c}{PD1}{\emptyset}{\textcedilla}
13796 \DeclareTextCompositeCommand{\=}{PD1}{\emptyset}{\textasciimacron}
13797 \DeclareTextCompositeCommand{\b}{PD1}{\emptyset}{\textmacronbelow}
13798 \DeclareTextCompositeCommand{\d}{PD1}{\emptyset}{\textdotbelow}
13799 \DeclareTextCommand{\k}{PD1}[1]{\TextSymbolUnavailable{\k{\#1}}#1}
13800 \DeclareTextCommand{\t}{PD1}[1]{\TextSymbolUnavailable{\t{\#1}}#1}
13801 \DeclareTextCommand{\newtie}{PD1}[1]{%
13802 \TextSymbolUnavailable{\newtie{\#1}}#1%
13803 }

```

Special white space escape characters not for use in bookmarks but for other PDF strings.

```

13804 % U+0009 (CHARACTER TABULATION)
13805 \DeclareTextCommand{\textHT}{PD1}{\011}% U+0009
13806 % U+000A (LINE FEED)
13807 \DeclareTextCommand{\textLF}{PD1}{\012}% U+000A
13808 % U+000D (CARRIAGE RETURN)
13809 \DeclareTextCommand{\textCR}{PD1}{\015}% U+000D

```

Accent glyph names

```

13810 % U+02D8 BREVE; breve
13811 \DeclareTextCommand{\textasciibreve}{PD1}{\030}% U+02D8
13812 % U+02C7 CARON; caron
13813 \DeclareTextCommand{\textasciicaron}{PD1}{\031}% U+02C7
13814 % U+02C6 MODIFIER LETTER CIRCUMFLEX ACCENT; circumflex
13815 \DeclareTextCommand{\textcircumflex}{PD1}{\032}% U+02C6
13816 % U+02D9 DOT ABOVE; dotaccent
13817 \DeclareTextCommand{\textdotaccent}{PD1}{\033}% U+02D9
13818 % U+02DD DOUBLE ACUTE ACCENT; hungarumlaut
13819 \DeclareTextCommand{\texthungarumlaut}{PD1}{\034}% U+02DD
13820 % U+02DB OGONEK; ogonek

```

```

13821 \DeclareTextCommand{\textogonek}{PD1}{\035}% U+02DB
13822 % U+02DA RING ABOVE; ring
13823 \DeclareTextCommand{\textring}{PD1}{\036}% U+02DA
13824 % U+02DC SMALL TILDE; ilde, *tilde
13825 \DeclareTextCommand{\texttilde}{PD1}{\037}% U+02DC
\040: U+0020 SPACE; *space, spacehackarabic
\041: U+0021 EXCLAMATION MARK; exclam
13826 % U+0022 QUOTATION MARK; quotedbl
13827 \DeclareTextCommand{\textquotedbl}{PD1}{\string"}% \042 U+0022
13828 % U+0023 NUMBER SIGN; numbersign
13829 \DeclareTextCommand{\textnumbersign}{PD1}{\043}% U+0023
13830 % U+0024 DOLLAR SIGN; dollar
13831 \DeclareTextCommand{\textdollar}{PD1}{\044}% U+0024
13832 % U+0025 PERCENT SIGN; percent
13833 \DeclareTextCommand{\textpercent}{PD1}{\045}% U+0025
13834 % U+0026 AMPERSAND; ampersand
13835 \DeclareTextCommand{\textampersand}{PD1}{\046}% U+0026
\047: U+0027 APOSTROPHE; quotesingle

13836 % U+0028 LEFT PARENTHESIS; parenleft
13837 \DeclareTextCommand{\textparenleft}{PD1}{\string(}% \050 U+0028
13838 % U+0029 RIGHT PARENTHESIS; parenright
13839 \DeclareTextCommand{\textparenright}{PD1}{\string)}% \051 U+0029
\052: U+002A ASTERISK; asterisk
\053: U+002B PLUS SIGN; plus
\054: U+002C COMMA; comma
\055: U+002D HYPHEN-MINUS; hyphen
\056: U+002E FULL STOP; period
13840 % U+002E FULL STOP; period
13841 \DeclareTextCommand{\textdotbelow}{PD1}{.}% \056 U+002E
\057: U+002F SOLIDUS; slash
\060: U+0030 DIGIT ZERO; zero
...
\071: U+0039 DIGIT NINE; nine
\072: U+003A COLON; colon
\073: U+003B SEMICOLON; semicolon
13842 % U+003C LESS-THAN SIGN; less
13843 \DeclareTextCommand{\textless}{PD1}{<}% \074 U+003C
\075: U+003D EQUALS SIGN; equal
13844 % U+003E GREATER-THAN SIGN; greater
13845 \DeclareTextCommand{\textgreater}{PD1}{>}% \076 U+003E
\077: U+003F QUESTION MARK; question
\100: U+0040 COMMERCIAL AT; at
\101: U+0041 LATIN CAPITAL LETTER A; A
...
\132: U+005A LATIN CAPITAL LETTER Z; Z
\133: U+005B LEFT SQUARE BRACKET; bracketleft
13846 % U+005C REVERSE SOLIDUS; backslash
13847 \DeclareTextCommand{\textbackslash}{PD1}{\134}% U+005C
\135: U+005D RIGHT SQUARE BRACKET; bracketright
13848 % U+005E CIRCUMFLEX ACCENT; asciicircum
13849 \DeclareTextCommand{\textasciicircum}{PD1}{\136}% U+005E
13850 % U+005F LOW LINE; underscore
13851 \DeclareTextCommand{\textunderscore}{PD1}{\137}% U+005F

```

```
13852 \DeclareTextCommand{\textmacronbelow}{\PD1}{\137}% U+005F
13853 % U+0060 GRAVE ACCENT; grave
13854 \DeclareTextCommand{\textasciigrave}{\PD1}{\140}% U+0060
\141: U+0061 LATIN SMALL LETTER A; a
...
\150: U+0068 LATIN SMALL LETTER H; h
13855 % U+0069 LATIN SMALL LETTER I; i
13856 \DeclareTextCompositeCommand{.}{\PD1}{i}{i}% \151 U+0069
\152: U+006A LATIN SMALL LETTER J; j
...
\172: U+007A LATIN SMALL LETTER Z; z
13857 % U+007B LEFT CURLY BRACKET; braceleft
13858 \DeclareTextCommand{\textbraceleft}{\PD1}{\173}% U+007B
13859 % U+007C VERTICAL LINE; *bar, verticalbar
13860 \DeclareTextCommand{\textbar}{\PD1}{|}% U+007C
13861 % U+007D RIGHT CURLY BRACKET; braceright
13862 \DeclareTextCommand{\textbraceright}{\PD1}{\175}% U+007D
13863 % U+007E TILDE; asciitilde
13864 \DeclareTextCommand{\textasciitilde}{\PD1}{\176}% U+007E
Slot \177 (0x7F) is undefined in PDFDocEncoding.
13865 % U+2022 BULLET; bullet
13866 \DeclareTextCommand{\textbullet}{\PD1}{\200}% U+2022
13867 % U+2020 DAGGER; dagger
13868 \DeclareTextCommand{\textdagger}{\PD1}{\201}% U+2020
13869 % U+2021 DOUBLE DAGGER; daggerdbl
13870 \DeclareTextCommand{\textdaggerdbl}{\PD1}{\202}% U+2021
13871 % U+2026 HORIZONTAL ELLIPSIS; ellipsis
13872 \DeclareTextCommand{\textellipsis}{\PD1}{\203}% U+2026
13873 % U+2014 EM DASH; emdash
13874 \DeclareTextCommand{\textemdash}{\PD1}{\204}% U+2014
13875 % U+2013 EN DASH; endash
13876 \DeclareTextCommand{\textendash}{\PD1}{\205}% U+2013
13877 % U+0192 LATIN SMALL LETTER F WITH HOOK; florin
13878 \DeclareTextCommand{\textflorin}{\PD1}{\206}% U+0192
13879 % U+2044 FRACTION SLASH; fraction
13880 \DeclareTextCommand{\textfractionsolidus}{\PD1}{\207}% U+2044
13881 % U+2039 SINGLE LEFT-POINTING ANGLE QUOTATION MARK; guilsinglleft
13882 \DeclareTextCommand{\guilsinglleft}{\PD1}{\210}% U+2039
13883 % U+203A SINGLE RIGHT-POINTING ANGLE QUOTATION MARK; guilsinglright
13884 \DeclareTextCommand{\guilsinglright}{\PD1}{\211}% U+203A
13885 % U+2212 MINUS SIGN; minus
13886 \DeclareTextCommand{\textminus}{\PD1}{\212}% U+2212
13887 % U+2030 PER MILLE SIGN; perthousand
13888 \DeclareTextCommand{\textperthousand}{\PD1}{\213}% U+2030
13889 % U+201E DOUBLE LOW-9 QUOTATION MARK; quotedblbase
13890 \DeclareTextCommand{\quotedblbase}{\PD1}{\214}% U+201E
13891 % U+201C LEFT DOUBLE QUOTATION MARK; quotedblleft
13892 \DeclareTextCommand{\textquotedblleft}{\PD1}{\215}% U+201C
13893 % U+201D RIGHT DOUBLE QUOTATION MARK; quotedblright
13894 \DeclareTextCommand{\textquotedblright}{\PD1}{\216}% U+201D
13895 % U+2018 LEFT SINGLE QUOTATION MARK; quoteleft
13896 \DeclareTextCommand{\textquotelleft}{\PD1}{\217}% U+2018
13897 % U+2019 RIGHT SINGLE QUOTATION MARK; quoteright
13898 \DeclareTextCommand{\textquoteright}{\PD1}{\220}% U+2019
```

```

13899 % U+201A SINGLE LOW-9 QUOTATION MARK; quotesinglbase
13901 % U+2122 TRADE MARK SIGN; trademark
13902 \DeclareTextCommand{\texttrademark}{\PD1}{\221}% U+201A
13903 % U+FB01 LATIN SMALL LIGATURE FI; fi
13904 \DeclareTextCommand{\textfi}{\PD1}{\223}% U+FB01
13905 % U+FB02 LATIN SMALL LIGATURE FL; fl
13906 \DeclareTextCommand{\textfl}{\PD1}{\224}% U+FB02
13907 % U+0141 LATIN CAPITAL LETTER L WITH STROKE; lslash
13908 \DeclareTextCommand{\L}{\PD1}{\225}% U+0141
13909 % U+0152 LATIN CAPITAL LIGATURE OE; oe
13910 \DeclareTextCommand{\OE}{\PD1}{\226}% U+0152
13911 % U+0160 LATIN CAPITAL LETTER S WITH CARON; scaron
13912 \DeclareTextCompositeCommand{\v}{\PD1}{S}{\227}% U+0160
13913 % U+0178 LATIN CAPITAL LETTER Y WITH DIAERESIS; ydieresis
13914 \DeclareTextCompositeCommand{\Y}{\PD1}{Y}{\230}% U+0178
13915 \DeclareTextCommand{\IJ}{\PD1}{\230}
13916 % U+017D LATIN CAPITAL LETTER Z WITH CARON; zcaron
13917 \DeclareTextCompositeCommand{\v}{\PD1}{Z}{\231}% U+017D
13918 % U+0131 LATIN SMALL LETTER DOTLESS I; dotlessi
13919 \DeclareTextCommand{\i}{\PD1}{\232}% U+0131
13920 % U+0142 LATIN SMALL LETTER L WITH STROKE; lslash
13921 \DeclareTextCommand{\l}{\PD1}{\233}% U+0142
13922 % U+0153 LATIN SMALL LIGATURE OE; oe
13923 \DeclareTextCommand{\oe}{\PD1}{\234}% U+0153
13924 % U+0161 LATIN SMALL LETTER S WITH CARON; scaron
13925 \DeclareTextCompositeCommand{\v}{\PD1}{s}{\235}% U+0161
13926 % U+017E LATIN SMALL LETTER Z WITH CARON; zcaron
13927 \DeclareTextCompositeCommand{\v}{\PD1}{z}{\236}% U+017E

Slot \237 (0x9F) is not defined in PDFDocEncoding.
The euro \240 is inserted in version 1.3 of the pdf specification.
13928 % U+20AC EURO SIGN; *Euro, euro
13929 \DeclareTextCommand{\texteuro}{\PD1}{\240}% U+20AC
13930 % U+00A1 INVERTED EXCLAMATION MARK; exclamdown
13931 \DeclareTextCommand{\textexclamdown}{\PD1}{\241}% U+00A1
13932 % U+00A2 CENT SIGN; cent
13933 \DeclareTextCommand{\textcent}{\PD1}{\242}% U+00A2
13934 % U+00A3 POUND SIGN; sterling
13935 \DeclareTextCommand{\textsterling}{\PD1}{\243}% U+00A3
13936 % U+00A4 CURRENCY SIGN; currency
13937 \DeclareTextCommand{\textcurrency}{\PD1}{\244}% U+00A4
13938 % U+00A5 YEN SIGN; yen
13939 \DeclareTextCommand{\textyen}{\PD1}{\245}% U+00A5
13940 % U+00A6 BROKEN BAR; brokenbar
13941 \DeclareTextCommand{\textbrokenbar}{\PD1}{\246}% U+00A6
13942 % U+00A7 SECTION SIGN; section
13943 \DeclareTextCommand{\textsection}{\PD1}{\247}% U+00A7
13944 % U+00A8 DIAERESIS; dieresis
13945 \DeclareTextCommand{\textasciidieresis}{\PD1}{\250}% U+00A8
13946 % U+00A9 COPYRIGHT SIGN; copyright
13947 \DeclareTextCommand{\textcopyright}{\PD1}{\251}% U+00A9
13948 % U+00AA FEMININE ORDINAL INDICATOR; ordfeminine
13949 \DeclareTextCommand{\textordfeminine}{\PD1}{\252}% U+00AA
13950 % U+00AB LEFT-POINTING DOUBLE ANGLE QUOTATION MARK; guille-
     motleft
13951 \DeclareTextCommand{\guillemotleft}{\PD1}{\253}% U+00AB
13952 % U+00AC NOT SIGN; logicalnot

```

```

13953 \DeclareTextCommand{\textlogicalnot}{PD1}{\254}%
13954 \DeclareTextCommand{\textlnot}{PD1}{\254}%
logical not

No glyph \255 in PDFDocEncoding.

13955 % U+00AE REGISTERED SIGN; registered
13956 \DeclareTextCommand{\textregistered}{PD1}{\256}%
U+00AE
13957 % U+00AF MACRON; *macron, overscore
13958 \DeclareTextCommand{\textasciimacron}{PD1}{\257}%
U+00AF
13959 % U+00B0 DEGREE SIGN; degree
13960 \DeclareTextCommand{\textdegree}{PD1}{\260}%
U+00B0
13961 % U+00B1 PLUS-MINUS SIGN; plusminus
13962 \DeclareTextCommand{\textplusminus}{PD1}{\261}%
U+00B1
13963 % U+00B2 SUPERSCRIPT TWO; twosuperior
13964 \DeclareTextCommand{\texttwosuperior}{PD1}{\262}%
U+00B2
13965 % U+00B3 SUPERSCRIPT THREE; threesuperior
13966 \DeclareTextCommand{\textthreesuperior}{PD1}{\263}%
U+00B3
13967 % U+00B4 ACUTE ACCENT; acute
13968 \DeclareTextCommand{\textacute}{PD1}{\264}%
U+00B4
13969 % U+00B5 MICRO SIGN; mu, mu1
13970 \DeclareTextCommand{\textmu}{PD1}{\265}%
U+00B5
13971 % U+00B6 PILCROW SIGN; paragraph
13972 \DeclareTextCommand{\textparagraph}{PD1}{\266}%
U+00B6
13973 % U+00B7 MIDDLE DOT; middot, *periodcentered
13974 \DeclareTextCommand{\textperiodcentered}{PD1}{\267}%
U+00B7
13975 % U+00B8 CEDILLA; cedilla
13976 \DeclareTextCommand{\textcedilla}{PD1}{\270}%
U+00B8
13977 % U+00B9 SUPERSCRIPT ONE; onesuperior
13978 \DeclareTextCommand{\textonesuperior}{PD1}{\271}%
U+00B9
13979 % U+00BA MASCULINE ORDINAL INDICATOR; ordmasculine
13980 \DeclareTextCommand{\textordmasculine}{PD1}{\272}%
U+00BA
13981 % U+00BB RIGHT-POINTING DOUBLE ANGLE QUOTATION MARK; guille-
motright
13982 \DeclareTextCommand{\guillemotright}{PD1}{\273}%
U+00BB
13983 % U+00BC VULGAR FRACTION ONE QUARTER; onequarter
13984 \DeclareTextCommand{\textonequarter}{PD1}{\274}%
U+00BC
13985 % U+00BD VULGAR FRACTION ONE HALF; onehalf
13986 \DeclareTextCommand{\textonehalf}{PD1}{\275}%
U+00BD
13987 % U+00BE VULGAR FRACTION THREE QUARTERS; threequarters
13988 \DeclareTextCommand{\textthreequarters}{PD1}{\276}%
U+00BE
13989 % U+00BF INVERTED QUESTION MARK; questiondown
13990 \DeclareTextCommand{\textquestiondown}{PD1}{\277}%
U+00BF
13991 % U+00C0 LATIN CAPITAL LETTER A WITH GRAVE; Agrave
13992 \DeclareTextCompositeCommand{\`{A}}{PD1}{A}{\300}%
U+00C0
13993 % U+00C1 LATIN CAPITAL LETTER A WITH ACUTE; Aacute
13994 \DeclareTextCompositeCommand{\'{A}}{PD1}{A}{\301}%
U+00C1
13995 % U+00C2 LATIN CAPITAL LETTER A WITH CIRCUMFLEX; Acircumflex
13996 \DeclareTextCompositeCommand{\^{A}}{PD1}{A}{\302}%
U+00C2
13997 % U+00C3 LATIN CAPITAL LETTER A WITH TILDE; Atilde
13998 \DeclareTextCompositeCommand{\~{A}}{PD1}{A}{\303}%
U+00C3
13999 % U+00C4 LATIN CAPITAL LETTER A WITH DIAERESIS; Adieresis
14000 \DeclareTextCompositeCommand{\\"{A}}{PD1}{A}{\304}%
U+00C4
14001 % U+00C5 LATIN CAPITAL LETTER A WITH RING ABOVE; Aring
14002 \DeclareTextCompositeCommand{\r{A}}{PD1}{A}{\305}%
U+00C5
14003 % U+00C6 LATIN CAPITAL LETTER AE; AE
14004 \DeclareTextCommand{\AE}{PD1}{\306}%
U+00C6
14005 % U+00C7 LATIN CAPITAL LETTER C WITH CEDILLA; Ccedilla
14006 \DeclareTextCompositeCommand{\c{c}}{PD1}{C}{\307}%
U+00C7
14007 % U+00C8 LATIN CAPITAL LETTER E WITH GRAVE; Egrave

```

```

14008 \DeclareTextCompositeCommand{\'}{PD1}{E}{\310}% U+00C8
14009 % U+00C9 LATIN CAPITAL LETTER E WITH ACUTE; Eacute
14010 \DeclareTextCompositeCommand{\'}{PD1}{E}{\311}% U+00C9
14011 % U+00CA LATIN CAPITAL LETTER E WITH CIRCUMFLEX; Ecircumflex
14012 \DeclareTextCompositeCommand{\~}{PD1}{E}{\312}% U+00CA
14013 % U+00CB LATIN CAPITAL LETTER E WITH DIAERESIS; Edieresis
14014 \DeclareTextCompositeCommand{\"}{PD1}{E}{\313}% U+00CB
14015 % U+00CC LATIN CAPITAL LETTER I WITH GRAVE; Igrave
14016 \DeclareTextCompositeCommand{\'}{PD1}{I}{\314}% U+00CC
14017 % U+00CD LATIN CAPITAL LETTER I WITH ACUTE; Iacute
14018 \DeclareTextCompositeCommand{\'}{PD1}{I}{\315}% U+00CD
14019 % U+00CE LATIN CAPITAL LETTER I WITH CIRCUMFLEX; Icircumflex
14020 \DeclareTextCompositeCommand{\~}{PD1}{I}{\316}% U+00CE
14021 % U+00CF LATIN CAPITAL LETTER I WITH DIAERESIS; Idieresis
14022 \DeclareTextCompositeCommand{\"}{PD1}{I}{\317}% U+00CF
14023 % U+00D0 LATIN CAPITAL LETTER ETH; Eth
14024 \DeclareTextCommand{\DH}{PD1}{\320}% U+00D0
14025 \DeclareTextCommand{\DJ}{PD1}{\320}% U+00D0
14026 % U+00D1 LATIN CAPITAL LETTER N WITH TILDE; Ntilde
14027 \DeclareTextCompositeCommand{\~}{PD1}{N}{\321}% U+00D1
14028 % U+00D2 LATIN CAPITAL LETTER O WITH GRAVE; Ograve
14029 \DeclareTextCompositeCommand{\'}{PD1}{O}{\322}% U+00D2
14030 % U+00D3 LATIN CAPITAL LETTER O WITH ACUTE; Oacute
14031 \DeclareTextCompositeCommand{\'}{PD1}{O}{\323}% U+00D3
14032 % U+00D4 LATIN CAPITAL LETTER O WITH CIRCUMFLEX; Ocircumflex
14033 \DeclareTextCompositeCommand{\~}{PD1}{O}{\324}% U+00D4
14034 % U+00D5 LATIN CAPITAL LETTER O WITH TILDE; Otilde
14035 \DeclareTextCompositeCommand{\~}{PD1}{O}{\325}% U+00D5
14036 % U+00D6 LATIN CAPITAL LETTER O WITH DIAERESIS; Odieresis
14037 \DeclareTextCompositeCommand{\\"}{PD1}{O}{\326}% U+00D6
14038 % U+00D7 MULTIPLICATION SIGN; multiply
14039 \DeclareTextCommand{\textmultiply}{PD1}{\327}% U+00D7
14040 % U+00D8 LATIN CAPITAL LETTER O WITH STROKE; Oslash
14041 \DeclareTextCommand{\O}{PD1}{\330}% U+00D8
14042 % U+00D9 LATIN CAPITAL LETTER U WITH GRAVE; Ugrave
14043 \DeclareTextCompositeCommand{\'}{PD1}{U}{\331}% U+00D9
14044 % U+00DA LATIN CAPITAL LETTER U WITH ACUTE; Uacute
14045 \DeclareTextCompositeCommand{\'}{PD1}{U}{\332}% U+00DA
14046 % U+00DB LATIN CAPITAL LETTER U WITH CIRCUMFLEX; Ucircumflex
14047 \DeclareTextCompositeCommand{\~}{PD1}{U}{\333}% U+00DB
14048 % U+00DC LATIN CAPITAL LETTER U WITH DIAERESIS; Udieresis
14049 \DeclareTextCompositeCommand{\\"}{PD1}{U}{\334}% U+00DC
14050 % U+00DD LATIN CAPITAL LETTER Y WITH ACUTE; Yacute
14051 \DeclareTextCompositeCommand{\'}{PD1}{Y}{\335}% U+00DD
14052 % U+00DE LATIN CAPITAL LETTER THORN; Thorn
14053 \DeclareTextCommand{\TH}{PD1}{\336}% U+00DE
14054 % U+00DF LATIN SMALL LETTER SHARP S; germandbl
14055 \DeclareTextCommand{\ss}{PD1}{\337}% U+00DF
14056 % U+00E0 LATIN SMALL LETTER A WITH GRAVE; agrave
14057 \DeclareTextCompositeCommand{\'}{PD1}{a}{\340}% U+00E0
14058 % U+00E1 LATIN SMALL LETTER A WITH ACUTE; aacute
14059 \DeclareTextCompositeCommand{\'}{PD1}{a}{\341}% U+00E1
14060 % U+00E2 LATIN SMALL LETTER A WITH CIRCUMFLEX; acircumflex
14061 \DeclareTextCompositeCommand{\~}{PD1}{a}{\342}% U+00E2
14062 % U+00E3 LATIN SMALL LETTER A WITH TILDE; atilde
14063 \DeclareTextCompositeCommand{\~}{PD1}{a}{\343}% U+00E3
14064 % U+00E4 LATIN SMALL LETTER A WITH DIAERESIS; adieresis

```

```

14065 \DeclareTextCompositeCommand{"}{PD1}{a}{\344}% U+00E4
14066 % U+00E5 LATIN SMALL LETTER A WITH RING ABOVE; aring
14067 \DeclareTextCompositeCommand{r}{PD1}{a}{\345}% U+00E5
14068 % U+00E6 LATIN SMALL LETTER AE; ae
14069 \DeclareTextCommand{\ae}{PD1}{\346}% U+00E6
14070 % U+00E7 LATIN SMALL LETTER C WITH CEDILLA; ccedilla
14071 \DeclareTextCompositeCommand{c}{PD1}{c}{\347}% U+00E7
14072 % U+00E8 LATIN SMALL LETTER E WITH GRAVE; egrave
14073 \DeclareTextCompositeCommand{'}{PD1}{e}{\350}% U+00E8
14074 % U+00E9 LATIN SMALL LETTER E WITH ACUTE; eacute
14075 \DeclareTextCompositeCommand{'}{PD1}{e}{\351}% U+00E9
14076 % U+00EA LATIN SMALL LETTER E WITH CIRCUMFLEX; ecircumflex
14077 \DeclareTextCompositeCommand{"}{PD1}{e}{\352}% U+00EA
14078 % U+00EB LATIN SMALL LETTER E WITH DIAERESIS; edieresis
14079 \DeclareTextCompositeCommand{"}{PD1}{e}{\353}% U+00EB
14080 % U+00EC LATIN SMALL LETTER I WITH GRAVE; igrave
14081 \DeclareTextCompositeCommand{'}{PD1}{i}{\354}% U+00EC
14082 \DeclareTextCompositeCommand{'}{PD1}{i}{\354}% U+00EC
14083 % U+00ED LATIN SMALL LETTER I WITH ACUTE; iacute
14084 \DeclareTextCompositeCommand{'}{PD1}{i}{\355}% U+00ED
14085 \DeclareTextCompositeCommand{'}{PD1}{i}{\355}% U+00ED
14086 % U+00EE LATIN SMALL LETTER I WITH CIRCUMFLEX; icircumflex
14087 \DeclareTextCompositeCommand{"}{PD1}{i}{\356}% U+00EE
14088 \DeclareTextCompositeCommand{"}{PD1}{i}{\356}% U+00EE
14089 % U+00EF LATIN SMALL LETTER I WITH DIAERESIS; idieresis
14090 \DeclareTextCompositeCommand{"}{PD1}{i}{\357}% U+00EF
14091 \DeclareTextCompositeCommand{"}{PD1}{i}{\357}% U+00EF
14092 % U+00F0 LATIN SMALL LETTER ETH; eth
14093 \DeclareTextCommand{\dh}{PD1}{\360}% U+00F0
14094 % U+00F1 LATIN SMALL LETTER N WITH TILDE; ntilde
14095 \DeclareTextCompositeCommand{"}{PD1}{n}{\361}% U+00F1
14096 % U+00F2 LATIN SMALL LETTER O WITH GRAVE; ograve
14097 \DeclareTextCompositeCommand{'}{PD1}{o}{\362}% U+00F2
14098 % U+00F3 LATIN SMALL LETTER O WITH ACUTE; oacute
14099 \DeclareTextCompositeCommand{'}{PD1}{o}{\363}% U+00F3
14100 % U+00F4 LATIN SMALL LETTER O WITH CIRCUMFLEX; ocircumflex
14101 \DeclareTextCompositeCommand{"}{PD1}{o}{\364}% U+00F4
14102 % U+00F5 LATIN SMALL LETTER O WITH TILDE; otilde
14103 \DeclareTextCompositeCommand{"}{PD1}{o}{\365}% U+00F5
14104 % U+00F6 LATIN SMALL LETTER O WITH DIAERESIS; odieresis
14105 \DeclareTextCompositeCommand{"}{PD1}{o}{\366}% U+00F6
14106 % U+00F7 DIVISION SIGN; divide
14107 \DeclareTextCommand{\textdivide}{PD1}{\367}% U+00F7
14108 % U+00F8 LATIN SMALL LETTER O WITH STROKE; oslash
14109 \DeclareTextCommand{\o}{PD1}{\370}% U+00F8
14110 % U+00F9 LATIN SMALL LETTER U WITH GRAVE; ugrave
14111 \DeclareTextCompositeCommand{'}{PD1}{u}{\371}% U+00F9
14112 % U+00FA LATIN SMALL LETTER U WITH ACUTE; uacute
14113 \DeclareTextCompositeCommand{'}{PD1}{u}{\372}% U+00FA
14114 % U+00FB LATIN SMALL LETTER U WITH CIRCUMFLEX; ucircumflex
14115 \DeclareTextCompositeCommand{"}{PD1}{u}{\373}% U+00FB
14116 % U+00FC LATIN SMALL LETTER U WITH DIAERESIS; udieresis
14117 \DeclareTextCompositeCommand{"}{PD1}{u}{\374}% U+00FC
14118 % U+00FD LATIN SMALL LETTER Y WITH ACUTE; yacute
14119 \DeclareTextCompositeCommand{'}{PD1}{y}{\375}% U+00FD
14120 % U+00FE LATIN SMALL LETTER THORN; thorn
14121 \DeclareTextCommand{\th}{PD1}{\376}% U+00FE

```

```

14122 % U+00FF LATIN SMALL LETTER Y WITH DIAERESIS; ydieresis
14123 \DeclareTextCompositeCommand{"}{PD1}{y}{\377}% U+00FF
14124 \DeclareTextCommand{ij}{PD1}{\377}% U+00FF

Glyphs that consist of several characters.
14125 \DeclareTextCommand{\SS}{PD1}{SS}
14126 \DeclareTextCommand{\textcelsius}{PD1}{\textdegree C}

Aliases (german.sty)
14127 \DeclareTextCommand{\textglqq}{PD1}{\quotedblbase}
14128 \DeclareTextCommand{\textgrqq}{PD1}{\textquotedblleft}
14129 \DeclareTextCommand{\textglq}{PD1}{\textquotingleft}
14130 \DeclareTextCommand{\textgrq}{PD1}{\textquoterightleft}
14131 \DeclareTextCommand{\textflqq}{PD1}{\guillemotleft}
14132 \DeclareTextCommand{\textfrqq}{PD1}{\guillemotright}
14133 \DeclareTextCommand{\textflq}{PD1}{\guilsinglleft}
14134 \DeclareTextCommand{\textfrq}{PD1}{\guilsinglright}

Aliases (math names)
14135 \DeclareTextCommand{\textneg}{PD1}{\textlogicalnot}
14136 \DeclareTextCommand{\texttimes}{PD1}{\textmultiply}
14137 \DeclareTextCommand{\textdiv}{PD1}{\textdivide}
14138 \DeclareTextCommand{\textpm}{PD1}{\textplusminus}
14139 \DeclareTextCommand{\textcdot}{PD1}{\textperiodcentered}
14140 \DeclareTextCommand{\textbeta}{PD1}{\ss}

Polish aliases. PDF encoding does not have the characters, but it is useful to Poles to
have the plain letters regardless. Requested by Wojciech Myszka (W.Myszka@immt.
pwr.wroc.pl).
14141 \DeclareTextCompositeCommand{k}{PD1}{a}{a}% aogonek
14142 \DeclareTextCompositeCommand{'}{PD1}{c}{c}% cacute
14143 \DeclareTextCompositeCommand{k}{PD1}{e}{e}% eogonek
14144 \DeclareTextCompositeCommand{'}{PD1}{n}{n}% nacute
14145 \DeclareTextCompositeCommand{'}{PD1}{s}{s}% sacute
14146 \DeclareTextCompositeCommand{'}{PD1}{z}{z}% zacute
14147 \DeclareTextCompositeCommand{.}{PD1}{z}{z}% zdot
14148 \DeclareTextCompositeCommand{k}{PD1}{A}{A}% Aogonek
14149 \DeclareTextCompositeCommand{'}{PD1}{C}{C}% Cacute
14150 \DeclareTextCompositeCommand{k}{PD1}{E}{E}% Eogonek
14151 \DeclareTextCompositeCommand{'}{PD1}{N}{N}% Nacute
14152 \DeclareTextCompositeCommand{'}{PD1}{S}{S}% Sacute
14153 \DeclareTextCompositeCommand{'}{PD1}{Z}{Z}% Zacute
14154 \DeclareTextCompositeCommand{.}{PD1}{Z}{Z}% Zdot
14155 
```

50.2 PU encoding

```

14156 {*puenc}
14157 \DeclareFontEncoding{PU}{}{}

```

50.2.1 NFSS2 accents

```

14158 % U+0300 COMBINING GRAVE ACCENT; gravecmb, *gravecomb
14159 \DeclareTextCommand{'}{PU}[1]{#1\83\000}% U+0300
14160 % U+0301 COMBINING ACUTE ACCENT; acutecmb, *acutecomb
14161 \DeclareTextCommand{'}{PU}[1]{#1\83\001}% U+0301
14162 % U+0302 COMBINING CIRCUMFLEX ACCENT; circumflexcmb
14163 \DeclareTextCommand{\^}{PU}[1]{#1\83\002}% U+0302
14164 % U+0303 COMBINING TILDE; tildecmb, *tildecomb
14165 \DeclareTextCommand{\~}{PU}[1]{#1\83\003}% U+0303
14166 % U+0304 COMBINING MACRON; macroncmb

```

```

14167 \DeclareTextCommand{\=}{\PU}[1]{#1\83\004}% U+0304
14168 % U+0306 COMBINING BREVE; brevecmb
14169 \DeclareTextCommand{\u}{\PU}[1]{#1\83\006}% U+0306
14170 \DeclareTextCommand{\U}{\PU}[1]{#1\83\006}% U+0306
14171 % U+0307 COMBINING DOT ABOVE; dotaccentcmb
14172 \DeclareTextCommand{\.}{\PU}[1]{#1\83\007}% U+0307
14173 % U+0308 COMBINING DIAERESIS; dieresiscmb
14174 \DeclareTextCommand{"}{\PU}[1]{#1\83\010}% U+0308
14175 % U+030A COMBINING RING ABOVE; ringcmb
14176 \DeclareTextCommand{\r}{\PU}[1]{#1\83\012}% U+030A
14177 % U+030B COMBINING DOUBLE ACUTE ACCENT; hungarumlautcmb
14178 \DeclareTextCommand{\H}{\PU}[1]{#1\83\013}% U+030B
14179 % U+030C COMBINING CARON; caroncmb
14180 \DeclareTextCommand{\v}{\PU}[1]{#1\83\014}% U+030C
14181 % U+030F COMBINING DOUBLE GRAVE ACCENT; dblgravecmb
14182 \DeclareTextCommand{\G}{\PU}[1]{#1\83\017}% U+030F
14183 \DeclareTextCommand{\C}{\PU}[1]{#1\83\017}% U+030F
14184 % U+0311 COMBINING INVERTED BREVE; breveinvertedcmb
14185 \DeclareTextCommand{\newtie}{\PU}[1]{#1\83\021}% U+0311
14186 % U+0323 COMBINING DOT BELOW; dotbelowcmb, *dotbelowcomb
14187 \DeclareTextCommand{\d}{\PU}[1]{#1\83\043}% U+0323
14188 % U+0331 COMBINING MACRON BELOW; macronbelowcmb
14189 \DeclareTextCommand{\b}{\PU}[1]{#1\83\061}% U+0331
14190 % U+0327 COMBINING CEDILLA; cedillacmb
14191 \DeclareTextCommand{\c}{\PU}[1]{#1\83\047}% U+0327
14192 % U+0328 COMBINING OGONEK; ogonekcmb
14193 \DeclareTextCommand{\k}{\PU}[1]{#1\83\050}% U+0328
14194 % U+0361 COMBINING DOUBLE INVERTED BREVE; breveinverteddoublecmb
14195 \DeclareTextCommand{\t}{\PU}[1]{#1\83\141}% U+0361
14196 % U+20DD COMBINING ENCLOSING CIRCLE
14197 \DeclareTextCommand{\textcircled}{\PU}[1]{#1\9040\335}% U+20DD

\@empty is an artefact of the NFSS2 machinery, it gets inserted for empty arguments
and spaces.
14198 \DeclareTextCompositeCommand{\`}{\PU}{\@empty}{\textasciigrave}
14199 \DeclareTextCompositeCommand{\'}{\PU}{\@empty}{\textacute}
14200 \DeclareTextCompositeCommand{\^}{\PU}{\@empty}{\textasciicircum}
14201 \DeclareTextCompositeCommand{\~}{\PU}{\@empty}{\texttilde}
14202 \DeclareTextCompositeCommand{\"}{\PU}{\@empty}{\textasciidieresis}
14203 \DeclareTextCompositeCommand{\r}{\PU}{\@empty}{\textstring}
14204 \DeclareTextCompositeCommand{\v}{\PU}{\@empty}{\textasciicaron}
14205 \DeclareTextCompositeCommand{\.}{\PU}{\@empty}{\textdotaccent}
14206 \DeclareTextCompositeCommand{\c}{\PU}{\@empty}{\textcedilla}
14207 \DeclareTextCompositeCommand{\u}{\PU}{\@empty}{\textasciibreve}
14208 \DeclareTextCompositeCommand{\G}{\PU}{\@empty}{\textdoublegrave}
14209 \DeclareTextCompositeCommand{\=}{\PU}{\@empty}{\textasciimacron}
14210 \DeclareTextCompositeCommand{\H}{\PU}{\@empty}{\texthungarumlaut}
14211 \DeclareTextCompositeCommand{\k}{\PU}{\@empty}{\textogonek}
14212 \DeclareTextCompositeCommand{\b}{\PU}{\@empty}{\textmacronbelow}
14213 \DeclareTextCompositeCommand{\d}{\PU}{\@empty}{\textdotbelow}
14214 \DeclareTextCompositeCommand{\t}{\PU}{\@empty}{\texttie}
14215 \DeclareTextCompositeCommand{\newtie}{\PU}{\@empty}{\textnewtie}
14216 \DeclareTextCompositeCommand{\textcircled}{\PU}{\@empty}{\textbigcircle}
14217 \DeclareTextCompositeCommand{\`}{\PU}{\ }{\textasciigrave}
14218 \DeclareTextCompositeCommand{\'}{\PU}{\ }{\textacute}
14219 \DeclareTextCompositeCommand{\^}{\PU}{\ }{\textasciicircum}
14220 \DeclareTextCompositeCommand{\~}{\PU}{\ }{\texttilde}
14221 \DeclareTextCompositeCommand{\\"}{\PU}{\ }{\textasciidieresis}

```

```

14222 \DeclareTextCompositeCommand{\r}{PU}{\ }{\textring}
14223 \DeclareTextCompositeCommand{\v}{PU}{\ }{\textasciicaron}
14224 \DeclareTextCompositeCommand{\.}{PU}{\ }{\textdotaccent}
14225 \DeclareTextCompositeCommand{\c}{PU}{\ }{\textcedilla}
14226 \DeclareTextCompositeCommand{\u}{PU}{\ }{\textasciibreve}
14227 \DeclareTextCompositeCommand{\G}{PU}{\ }{\textdoublegrave}
14228 \DeclareTextCompositeCommand{\=}{PU}{\ }{\textasciimacron}
14229 \DeclareTextCompositeCommand{\H}{PU}{\ }{\texthungarumlaut}
14230 \DeclareTextCompositeCommand{\k}{PU}{\ }{\textogonek}
14231 \DeclareTextCompositeCommand{\b}{PU}{\ }{\textmacronbelow}
14232 \DeclareTextCompositeCommand{\d}{PU}{\ }{\textdotbelow}
14233 \DeclareTextCompositeCommand{\t}{PU}{\ }{\texttie}
14234 \DeclareTextCompositeCommand{\newtie}{PU}{\ }{\textnewtie}
14235 \DeclareTextCompositeCommand{\textcircled}{PU}{\ }{\textbigcircle}

```

Accents for capitals (see encoding TS1)

```

14236 \DeclareTextCommand{\capitalcedilla}{PU}[1]{\c{#1}}
14237 \DeclareTextCommand{\capitalogonek}{PU}[1]{\k{#1}}
14238 \DeclareTextCommand{\capitalgrave}{PU}[1]{\.{#1}}
14239 \DeclareTextCommand{\capitalacute}{PU}[1]{\'{#1}}
14240 \DeclareTextCommand{\capitalcircumflex}{PU}[1]{\^{#1}}
14241 \DeclareTextCommand{\capitaltilde}{PU}[1]{\~{#1}}
14242 \DeclareTextCommand{\capitaldieresis}{PU}[1]{\"{#1}}
14243 \DeclareTextCommand{\capitalhungarumlaut}{PU}[1]{\H{#1}}
14244 \DeclareTextCommand{\capitalring}{PU}[1]{\r{#1}}
14245 \DeclareTextCommand{\capitalcaron}{PU}[1]{\v{#1}}
14246 \DeclareTextCommand{\capitalbreve}{PU}[1]{\u{#1}}
14247 \DeclareTextCommand{\capitalmacron}{PU}[1]{\={#1}}
14248 \DeclareTextCommand{\capitaldotaccent}{PU}[1]{\.\{#1}}
14249 \DeclareTextCommand{\capitaltie}{PU}[1]{\t{#1}}
14250 \DeclareTextCommand{\capitalnewtie}{PU}[1]{\newtie{#1}}

```

50.2.2 Basic Latin: U+0000 to U+007F

Special white space escape characters.

```

14251 % U+0009 (CHARACTER TABULATION)
14252 \DeclareTextCommand{\textHT}{PU}{\80\011}% U+0009
14253 % U+000A (LINE FEED)
14254 \DeclareTextCommand{\textLF}{PU}{\80\012}% U+000A
14255 % U+000D (CARRIAGE RETURN)
14256 \DeclareTextCommand{\textCR}{PU}{\80\015}% U+000D
\80\040: U+0020 SPACE; space, spacehackarabic
\80\041: U+0021 EXCLAMATION MARK; exclam
14257 % U+0022 QUOTATION MARK; quotedbl
14258 \DeclareTextCommand{\textquotedbl}{PU}{\string"}% \80\042 U+0022
14259 % U+0023 NUMBER SIGN; numbersign
14260 \DeclareTextCommand{\textnumbersign}{PU}{\80\043}% U+0023
14261 % U+0024 DOLLAR SIGN; dollar
14262 \DeclareTextCommand{\textdollar}{PU}{\80\044}% U+0024
14263 % U+0025 PERCENT SIGN; percent
14264 \DeclareTextCommand{\textpercent}{PU}{\80\045}% U+0025
14265 % U+0026 AMPERSAND; ampersand
14266 \DeclareTextCommand{\textampersand}{PU}{\80\046}% U+0026
14267 % U+0027 APOSTROPHE; quotesingle
14268 \DeclareTextCommand{\textquotesingle}{PU}{\80\047}% U+0027
14269 % U+0028 LEFT PARENTHESIS; parenleft
14270 \DeclareTextCommand{\textparenleft}{PU}{\80\050}% U+0028
14271 % U+0029 RIGHT PARENTHESIS; parenright

```

```

14272 \DeclareTextCommand{\textparenright}{\PU}{\80\051}% U+0029
14273 % U+002A ASTERISK; asterisk
14274 \DeclareTextCommand{\textasteriskcentered}{\PU}{\80\052}% U+002A (?)  

\80\053: U+002B PLUS SIGN; plus
\80\054: U+002C COMMA; comma
\80\055: U+002D HYPHEN-MINUS; hyphen
\80\056: U+002E FULL STOP; period
\80\057: U+002F SOLIDUS; slash
\80\060: U+0030 DIGIT ZERO; zero
...
\80\071: U+0039 DIGIT NINE; nine
\80\072: U+003A COLON; colon
\80\073: U+003B SEMICOLON; semicolon
14275 % U+003C LESS-THAN SIGN; less
14276 \DeclareTextCommand{\textless}{\PU}{<}% \80\074 U+003C
\80\075: U+003D EQUALS SIGN; equal
14277 % U+003E GREATER-THAN SIGN; greater
14278 \DeclareTextCommand{\textgreater}{\PU}{>}% \80\076 U+003E
\80\077: U+003F QUESTION MARK; question
\80\100: U+0040 COMMERCIAL AT; at
\80\101: U+0041 LATIN CAPITAL LETTER A; A
...
\80\132: U+005A LATIN CAPITAL LETTER Z; Z
\80\133: U+005B LEFT SQUARE BRACKET; bracketleft
14279 % U+005C REVERSE SOLIDUS; backslash
14280 \DeclareTextCommand{\textbackslash}{\PU}{\80\134}% U+005C
\80\135: U+005D RIGHT SQUARE BRACKET; bracketright
14281 % U+005E CIRCUMFLEX ACCENT; asciicircum
14282 \DeclareTextCommand{\textasciicircum}{\PU}{\80\136}% U+005E
14283 % U+005F LOW LINE; underscore
14284 \DeclareTextCommand{\textunderscore}{\PU}{\80\137}% U+005F
14285 % U+0060 GRAVE ACCENT; grave
14286 \DeclareTextCommand{\textasciigrave}{\PU}{\80\140}% U+0060
\80\141: U+0061 LATIN SMALL LETTER A; a
...
\80\150: U+0068 LATIN SMALL LETTER H; h
14287 % U+0069 LATIN SMALL LETTER I; i
14288 \DeclareTextCompositeCommand{.}{\PU}{\i}{\i} % \80\151 U+0069
14289 \DeclareTextCompositeCommand{.}{\PU}{\i}{\i} % \80\151 U+0069
\80\152: U+006A LATIN SMALL LETTER J; j
...
\80\172: U+007A LATIN SMALL LETTER Z; z
14290 % U+007B LEFT CURLY BRACKET; braceleft
14291 \DeclareTextCommand{\textbraceleft}{\PU}{\80\173}% U+007B
14292 % U+007C VERTICAL LINE; *bar, verticalbar
14293 \DeclareTextCommand{\textbar}{\PU}{|}% \80\174 U+007C
14294 % U+007D RIGHT CURLY BRACKET; braceright
14295 \DeclareTextCommand{\textbraceright}{\PU}{\80\175}% U+007D
14296 % U+007E TILDE; asciitilde
14297 \DeclareTextCommand{\textasciitilde}{\PU}{\80\176}% U+007E

```

50.2.3 Latin-1 Supplement: U+0080 to U+00FF

\80\240: U+00A0 NO-BREAK SPACE; nbspace, nonbreakingspace
14298 % U+00A1 INVERTED EXCLAMATION MARK; exclamationdown
14299 \DeclareTextCommand{\textexclamdown}{PU}{\80\241}% U+00A1
14300 % U+00A2 CENT SIGN; cent
14301 \DeclareTextCommand{\textcent}{PU}{\80\242}% U+00A2
14302 % U+00A3 POUND SIGN; sterling
14303 \DeclareTextCommand{\textsterling}{PU}{\80\243}% U+00A3
14304 % U+00A4 CURRENCY SIGN; currency
14305 \DeclareTextCommand{\textcurrency}{PU}{\80\244}% U+00A4
14306 % U+00A5 YEN SIGN; yen
14307 \DeclareTextCommand{\textyen}{PU}{\80\245}% U+00A5
14308 % U+00A6 BROKEN BAR; brokenbar
14309 \DeclareTextCommand{\textbrokenbar}{PU}{\80\246}% U+00A6
14310 % U+00A7 SECTION SIGN; section
14311 \DeclareTextCommand{\textsection}{PU}{\80\247}% U+00A7
14312 % U+00A8 DIAERESIS; dieresis
14313 \DeclareTextCommand{\textasciidieresis}{PU}{\80\250}% U+00A8
14314 % U+00A9 COPYRIGHT SIGN; copyright
14315 \DeclareTextCommand{\textcopyright}{PU}{\80\251}% U+00A9
14316 % U+00AA FEMININE ORDINAL INDICATOR; ordfeminine
14317 \DeclareTextCommand{\textordfeminine}{PU}{\80\252}% U+00AA
14318 % U+00AB LEFT-POINTING DOUBLE ANGLE QUOTATION MARK; guillemotleft
14319 \DeclareTextCommand{\guillemotleft}{PU}{\80\253}% U+00AB
14320 % U+00AC NOT SIGN; logicalnot
14321 \DeclareTextCommand{\textlogicalnot}{PU}{\80\254}% U+00AC
14322 \DeclareTextCommand{\textlnot}{PU}{\80\254}% U+00AC

\80\255: U+00AD SOFT HYPHEN; sfthyphen, softhyphen
14323 % U+00AE REGISTERED SIGN; registered
14324 \DeclareTextCommand{\textregistered}{PU}{\80\256}% U+00AE
14325 % U+00AF MACRON; *macron, overscore
14326 \DeclareTextCommand{\textasciimacron}{PU}{\80\257}% U+00AF
14327 % U+00B0 DEGREE SIGN; degree
14328 \DeclareTextCommand{\textdegree}{PU}{\80\260}% U+00B0
14329 % U+00B1 PLUS-MINUS SIGN; plusminus
14330 \DeclareTextCommand{\textplusminus}{PU}{\80\261}% U+00B1
14331 % U+00B2 SUPERSCRIPT TWO; twosuperior
14332 \DeclareTextCommand{\texttwosuperior}{PU}{\80\262}% U+00B2
14333 % U+00B3 SUPERSCRIPT THREE; threesuperior
14334 \DeclareTextCommand{\textthreesuperior}{PU}{\80\263}% U+00B3
14335 % U+00B4 ACUTE ACCENT; acute
14336 \DeclareTextCommand{\textacute}{PU}{\80\264}% U+00B4
14337 \DeclareTextCommand{\textasciiacute}{PU}{\80\264}% U+00B4
14338 % U+00B5 MICRO SIGN; mu, mu1
14339 \DeclareTextCommand{\textmu}{PU}{\80\265}% U+00B5
14340 % U+00B6 PILCROW SIGN; paragraph
14341 \DeclareTextCommand{\textparagraph}{PU}{\80\266}% U+00B6
14342 % U+00B7 MIDDLE DOT; middot, *periodcentered
14343 \DeclareTextCommand{\textperiodcentered}{PU}{\80\267}% U+00B7
14344 % U+00B8 CEDILLA; cedilla
14345 \DeclareTextCommand{\textcedilla}{PU}{\80\270}% U+00B8
14346 % U+00B9 SUPERSCRIPT ONE; onesuperior
14347 \DeclareTextCommand{\textonesuperior}{PU}{\80\271}% U+00B9
14348 % U+00BA MASCULINE ORDINAL INDICATOR; ordmasculine
14349 \DeclareTextCommand{\textordmasculine}{PU}{\80\272}% U+00BA

```

14350 % U+00BB RIGHT-POINTING DOUBLE ANGLE QUOTATION MARK; guille-
    motright
14351 \DeclareTextCommand{\guillemotright}{\PU}{\\"80\273}%
14352 % U+00BC VULGAR FRACTION ONE QUARTER; onequarter
14353 \DeclareTextCommand{\textonequarter}{\PU}{\\"80\274}%
14354 % U+00BD VULGAR FRACTION ONE HALF; onehalf
14355 \DeclareTextCommand{\textonehalf}{\PU}{\\"80\275}%
14356 % U+00BE VULGAR FRACTION THREE QUARTERS; threequarters
14357 \DeclareTextCommand{\textthreequarters}{\PU}{\\"80\276}%
14358 % U+00BF INVERTED QUESTION MARK; questiondown
14359 \DeclareTextCommand{\textquestiondown}{\PU}{\\"80\277}%
14360 % U+00C0 LATIN CAPITAL LETTER A WITH GRAVE; Agrave
14361 \DeclareTextCompositeCommand{\'}{\PU}{A}{\\"80\300}%
14362 % U+00C1 LATIN CAPITAL LETTER A WITH ACUTE; Acute
14363 \DeclareTextCompositeCommand{\'}{\PU}{A}{\\"80\301}%
14364 % U+00C2 LATIN CAPITAL LETTER A WITH CIRCUMFLEX; Acircumflex
14365 \DeclareTextCompositeCommand{\~}{\PU}{A}{\\"80\302}%
14366 % U+00C3 LATIN CAPITAL LETTER A WITH TILDE; Atilde
14367 \DeclareTextCompositeCommand{\~}{\PU}{A}{\\"80\303}%
14368 % U+00C4 LATIN CAPITAL LETTER A WITH DIAERESIS; Adieresis
14369 \DeclareTextCompositeCommand{\"}{\PU}{A}{\\"80\304}%
14370 % U+00C5 LATIN CAPITAL LETTER A WITH RING ABOVE; Aring
14371 \DeclareTextCompositeCommand{\r}{\PU}{A}{\\"80\305}%
14372 % U+00C6 LATIN CAPITAL LETTER AE; AE
14373 \DeclareTextCommand{\AE}{\PU}{\\"80\306}%
14374 % U+00C7 LATIN CAPITAL LETTER C WITH CEDILLA; Ccedilla
14375 \DeclareTextCompositeCommand{\c}{\PU}{C}{\\"80\307}%
14376 % U+00C8 LATIN CAPITAL LETTER E WITH GRAVE; Egrave
14377 \DeclareTextCompositeCommand{\'}{\PU}{E}{\\"80\310}%
14378 % U+00C9 LATIN CAPITAL LETTER E WITH ACUTE; Eacute
14379 \DeclareTextCompositeCommand{\'}{\PU}{E}{\\"80\311}%
14380 % U+00CA LATIN CAPITAL LETTER E WITH CIRCUMFLEX; Ecircumflex
14381 \DeclareTextCompositeCommand{\~}{\PU}{E}{\\"80\312}%
14382 % U+00CB LATIN CAPITAL LETTER E WITH DIAERESIS; Edieresis
14383 \DeclareTextCompositeCommand{\"}{\PU}{E}{\\"80\313}%
14384 % U+00CC LATIN CAPITAL LETTER I WITH GRAVE; Igrave
14385 \DeclareTextCompositeCommand{\'}{\PU}{I}{\\"80\314}%
14386 % U+00CD LATIN CAPITAL LETTER I WITH ACUTE; Iacute
14387 \DeclareTextCompositeCommand{\'}{\PU}{I}{\\"80\315}%
14388 % U+00CE LATIN CAPITAL LETTER I WITH CIRCUMFLEX; Icircumflex
14389 \DeclareTextCompositeCommand{\~}{\PU}{I}{\\"80\316}%
14390 % U+00CF LATIN CAPITAL LETTER I WITH DIAERESIS; Idieresis
14391 \DeclareTextCompositeCommand{\"}{\PU}{I}{\\"80\317}%
14392 % U+00D0 LATIN CAPITAL LETTER ETH; Eth
14393 \DeclareTextCommand{\DH}{\PU}{\\"80\320}%
14394 % U+00D1 LATIN CAPITAL LETTER N WITH TILDE; Ntilde
14395 \DeclareTextCompositeCommand{\~}{\PU}{N}{\\"80\321}%
14396 % U+00D2 LATIN CAPITAL LETTER O WITH GRAVE; Ograve
14397 \DeclareTextCompositeCommand{\'}{\PU}{O}{\\"80\322}%
14398 % U+00D3 LATIN CAPITAL LETTER O WITH ACUTE; Oacute
14399 \DeclareTextCompositeCommand{\'}{\PU}{O}{\\"80\323}%
14400 % U+00D4 LATIN CAPITAL LETTER O WITH CIRCUMFLEX; Ocircumflex
14401 \DeclareTextCompositeCommand{\~}{\PU}{O}{\\"80\324}%
14402 % U+00D5 LATIN CAPITAL LETTER O WITH TILDE; Otilde
14403 \DeclareTextCompositeCommand{\~}{\PU}{O}{\\"80\325}%
14404 % U+00D6 LATIN CAPITAL LETTER O WITH DIAERESIS; Odieresis
14405 \DeclareTextCompositeCommand{\"}{\PU}{O}{\\"80\326}%

```

```

14406 % U+00D7 MULTIPLICATION SIGN; multiply
14407 \DeclareTextCommand{\textmultiply}{PU}{\80\327}% U+00D7
14408 % U+00D8 LATIN CAPITAL LETTER O WITH STROKE; Oslash
14409 \DeclareTextCommand{\O}{PU}{\80\330}% U+00D8
14410 % U+00D9 LATIN CAPITAL LETTER U WITH GRAVE; Ugrave
14411 \DeclareTextCompositeCommand{\'}{PU}{U}{\80\331}% U+00D9
14412 % U+00DA LATIN CAPITAL LETTER U WITH ACUTE; Uacute
14413 \DeclareTextCompositeCommand{\'}{PU}{U}{\80\332}% U+00DA
14414 % U+00DB LATIN CAPITAL LETTER U WITH CIRCUMFLEX; Ucircumflex
14415 \DeclareTextCompositeCommand{\^}{PU}{U}{\80\333}% U+00DB
14416 % U+00DC LATIN CAPITAL LETTER U WITH DIAERESIS; Udieresis
14417 \DeclareTextCompositeCommand{\"}{PU}{U}{\80\334}% U+00DC
14418 % U+00DD LATIN CAPITAL LETTER Y WITH ACUTE; Yacute
14419 \DeclareTextCompositeCommand{\'}{PU}{Y}{\80\335}% U+00DD
14420 % U+00DE LATIN CAPITAL LETTER THORN; Thorn
14421 \DeclareTextCommand{\TH}{PU}{\80\336}% U+00DE
14422 % U+00DF LATIN SMALL LETTER SHARP S; germandbls
14423 \DeclareTextCommand{\ss}{PU}{\80\337}% U+00DF
14424 % U+00E0 LATIN SMALL LETTER A WITH GRAVE; agrave
14425 \DeclareTextCompositeCommand{\'}{PU}{a}{\80\340}% U+00E0
14426 % U+00E1 LATIN SMALL LETTER A WITH ACUTE; aacute
14427 \DeclareTextCompositeCommand{\'}{PU}{a}{\80\341}% U+00E1
14428 % U+00E2 LATIN SMALL LETTER A WITH CIRCUMFLEX; acircumflex
14429 \DeclareTextCompositeCommand{\^}{PU}{a}{\80\342}% U+00E2
14430 % U+00E3 LATIN SMALL LETTER A WITH TILDE; atilde
14431 \DeclareTextCompositeCommand{\~}{PU}{a}{\80\343}% U+00E3
14432 % U+00E4 LATIN SMALL LETTER A WITH DIAERESIS; adieresis
14433 \DeclareTextCompositeCommand{\"}{PU}{a}{\80\344}% U+00E4
14434 % U+00E5 LATIN SMALL LETTER A WITH RING ABOVE; aring
14435 \DeclareTextCompositeCommand{\r}{PU}{a}{\80\345}% U+00E5
14436 % U+00E6 LATIN SMALL LETTER AE; ae
14437 \DeclareTextCommand{\ae}{PU}{\80\346}% U+00E6
14438 % U+00E7 LATIN SMALL LETTER C WITH CEDILLA; ccedilla
14439 \DeclareTextCompositeCommand{\c}{PU}{c}{\80\347}% U+00E7
14440 % U+00E8 LATIN SMALL LETTER E WITH GRAVE; egrave
14441 \DeclareTextCompositeCommand{\'}{PU}{e}{\80\350}% U+00E8
14442 % U+00E9 LATIN SMALL LETTER E WITH ACUTE; eacute
14443 \DeclareTextCompositeCommand{\'}{PU}{e}{\80\351}% U+00E9
14444 % U+00EA LATIN SMALL LETTER E WITH CIRCUMFLEX; ecircumflex
14445 \DeclareTextCompositeCommand{\^}{PU}{e}{\80\352}% U+00EA
14446 % U+00EB LATIN SMALL LETTER E WITH DIAERESIS; edieresis
14447 \DeclareTextCompositeCommand{\\"}{PU}{e}{\80\353}% U+00EB
14448 % U+00EC LATIN SMALL LETTER I WITH GRAVE; igrave
14449 \DeclareTextCompositeCommand{\'}{PU}{i}{\80\354}% U+00EC
14450 \DeclareTextCompositeCommand{\'}{PU}{\i}{\80\354}% U+00EC
14451 % U+00ED LATIN SMALL LETTER I WITH ACUTE; iacute
14452 \DeclareTextCompositeCommand{\'}{PU}{i}{\80\355}% U+00ED
14453 \DeclareTextCompositeCommand{\'}{PU}{\i}{\80\355}% U+00ED
14454 % U+00EE LATIN SMALL LETTER I WITH CIRCUMFLEX; icircumflex
14455 \DeclareTextCompositeCommand{\^}{PU}{i}{\80\356}% U+00EE
14456 \DeclareTextCompositeCommand{\^}{PU}{\i}{\80\356}% U+00EE
14457 % U+00EF LATIN SMALL LETTER I WITH DIAERESIS; idieresis
14458 \DeclareTextCompositeCommand{\\"}{PU}{i}{\80\357}% U+00EF
14459 \DeclareTextCompositeCommand{\\"}{PU}{\i}{\80\357}% U+00EF
14460 % U+00F0 LATIN SMALL LETTER ETH; eth
14461 \DeclareTextCommand{\dh}{PU}{\80\360}% U+00F0
14462 % U+00F1 LATIN SMALL LETTER N WITH TILDE; ntilde

```

```

14463 \DeclareTextCompositeCommand{\~}{PU}{n}{\80\361}% U+00F1
14464 % U+00F2 LATIN SMALL LETTER O WITH GRAVE; ograve
14465 \DeclareTextCompositeCommand{\'}{PU}{o}{\80\362}% U+00F2
14466 % U+00F3 LATIN SMALL LETTER O WITH ACUTE; oacute
14467 \DeclareTextCompositeCommand{\'}{PU}{o}{\80\363}% U+00F3
14468 % U+00F4 LATIN SMALL LETTER O WITH CIRCUMFLEX; ocircumflex
14469 \DeclareTextCompositeCommand{\~}{PU}{o}{\80\364}% U+00F4
14470 % U+00F5 LATIN SMALL LETTER O WITH TILDE; otilde
14471 \DeclareTextCompositeCommand{\~}{PU}{o}{\80\365}% U+00F5
14472 % U+00F6 LATIN SMALL LETTER O WITH DIAERESIS; odieresis
14473 \DeclareTextCompositeCommand{\"}{PU}{o}{\80\366}% U+00F6
14474 % U+00F7 DIVISION SIGN; divide
14475 \DeclareTextCommand{\textdivide}{PU}{\80\367}% U+00F7
14476 % U+00F8 LATIN SMALL LETTER O WITH STROKE; oslash
14477 \DeclareTextCommand{\o}{PU}{\80\370}% U+00F8
14478 % U+00F9 LATIN SMALL LETTER U WITH GRAVE; ugrave
14479 \DeclareTextCompositeCommand{\'}{PU}{u}{\80\371}% U+00F9
14480 % U+00FA LATIN SMALL LETTER U WITH ACUTE; uacute
14481 \DeclareTextCompositeCommand{\'}{PU}{u}{\80\372}% U+00FA
14482 % U+00FB LATIN SMALL LETTER U WITH CIRCUMFLEX; ucircumflex
14483 \DeclareTextCompositeCommand{\~}{PU}{u}{\80\373}% U+00FB
14484 % U+00FC LATIN SMALL LETTER U WITH DIAERESIS; udieresis
14485 \DeclareTextCompositeCommand{\"}{PU}{u}{\80\374}% U+00FC
14486 % U+00FD LATIN SMALL LETTER Y WITH ACUTE; yacute
14487 \DeclareTextCompositeCommand{\'}{PU}{y}{\80\375}% U+00FD
14488 % U+00FE LATIN SMALL LETTER THORN; thorn
14489 \DeclareTextCommand{\th}{PU}{\80\376}% U+00FE
14490 % U+00FF LATIN SMALL LETTER Y WITH DIAERESIS; ydieresis
14491 \DeclareTextCompositeCommand{\\"}{PU}{y}{\80\377}% U+00FF

```

50.2.4 Latin Extended-A: U+0080 to U+017F

```

14492 % U+0100 LATIN CAPITAL LETTER A WITH MACRON; Amacron
14493 \DeclareTextCompositeCommand{\=}{PU}{A}{\81\000}% U+0100
14494 % U+0101 LATIN SMALL LETTER A WITH MACRON; amacron
14495 \DeclareTextCompositeCommand{\=}{PU}{a}{\81\001}% U+0101
14496 % U+0102 LATIN CAPITAL LETTER A WITH BREVE; Abreve
14497 \DeclareTextCompositeCommand{\u}{PU}{A}{\81\002}% U+0102
14498 % U+0103 LATIN SMALL LETTER A WITH BREVE; breve
14499 \DeclareTextCompositeCommand{\u}{PU}{a}{\81\003}% U+0103
14500 % U+0104 LATIN CAPITAL LETTER A WITH OGONEK; Aogonek
14501 \DeclareTextCompositeCommand{\k}{PU}{A}{\81\004}% U+0104
14502 % U+0105 LATIN SMALL LETTER A WITH OGONEK; aogonek
14503 \DeclareTextCompositeCommand{\k}{PU}{a}{\81\005}% U+0105
14504 % U+0106 LATIN CAPITAL LETTER C WITH ACUTE; Cacute
14505 \DeclareTextCompositeCommand{\'}{PU}{C}{\81\006}% U+0106
14506 % U+0107 LATIN SMALL LETTER C WITH ACUTE; cacute
14507 \DeclareTextCompositeCommand{\'}{PU}{c}{\81\007}% U+0107
14508 % U+0108 LATIN CAPITAL LETTER C WITH CIRCUMFLEX; Ccircumflex
14509 \DeclareTextCompositeCommand{\^}{PU}{C}{\81\010}% U+0108
14510 % U+0109 LATIN SMALL LETTER C WITH CIRCUMFLEX; ccircumflex
14511 \DeclareTextCompositeCommand{\^}{PU}{c}{\81\011}% U+0109
14512 % U+010A LATIN CAPITAL LETTER C WITH DOT ABOVE; Cdot, Cdotaccent
14513 \DeclareTextCompositeCommand{\.}{PU}{C}{\81\012}% U+010A
14514 % U+010B LATIN SMALL LETTER C WITH DOT ABOVE; cdot, cdotaccent
14515 \DeclareTextCompositeCommand{\.}{PU}{c}{\81\013}% U+010B
14516 % U+010C LATIN CAPITAL LETTER C WITH CARON; Ccaron

```

```

14517 \DeclareTextCompositeCommand{\v}{PU}{C}{\81\014}% U+010C
14518 % U+010D LATIN SMALL LETTER C WITH CARON; ccaron
14519 \DeclareTextCompositeCommand{\v}{PU}{c}{\81\015}% U+010D
14520 % U+010E LATIN CAPITAL LETTER D WITH CARON; Dcaron
14521 \DeclareTextCompositeCommand{\v}{PU}{D}{\81\016}% U+010E
14522 % U+010F LATIN SMALL LETTER D WITH CARON; dcaron
14523 \DeclareTextCompositeCommand{\v}{PU}{d}{\81\017}% U+010F
14524 % U+0110 LATIN CAPITAL LETTER D WITH STROKE; Dcroat, Dslash
14525 \DeclareTextCommand{\DJ}{PU}{\81\020}% U+0110
14526 % U+0111 LATIN SMALL LETTER D WITH STROKE; dcroat, dmacron
14527 \DeclareTextCommand{\dj}{PU}{\81\021}% U+0111
14528 % U+0112 LATIN CAPITAL LETTER E WITH MACRON; Emacron
14529 \DeclareTextCompositeCommand{\=}{PU}{E}{\81\022}% U+0112
14530 % U+0113 LATIN SMALL LETTER E WITH MACRON; emacron
14531 \DeclareTextCompositeCommand{\=}{PU}{e}{\81\023}% U+0113
14532 % U+0114 LATIN CAPITAL LETTER E WITH BREVE; Ebreve
14533 \DeclareTextCompositeCommand{\u}{PU}{E}{\81\024}% U+0114
14534 % U+0115 LATIN SMALL LETTER E WITH BREVE; ebreve
14535 \DeclareTextCompositeCommand{\u}{PU}{e}{\81\025}% U+0115
14536 % U+0116 LATIN CAPITAL LETTER E WITH DOT ABOVE; Edot, Edotaccent
14537 \DeclareTextCompositeCommand{\.}{PU}{E}{\81\026}% U+0116
14538 % U+0117 LATIN SMALL LETTER E WITH DOT ABOVE; edot, edotaccent
14539 \DeclareTextCompositeCommand{\.}{PU}{e}{\81\027}% U+0117
14540 % U+0118 LATIN CAPITAL LETTER E WITH OGONEK; Eogonek
14541 \DeclareTextCompositeCommand{\k}{PU}{E}{\81\030}% U+0118
14542 % U+0119 LATIN SMALL LETTER E WITH OGONEK; eogonek
14543 \DeclareTextCompositeCommand{\k}{PU}{e}{\81\031}% U+0119
14544 % U+011A LATIN CAPITAL LETTER E WITH CARON; Ecaron
14545 \DeclareTextCompositeCommand{\v}{PU}{E}{\81\032}% U+011A
14546 % U+011B LATIN SMALL LETTER E WITH CARON; ecaron
14547 \DeclareTextCompositeCommand{\v}{PU}{e}{\81\033}% U+011B
14548 % U+011C LATIN CAPITAL LETTER G WITH CIRCUMFLEX; Gcircumflex
14549 \DeclareTextCompositeCommand{\^}{PU}{G}{\81\034}% U+011C
14550 % U+011D LATIN SMALL LETTER G WITH CIRCUMFLEX; gcircumflex
14551 \DeclareTextCompositeCommand{\^}{PU}{g}{\81\035}% U+011D
14552 % U+011E LATIN CAPITAL LETTER G WITH BREVE; Gbreve
14553 \DeclareTextCompositeCommand{\u}{PU}{G}{\81\036}% U+011E
14554 % U+011F LATIN SMALL LETTER G WITH BREVE; gbreve
14555 \DeclareTextCompositeCommand{\u}{PU}{g}{\81\037}% U+011F
14556 % U+0120 LATIN CAPITAL LETTER G WITH DOT ABOVE; Gdot, Gdotaccent
14557 \DeclareTextCompositeCommand{\.}{PU}{G}{\81\040}% U+0120
14558 % U+0121 LATIN SMALL LETTER G WITH DOT ABOVE; gdot, gdotaccent
14559 \DeclareTextCompositeCommand{\.}{PU}{g}{\81\041}% U+0121
14560 % U+0122 LATIN CAPITAL LETTER G WITH CEDILLA; Gcedilla, Gcommaaccent
14561 \DeclareTextCompositeCommand{\c}{PU}{G}{\81\042}% U+0122
14562 % U+0123 LATIN SMALL LETTER G WITH CEDILLA; gcedilla, gcommaaccent
14563 \DeclareTextCompositeCommand{\c}{PU}{g}{\81\043}% U+0123
14564 % U+0124 LATIN CAPITAL LETTER H WITH CIRCUMFLEX; Hcircumflex
14565 \DeclareTextCompositeCommand{\^}{PU}{H}{\81\044}% U+0124
14566 % U+0125 LATIN SMALL LETTER H WITH CIRCUMFLEX; hcircumflex
14567 \DeclareTextCompositeCommand{\^}{PU}{h}{\81\045}% U+0125
14568 % U+0126 LATIN CAPITAL LETTER H WITH STROKE; Hbar
14569 \DeclareTextCommand{\textHslash}{PU}{\81\046}% U+0126
14570 % U+0127 LATIN SMALL LETTER H WITH STROKE; hbar
14571 \DeclareTextCommand{\texthslash}{PU}{\81\047}% U+0127
14572 % U+0128 LATIN CAPITAL LETTER I WITH TILDE; Itilde

```

```

14573 \DeclareTextCompositeCommand{\~}{PU}{I}{\81\050}% U+0128
14574 % U+0129 LATIN SMALL LETTER I WITH TILDE; itilde
14575 \DeclareTextCompositeCommand{\~}{PU}{i}{\81\051}% U+0129
14576 \DeclareTextCompositeCommand{\~}{PU}{\i}{\81\051}% U+0129
14577 % U+012A LATIN CAPITAL LETTER I WITH MACRON; Imacron
14578 \DeclareTextCompositeCommand{\=}{PU}{I}{\81\052}% U+012A
14579 % U+012B LATIN SMALL LETTER I WITH MACRON; imacron
14580 \DeclareTextCompositeCommand{\=}{PU}{i}{\81\053}% U+012B
14581 \DeclareTextCompositeCommand{\=}{PU}{\i}{\81\053}% U+012B
14582 % U+012C LATIN CAPITAL LETTER I WITH BREVE; Ibreve
14583 \DeclareTextCompositeCommand{\u}{PU}{I}{\81\054}% U+012C
14584 % U+012D LATIN SMALL LETTER I WITH BREVE; ibreve
14585 \DeclareTextCompositeCommand{\u}{PU}{i}{\81\055}% U+012D
14586 \DeclareTextCompositeCommand{\u}{PU}{\i}{\81\055}% U+012D
14587 % U+012E LATIN CAPITAL LETTER I WITH OGONEK; iogonek
14588 \DeclareTextCompositeCommand{\k}{PU}{I}{\81\056}% U+012E
14589 % U+012F LATIN SMALL LETTER I WITH OGONEK; iogonek
14590 \DeclareTextCompositeCommand{\k}{PU}{i}{\81\057}% U+012F
14591 \DeclareTextCompositeCommand{\k}{PU}{\i}{\81\057}% U+012F
14592 % U+0130 LATIN CAPITAL LETTER I WITH DOT ABOVE; Idot, Idotaccent
14593 \DeclareTextCompositeCommand{\.}{PU}{I}{\81\060}% U+0130
14594 % U+0131 LATIN SMALL LETTER DOTLESS I; dotlessi
14595 \DeclareTextCommand{\i}{PU}{\81\061}% U+0131
14596 % U+0132 LATIN CAPITAL LIGATURE IJ; ij
14597 \DeclareTextCommand{\IJ}{PU}{\81\062}% U+0132
14598 % U+0133 LATIN SMALL LIGATURE IJ; ij
14599 \DeclareTextCommand{\ij}{PU}{\81\063}% U+0133
14600 % U+0134 LATIN CAPITAL LETTER J WITH CIRCUMFLEX; Jcircumflex
14601 \DeclareTextCompositeCommand{\^}{PU}{J}{\81\064}% U+0134
14602 % U+0135 LATIN SMALL LETTER J WITH CIRCUMFLEX; jcircumflex
14603 \DeclareTextCompositeCommand{\^}{PU}{j}{\81\065}% U+0135
14604 \DeclareTextCompositeCommand{\^}{PU}{\j}{\81\065}% U+0135
14605 % U+0136 LATIN CAPITAL LETTER K WITH CEDILLA; Kcedilla, Kcommaaccent
14606 \DeclareTextCompositeCommand{\c}{PU}{K}{\81\066}% U+0136
14607 % U+0137 LATIN SMALL LETTER K WITH CEDILLA; kcedilla, kcommaaccent
14608 \DeclareTextCompositeCommand{\c}{PU}{k}{\81\067}% U+0137

```

The canonical name of U+0138, small letter kra, would be \textkgreenlandic, following the glyph naming convention. However latex/base/inputenc.dtx has chosen \textkra.

```

14609 % U+0138 LATIN SMALL LETTER KRA; kgreenlandic
14610 \DeclareTextCommand{\textkra}{PU}{\81\070}% U+0138
14611 % U+0139 LATIN CAPITAL LETTER L WITH ACUTE; Lacute
14612 \DeclareTextCompositeCommand{\'}{PU}{L}{\81\071}% U+0139
14613 % U+013A LATIN SMALL LETTER L WITH ACUTE; lacute
14614 \DeclareTextCompositeCommand{\'}{PU}{l}{\81\072}% U+013A
14615 % U+013B LATIN CAPITAL LETTER L WITH CEDILLA; Lcedilla, Lcommaaccent
14616 \DeclareTextCompositeCommand{\c}{PU}{L}{\81\073}% U+013B
14617 % U+013C LATIN SMALL LETTER L WITH CEDILLA; lcedilla, lcommaaccent
14618 \DeclareTextCompositeCommand{\c}{PU}{l}{\81\074}% U+013C
14619 % U+013D LATIN CAPITAL LETTER L WITH CARON; Lcaron
14620 \DeclareTextCompositeCommand{\v}{PU}{L}{\81\075}% U+013D
14621 % U+013E LATIN SMALL LETTER L WITH CARON; lcaron
14622 \DeclareTextCompositeCommand{\v}{PU}{l}{\81\076}% U+013E

```

There seems to be no variants of letters ‘L’ and ‘l’ with a dot above (reasonable). Therefore the \. accent is reused instead of making a separate accent macro \textmiddledot.

```

14623 % U+013F LATIN CAPITAL LETTER L WITH MIDDLE DOT; Ldot, Ldotaccent
14624 \DeclareTextCompositeCommand{\.}{PU}{L}{\81\077}% U+013F
14625 % U+0140 LATIN SMALL LETTER L WITH MIDDLE DOT; ldot, ldotaccent
14626 \DeclareTextCompositeCommand{\.}{PU}{l}{\81\100}% U+0140
14627 % U+0141 LATIN CAPITAL LETTER L WITH STROKE; lslash
14628 \DeclareTextCommand{\L}{PU}{\81\101}% U+0141
14629 % U+0142 LATIN SMALL LETTER L WITH STROKE; lslash
14630 \DeclareTextCommand{\l}{PU}{\81\102}% U+0142
14631 % U+0143 LATIN CAPITAL LETTER N WITH ACUTE; Nacute
14632 \DeclareTextCompositeCommand{\'}{PU}{N}{\81\103}% U+0143
14633 % U+0144 LATIN SMALL LETTER N WITH ACUTE; nacute
14634 \DeclareTextCompositeCommand{\'}{PU}{n}{\81\104}% U+0144
14635 % U+0145 LATIN CAPITAL LETTER N WITH CEDILLA; Ncedilla, Ncommaaccent
14636 \DeclareTextCompositeCommand{\c}{PU}{N}{\81\105}% U+0145
14637 % U+0146 LATIN SMALL LETTER N WITH CEDILLA; ncedilla, ncommaaccent
14638 \DeclareTextCompositeCommand{\c}{PU}{n}{\81\106}% U+0146
14639 % U+0147 LATIN CAPITAL LETTER N WITH CARON; Ncaron
14640 \DeclareTextCompositeCommand{\v}{PU}{N}{\81\107}% U+0147
14641 % U+0148 LATIN SMALL LETTER N WITH CARON; ncaron
14642 \DeclareTextCompositeCommand{\v}{PU}{n}{\81\110}% U+0148
14643 % U+0149 LATIN SMALL LETTER N PRECEDED BY APOSTROPHE; napos-
    trophe, quoterightn
14644 \DeclareTextCommand{\textnapostrophe}{PU}{\81\111}% U+0149
14645 % U+014A LATIN CAPITAL LETTER ENG; Eng
14646 \DeclareTextCommand{\NG}{PU}{\81\112}% U+014A
14647 % U+014B LATIN SMALL LETTER ENG; eng
14648 \DeclareTextCommand{\ng}{PU}{\81\113}% U+014B
14649 % U+014C LATIN CAPITAL LETTER O WITH MACRON; Omacron
14650 \DeclareTextCompositeCommand{\=}{PU}{O}{\81\114}% U+014C
14651 % U+014D LATIN SMALL LETTER O WITH MACRON; omacron
14652 \DeclareTextCompositeCommand{\=}{PU}{o}{\81\115}% U+014D
14653 % U+014E LATIN CAPITAL LETTER O WITH BREVE; Obreve
14654 \DeclareTextCompositeCommand{\u}{PU}{O}{\81\116}% U+014E
14655 % U+014F LATIN SMALL LETTER O WITH BREVE; obreve
14656 \DeclareTextCompositeCommand{\u}{PU}{o}{\81\117}% U+014F
14657 % U+0150 LATIN CAPITAL LETTER O WITH DOUBLE ACUTE; Odblacute,
    Ohungarumlaut
14658 \DeclareTextCompositeCommand{\H}{PU}{O}{\81\120}% U+0150
14659 % U+0151 LATIN SMALL LETTER O WITH DOUBLE ACUTE; odblacute, ohun-
    garumlaut
14660 \DeclareTextCompositeCommand{\H}{PU}{o}{\81\121}% U+0151
14661 % U+0152 LATIN CAPITAL LIGATURE OE; OE
14662 \DeclareTextCommand{\OE}{PU}{\81\122}% U+0152
14663 % U+0153 LATIN SMALL LIGATURE OE; oe
14664 \DeclareTextCommand{\oe}{PU}{\81\123}% U+0153
14665 % U+0154 LATIN CAPITAL LETTER R WITH ACUTE; Racute
14666 \DeclareTextCompositeCommand{\'}{PU}{R}{\81\124}% U+0154
14667 % U+0155 LATIN SMALL LETTER R WITH ACUTE; racute
14668 \DeclareTextCompositeCommand{\'}{PU}{r}{\81\125}% U+0155
14669 % U+0156 LATIN CAPITAL LETTER R WITH CEDILLA; Rcedilla, Rcommaaccent
14670 \DeclareTextCompositeCommand{\c}{PU}{R}{\81\126}% U+0156
14671 % U+0157 LATIN SMALL LETTER R WITH CEDILLA; rcedilla, rcommaaccent
14672 \DeclareTextCompositeCommand{\c}{PU}{r}{\81\127}% U+0157

```

```

14673 % U+0158 LATIN CAPITAL LETTER R WITH CARON; Rcaron
14674 \DeclareTextCompositeCommand{\v}{PU}{R}{\81\130}% U+0158
14675 % U+0159 LATIN SMALL LETTER R WITH CARON; rcaron
14676 \DeclareTextCompositeCommand{\v}{PU}{r}{\81\131}% U+0159
14677 % U+015A LATIN CAPITAL LETTER S WITH ACUTE; Sacute
14678 \DeclareTextCompositeCommand{\'}{PU}{S}{\81\132}% U+015A
14679 % U+015B LATIN SMALL LETTER S WITH ACUTE; sacute
14680 \DeclareTextCompositeCommand{\'}{PU}{s}{\81\133}% U+015B
14681 % U+015C LATIN CAPITAL LETTER S WITH CIRCUMFLEX; Scircumflex
14682 \DeclareTextCompositeCommand{\~}{PU}{S}{\81\134}% U+015C
14683 % U+015D LATIN SMALL LETTER S WITH CIRCUMFLEX; scircumflex
14684 \DeclareTextCompositeCommand{\^}{PU}{s}{\81\135}% U+015D
14685 % U+015E LATIN CAPITAL LETTER S WITH CEDILLA; Scedilla
14686 \DeclareTextCompositeCommand{\c}{PU}{S}{\81\136}% U+015E
14687 % U+015F LATIN SMALL LETTER S WITH CEDILLA; scedilla
14688 \DeclareTextCompositeCommand{\c}{PU}{s}{\81\137}% U+015F
14689 % U+0160 LATIN CAPITAL LETTER S WITH CARON; Scaron
14690 \DeclareTextCompositeCommand{\v}{PU}{S}{\81\140}% U+0160
14691 % U+0161 LATIN SMALL LETTER S WITH CARON; scaron
14692 \DeclareTextCompositeCommand{\v}{PU}{s}{\81\141}% U+0161
14693 % U+0162 LATIN CAPITAL LETTER T WITH CEDILLA; Tcedilla, Tcommaaccent
14694 \DeclareTextCompositeCommand{\c}{PU}{T}{\81\142}% U+0162
14695 % U+0163 LATIN SMALL LETTER T WITH CEDILLA; tcedilla, tcommaaccent
14696 \DeclareTextCompositeCommand{\c}{PU}{t}{\81\143}% U+0163
14697 % U+0164 LATIN CAPITAL LETTER T WITH CARON; Tcaron
14698 \DeclareTextCompositeCommand{\v}{PU}{T}{\81\144}% U+0164
14699 % U+0165 LATIN SMALL LETTER T WITH CARON; tcaron
14700 \DeclareTextCompositeCommand{\v}{PU}{t}{\81\145}% U+0165
14701 % U+0166 LATIN CAPITAL LETTER T WITH STROKE; Tbar
14702 \DeclareTextCommand{\textTslash}{PU}{\81\146}% U+0166
14703 % U+0167 LATIN SMALL LETTER T WITH STROKE; tbar
14704 \DeclareTextCommand{\texttslash}{PU}{\81\147}% U+0167
14705 % U+0168 LATIN CAPITAL LETTER U WITH TILDE; Utilde
14706 \DeclareTextCompositeCommand{\~}{PU}{U}{\81\150}% U+0168
14707 % U+0169 LATIN SMALL LETTER U WITH TILDE; utilde
14708 \DeclareTextCompositeCommand{\~}{PU}{u}{\81\151}% U+0169
14709 % U+016A LATIN CAPITAL LETTER U WITH MACRON; Umacron
14710 \DeclareTextCompositeCommand{\=}{PU}{U}{\81\152}% U+016A
14711 % U+016B LATIN SMALL LETTER U WITH MACRON; umacron
14712 \DeclareTextCompositeCommand{\=}{PU}{u}{\81\153}% U+016B
14713 % U+016C LATIN CAPITAL LETTER U WITH BREVE; Ubreve
14714 \DeclareTextCompositeCommand{\u}{PU}{U}{\81\154}% U+016C
14715 % U+016D LATIN SMALL LETTER U WITH BREVE; ubreve
14716 \DeclareTextCompositeCommand{\u}{PU}{u}{\81\155}% U+016D
14717 % U+016E LATIN CAPITAL LETTER U WITH RING ABOVE; Uring
14718 \DeclareTextCompositeCommand{\r}{PU}{U}{\81\156}% U+016E
14719 % U+016F LATIN SMALL LETTER U WITH RING ABOVE; uring
14720 \DeclareTextCompositeCommand{\r}{PU}{u}{\81\157}% U+016F
14721 % U+0170 LATIN CAPITAL LETTER U WITH DOUBLE ACUTE; Udblacute, Uhungarumlaut
14722 \DeclareTextCompositeCommand{\H}{PU}{U}{\81\160}% U+0170
14723 % U+0171 LATIN SMALL LETTER U WITH DOUBLE ACUTE; udblacute, uhungarumlaut
14724 \DeclareTextCompositeCommand{\H}{PU}{u}{\81\161}% U+0171
14725 % U+0172 LATIN CAPITAL LETTER U WITH OGONEK; Uogonek
14726 \DeclareTextCompositeCommand{\k}{PU}{U}{\81\162}% U+0172

```

```

14727 % U+0173 LATIN SMALL LETTER U WITH OGONEK; uogonek
14728 \DeclareTextCompositeCommand{\k}{PU}{u}{\81\163}% U+0173
14729 % U+0174 LATIN CAPITAL LETTER W WITH CIRCUMFLEX; Wcircumflex
14730 \DeclareTextCompositeCommand{\^}{PU}{W}{\81\164}% U+0174
14731 % U+0175 LATIN SMALL LETTER W WITH CIRCUMFLEX; wcircumflex
14732 \DeclareTextCompositeCommand{\^}{PU}{w}{\81\165}% U+0175
14733 % U+0176 LATIN CAPITAL LETTER Y WITH CIRCUMFLEX; Ycircumflex
14734 \DeclareTextCompositeCommand{\^}{PU}{Y}{\81\166}% U+0176
14735 % U+0177 LATIN SMALL LETTER Y WITH CIRCUMFLEX; ycircumflex
14736 \DeclareTextCompositeCommand{\^}{PU}{y}{\81\167}% U+0177
14737 % U+0178 LATIN CAPITAL LETTER Y WITH DIAERESIS; Ydieresis
14738 \DeclareTextCompositeCommand{\\"}{PU}{Y}{\81\170}% U+0178
14739 % U+0179 LATIN CAPITAL LETTER Z WITH ACUTE; Zacute
14740 \DeclareTextCompositeCommand{\'}{PU}{Z}{\81\171}% U+0179
14741 % U+017A LATIN SMALL LETTER Z WITH ACUTE; zacute
14742 \DeclareTextCompositeCommand{\'}{PU}{z}{\81\172}% U+017A
14743 % U+017B LATIN CAPITAL LETTER Z WITH DOT ABOVE; Zdot, Zdotaccent
14744 \DeclareTextCompositeCommand{\.}{PU}{Z}{\81\173}% U+017B
14745 % U+017C LATIN SMALL LETTER Z WITH DOT ABOVE; zdot, zdotaccent
14746 \DeclareTextCompositeCommand{\.}{PU}{z}{\81\174}% U+017C
14747 % U+017D LATIN CAPITAL LETTER Z WITH CARON; Zcaron
14748 \DeclareTextCompositeCommand{\v}{PU}{Z}{\81\175}% U+017D
14749 % U+017E LATIN SMALL LETTER Z WITH CARON; zcaron
14750 \DeclareTextCompositeCommand{\v}{PU}{z}{\81\176}% U+017E
14751 % U+017F LATIN SMALL LETTER LONG S; longs, slong
14752 \DeclareTextCommand{\textlongs}{PU}{\81\177}% U+017F

```

50.2.5 Latin Extended-B: U+0180 to U+024F

```

14753 % U+0192 LATIN SMALL LETTER F WITH HOOK; florin
14754 \DeclareTextCommand{\textflorin}{PU}{\81\222}% U+0192
14755 % U+01CD LATIN CAPITAL LETTER A WITH CARON; Acaron
14756 \DeclareTextCompositeCommand{\v}{PU}{A}{\81\315}% U+01CD
14757 % U+01CE LATIN SMALL LETTER A WITH CARON; acaron
14758 \DeclareTextCompositeCommand{\v}{PU}{a}{\81\316}% U+01CE
14759 % U+01CF LATIN CAPITAL LETTER I WITH CARON; Icaron
14760 \DeclareTextCompositeCommand{\v}{PU}{I}{\81\317}% U+01CF
14761 % U+01D0 LATIN SMALL LETTER I WITH CARON; icaron
14762 \DeclareTextCompositeCommand{\v}{PU}{i}{\81\320}% U+01D0
14763 \DeclareTextCompositeCommand{\v}{PU}{i}{\81\320}% U+01D0
14764 % U+01D1 LATIN CAPITAL LETTER O WITH CARON; Ocaron
14765 \DeclareTextCompositeCommand{\v}{PU}{O}{\81\321}% U+01D1
14766 % U+01D2 LATIN SMALL LETTER O WITH CARON; ocaron
14767 \DeclareTextCompositeCommand{\v}{PU}{o}{\81\322}% U+01D2
14768 % U+01D3 LATIN CAPITAL LETTER U WITH CARON; Ucaron
14769 \DeclareTextCompositeCommand{\v}{PU}{U}{\81\323}% U+01D3
14770 % U+01D4 LATIN SMALL LETTER U WITH CARON; ucaron
14771 \DeclareTextCompositeCommand{\v}{PU}{u}{\81\324}% U+01D4
14772 % U+01E4 LATIN CAPITAL LETTER G WITH STROKE; Gstroke
14773 \DeclareTextCommand{\textGslash}{PU}{\81\344}% U+01E4
14774 % U+01E5 LATIN SMALL LETTER G WITH STROKE; gstroke
14775 \DeclareTextCommand{\textgslash}{PU}{\81\345}% U+01E5
14776 % U+01E6 LATIN CAPITAL LETTER G WITH CARON; Gcaron
14777 \DeclareTextCompositeCommand{\v}{PU}{G}{\81\346}% U+01E6
14778 % U+01E7 LATIN SMALL LETTER G WITH CARON; gcaron
14779 \DeclareTextCompositeCommand{\v}{PU}{g}{\81\347}% U+01E7
14780 % U+01E8 LATIN CAPITAL LETTER K WITH CARON; Kcaron
14781 \DeclareTextCompositeCommand{\v}{PU}{K}{\81\350}% U+01E8

```

14782 % U+01E9 LATIN SMALL LETTER K WITH CARON; kcaron
 14783 \DeclareTextCompositeCommand{\v}{PU}{k}{\81\351}% U+01E9
 14784 % U+01EA LATIN CAPITAL LETTER O WITH OGONEK; Oogonek
 14785 \DeclareTextCompositeCommand{\k}{PU}{O}{\81\352}% U+01EA
 14786 % U+01EB LATIN SMALL LETTER O WITH OGONEK; oogonek
 14787 \DeclareTextCompositeCommand{\k}{PU}{o}{\81\353}% U+01EB
 14788 % U+01F0 LATIN SMALL LETTER J WITH CARON; jcaron
 14789 \DeclareTextCompositeCommand{\v}{PU}{j}{\81\360}% U+01F0
 14790 \DeclareTextCompositeCommand{\v}{PU}{j}{\81\360}% U+01F0
 14791 % U+01F4 LATIN CAPITAL LETTER G WITH ACUTE; Gacute
 14792 \DeclareTextCompositeCommand{\'}{PU}{G}{\81\364}% U+01F4
 14793 % U+01F5 LATIN SMALL LETTER G WITH ACUTE; gacute
 14794 \DeclareTextCompositeCommand{\'}{PU}{g}{\81\365}% U+01F5
 14795 % U+01F8 LATIN CAPITAL LETTER N WITH GRAVE
 14796 \DeclareTextCompositeCommand{\'}{PU}{N}{\81\370}% U+01F8
 14797 % U+01F9 LATIN SMALL LETTER N WITH GRAVE
 14798 \DeclareTextCompositeCommand{\'}{PU}{n}{\81\371}% U+01F9
 14799 % U+01FC LATIN CAPITAL LETTER AE WITH ACUTE; AEacute
 14800 \DeclareTextCompositeCommand{\'}{PU}{\AE}{\81\374}% U+01FC
 14801 % U+01FD LATIN SMALL LETTER AE WITH ACUTE; aeacute
 14802 \DeclareTextCompositeCommand{\'}{PU}{\ae}{\81\375}% U+01FD
 14803 % U+01FE LATIN CAPITAL LETTER O WITH STROKE AND ACUTE; *Oslashacute,
 Ostrokeacute
 14804 \DeclareTextCompositeCommand{\'}{PU}{\O}{\81\376}% U+01FE
 14805 % U+01FF LATIN SMALL LETTER O WITH STROKE AND ACUTE; *oslashacute,
 ostrokeacute
 14806 \DeclareTextCompositeCommand{\'}{PU}{\o}{\81\377}% U+01FF
 14807 % U+0200 LATIN CAPITAL LETTER A WITH DOUBLE GRAVE; Adblgrave
 14808 \DeclareTextCompositeCommand{\G}{PU}{A}{\82\000}% U+0200
 14809 % U+0201 LATIN SMALL LETTER A WITH DOUBLE GRAVE; adblgrave
 14810 \DeclareTextCompositeCommand{\G}{PU}{a}{\82\001}% U+0201
 14811 % U+0204 LATIN CAPITAL LETTER E WITH DOUBLE GRAVE; Edblgrave
 14812 \DeclareTextCompositeCommand{\G}{PU}{E}{\82\004}% U+0204
 14813 % U+0205 LATIN SMALL LETTER E WITH DOUBLE GRAVE; edblgrave
 14814 \DeclareTextCompositeCommand{\G}{PU}{e}{\82\005}% U+0205
 14815 % U+0208 LATIN CAPITAL LETTER I WITH DOUBLE GRAVE; Idblgrave
 14816 \DeclareTextCompositeCommand{\G}{PU}{I}{\82\010}% U+0208
 14817 % U+0209 LATIN SMALL LETTER I WITH DOUBLE GRAVE; idblgrave
 14818 \DeclareTextCompositeCommand{\G}{PU}{i}{\82\011}% U+0209
 14819 \DeclareTextCompositeCommand{\G}{PU}{i}{\82\011}% U+0209
 14820 % U+020C LATIN CAPITAL LETTER O WITH DOUBLE GRAVE; Odblgrave
 14821 \DeclareTextCompositeCommand{\G}{PU}{O}{\82\014}% U+020C
 14822 % U+020D LATIN SMALL LETTER O WITH DOUBLE GRAVE; odblgrave
 14823 \DeclareTextCompositeCommand{\G}{PU}{o}{\82\015}% U+020D
 14824 % U+0210 LATIN CAPITAL LETTER R WITH DOUBLE GRAVE; Rdblgrave
 14825 \DeclareTextCompositeCommand{\G}{PU}{R}{\82\020}% U+0210
 14826 % U+0211 LATIN SMALL LETTER R WITH DOUBLE GRAVE; rdblgrave
 14827 \DeclareTextCompositeCommand{\G}{PU}{r}{\82\021}% U+0211
 14828 % U+0214 LATIN CAPITAL LETTER U WITH DOUBLE GRAVE; Udblgrave
 14829 \DeclareTextCompositeCommand{\G}{PU}{U}{\82\024}% U+0214
 14830 % U+0215 LATIN SMALL LETTER U WITH DOUBLE GRAVE; udblgrave
 14831 \DeclareTextCompositeCommand{\G}{PU}{u}{\82\025}% U+0215
 14832 % U+021E LATIN CAPITAL LETTER H WITH CARON
 14833 \DeclareTextCompositeCommand{\v}{PU}{H}{\82\036}% U+021E
 14834 % U+021F LATIN SMALL LETTER H WITH CARON
 14835 \DeclareTextCompositeCommand{\v}{PU}{h}{\82\037}% U+021F
 14836 % U+0226 LATIN CAPITAL LETTER A WITH DOT ABOVE

```

14837 \DeclareTextCompositeCommand{\.{A}}{PU}{A}{\82\046}% U+0226
14838 % U+0227 LATIN SMALL LETTER A WITH DOT ABOVE
14839 \DeclareTextCompositeCommand{\.{a}}{PU}{a}{\82\047}% U+0227
14840 % U+0228 LATIN CAPITAL LETTER E WITH CEDILLA
14841 \DeclareTextCompositeCommand{\.{c}}{PU}{E}{\82\050}% U+0228
14842 % U+0229 LATIN SMALL LETTER E WITH CEDILLA
14843 \DeclareTextCompositeCommand{\.{c}}{PU}{e}{\82\051}% U+0229
14844 % U+022E LATIN CAPITAL LETTER O WITH DOT ABOVE
14845 \DeclareTextCompositeCommand{\.{o}}{PU}{O}{\82\056}% U+022E
14846 % U+022F LATIN SMALL LETTER O WITH DOT ABOVE
14847 \DeclareTextCompositeCommand{\.{o}}{PU}{o}{\82\057}% U+022F
14848 % U+0232 LATIN CAPITAL LETTER Y WITH MACRON
14849 \DeclareTextCompositeCommand{\={Y}}{PU}{Y}{\82\062}% U+0232
14850 % U+0233 LATIN SMALL LETTER Y WITH MACRON
14851 \DeclareTextCompositeCommand{\={y}}{PU}{y}{\82\063}% U+0233
14852 % U+0237 LATIN SMALL LETTER DOTLESS J
14853 \DeclareTextCommand{\j}{PU}{\82\067}% U+0237

```

50.2.6 Spacing Modifier Letters: U+02B0 to U+02FF

```

14854 % U+02C7 CARON; caron
14855 \DeclareTextCommand{\textasciicaron}{PU}{\82\307}% U+02C7
14856 % U+02D8 BREVE; breve
14857 \DeclareTextCommand{\textasciibreve}{PU}{\82\330}% U+02D8
14858 % U+02D9 DOT ABOVE; dotaccent
14859 \DeclareTextCommand{\textdotaccent}{PU}{\82\331}% U+02D9
14860 % U+02DA RING ABOVE; ring
14861 \DeclareTextCommand{\textring}{PU}{\82\332}% U+02DA
14862 % U+02DB OGONEK; ogonek
14863 \DeclareTextCommand{\textogonek}{PU}{\82\333}% U+02DB
14864 % U+02DC SMALL TILDE; ilde, *tilde
14865 \DeclareTextCommand{\texttilde}{PU}{\82\334}% U+02DC
14866 % U+02DD DOUBLE ACUTE ACCENT; hungarumlaut
14867 \DeclareTextCommand{\texthungarumlaut}{PU}{\82\335}% U+02DD
14868 \DeclareTextCommand{\textacutedbl}{PU}{\texthungarumlaut}% U+02DD
14869 % U+02F5 MODIFIER LETTER MIDDLE DOUBLE GRAVE ACCENT
14870 \DeclareTextCommand{\textgravedbl}{PU}{\82\365}% U+02F5
14871 % U+02F7 MODIFIER LETTER LOW TILDE
14872 \DeclareTextCommand{\texttildelow}{PU}{\82\367}% U+02F7

```

50.2.7 Combining Diacritical Marks: U+0300 to U+036F

```

14873 % U+030F COMBINING DOUBLE GRAVE ACCENT; dblgravecmb
14874 \DeclareTextCommand{\textdoublegrave}{PU}{\83\017}% U+030F
14875 % U+0311 COMBINING INVERTED BREVE; brevinvertedcmb
14876 \DeclareTextCommand{\textnewtie}{PU}{\83\021}% U+0311
14877 % U+0323 COMBINING DOT BELOW; dotbelowcmb, *dotbelowcomb
14878 \DeclareTextCommand{\textdotbelow}{PU}{\83\043}% U+0323
14879 % U+0331 COMBINING MACRON BELOW; macronbelowcmb
14880 \DeclareTextCommand{\textmacronbelow}{PU}{\83\061}% U+0331
14881 % U+0361 COMBINING DOUBLE INVERTED BREVE; brevinverteddoublecmb
14882 \DeclareTextCommand{\texttie}{PU}{\83\141}% U+0361

```

50.2.8 Greek and Coptic: U+0370 to U+03FF

```

14883 % U+0374 GREEK NUMERAL SIGN; numeralsigngreek
14884 \DeclareTextCommand{\textnumeralsigngreek}{PU}{\83\164}% U+0374
14885 % U+0375 GREEK LOWER NUMERAL SIGN; numeralsignlowergreek
14886 \DeclareTextCommand{\textnumeralsignlowergreek}{PU}{\83\165}% U+0375
14887 % U+0386 GREEK CAPITAL LETTER ALPHA WITH TONOS; Alphatonos

```

```

14888 \DeclareTextCompositeCommand{\'}{PU}{\textAlpha}{\83\206}% U+0386
14889 % U+0388 GREEK CAPITAL LETTER EPSILON WITH TONOS; Epsilontonos
14890 \DeclareTextCompositeCommand{\'}{PU}{\textEpsilon}{\83\210}% U+0388
14891 % U+0389 GREEK CAPITAL LETTER ETA WITH TONOS; Etatonos
14892 \DeclareTextCompositeCommand{\'}{PU}{\textEta}{\83\211}% U+0389
14893 % U+038A GREEK CAPITAL LETTER IOTA WITH TONOS; Iotatonos
14894 \DeclareTextCompositeCommand{\'}{PU}{\textIota}{\83\212}% U+038A
14895 % U+038C GREEK CAPITAL LETTER OMICRON WITH TONOS; Omicrontonos
14896 \DeclareTextCompositeCommand{\'}{PU}{\textOmicron}{\83\214}% U+038C
14897 % U+038E GREEK CAPITAL LETTER UPSILON WITH TONOS; Upsilon tonos
14898 \DeclareTextCompositeCommand{\'}{PU}{\textUpsilon}{\83\216}% U+038E
14899 % U+038F GREEK CAPITAL LETTER OMEGA WITH TONOS; Omegatonos
14900 \DeclareTextCompositeCommand{\'}{PU}{\textOmega}{\83\217}% U+038F
14901 % U+0390 GREEK SMALL LETTER IOTA WITH DIALYTIKA AND TONOS; iota dieresis tonos
14902 \DeclareTextCompositeCommand{\'}{PU}{\textIotaDieresis}{\83\220}% U+0390
14903 % U+0391 GREEK CAPITAL LETTER ALPHA; Alpha
14904 \DeclareTextCommand{\textAlpha}{PU}{\83\221}% U+0391
14905 % U+0392 GREEK CAPITAL LETTER BETA; Beta
14906 \DeclareTextCommand{\textBeta}{PU}{\83\222}% U+0392
14907 % U+0393 GREEK CAPITAL LETTER GAMMA; Gamma
14908 \DeclareTextCommand{\textGamma}{PU}{\83\223}% U+0393
14909 % U+0394 GREEK CAPITAL LETTER DELTA; Deltagreek, *Delta
14910 \DeclareTextCommand{\textDelta}{PU}{\83\224}% U+0394
14911 % U+0395 GREEK CAPITAL LETTER EPSILON; Epsilon
14912 \DeclareTextCommand{\textEpsilon}{PU}{\83\225}% U+0395
14913 % U+0396 GREEK CAPITAL LETTER ZETA; Zeta
14914 \DeclareTextCommand{\textZeta}{PU}{\83\226}% U+0396
14915 % U+0397 GREEK CAPITAL LETTER ETA; Eta
14916 \DeclareTextCommand{\textEta}{PU}{\83\227}% U+0397
14917 % U+0398 GREEK CAPITAL LETTER THETA; Theta
14918 \DeclareTextCommand{\textTheta}{PU}{\83\230}% U+0398
14919 % U+0399 GREEK CAPITAL LETTER IOTA; Iota
14920 \DeclareTextCommand{\textIota}{PU}{\83\231}% U+0399
14921 % U+039A GREEK CAPITAL LETTER KAPPA; Kappa
14922 \DeclareTextCommand{\textKappa}{PU}{\83\232}% U+039A
14923 % U+039B GREEK CAPITAL LETTER LAMDA; Lambda
14924 \DeclareTextCommand{\textLambda}{PU}{\83\233}% U+039B
14925 % U+039C GREEK CAPITAL LETTER MU; Mu
14926 \DeclareTextCommand{\textMu}{PU}{\83\234}% U+039C
14927 % U+039D GREEK CAPITAL LETTER NU; Nu
14928 \DeclareTextCommand{\textNu}{PU}{\83\235}% U+039D
14929 % U+039E GREEK CAPITAL LETTER XI; Xi
14930 \DeclareTextCommand{\textXi}{PU}{\83\236}% U+039E
14931 % U+039F GREEK CAPITAL LETTER OMICRON; Omicron
14932 \DeclareTextCommand{\textOmicron}{PU}{\83\237}% U+039F
14933 % U+03A0 GREEK CAPITAL LETTER PI; Pi
14934 \DeclareTextCommand{\textPi}{PU}{\83\240}% U+03A0
14935 % U+03A1 GREEK CAPITAL LETTER RHO; Rho
14936 \DeclareTextCommand{\textRho}{PU}{\83\241}% U+03A1
14937 % U+03A3 GREEK CAPITAL LETTER SIGMA; Sigma
14938 \DeclareTextCommand{\textSigma}{PU}{\83\243}% U+03A3
14939 % U+03A4 GREEK CAPITAL LETTER TAU; Tau
14940 \DeclareTextCommand{\textTau}{PU}{\83\244}% U+03A4
14941 % U+03A5 GREEK CAPITAL LETTER UPSILON; Upsilon
14942 \DeclareTextCommand{\textUpsilon}{PU}{\83\245}% U+03A5

```

```

14943 % U+03A6 GREEK CAPITAL LETTER PHI; Phi
14944 \DeclareTextCommand{\textPhi}{\PU}{\char83\246}%
14945 % U+03A7 GREEK CAPITAL LETTER CHI; Chi
14946 \DeclareTextCommand{\textChi}{\PU}{\char83\247}%
14947 % U+03A8 GREEK CAPITAL LETTER PSI; Psi
14948 \DeclareTextCommand{\textPsi}{\PU}{\char83\250}%
14949 % U+03A9 GREEK CAPITAL LETTER OMEGA; Omegagreek, *Omega
14950 \DeclareTextCommand{\textOmega}{\PU}{\char83\251}%
14951 % U+03AA GREEK CAPITAL LETTER IOTA WITH DIALYTIKA; Iotadieresis
14952 \DeclareTextCommand{\textIota}{\PU}{\char83\252}%
14953 \DeclareTextCompositeCommand{"}{\PU}{\textIota}{\char83\252}%
14954 % U+03AB GREEK CAPITAL LETTER UPSILON WITH DIALYTIKA; Up-
    silondieresis
14955 \DeclareTextCompositeCommand{"}{\PU}{\textUpsilon}{\char83\253}%
14956 % U+03AC GREEK SMALL LETTER ALPHA WITH TONOS; alphatonos
14957 \DeclareTextCompositeCommand{'}{\PU}{\textAlpha}{\char83\254}%
14958 % U+03AD GREEK SMALL LETTER EPSILON WITH TONOS; epsilontonos
14959 \DeclareTextCompositeCommand{'}{\PU}{\textEpsilon}{\char83\255}%
14960 % U+03AE GREEK SMALL LETTER ETA WITH TONOS; etatonos
14961 \DeclareTextCompositeCommand{'}{\PU}{\textEta}{\char83\256}%
14962 % U+03AF GREEK SMALL LETTER IOTA WITH TONOS; iota tonos
14963 \DeclareTextCompositeCommand{'}{\PU}{\textIota}{\char83\257}%
14964 % U+03B0 GREEK SMALL LETTER UPSILON WITH DIALYTIKA AND TONOS; up-
    silondieresisto
14965 \DeclareTextCompositeCommand{"}{\PU}{\textUpsilonAcute}{\char83\260}%
14966 % U+03B1 GREEK SMALL LETTER ALPHA; alpha
14967 \DeclareTextCommand{\textAlpha}{\PU}{\char83\261}%
14968 % U+03B2 GREEK SMALL LETTER BETA; beta
14969 \DeclareTextCommand{\textBeta}{\PU}{\char83\262}%
14970 % U+03B3 GREEK SMALL LETTER GAMMA; gamma
14971 \DeclareTextCommand{\textGamma}{\PU}{\char83\263}%
14972 % U+03B4 GREEK SMALL LETTER DELTA; delta
14973 \DeclareTextCommand{\textDelta}{\PU}{\char83\264}%
14974 % U+03B5 GREEK SMALL LETTER EPSILON; epsilon
14975 \DeclareTextCommand{\textEpsilon}{\PU}{\char83\265}%
14976 % U+03B6 GREEK SMALL LETTER ZETA; zeta
14977 \DeclareTextCommand{\textZeta}{\PU}{\char83\266}%
14978 % U+03B7 GREEK SMALL LETTER ETA; eta
14979 \DeclareTextCommand{\textEta}{\PU}{\char83\267}%
14980 % U+03B8 GREEK SMALL LETTER THETA; theta
14981 \DeclareTextCommand{\textTheta}{\PU}{\char83\270}%
14982 % U+03B9 GREEK SMALL LETTER IOTA; iota
14983 \DeclareTextCommand{\textIota}{\PU}{\char83\271}%
14984 % U+03BA GREEK SMALL LETTER KAPPA; kappa
14985 \DeclareTextCommand{\textKappa}{\PU}{\char83\272}%
14986 % U+03BB GREEK SMALL LETTER LAMDA; lambda
14987 \DeclareTextCommand{\textLambda}{\PU}{\char83\273}%
14988 % U+03BC GREEK SMALL LETTER MU; mugreek, *mu
14989 \DeclareTextCommand{\textMu}{\PU}{\char83\274}%
14990 % U+03BD GREEK SMALL LETTER NU; nu
14991 \DeclareTextCommand{\textNu}{\PU}{\char83\275}%
14992 % U+03BE GREEK SMALL LETTER XI; xi
14993 \DeclareTextCommand{\textXi}{\PU}{\char83\276}%
14994 % U+03BF GREEK SMALL LETTER OMICRON; omicron
14995 \DeclareTextCommand{\textOmicron}{\PU}{\char83\277}%
14996 % U+03C0 GREEK SMALL LETTER PI; pi
14997 \DeclareTextCommand{\textPi}{\PU}{\char83\300}%

```

```

14998 % U+03C1 GREEK SMALL LETTER RHO; rho
14999 \DeclareTextCommand{\textrho}{\PU}{\83\301}%
15000 % U+03C2 GREEK SMALL LETTER FINAL SIGMA; *sigma1, sigmafinal
15001 \DeclareTextCommand{\textvarsigma}{\PU}{\83\302}%
15002 % U+03C3 GREEK SMALL LETTER SIGMA; sigma
15003 \DeclareTextCommand{\textsigma}{\PU}{\83\303}%
15004 % U+03C4 GREEK SMALL LETTER TAU; tau
15005 \DeclareTextCommand{\texttau}{\PU}{\83\304}%
15006 % U+03C5 GREEK SMALL LETTER UPSILON; upsilon
15007 \DeclareTextCommand{\textupsilon}{\PU}{\83\305}%
15008 % U+03C6 GREEK SMALL LETTER PHI; phi
15009 \DeclareTextCommand{\textphi}{\PU}{\83\306}%
15010 % U+03C7 GREEK SMALL LETTER CHI; chi
15011 \DeclareTextCommand{\textchi}{\PU}{\83\307}%
15012 % U+03C8 GREEK SMALL LETTER PSI; psi
15013 \DeclareTextCommand{\textpsi}{\PU}{\83\310}%
15014 % U+03C9 GREEK SMALL LETTER OMEGA; omega
15015 \DeclareTextCommand{\textomega}{\PU}{\83\311}%
15016 % U+03CA GREEK SMALL LETTER IOTA WITH DIALYTIKA; iotaadieresis
15017 \DeclareTextCompositeCommand{"}{\PU}{\textiota}{\83\312}%
15018 % U+03CB GREEK SMALL LETTER UPSILON WITH DIALYTIKA; up-
    silondieresis
15019 \DeclareTextCompositeCommand{"}{\PU}{\textupsilon}{\83\313}%
15020 % U+03CC GREEK SMALL LETTER OMICRON WITH TONOS; omicrontonos
15021 \DeclareTextCompositeCommand{'}{\PU}{\textomicron}{\83\314}%
15022 % U+03CD GREEK SMALL LETTER UPSILON WITH TONOS; upsilon tonos
15023 \DeclareTextCommand{\textupsilonacute}{\PU}{\83\315}%
15024 \DeclareTextCompositeCommand{'}{\PU}{\textupsilon}{\83\315}%
15025 % U+03CE GREEK SMALL LETTER OMEGA WITH TONOS; omegatonos
15026 \DeclareTextCompositeCommand{'}{\PU}{\textomega}{\83\316}%
15027 % U+03DA GREEK LETTER STIGMA; Stigmagreek
15028 \DeclareTextCommand{\textStigmagreek}{\PU}{\83\332}%
15029 % U+03DB GREEK SMALL LETTER STIGMA
15030 \DeclareTextCommand{\textstigmagreek}{\PU}{\83\333}%
15031 % U+03DC GREEK LETTER DIGAMMA; Digammagreek
15032 \DeclareTextCommand{\textDigammagreek}{\PU}{\83\334}%
15033 % U+03DD GREEK SMALL LETTER DIGAMMA
15034 \DeclareTextCommand{\textdigammagreek}{\PU}{\83\335}%
15035 % U+03DE GREEK LETTER KOPPA; Koppagreek
15036 \DeclareTextCommand{\textKoppagreek}{\PU}{\83\336}%
15037 % U+03DF GREEK SMALL LETTER KOPPA
15038 \DeclareTextCommand{\textkoppagreek}{\PU}{\83\337}%
15039 % U+03E0 GREEK LETTER SAMPI; Sampigreek
15040 \DeclareTextCommand{\textSampigreek}{\PU}{\83\340}%
15041 % U+03E1 GREEK SMALL LETTER SAMPI
15042 \DeclareTextCommand{\textsampigreek}{\PU}{\83\341}%

```

50.2.9 Cyrillic: U+0400 to U+04FF

Thanks to Vladimir Volovich (vvv@vvv.vsu.ru) for the help with the Cyrillic glyph names.

```

15043 % U+0400 CYRILLIC CAPITAL LETTER IE WITH GRAVE
15044 \DeclareTextCompositeCommand{"}{\PU}{\CYRE}{\84\000}%
15045 % U+0401 CYRILLIC CAPITAL LETTER IO; Iocyrillic, *afii10023
15046 \DeclareTextCommand{\CYRYO}{\PU}{\84\001}%
15047 \DeclareTextCompositeCommand{"}{\PU}{\CYRE}{\84\001}%
15048 % U+0402 CYRILLIC CAPITAL LETTER DJE; Djecyrillic, *afii10051
15049 \DeclareTextCommand{\CYRDJE}{\PU}{\84\002}%

```

15050 % U+0403 CYRILLIC CAPITAL LETTER GJE; Gjecyrillic, *afii10052
 15051 \DeclareTextCompositeCommand{\'}{\PU}{\CYRG}{\84\003}% U+0403
 15052 % U+0404 CYRILLIC CAPITAL LETTER UKRAINIAN IE; Ecyrillic, *afii10053
 15053 \DeclareTextCommand{\CYRIE}{\PU}{\84\004}% U+0404
 15054 % U+0405 CYRILLIC CAPITAL LETTER DZE; Dzecyrillic, *afii10054
 15055 \DeclareTextCommand{\CYRDZE}{\PU}{\84\005}% U+0405
 15056 % U+0406 CYRILLIC CAPITAL LETTER BYELORUSSIAN-UKRAINIAN I; Icyrillic, *afii10055
 15057 \DeclareTextCommand{\CYRII}{\PU}{\84\006}% U+0406
 15058 % U+0407 CYRILLIC CAPITAL LETTER YI; Yicyrillic, *afii10056
 15059 \DeclareTextCommand{\CYRYI}{\PU}{\84\007}% U+0407
 15060 \DeclareTextCompositeCommand{\"}{\PU}{\CYRII}{\84\007}% U+0407
 15061 % U+0408 CYRILLIC CAPITAL LETTER JE; Jecyrillic, *afii10057
 15062 \DeclareTextCommand{\CYRJE}{\PU}{\84\010}% U+0408
 15063 % U+0409 CYRILLIC CAPITAL LETTER LJE; Ljecyrillic, *afii10058
 15064 \DeclareTextCommand{\CYRLJE}{\PU}{\84\011}% U+0409
 15065 % U+040A CYRILLIC CAPITAL LETTER NJE; Njecyrillic, *afii10059
 15066 \DeclareTextCommand{\CYRNJE}{\PU}{\84\012}% U+040A
 15067 % U+040B CYRILLIC CAPITAL LETTER TSHE; Tshecyrilllic, *afii10060
 15068 \DeclareTextCommand{\CYRTSHE}{\PU}{\84\013}% U+040B
 15069 % U+040C CYRILLIC CAPITAL LETTER KJE; Kjecyrillic, *afii10061
 15070 \DeclareTextCompositeCommand{\'}{\PU}{\CYRK}{\84\014}% U+040C
 15071 % U+040D CYRILLIC CAPITAL LETTER I WITH GRAVE
 15072 \DeclareTextCompositeCommand{\'}{\PU}{\CYRI}{\84\015}% U+040D
 15073 % U+040E CYRILLIC CAPITAL LETTER SHORT U; Ushortcyrillic, *afii10062
 15074 \DeclareTextCommand{\CYRUSHRT}{\PU}{\84\016}% U+040E
 15075 \DeclareTextCompositeCommand{\U}{\PU}{\CYRU}{\84\016}% U+040E
 15076 % U+040F CYRILLIC CAPITAL LETTER DZHE; Dzhecyrilllic, *afii10145
 15077 \DeclareTextCommand{\CYRDZHE}{\PU}{\84\017}% U+040F
 15078 % U+0410 CYRILLIC CAPITAL LETTER A; Acyrillic, *afii10017
 15079 \DeclareTextCommand{\CYRA}{\PU}{\84\020}% U+0410
 15080 % U+0411 CYRILLIC CAPITAL LETTER BE; Becyrillic, *afii10018
 15081 \DeclareTextCommand{\CYRB}{\PU}{\84\021}% U+0411
 15082 % U+0412 CYRILLIC CAPITAL LETTER VE; Vecyrillic, *afii10019
 15083 \DeclareTextCommand{\CYRV}{\PU}{\84\022}% U+0412
 15084 % U+0413 CYRILLIC CAPITAL LETTER GHE; Gecyrillic, *afii10020
 15085 \DeclareTextCommand{\CYRG}{\PU}{\84\023}% U+0413
 15086 % U+0414 CYRILLIC CAPITAL LETTER DE; Decyrillic, *afii10021
 15087 \DeclareTextCommand{\CYRD}{\PU}{\84\024}% U+0414
 15088 % U+0415 CYRILLIC CAPITAL LETTER IE; Iecyrillic, *afii10022
 15089 \DeclareTextCommand{\CYRE}{\PU}{\84\025}% U+0415
 15090 % U+0416 CYRILLIC CAPITAL LETTER ZHE; Zhecyrilllic, *afii10024
 15091 \DeclareTextCommand{\CYRZH}{\PU}{\84\026}% U+0416
 15092 % U+0417 CYRILLIC CAPITAL LETTER ZE; Zecyrillic, *afii10025
 15093 \DeclareTextCommand{\CYRZ}{\PU}{\84\027}% U+0417
 15094 % U+0418 CYRILLIC CAPITAL LETTER I; Iicyrillic, *afii10026
 15095 \DeclareTextCommand{\CYRI}{\PU}{\84\030}% U+0418
 15096 % U+0419 CYRILLIC CAPITAL LETTER SHORT I; Iishortcyrillic, *afii10027
 15097 \DeclareTextCommand{\CYRISHRT}{\PU}{\84\031}% U+0419
 15098 \DeclareTextCompositeCommand{\U}{\PU}{\CYRI}{\84\031}% U+0419
 15099 % U+041A CYRILLIC CAPITAL LETTER KA; Kacyrilllic, *afii10028
 15100 \DeclareTextCommand{\CYRK}{\PU}{\84\032}% U+041A
 15101 % U+041B CYRILLIC CAPITAL LETTER EL; Elcyrillic, *afii10029
 15102 \DeclareTextCommand{\CYRL}{\PU}{\84\033}% U+041B
 15103 % U+041C CYRILLIC CAPITAL LETTER EM; Emcyrillic, *afii10030
 15104 \DeclareTextCommand{\CYRM}{\PU}{\84\034}% U+041C
 15105 % U+041D CYRILLIC CAPITAL LETTER EN; Encyrillic, *afii10031

```

15106 \DeclareTextCommand{\CYRN}{PU}{\84\035}% U+041D
15107 % U+041E CYRILLIC CAPITAL LETTER O; Ocyrillic, *afii10032
15108 \DeclareTextCommand{\CYRO}{PU}{\84\036}% U+041E
15109 % U+041F CYRILLIC CAPITAL LETTER PE; Pecyrillic, *afii10033
15110 \DeclareTextCommand{\CYRP}{PU}{\84\037}% U+041F
15111 % U+0420 CYRILLIC CAPITAL LETTER ER; Ercyrillic, *afii10034
15112 \DeclareTextCommand{\CYRR}{PU}{\84\040}% U+0420
15113 % U+0421 CYRILLIC CAPITAL LETTER ES; Escyrillic, *afii10035
15114 \DeclareTextCommand{\CYRS}{PU}{\84\041}% U+0421
15115 % U+0422 CYRILLIC CAPITAL LETTER TE; Tecyrillic, *afii10036
15116 \DeclareTextCommand{\CYRT}{PU}{\84\042}% U+0422
15117 % U+0423 CYRILLIC CAPITAL LETTER U; Ucyrillic, *afii10037
15118 \DeclareTextCommand{\CYRU}{PU}{\84\043}% U+0423
15119 % U+0424 CYRILLIC CAPITAL LETTER EF; Efcyrillic, *afii10038
15120 \DeclareTextCommand{\CYRF}{PU}{\84\044}% U+0424
15121 % U+0425 CYRILLIC CAPITAL LETTER HA; Khacyrillic, *afii10039
15122 \DeclareTextCommand{\CYRH}{PU}{\84\045}% U+0425
15123 % U+0426 CYRILLIC CAPITAL LETTER TSE; Tsecyrillic, *afii10040
15124 \DeclareTextCommand{\CYRC}{PU}{\84\046}% U+0426
15125 % U+0427 CYRILLIC CAPITAL LETTER CHE; Checyrillic, *afii10041
15126 \DeclareTextCommand{\CYRCH}{PU}{\84\047}% U+0427
15127 % U+0428 CYRILLIC CAPITAL LETTER SHA; Shacyrillic, *afii10042
15128 \DeclareTextCommand{\CYRSH}{PU}{\84\050}% U+0428
15129 % U+0429 CYRILLIC CAPITAL LETTER SHCHA; Shchacyrillic, *afii10043
15130 \DeclareTextCommand{\CYRSHCH}{PU}{\84\051}% U+0429
15131 % U+042A CYRILLIC CAPITAL LETTER HARD SIGN; Hardsigncyrillic, *afii10044
15132 \DeclareTextCommand{\CYRHRDSN}{PU}{\84\052}% U+042A
15133 % U+042B CYRILLIC CAPITAL LETTER YERU; Yericyrillic, *afii10045
15134 \DeclareTextCommand{\CYRERY}{PU}{\84\053}% U+042B
15135 % U+042C CYRILLIC CAPITAL LETTER SOFT SIGN; Softsigncyrillic, *afii10046
15136 \DeclareTextCommand{\CYRSFTSN}{PU}{\84\054}% U+042C
15137 % U+042D CYRILLIC CAPITAL LETTER E; Ereversedcyrillic, *afii10047
15138 \DeclareTextCommand{\CYREREV}{PU}{\84\055}% U+042D
15139 % U+042E CYRILLIC CAPITAL LETTER YU; IUCyrillic, *afii10048
15140 \DeclareTextCommand{\CYRYU}{PU}{\84\056}% U+042E
15141 % U+042F CYRILLIC CAPITAL LETTER YA; IAcyrillic, *afii10049
15142 \DeclareTextCommand{\CYRYA}{PU}{\84\057}% U+042F
15143 % U+0430 CYRILLIC SMALL LETTER A; acyrillic, *afii10065
15144 \DeclareTextCommand{\cyra}{PU}{\84\060}% U+0430
15145 % U+0431 CYRILLIC SMALL LETTER BE; *afii10066, becyrillic
15146 \DeclareTextCommand{\cyrb}{PU}{\84\061}% U+0431
15147 % U+0432 CYRILLIC SMALL LETTER VE; *afii10067, vecyrillic
15148 \DeclareTextCommand{\cyrv}{PU}{\84\062}% U+0432
15149 % U+0433 CYRILLIC SMALL LETTER GHE; *afii10068, gecyrillic
15150 \DeclareTextCommand{\cyrg}{PU}{\84\063}% U+0433
15151 % U+0434 CYRILLIC SMALL LETTER DE; *afii10069, decyrillic
15152 \DeclareTextCommand{\cyrd}{PU}{\84\064}% U+0434
15153 % U+0435 CYRILLIC SMALL LETTER IE; *afii10070, iecyrillic
15154 \DeclareTextCommand{\cyre}{PU}{\84\065}% U+0435
15155 % U+0436 CYRILLIC SMALL LETTER ZHE; *afii10072, zhecyrillic
15156 \DeclareTextCommand{\cyrzh}{PU}{\84\066}% U+0436
15157 % U+0437 CYRILLIC SMALL LETTER ZE; *afii10073, zecyrillic
15158 \DeclareTextCommand{\cyrz}{PU}{\84\067}% U+0437
15159 % U+0438 CYRILLIC SMALL LETTER I; *afii10074, iicyrillic
15160 \DeclareTextCommand{\ciri}{PU}{\84\070}% U+0438
15161 % U+0439 CYRILLIC SMALL LETTER SHORT I; *afii10075, iishortcyrillic
15162 \DeclareTextCommand{\cyrishrt}{PU}{\84\071}% U+0439

```

```

15163 \DeclareTextCompositeCommand{\U}{PU}{\cyri}{\84\071}% U+0439
15164 % U+043A CYRILLIC SMALL LETTER KA; *afii10076, kacyrillic
15165 \DeclareTextCommand{\cyrk}{PU}{\84\072}% U+043A
15166 % U+043B CYRILLIC SMALL LETTER EL; *afii10077, elcyrillic
15167 \DeclareTextCommand{\cyrI}{PU}{\84\073}% U+043B
15168 % U+043C CYRILLIC SMALL LETTER EM; *afii10078, emcyrillic
15169 \DeclareTextCommand{\cyrm}{PU}{\84\074}% U+043C
15170 % U+043D CYRILLIC SMALL LETTER EN; *afii10079, encyrillic
15171 \DeclareTextCommand{\cyrn}{PU}{\84\075}% U+043D
15172 % U+043E CYRILLIC SMALL LETTER O; *afii10080, ocyrillic
15173 \DeclareTextCommand{\cyro}{PU}{\84\076}% U+043E
15174 % U+043F CYRILLIC SMALL LETTER PE; *afii10081, pecyrillic
15175 \DeclareTextCommand{\cyrp}{PU}{\84\077}% U+043F
15176 % U+0440 CYRILLIC SMALL LETTER ER; *afii10082, ercyrillic
15177 \DeclareTextCommand{\cyrr}{PU}{\84\100}% U+0440
15178 % U+0441 CYRILLIC SMALL LETTER ES; *afii10083, escyrillic
15179 \DeclareTextCommand{\cyrs}{PU}{\84\101}% U+0441
15180 % U+0442 CYRILLIC SMALL LETTER TE; *afii10084, tecyrillic
15181 \DeclareTextCommand{\cyrt}{PU}{\84\102}% U+0442
15182 % U+0443 CYRILLIC SMALL LETTER U; *afii10085, ucyrillic
15183 \DeclareTextCommand{\cyru}{PU}{\84\103}% U+0443
15184 % U+0444 CYRILLIC SMALL LETTER EF; *afii10086, efcyrillic
15185 \DeclareTextCommand{\cyrf}{PU}{\84\104}% U+0444
15186 % U+0445 CYRILLIC SMALL LETTER HA; *afii10087, khacyrillic
15187 \DeclareTextCommand{\cyrh}{PU}{\84\105}% U+0445
15188 % U+0446 CYRILLIC SMALL LETTER TSE; *afii10088, tsecyrillic
15189 \DeclareTextCommand{\cyrc}{PU}{\84\106}% U+0446
15190 % U+0447 CYRILLIC SMALL LETTER CHE; *afii10089, checyrillic
15191 \DeclareTextCommand{\cyrch}{PU}{\84\107}% U+0447
15192 % U+0448 CYRILLIC SMALL LETTER SHA; *afii10090, shacyrillic
15193 \DeclareTextCommand{\cyrsh}{PU}{\84\110}% U+0448
15194 % U+0449 CYRILLIC SMALL LETTER SHCHA; *afii10091, shchacyrillic
15195 \DeclareTextCommand{\cyrshch}{PU}{\84\111}% U+0449
15196 % U+044A CYRILLIC SMALL LETTER HARD SIGN; *afii10092, hardsigncyrillic
15197 \DeclareTextCommand{\cyrhrdsn}{PU}{\84\112}% U+044A
15198 % U+044B CYRILLIC SMALL LETTER YERU; *afii10093, yericyrillic
15199 \DeclareTextCommand{\cyrery}{PU}{\84\113}% U+044B
15200 % U+044C CYRILLIC SMALL LETTER SOFT SIGN; *afii10094, softsigncyrillic
15201 \DeclareTextCommand{\crysftsn}{PU}{\84\114}% U+044C
15202 % U+044D CYRILLIC SMALL LETTER E; *afii10095, ereversedcyrillic
15203 \DeclareTextCommand{\cyrerev}{PU}{\84\115}% U+044D
15204 % U+044E CYRILLIC SMALL LETTER YU; *afii10096, iucyrillic
15205 \DeclareTextCommand{\cyryu}{PU}{\84\116}% U+044E
15206 % U+044F CYRILLIC SMALL LETTER YA; *afii10097, iacyrillic
15207 \DeclareTextCommand{\cyrya}{PU}{\84\117}% U+044F
15208 % U+0450 CYRILLIC SMALL LETTER IE WITH GRAVE
15209 \DeclareTextCompositeCommand{\'}{PU}{\cyre}{\84\120}% U+0450
15210 % U+0451 CYRILLIC SMALL LETTER IO; *afii10071, iocyrillic
15211 \DeclareTextCommand{\cyryo}{PU}{\84\121}% U+0451
15212 \DeclareTextCompositeCommand{\"}{PU}{\cyre}{\84\121}% U+0451
15213 % U+0452 CYRILLIC SMALL LETTER DJE; *afii10099, djecyrillic
15214 \DeclareTextCommand{\cyrdje}{PU}{\84\122}% U+0452
15215 % U+0453 CYRILLIC SMALL LETTER GJE; *afii10100, gjecyrillic
15216 \DeclareTextCompositeCommand{\'}{PU}{\cyrg}{\84\123}% U+0453
15217 % U+0454 CYRILLIC SMALL LETTER UKRAINIAN IE; *afii10101, ecyrillic
15218 \DeclareTextCommand{\cyrie}{PU}{\84\124}% U+0454
15219 % U+0455 CYRILLIC SMALL LETTER DZE; *afii10102, dzecyrillic

```

```

15220 \DeclareTextCommand{\cyrdze}{PU}{\84\125}% U+0455
15221 % U+0456 CYRILLIC SMALL LETTER BYELORUSSIAN-UKRAINIAN I; *afii10103, icyril-
    lic
15222 \DeclareTextCommand{\cyrii}{PU}{\84\126}% U+0456
15223 % U+0457 CYRILLIC SMALL LETTER YI; *afii10104, yicyrillic
15224 \DeclareTextCommand{\cqryi}{PU}{\84\127}% U+0457
15225 \DeclareTextCompositeCommand{"}{PU}{\cqryi}{\84\127}% U+0457
15226 % U+0458 CYRILLIC SMALL LETTER JE; *afii10105, jecyrillic
15227 \DeclareTextCommand{\cqryje}{PU}{\84\130}% U+0458
15228 % U+0459 CYRILLIC SMALL LETTER LJE; *afii10106, ljecyrillic
15229 \DeclareTextCommand{\cqrylje}{PU}{\84\131}% U+0459
15230 % U+045A CYRILLIC SMALL LETTER NJE; *afii10107, njecyrillic
15231 \DeclareTextCommand{\cqrnje}{PU}{\84\132}% U+045A
15232 % U+045B CYRILLIC SMALL LETTER TSHE; *afii10108, tshecyrillic
15233 \DeclareTextCommand{\cqrtshe}{PU}{\84\133}% U+045B
15234 % U+045C CYRILLIC SMALL LETTER KJE; *afii10109, kjecyrillic
15235 \DeclareTextCompositeCommand{'}{PU}{\cqrk}{\84\134}% U+045C
15236 % U+045D CYRILLIC SMALL LETTER I WITH GRAVE
15237 \DeclareTextCompositeCommand{'}{PU}{\cqryi}{\84\135}% U+045D
15238 % U+045E CYRILLIC SMALL LETTER SHORT U; *afii10110, ushortcyrillic
15239 \DeclareTextCommand{\cqrushrt}{PU}{\84\136}% U+045E
15240 \DeclareTextCompositeCommand{U}{PU}{\curu}{\84\136}% U+045E
15241 % U+045F CYRILLIC SMALL LETTER DZHE; *afii10193, dzhecyrillic
15242 \DeclareTextCommand{\cyrdzhe}{PU}{\84\137}% U+045F
15243 % U+0460 CYRILLIC CAPITAL LETTER OMEGA; Omegacyrillic
15244 \DeclareTextCommand{\CYROMEGA}{PU}{\84\140}% U+0460
15245 % U+0461 CYRILLIC SMALL LETTER OMEGA; omegacyrillic
15246 \DeclareTextCommand{\cyromega}{PU}{\84\141}% U+0461
15247 % U+0462 CYRILLIC CAPITAL LETTER YAT; Yatcyrillic, *afii10146
15248 \DeclareTextCommand{\CYRYAT}{PU}{\84\142}% U+0462
15249 % U+0463 CYRILLIC SMALL LETTER YAT; *afii10194, yatcyrillic
15250 \DeclareTextCommand{\cqryat}{PU}{\84\143}% U+0463
15251 % U+0464 CYRILLIC CAPITAL LETTER IOTIFIED E; Eiotifiedcyrillic
15252 \DeclareTextCommand{\CYRIOTE}{PU}{\84\144}% U+0464
15253 % U+0465 CYRILLIC SMALL LETTER IOTIFIED E; eiotifiedcyrillic
15254 \DeclareTextCommand{\cqryote}{PU}{\84\145}% U+0465
15255 % U+0466 CYRILLIC CAPITAL LETTER LITTLE YUS; Yuslittlecyrillic
15256 \DeclareTextCommand{\CYRLYUS}{PU}{\84\146}% U+0466
15257 % U+0467 CYRILLIC SMALL LETTER LITTLE YUS; yuslittlecyrillic
15258 \DeclareTextCommand{\cqrylus}{PU}{\84\147}% U+0467
15259 % U+0468 CYRILLIC CAPITAL LETTER IOTIFIED LITTLE YUS; Yuslittleio-
    tifiedcyrillic
15260 \DeclareTextCommand{\CYRIOTLYUS}{PU}{\84\150}% U+0468
15261 % U+0469 CYRILLIC SMALL LETTER IOTIFIED LITTLE YUS; yuslittleio-
    tifiedcyrillic
15262 \DeclareTextCommand{\cqryotlyus}{PU}{\84\151}% U+0469
15263 % U+046A CYRILLIC CAPITAL LETTER BIG YUS; Yusbigcyrillic
15264 \DeclareTextCommand{\CYRBYUS}{PU}{\84\152}% U+046A
15265 % U+046B CYRILLIC SMALL LETTER BIG YUS; yusbigcyrillic
15266 \DeclareTextCommand{\cqrybus}{PU}{\84\153}% U+046B
15267 % U+046C CYRILLIC CAPITAL LETTER IOTIFIED BIG YUS; Yusbigiotified-
    cyrillic
15268 \DeclareTextCommand{\CYRIOTBYUS}{PU}{\84\154}% U+046C
15269 % U+046D CYRILLIC SMALL LETTER IOTIFIED BIG YUS; yusbigiotifiedcyril-
    lic
15270 \DeclareTextCommand{\cqryotbyus}{PU}{\84\155}% U+046D
15271 % U+046E CYRILLIC CAPITAL LETTER KSI; Ksicyrillic

```

```

15272 \DeclareTextCommand{\CYRKSI}{PU}{\84\156}% U+046E
15273 % U+046F CYRILLIC SMALL LETTER KSI; ksicyrillic
15274 \DeclareTextCommand{\cyrksi}{PU}{\84\157}% U+046F
15275 % U+0470 CYRILLIC CAPITAL LETTER PSI; Psicyrillic
15276 \DeclareTextCommand{\CYRPSI}{PU}{\84\160}% U+0470
15277 % U+0471 CYRILLIC SMALL LETTER PSI; psicyrillic
15278 \DeclareTextCommand{\cyrpsi}{PU}{\84\161}% U+0471
15279 % U+0472 CYRILLIC CAPITAL LETTER FITA; Fitacyrillic, *afii10147
15280 \DeclareTextCommand{\CYRFITA}{PU}{\84\162}% U+0472
15281 % U+0473 CYRILLIC SMALL LETTER FITA; *afii10195, fitacyrillic
15282 \DeclareTextCommand{\cyrfita}{PU}{\84\163}% U+0473
15283 % U+0474 CYRILLIC CAPITAL LETTER IZHITSA; Izhitsacyrillic, *afii10148
15284 \DeclareTextCommand{\CYRIZH}{PU}{\84\164}% U+0474
15285 % U+0475 CYRILLIC SMALL LETTER IZHITSA; *afii10196, izhitsacyrillic
15286 \DeclareTextCommand{\cyrizh}{PU}{\84\165}% U+0475
15287 % U+0476 CYRILLIC CAPITAL LETTER IZHITSA WITH DOUBLE GRAVE AC-
    CENT; Izhitsadblgravecyrillic
15288 \DeclareTextCompositeCommand{C}{PU}{\CYRIZH}{\84\166}% U+0476
15289 % U+0477 CYRILLIC SMALL LETTER IZHITSA WITH DOUBLE GRAVE AC-
    CENT; izhitsadblgravecyrillic
15290 \DeclareTextCompositeCommand{C}{PU}{\cyrizh}{\84\167}% U+0477
15291 % U+0478 CYRILLIC CAPITAL LETTER UK; Ukcyrillic
15292 \DeclareTextCommand{\CYRUK}{PU}{\84\170}% U+0478
15293 % U+0479 CYRILLIC SMALL LETTER UK; ukcyrillic
15294 \DeclareTextCommand{\cyruk}{PU}{\84\171}% U+0479
15295 % U+047A CYRILLIC CAPITAL LETTER ROUND OMEGA; Omegaroundcyril-
    lic
15296 \DeclareTextCommand{\CYROMEGARND}{PU}{\84\172}% U+047A
15297 % U+047B CYRILLIC SMALL LETTER ROUND OMEGA; omegaroundcyrillic
15298 \DeclareTextCommand{\cyromegarnd}{PU}{\84\173}% U+047B
15299 % U+047C CYRILLIC CAPITAL LETTER OMEGA WITH TITLO; Omegatitlo-
    cyrillic
15300 \DeclareTextCommand{\CYROMEGATITLO}{PU}{\84\174}% U+047C
15301 % U+047D CYRILLIC SMALL LETTER OMEGA WITH TITLO; omegatitlo-
    cyrillic
15302 \DeclareTextCommand{\cyromegatitlo}{PU}{\84\175}% U+047D
15303 % U+047E CYRILLIC CAPITAL LETTER OT; Otcyrillic
15304 \DeclareTextCommand{\CYROT}{PU}{\84\176}% U+047E
15305 % U+047F CYRILLIC SMALL LETTER OT; otcyrillic
15306 \DeclareTextCommand{\cycrot}{PU}{\84\177}% U+047F
15307 % U+0480 CYRILLIC CAPITAL LETTER KOPPA; Koppacyrillic
15308 \DeclareTextCommand{\CYRKOPPA}{PU}{\84\200}% U+0480
15309 % U+0481 CYRILLIC SMALL LETTER KOPPA; koppacyrillic
15310 \DeclareTextCommand{\cyrkoppa}{PU}{\84\201}% U+0481
15311 % U+0482 CYRILLIC THOUSANDS SIGN; thousandcyrillic
15312 \DeclareTextCommand{\cyrthousands}{PU}{\84\202}% U+0482
\84\203: U+0483 COMBINING CYRILLIC TITLO; titlocyrilliccmb
\84\204: U+0484 COMBINING CYRILLIC PALATALIZATION; palatalizationcyril-
liccmb
\84\205: U+0485 COMBINING CYRILLIC DASIA PNEUMATA; dasiapneumata-
cyrilliccmb
\84\206: U+0486 COMBINING CYRILLIC PSILI PNEUMATA; psilipneumatacyril-
liccmb
\84\207: U+0487 COMBINING CYRILLIC POKRYTIE
\84\210: U+0488 COMBINING CYRILLIC HUNDRED THOUSANDS SIGN
\84\211: U+0489 COMBINING CYRILLIC MILLIONS SIGN

```

```

15313 % U+048A CYRILLIC CAPITAL LETTER SHORT I WITH TAIL
15314 \DeclareTextCommand{\CYRISHRTDSC}{PU}{\84\212}% U+048A
15315 % U+048B CYRILLIC SMALL LETTER SHORT I WITH TAIL
15316 \DeclareTextCommand{\cyrishrtdsc}{PU}{\84\213}% U+048B
15317 % U+048C CYRILLIC CAPITAL LETTER SEMISOFT SIGN
15318 \DeclareTextCommand{\CYRSEMISFTSN}{PU}{\84\214}% U+048C
15319 % U+048D CYRILLIC SMALL LETTER SEMISOFT SIGN
15320 \DeclareTextCommand{\cyrsemisftsn}{PU}{\84\215}% U+048D
15321 % U+048E CYRILLIC CAPITAL LETTER ER WITH TICK
15322 \DeclareTextCommand{\CYRRTICK}{PU}{\84\216}% U+048E
15323 % U+048F CYRILLIC SMALL LETTER ER WITH TICK
15324 \DeclareTextCommand{\cyrrtick}{PU}{\84\217}% U+048F
15325 % U+0490 CYRILLIC CAPITAL LETTER GHE WITH UPTURN; Gheupturn-
    cyrillic, *afii10050
15326 \DeclareTextCommand{\CYRGUP}{PU}{\84\220}% U+0490
15327 % U+0491 CYRILLIC SMALL LETTER GHE WITH UPTURN; *afii10098, ghe-
    upturncyrillic
15328 \DeclareTextCommand{\cyrgup}{PU}{\84\221}% U+0491
15329 % U+0492 CYRILLIC CAPITAL LETTER GHE WITH STROKE; Ghestroke-
    cyrillic
15330 \DeclareTextCommand{\CYRGHCRS}{PU}{\84\222}% U+0492
15331 % U+0493 CYRILLIC SMALL LETTER GHE WITH STROKE; ghstrokecyrillic
15332 \DeclareTextCommand{\cyrghcrs}{PU}{\84\223}% U+0493
15333 % U+0494 CYRILLIC CAPITAL LETTER GHE WITH MIDDLE HOOK; Ghemid-
    dlehookcyrillic
15334 \DeclareTextCommand{\CYRGHK}{PU}{\84\224}% U+0494
15335 % U+0495 CYRILLIC SMALL LETTER GHE WITH MIDDLE HOOK; ghemid-
    dlehookcyrillic
15336 \DeclareTextCommand{\cyrghk}{PU}{\84\225}% U+0495
15337 % U+0496 CYRILLIC CAPITAL LETTER ZHE WITH DESCENDER; zhdescen-
    derycyrillic
15338 \DeclareTextCommand{\CYRZHDSC}{PU}{\84\226}% U+0496
15339 % U+0497 CYRILLIC SMALL LETTER ZHE WITH DESCENDER; zhdescen-
    derycyrillic
15340 \DeclareTextCommand{\cyrzhdsc}{PU}{\84\227}% U+0497
15341 % U+0498 CYRILLIC CAPITAL LETTER ZE WITH DESCENDER; Zedescen-
    derycyrillic
15342 \DeclareTextCommand{\CYRZDSC}{PU}{\84\230}% U+0498
15343 \DeclareTextCompositeCommand{\c}{PU}{\CYRZ}{\84\230}% U+0498
15344 % U+0499 CYRILLIC SMALL LETTER ZE WITH DESCENDER; zedescender-
    cyrillic
15345 \DeclareTextCommand{\cyrzdsc}{PU}{\84\231}% U+0499
15346 \DeclareTextCompositeCommand{\c}{PU}{\cyrz}{\84\231}% U+0499
15347 % U+049A CYRILLIC CAPITAL LETTER KA WITH DESCENDER; Kadescen-
    derycyrillic
15348 \DeclareTextCommand{\CYRKDSC}{PU}{\84\232}% U+049A
15349 % U+049B CYRILLIC SMALL LETTER KA WITH DESCENDER; kadesender-
    cyrillic
15350 \DeclareTextCommand{\cyrkdsc}{PU}{\84\233}% U+049B
15351 % U+049C CYRILLIC CAPITAL LETTER KA WITH VERTICAL STROKE; Kaver-
    ticalstrokecyrillic
15352 \DeclareTextCommand{\CYRKVCRS}{PU}{\84\234}% U+049C
15353 % U+049D CYRILLIC SMALL LETTER KA WITH VERTICAL STROKE; kaver-
    ticalstrokecyrillic
15354 \DeclareTextCommand{\cyrkvcrs}{PU}{\84\235}% U+049D
15355 % U+049E CYRILLIC CAPITAL LETTER KA WITH STROKE; Kastrokecyrillic
15356 \DeclareTextCommand{\CYRKHCRS}{PU}{\84\236}% U+049E

```

```

15357 % U+049F CYRILLIC SMALL LETTER KA WITH STROKE; kastrokecyrillic
15358 \DeclareTextCommand{\cyrkhcrs}{PU}{\84\237}% U+049F
15359 % U+04A0 CYRILLIC CAPITAL LETTER BASHKIR KA; Kabashkircyrillic
15360 \DeclareTextCommand{\CYRKBEAK}{PU}{\84\240}% U+04A0
15361 % U+04A1 CYRILLIC SMALL LETTER BASHKIR KA; kabashkircyrillic
15362 \DeclareTextCommand{\cyrkbeak}{PU}{\84\241}% U+04A1
15363 % U+04A2 CYRILLIC CAPITAL LETTER EN WITH DESCENDER; Endescen-
      dercyrillic
15364 \DeclareTextCommand{\CYRNDSC}{PU}{\84\242}% U+04A2
15365 % U+04A3 CYRILLIC SMALL LETTER EN WITH DESCENDER; endescender-
      cyrillic
15366 \DeclareTextCommand{\cyrndsc}{PU}{\84\243}% U+04A3
15367 % U+04A4 CYRILLIC CAPITAL LIGATURE EN GHE; Enghecyrillic
15368 \DeclareTextCommand{\CYRNNG}{PU}{\84\244}% U+04A4
15369 % U+04A5 CYRILLIC SMALL LIGATURE EN GHE; enghecyrillic
15370 \DeclareTextCommand{\cyrng}{PU}{\84\245}% U+04A5
15371 % U+04A6 CYRILLIC CAPITAL LETTER PE WITH MIDDLE HOOK; Pemid-
      dlehookcyrillic
15372 \DeclareTextCommand{\CYRPHK}{PU}{\84\246}% U+04A6
15373 % U+04A7 CYRILLIC SMALL LETTER PE WITH MIDDLE HOOK; pemiddle-
      hookcyrillic
15374 \DeclareTextCommand{\cyrphk}{PU}{\84\247}% U+04A7
15375 % U+04A8 CYRILLIC CAPITAL LETTER ABKHASIAN HA; Haabkhasiancyril-
      lic
15376 \DeclareTextCommand{\CYRABHHA}{PU}{\84\250}% U+04A8
15377 % U+04A9 CYRILLIC SMALL LETTER ABKHASIAN HA; haabkhasiancyrillic
15378 \DeclareTextCommand{\cyrabhha}{PU}{\84\251}% U+04A9
15379 % U+04AA CYRILLIC CAPITAL LETTER ES WITH DESCENDER; Esdescen-
      dercyrillic
15380 \DeclareTextCommand{\CYRSDSC}{PU}{\84\252}% U+04AA
15381 \DeclareTextCompositeCommand{\CYRSDSC}{PU}{\CYRS}{\84\252}% U+04AA
15382 % U+04AB CYRILLIC SMALL LETTER ES WITH DESCENDER; esdescender-
      cyrillic
15383 \DeclareTextCommand{\cyrsdsc}{PU}{\84\253}% U+04AB
15384 \DeclareTextCompositeCommand{\k}{PU}{\cyrs}{\84\253}% U+04AB
15385 % U+04AC CYRILLIC CAPITAL LETTER TE WITH DESCENDER; Tedescen-
      dercyrillic
15386 \DeclareTextCommand{\CYRTDSC}{PU}{\84\254}% U+04AC
15387 % U+04AD CYRILLIC SMALL LETTER TE WITH DESCENDER; tedescender-
      cyrillic
15388 \DeclareTextCommand{\cyrtdsc}{PU}{\84\255}% U+04AD
15389 % U+04AE CYRILLIC CAPITAL LETTER STRAIGHT U; Ustraightcyrillic
15390 \DeclareTextCommand{\CYRY}{PU}{\84\256}% U+04AE
15391 % U+04AF CYRILLIC SMALL LETTER STRAIGHT U; ustraightcyrillic
15392 \DeclareTextCommand{\ciry}{PU}{\84\257}% U+04AF
15393 % U+04B0 CYRILLIC CAPITAL LETTER STRAIGHT U WITH STROKE; Us-
      straightstrokecyrillic
15394 \DeclareTextCommand{\CYRYHCRS}{PU}{\84\260}% U+04B0
15395 % U+04B1 CYRILLIC SMALL LETTER STRAIGHT U WITH STROKE; us-
      straightstrokecyrillic
15396 \DeclareTextCommand{\ciryhcrs}{PU}{\84\261}% U+04B1
15397 % U+04B2 CYRILLIC CAPITAL LETTER HA WITH DESCENDER; Hadescen-
      dercyrillic
15398 \DeclareTextCommand{\CYRHDESC}{PU}{\84\262}% U+04B2
15399 % U+04B3 CYRILLIC SMALL LETTER HA WITH DESCENDER; hadescender-
      cyrillic
15400 \DeclareTextCommand{\cyrhdsc}{PU}{\84\263}% U+04B3

```

15401 % U+04B4 CYRILLIC CAPITAL LIGATURE TE TSE; Tetsecyrillic
 15402 \DeclareTextCommand{\CYRTETSE}{PU}{\84\264}% U+04B4
 15403 % U+04B5 CYRILLIC SMALL LIGATURE TE TSE; tetsecyrillic
 15404 \DeclareTextCommand{\cyrtetse}{PU}{\84\265}% U+04B5
 15405 % U+04B6 CYRILLIC CAPITAL LETTER CHE WITH DESCENDER; Chedescen-
 derycyrillic
 15406 \DeclareTextCommand{\CYRCHRDSC}{PU}{\84\266}% U+04B6
 15407 % U+04B7 CYRILLIC SMALL LETTER CHE WITH DESCENDER; chedescen-
 derycyrillic
 15408 \DeclareTextCommand{\cyrchrdsc}{PU}{\84\267}% U+04B7
 15409 % U+04B8 CYRILLIC CAPITAL LETTER CHE WITH VERTICAL STROKE; Chev-
 ericalstrokecyrillic
 15410 \DeclareTextCommand{\CYRCHVCRS}{PU}{\84\270}% U+04B8
 15411 % U+04B9 CYRILLIC SMALL LETTER CHE WITH VERTICAL STROKE; chev-
 ericalstrokecyrillic
 15412 \DeclareTextCommand{\cyrchvcrs}{PU}{\84\271}% U+04B9
 15413 % U+04BA CYRILLIC CAPITAL LETTER SHHA; Shhacyrilllic
 15414 \DeclareTextCommand{\CYRSHHA}{PU}{\84\272}% U+04BA
 15415 % U+04BB CYRILLIC SMALL LETTER SHHA; shhacyrilllic
 15416 \DeclareTextCommand{\cyrshha}{PU}{\84\273}% U+04BB
 15417 % U+04BC CYRILLIC CAPITAL LETTER ABKHASIAN CHE; Cheabkhasian-
 cyrillic
 15418 \DeclareTextCommand{\CYRABHCH}{PU}{\84\274}% U+04BC
 15419 % U+04BD CYRILLIC SMALL LETTER ABKHASIAN CHE; cheabkhasiancyril-
 lic
 15420 \DeclareTextCommand{\cyrabhch}{PU}{\84\275}% U+04BD
 15421 % U+04BE CYRILLIC CAPITAL LETTER ABKHASIAN CHE WITH DESCEN-
 DER; Chedescenderabkhasiancyrillic
 15422 \DeclareTextCommand{\CYRABHHDSC}{PU}{\84\276}% U+04BE
 15423 \DeclareTextCompositeCommand{\k}{PU}{\CYRABHCH}{\84\276}% U+04BE
 15424 % U+04BF CYRILLIC SMALL LETTER ABKHASIAN CHE WITH DESCEN-
 DER; chedescenderabkhasiancyrillic
 15425 \DeclareTextCommand{\cyrabhchdsc}{PU}{\84\277}% U+04BF
 15426 \DeclareTextCompositeCommand{\k}{PU}{\cyrabhch}{\84\277}% U+04BF
 15427 % U+04C0 CYRILLIC LETTER PALOCHKA; palochkacyrillic
 15428 \DeclareTextCommand{\CYRpalocho}{PU}{\84\300}% U+04C0
 15429 % U+04C1 CYRILLIC CAPITAL LETTER ZHE WITH BREVE; Zhebrevecyrillic
 15430 \DeclareTextCompositeCommand{\U}{PU}{\CYRZH}{\84\301}% U+04C1
 15431 % U+04C2 CYRILLIC SMALL LETTER ZHE WITH BREVE; zhebrevecyrillic
 15432 \DeclareTextCompositeCommand{\U}{PU}{\cyrzh}{\84\302}% U+04C2
 15433 % U+04C3 CYRILLIC CAPITAL LETTER KA WITH HOOK; Kahookcyrillic
 15434 \DeclareTextCommand{\CYRKHK}{PU}{\84\303}% U+04C3
 15435 % U+04C4 CYRILLIC SMALL LETTER KA WITH HOOK; kahookcyrillic
 15436 \DeclareTextCommand{\cyrkhk}{PU}{\84\304}% U+04C4
 15437 % U+04C5 CYRILLIC CAPITAL LETTER EL WITH TAIL
 15438 \DeclareTextCommand{\CYRLDSC}{PU}{\84\305}% U+04C5
 15439 % U+04C6 CYRILLIC SMALL LETTER EL WITH TAIL
 15440 \DeclareTextCommand{\cyrldsc}{PU}{\84\306}% U+04C6
 15441 % U+04C7 CYRILLIC CAPITAL LETTER EN WITH HOOK; Enhockcyrillic
 15442 \DeclareTextCommand{\CYRNHK}{PU}{\84\307}% U+04C7
 15443 % U+04C8 CYRILLIC SMALL LETTER EN WITH HOOK; enhockcyrillic
 15444 \DeclareTextCommand{\cyrnhk}{PU}{\84\310}% U+04C8
 15445 % U+04CB CYRILLIC CAPITAL LETTER KHAKASSIAN CHE; Chekhakassian-
 cyrillic
 15446 \DeclareTextCommand{\CYRCHLDSC}{PU}{\84\313}% U+04CB
 15447 % U+04CC CYRILLIC SMALL LETTER KHAKASSIAN CHE; chekhakassian-
 cyrillic

```

15448 \DeclareTextCommand{\cyrchldsc}{PU}{\U{84}\U{314}}% U+04CC
15449 % U+04CD CYRILLIC CAPITAL LETTER EM WITH TAIL
15450 \DeclareTextCommand{\CYRMDSC}{PU}{\U{84}\U{315}}% U+04CD
15451 % U+04CE CYRILLIC SMALL LETTER EM WITH TAIL
15452 \DeclareTextCommand{\cyrmndsc}{PU}{\U{84}\U{316}}% U+04CE
\U{84}\U{317}: U+04CF CYRILLIC SMALL LETTER PALOCHKA
15453 % U+04D0 CYRILLIC CAPITAL LETTER A WITH BREVE; Abrevecyrillic
15454 \DeclareTextCompositeCommand{\U}{PU}{\CYRA}{\U{84}\U{320}}% U+04D0
15455 % U+04D1 CYRILLIC SMALL LETTER A WITH BREVE; abrevecyrillic
15456 \DeclareTextCompositeCommand{\U}{PU}{\cyra}{\U{84}\U{321}}% U+04D1
15457 % U+04D2 CYRILLIC CAPITAL LETTER A WITH DIAERESIS; Adieresiscyril-
    lic
15458 \DeclareTextCompositeCommand{\U}{PU}{\CYRA}{\U{84}\U{322}}% U+04D2
15459 % U+04D3 CYRILLIC SMALL LETTER A WITH DIAERESIS; adieresiscyrillic
15460 \DeclareTextCompositeCommand{\U}{PU}{\cyra}{\U{84}\U{323}}% U+04D3
15461 % U+04D4 CYRILLIC CAPITAL LIGATURE A IE; Aiecyrillic
15462 \DeclareTextCommand{\CYRAE}{PU}{\U{84}\U{324}}% U+04D4
15463 % U+04D5 CYRILLIC SMALL LIGATURE A IE; aiecyrillic
15464 \DeclareTextCommand{\cyrae}{PU}{\U{84}\U{325}}% U+04D5
15465 % U+04D6 CYRILLIC CAPITAL LETTER IE WITH BREVE; Ie brevecyrillic
15466 \DeclareTextCompositeCommand{\U}{PU}{\CYRE}{\U{84}\U{326}}% U+04D6
15467 % U+04D7 CYRILLIC SMALL LETTER IE WITH BREVE; i e brevecyrillic
15468 \DeclareTextCompositeCommand{\U}{PU}{\cyre}{\U{84}\U{327}}% U+04D7
15469 % U+04D8 CYRILLIC CAPITAL LETTER SCHWA; Schwacyrillic
15470 \DeclareTextCommand{\CYRSCHWA}{PU}{\U{84}\U{330}}% U+04D8
15471 % U+04D9 CYRILLIC SMALL LETTER SCHWA; *afii10846, schwacyrillic
15472 \DeclareTextCommand{\cryscha}{PU}{\U{84}\U{331}}% U+04D9
15473 % U+04DA CYRILLIC CAPITAL LETTER SCHWA WITH DIAERESIS; Schwadiere-
    siscyrillic
15474 \DeclareTextCompositeCommand{\U}{PU}{\CYRSCHWA}{\U{84}\U{332}}% U+04DA
15475 % U+04DB CYRILLIC SMALL LETTER SCHWA WITH DIAERESIS; schwadiere-
    siscyrillic
15476 \DeclareTextCompositeCommand{\U}{PU}{\cryscha}{\U{84}\U{333}}% U+04DB
15477 % U+04DC CYRILLIC CAPITAL LETTER ZHE WITH DIAERESIS; Zhdieres-
    siscyrillic
15478 \DeclareTextCompositeCommand{\U}{PU}{\CYRZH}{\U{84}\U{334}}% U+04DC
15479 % U+04DD CYRILLIC SMALL LETTER ZHE WITH DIAERESIS; zhdi eresis-
    cyrillic
15480 \DeclareTextCompositeCommand{\U}{PU}{\cyrzh}{\U{84}\U{335}}% U+04DD
15481 % U+04DE CYRILLIC CAPITAL LETTER ZE WITH DIAERESIS; Zedieresis-
    cyrillic
15482 \DeclareTextCompositeCommand{\U}{PU}{\CYRZ}{\U{84}\U{336}}% U+04DE
15483 % U+04DF CYRILLIC SMALL LETTER ZE WITH DIAERESIS; zedieresiscyrillic
15484 \DeclareTextCompositeCommand{\U}{PU}{\cyrz}{\U{84}\U{337}}% U+04DF
15485 % U+04E0 CYRILLIC CAPITAL LETTER ABKHASIAN DZE; Dze abkhasian-
    cyrillic
15486 \DeclareTextCommand{\CYRABHDZE}{PU}{\U{84}\U{340}}% U+04E0
15487 % U+04E1 CYRILLIC SMALL LETTER ABKHASIAN DZE; dze abkhasian cyrillic
15488 \DeclareTextCommand{\cyrabhdze}{PU}{\U{84}\U{341}}% U+04E1
15489 % U+04E2 CYRILLIC CAPITAL LETTER I WITH MACRON; Imacroncyrillic
15490 \DeclareTextCompositeCommand{\=I}{PU}{\CYRI}{\U{84}\U{342}}% U+04E2
15491 % U+04E3 CYRILLIC SMALL LETTER I WITH MACRON; imacroncyrillic
15492 \DeclareTextCompositeCommand{\=I}{PU}{\cyri}{\U{84}\U{343}}% U+04E3
15493 % U+04E4 CYRILLIC CAPITAL LETTER I WITH DIAERESIS; Idieresiscyrillic
15494 \DeclareTextCompositeCommand{\=I}{PU}{\CYRI}{\U{84}\U{344}}% U+04E4
15495 % U+04E5 CYRILLIC SMALL LETTER I WITH DIAERESIS; idieresiscyrillic
15496 \DeclareTextCompositeCommand{\=I}{PU}{\cyri}{\U{84}\U{345}}% U+04E5

```

15497 % U+04E6 CYRILLIC CAPITAL LETTER O WITH DIAERESIS; Odieresiscyrillic
 15498 \DeclareTextCompositeCommand{"}{PU}{\CYRO}{\84\346}% U+04E6
 15499 % U+04E7 CYRILLIC SMALL LETTER O WITH DIAERESIS; odieresiscyrillic
 15500 \DeclareTextCompositeCommand{"}{PU}{\cyro}{\84\347}% U+04E7
 15501 % U+04E8 CYRILLIC CAPITAL LETTER BARRED O; Obarredcyrillic
 15502 \DeclareTextCommand{\CYROTLD}{PU}{\84\350}% U+04E8
 15503 % U+04E9 CYRILLIC SMALL LETTER BARRED O; obarredcyrillic
 15504 \DeclareTextCommand{\cyrotld}{PU}{\84\351}% U+04E9
 15505 % U+04EA CYRILLIC CAPITAL LETTER BARRED O WITH DIAERESIS; Obarreddieresiscyrillic
 15506 \DeclareTextCompositeCommand{"}{PU}{\CYROTLD}{\84\352}% U+04EA
 15507 % U+04EB CYRILLIC SMALL LETTER BARRED O WITH DIAERESIS; obarred-
 dieresiscyrillic
 15508 \DeclareTextCompositeCommand{"}{PU}{\cyrotld}{\84\353}% U+04EB
 15509 % U+04EC CYRILLIC CAPITAL LETTER E WITH DIAERESIS
 15510 \DeclareTextCompositeCommand{"}{PU}{\CYREREV}{\84\354}% U+04EC
 15511 % U+04ED CYRILLIC SMALL LETTER E WITH DIAERESIS
 15512 \DeclareTextCompositeCommand{"}{PU}{\cyreref}{\84\355}% U+04ED
 15513 % U+04EE CYRILLIC CAPITAL LETTER U WITH MACRON; Umacroncyrillic
 15514 \DeclareTextCompositeCommand{=}{PU}{\CYRU}{\84\356}% U+04EE
 15515 % U+04EF CYRILLIC SMALL LETTER U WITH MACRON; umacroncyrillic
 15516 \DeclareTextCompositeCommand{=}{PU}{\cyrus}{\84\357}% U+04EF
 15517 % U+04F0 CYRILLIC CAPITAL LETTER U WITH DIAERESIS; Udieresiscyrillic
 15518 \DeclareTextCompositeCommand{"}{PU}{\CYRU}{\84\360}% U+04F0
 15519 % U+04F1 CYRILLIC SMALL LETTER U WITH DIAERESIS; udieresiscyrillic
 15520 \DeclareTextCompositeCommand{"}{PU}{\cyrus}{\84\361}% U+04F1
 15521 % U+04F2 CYRILLIC CAPITAL LETTER U WITH DOUBLE ACUTE; Uhun-
 garumlautcyrillic
 15522 \DeclareTextCompositeCommand{H}{PU}{\CYRU}{\84\362}% U+04F2
 15523 % U+04F3 CYRILLIC SMALL LETTER U WITH DOUBLE ACUTE; uhun-
 garumlautcyrillic
 15524 \DeclareTextCompositeCommand{H}{PU}{\cyrus}{\84\363}% U+04F3
 15525 % U+04F4 CYRILLIC CAPITAL LETTER CHE WITH DIAERESIS; Chediere-
 siscyrillic
 15526 \DeclareTextCompositeCommand{"}{PU}{\CYRCH}{\84\364}% U+04F4
 15527 % U+04F5 CYRILLIC SMALL LETTER CHE WITH DIAERESIS; chedieres-
 cyrillic
 15528 \DeclareTextCompositeCommand{"}{PU}{\cyrch}{\84\365}% U+04F5
 15529 % U+04F6 CYRILLIC CAPITAL LETTER GHE WITH DESCENDER
 15530 \DeclareTextCommand{\CYRGDSC}{PU}{\84\366}% U+04F6
 15531 % U+04F7 CYRILLIC SMALL LETTER GHE WITH DESCENDER
 15532 \DeclareTextCommand{\cyrgdsc}{PU}{\84\367}% U+04F7
 15533 % U+04F8 CYRILLIC CAPITAL LETTER YERU WITH DIAERESIS; Yerudiere-
 siscyrillic
 15534 \DeclareTextCompositeCommand{"}{PU}{\CYRERY}{\84\370}% U+04F8
 15535 % U+04F9 CYRILLIC SMALL LETTER YERU WITH DIAERESIS; yerudiere-
 siscyrillic
 15536 \DeclareTextCompositeCommand{"}{PU}{\cyrery}{\84\371}% U+04F9
 \84\372: U+04FA CYRILLIC CAPITAL LETTER GHE WITH STROKE AND HOOK
 \84\373: U+04FB CYRILLIC SMALL LETTER GHE WITH STROKE AND HOOK
 15537 % U+04FC CYRILLIC CAPITAL LETTER HA WITH HOOK
 15538 \DeclareTextCommand{\CYRHHK}{PU}{\84\374}% U+04FC
 15539 % U+04FD CYRILLIC SMALL LETTER HA WITH HOOK
 15540 \DeclareTextCommand{\cyrhhk}{PU}{\84\375}% U+04FD

\84\376: U+04FE CYRILLIC CAPITAL LETTER HA WITH STROKE
\84\377: U+04FF CYRILLIC SMALL LETTER HA WITH STROKE

50.2.10 Thai: U+0E00 to U+0E7F

15541 % U+0E3F THAI CURRENCY SYMBOL BAHT; bahthai
15542 \DeclareTextCommand{\textbaht}{PU}{\9016\077} % U+0E3F

50.2.11 Latin Extended Additional: U+1E00 to U+1EFF

15543 % U+1E02 LATIN CAPITAL LETTER B WITH DOT ABOVE; Bdotaccent
15544 \DeclareTextCompositeCommand{.}{PU}{B}{\9036\002} % U+1E02
15545 % U+1E03 LATIN SMALL LETTER B WITH DOT ABOVE; bdotaccent
15546 \DeclareTextCompositeCommand{.}{PU}{b}{\9036\003} % U+1E03
15547 % U+1E06 LATIN CAPITAL LETTER B WITH LINE BELOW; Blinebelow
15548 \DeclareTextCompositeCommand{b}{PU}{B}{\9036\006} % U+1E06
15549 % U+1E07 LATIN SMALL LETTER B WITH LINE BELOW; blinebelow
15550 \DeclareTextCompositeCommand{b}{PU}{b}{\9036\007} % U+1E07
15551 % U+1E0A LATIN CAPITAL LETTER D WITH DOT ABOVE; Ddotaccent
15552 \DeclareTextCompositeCommand{.}{PU}{D}{\9036\012} % U+1E0A
15553 % U+1E0B LATIN SMALL LETTER D WITH DOT ABOVE; ddotaccent
15554 \DeclareTextCompositeCommand{.}{PU}{d}{\9036\013} % U+1E0B
15555 % U+1E0E LATIN CAPITAL LETTER D WITH LINE BELOW; Dlinebelow
15556 \DeclareTextCompositeCommand{b}{PU}{D}{\9036\016} % U+1E0E
15557 % U+1E0F LATIN SMALL LETTER D WITH LINE BELOW; dlinebelow
15558 \DeclareTextCompositeCommand{b}{PU}{d}{\9036\017} % U+1E0F
15559 % U+1E10 LATIN CAPITAL LETTER D WITH CEDILLA; Dcedilla
15560 \DeclareTextCompositeCommand{c}{PU}{D}{\9036\020} % U+1E10
15561 % U+1E11 LATIN SMALL LETTER D WITH CEDILLA; dcedilla
15562 \DeclareTextCompositeCommand{c}{PU}{d}{\9036\021} % U+1E11
15563 % U+1E1E LATIN CAPITAL LETTER F WITH DOT ABOVE; Fdotaccent
15564 \DeclareTextCompositeCommand{.}{PU}{F}{\9036\036} % U+1E1E
15565 % U+1E1F LATIN SMALL LETTER F WITH DOT ABOVE; fdotaccent
15566 \DeclareTextCompositeCommand{.}{PU}{f}{\9036\037} % U+1E1F
15567 % U+1E20 LATIN CAPITAL LETTER G WITH MACRON; Gmacron
15568 \DeclareTextCompositeCommand{=}{PU}{G}{\9036\040} % U+1E20
15569 % U+1E21 LATIN SMALL LETTER G WITH MACRON; gmacron
15570 \DeclareTextCompositeCommand{=}{PU}{g}{\9036\041} % U+1E21
15571 % U+1E22 LATIN CAPITAL LETTER H WITH DOT ABOVE; Hdotaccent
15572 \DeclareTextCompositeCommand{.}{PU}{H}{\9036\042} % U+1E22
15573 % U+1E23 LATIN SMALL LETTER H WITH DOT ABOVE; hdotaccent
15574 \DeclareTextCompositeCommand{.}{PU}{h}{\9036\043} % U+1E23
15575 % U+1E26 LATIN CAPITAL LETTER H WITH DIAERESIS; Hdieresis
15576 \DeclareTextCompositeCommand{"}{PU}{H}{\9036\046} % U+1E26
15577 % U+1E27 LATIN SMALL LETTER H WITH DIAERESIS; hdieresis
15578 \DeclareTextCompositeCommand{"}{PU}{h}{\9036\047} % U+1E27
15579 % U+1E28 LATIN CAPITAL LETTER H WITH CEDILLA; Hcedilla
15580 \DeclareTextCompositeCommand{c}{PU}{H}{\9036\050} % U+1E28
15581 % U+1E29 LATIN SMALL LETTER H WITH CEDILLA; hcedilla
15582 \DeclareTextCompositeCommand{c}{PU}{h}{\9036\051} % U+1E29
15583 % U+1E30 LATIN CAPITAL LETTER K WITH ACUTE; Kacute
15584 \DeclareTextCompositeCommand{'}{PU}{K}{\9036\060} % U+1E30
15585 % U+1E31 LATIN SMALL LETTER K WITH ACUTE; kacute
15586 \DeclareTextCompositeCommand{'}{PU}{k}{\9036\061} % U+1E31
15587 % U+1E34 LATIN CAPITAL LETTER K WITH LINE BELOW; Klinebelow
15588 \DeclareTextCompositeCommand{b}{PU}{K}{\9036\064} % U+1E34
15589 % U+1E35 LATIN SMALL LETTER K WITH LINE BELOW; klinebelow
15590 \DeclareTextCompositeCommand{b}{PU}{k}{\9036\065} % U+1E35

```

15591 % U+1E3A LATIN CAPITAL LETTER L WITH LINE BELOW; Llinebelow
15592 \DeclareTextCompositeCommand{\b}{PU}{L}{\9036\072}% U+1E3A
15593 % U+1E3B LATIN SMALL LETTER L WITH LINE BELOW; llinebelow
15594 \DeclareTextCompositeCommand{\b}{PU}{l}{\9036\073}% U+1E3B
15595 % U+1E3E LATIN CAPITAL LETTER M WITH ACUTE; Macute
15596 \DeclareTextCompositeCommand{\v}{PU}{M}{\9036\076}% U+1E3E
15597 % U+1E3F LATIN SMALL LETTER M WITH ACUTE; macute
15598 \DeclareTextCompositeCommand{\v}{PU}{m}{\9036\077}% U+1E3F
15599 % U+1E40 LATIN CAPITAL LETTER M WITH DOT ABOVE; Mdotaccent
15600 \DeclareTextCompositeCommand{\.}{PU}{M}{\9036\100}% U+1E40
15601 % U+1E41 LATIN SMALL LETTER M WITH DOT ABOVE; mdotaccent
15602 \DeclareTextCompositeCommand{\.}{PU}{m}{\9036\101}% U+1E41
15603 % U+1E44 LATIN CAPITAL LETTER N WITH DOT ABOVE; Ndotaccent
15604 \DeclareTextCompositeCommand{\.}{PU}{N}{\9036\104}% U+1E44
15605 % U+1E45 LATIN SMALL LETTER N WITH DOT ABOVE; ndotaccent
15606 \DeclareTextCompositeCommand{\.}{PU}{n}{\9036\105}% U+1E45
15607 % U+1E48 LATIN CAPITAL LETTER N WITH LINE BELOW; Nlinebelow
15608 \DeclareTextCompositeCommand{\b}{PU}{N}{\9036\110}% U+1E48
15609 % U+1E49 LATIN SMALL LETTER N WITH LINE BELOW; nlinebelow
15610 \DeclareTextCompositeCommand{\b}{PU}{n}{\9036\111}% U+1E49
15611 % U+1E54 LATIN CAPITAL LETTER P WITH ACUTE; Pacute
15612 \DeclareTextCompositeCommand{\v}{PU}{P}{\9036\124}% U+1E54
15613 % U+1E55 LATIN SMALL LETTER P WITH ACUTE; pacute
15614 \DeclareTextCompositeCommand{\v}{PU}{p}{\9036\125}% U+1E55
15615 % U+1E56 LATIN CAPITAL LETTER P WITH DOT ABOVE; Pdotaccent
15616 \DeclareTextCompositeCommand{\.}{PU}{P}{\9036\126}% U+1E56
15617 % U+1E57 LATIN SMALL LETTER P WITH DOT ABOVE; pdotaccent
15618 \DeclareTextCompositeCommand{\.}{PU}{p}{\9036\127}% U+1E57
15619 % U+1E58 LATIN CAPITAL LETTER R WITH DOT ABOVE; Rdotaccent
15620 \DeclareTextCompositeCommand{\.}{PU}{R}{\9036\130}% U+1E58
15621 % U+1E59 LATIN SMALL LETTER R WITH DOT ABOVE; rdotaccent
15622 \DeclareTextCompositeCommand{\.}{PU}{r}{\9036\131}% U+1E59
15623 % U+1E5E LATIN CAPITAL LETTER R WITH LINE BELOW; Rlinebelow
15624 \DeclareTextCompositeCommand{\b}{PU}{R}{\9036\136}% U+1E5E
15625 % U+1E5F LATIN SMALL LETTER R WITH LINE BELOW; rlinebelow
15626 \DeclareTextCompositeCommand{\b}{PU}{r}{\9036\137}% U+1E5F
15627 % U+1E60 LATIN CAPITAL LETTER S WITH DOT ABOVE; Sdotaccent
15628 \DeclareTextCompositeCommand{\.}{PU}{S}{\9036\140}% U+1E60
15629 % U+1E61 LATIN SMALL LETTER S WITH DOT ABOVE; sdotaccent
15630 \DeclareTextCompositeCommand{\.}{PU}{s}{\9036\141}% U+1E61
15631 % U+1E6E LATIN CAPITAL LETTER T WITH LINE BELOW; Tlinebelow
15632 \DeclareTextCompositeCommand{\b}{PU}{T}{\9036\156}% U+1E6E
15633 % U+1E6F LATIN SMALL LETTER T WITH LINE BELOW; tlinebelow
15634 \DeclareTextCompositeCommand{\b}{PU}{t}{\9036\157}% U+1E6F
15635 % U+1E7C LATIN CAPITAL LETTER V WITH TILDE; Vtilde
15636 \DeclareTextCompositeCommand{\~}{PU}{V}{\9036\174}% U+1E7C
15637 % U+1E7D LATIN SMALL LETTER V WITH TILDE; vtilde
15638 \DeclareTextCompositeCommand{\~}{PU}{v}{\9036\175}% U+1E7D
15639 % U+1E80 LATIN CAPITAL LETTER W WITH GRAVE; Wgrave
15640 \DeclareTextCompositeCommand{\v}{PU}{W}{\9036\200}% U+1E80
15641 % U+1E81 LATIN SMALL LETTER W WITH GRAVE; wgrave
15642 \DeclareTextCompositeCommand{\v}{PU}{w}{\9036\201}% U+1E81
15643 % U+1E82 LATIN CAPITAL LETTER W WITH ACUTE; Wacute
15644 \DeclareTextCompositeCommand{\v}{PU}{W}{\9036\202}% U+1E82
15645 % U+1E83 LATIN SMALL LETTER W WITH ACUTE; wacute
15646 \DeclareTextCompositeCommand{\v}{PU}{w}{\9036\203}% U+1E83
15647 % U+1E84 LATIN CAPITAL LETTER W WITH DIAERESIS; Wdieresis

```

```

15648 \DeclareTextCompositeCommand{\\"}{PU}{W}{\9036\204}% U+1E84
15649 % U+1E85 LATIN SMALL LETTER W WITH DIAERESIS; wdieresis
15650 \DeclareTextCompositeCommand{\\"}{PU}{w}{\9036\205}% U+1E85
15651 % U+1E86 LATIN CAPITAL LETTER W WITH DOT ABOVE; wdotaccent
15652 \DeclareTextCompositeCommand{\.\.}{PU}{W}{\9036\206}% U+1E86
15653 % U+1E87 LATIN SMALL LETTER W WITH DOT ABOVE; wdotaccent
15654 \DeclareTextCompositeCommand{\.\.}{PU}{w}{\9036\207}% U+1E87
15655 % U+1E8A LATIN CAPITAL LETTER X WITH DOT ABOVE; Xdotaccent
15656 \DeclareTextCompositeCommand{\.\.}{PU}{X}{\9036\212}% U+1E8A
15657 % U+1E8B LATIN SMALL LETTER X WITH DOT ABOVE; xdotaccent
15658 \DeclareTextCompositeCommand{\.\.}{PU}{x}{\9036\213}% U+1E8B
15659 % U+1E8C LATIN CAPITAL LETTER X WITH DIAERESIS; Xdieresis
15660 \DeclareTextCompositeCommand{\\"}{PU}{X}{\9036\214}% U+1E8C
15661 % U+1E8D LATIN SMALL LETTER X WITH DIAERESIS; xdieresis
15662 \DeclareTextCompositeCommand{\\"}{PU}{x}{\9036\215}% U+1E8D
15663 % U+1E8E LATIN CAPITAL LETTER Y WITH DOT ABOVE; Ydotaccent
15664 \DeclareTextCompositeCommand{\.\.}{PU}{Y}{\9036\216}% U+1E8E
15665 % U+1E8F LATIN SMALL LETTER Y WITH DOT ABOVE; ydotaccent
15666 \DeclareTextCompositeCommand{\.\.}{PU}{y}{\9036\217}% U+1E8F
15667 % U+1E90 LATIN CAPITAL LETTER Z WITH CIRCUMFLEX; Zcircumflex
15668 \DeclareTextCompositeCommand{\^}{PU}{Z}{\9036\220}% U+1E90
15669 % U+1E91 LATIN SMALL LETTER Z WITH CIRCUMFLEX; zcircumflex
15670 \DeclareTextCompositeCommand{\^}{PU}{z}{\9036\221}% U+1E91
15671 % U+1E94 LATIN CAPITAL LETTER Z WITH LINE BELOW; Zlinebelow
15672 \DeclareTextCompositeCommand{\b}{PU}{Z}{\9036\224}% U+1E94
15673 % U+1E95 LATIN SMALL LETTER Z WITH LINE BELOW; zlinebelow
15674 \DeclareTextCompositeCommand{\b}{PU}{z}{\9036\225}% U+1E95
15675 % U+1E96 LATIN SMALL LETTER H WITH LINE BELOW; hlinebelow
15676 \DeclareTextCompositeCommand{\b}{PU}{h}{\9036\226}% U+1E96
15677 % U+1E97 LATIN SMALL LETTER T WITH DIAERESIS; tdieresis
15678 \DeclareTextCompositeCommand{\\"}{PU}{t}{\9036\227}% U+1E97
15679 % U+1E98 LATIN SMALL LETTER W WITH RING ABOVE; wring
15680 \DeclareTextCompositeCommand{\r}{PU}{w}{\9036\230}% U+1E98
15681 % U+1E99 LATIN SMALL LETTER Y WITH RING ABOVE; yring
15682 \DeclareTextCompositeCommand{\r}{PU}{y}{\9036\231}% U+1E99
15683 % U+1E9B LATIN SMALL LETTER LONG S WITH DOT ABOVE; slongdotaccent
15684 \DeclareTextCompositeCommand{\.\.}{PU}{\textlongs}{\9036\233}% U+1E9B
15685 % U+1EBC LATIN CAPITAL LETTER E WITH TILDE; Etilde
15686 \DeclareTextCompositeCommand{\~}{PU}{E}{\9036\274}% U+1EBC
15687 % U+1EBD LATIN SMALL LETTER E WITH TILDE; etilde
15688 \DeclareTextCompositeCommand{\~}{PU}{e}{\9036\275}% U+1EBD
15689 % U+1EF2 LATIN CAPITAL LETTER Y WITH GRAVE; Ygrave
15690 \DeclareTextCompositeCommand{\`}{PU}{Y}{\9036\362}% U+1EF2
15691 % U+1EF3 LATIN SMALL LETTER Y WITH GRAVE; ygrave
15692 \DeclareTextCompositeCommand{\`}{PU}{y}{\9036\363}% U+1EF3
15693 % U+1EF8 LATIN CAPITAL LETTER Y WITH TILDE; Ytilde
15694 \DeclareTextCompositeCommand{\~}{PU}{Y}{\9036\370}% U+1EF8
15695 % U+1EF9 LATIN SMALL LETTER Y WITH TILDE; ytilde
15696 \DeclareTextCompositeCommand{\~}{PU}{y}{\9036\371}% U+1EF9

```

50.2.12 General Punctuation: U+2000 to U+206F

```

15697 % U+200C ZERO WIDTH NON-JOINER; *af61664, zerowidthnonjoiner
15698 \DeclareTextCommand{\textcompwordmark}{PU}{\9040\014}% U+200C
15699 % U+2013 EN DASH; endash
15700 \DeclareTextCommand{\textendash}{PU}{\9040\023}% U+2013
15701 % U+2014 EM DASH; emdash

```

```

15702 \DeclareTextCommand{\textemdash}{PU}{\9040\024}% U+2014
15703 % U+2016 DOUBLE VERTICAL LINE; dblverticalbar
15704 \DeclareTextCommand{\textbardbl}{PU}{\9040\026}% U+2016
15705 % U+2018 LEFT SINGLE QUOTATION MARK; quoteleft
15706 \DeclareTextCommand{\textquotel}{PU}{\9040\030}% U+2018
15707 % U+2019 RIGHT SINGLE QUOTATION MARK; quoteright
15708 \DeclareTextCommand{\textquoter}{PU}{\9040\031}% U+2019
15709 % U+201A SINGLE LOW-9 QUOTATION MARK; quotesinglbase
15710 \DeclareTextCommand{\quotesinglbase}{PU}{\9040\032}% U+201A
15711 % U+201C LEFT DOUBLE QUOTATION MARK; quotedblleft
15712 \DeclareTextCommand{\textquotedblleft}{PU}{\9040\034}% U+201C
15713 % U+201D RIGHT DOUBLE QUOTATION MARK; quotedblrigh
15714 \DeclareTextCommand{\textquotedblright}{PU}{\9040\035}% U+201D
15715 % U+201E DOUBLE LOW-9 QUOTATION MARK; quotedblbase
15716 \DeclareTextCommand{\quotedblbase}{PU}{\9040\036}% U+201E
15717 % U+2020 DAGGER; dagger
15718 \DeclareTextCommand{\textdagger}{PU}{\9040\040}% U+2020
15719 % U+2021 DOUBLE DAGGER; daggerdbl
15720 \DeclareTextCommand{\textdaggerdbl}{PU}{\9040\041}% U+2021
15721 % U+2022 BULLET; bullet
15722 \DeclareTextCommand{\textbullet}{PU}{\9040\042}% U+2022
15723 % U+2026 HORIZONTAL ELLIPSIS; ellipsis
15724 \DeclareTextCommand{\textellipsis}{PU}{\9040\046}% U+2026
15725 % U+2030 PER MILLE SIGN; perthousand
15726 \DeclareTextCommand{\textperthousand}{PU}{\9040\060}% U+2030
15727 % U+2031 PER TEN THOUSAND SIGN
15728 \DeclareTextCommand{\textpertenthousand}{PU}{\9040\061}% U+2031
15729 % U+2039 SINGLE LEFT-POINTING ANGLE QUOTATION MARK; guils-
    inglleft
15730 \DeclareTextCommand{\guilsinglleft}{PU}{\9040\071}% U+2039
15731 % U+203A SINGLE RIGHT-POINTING ANGLE QUOTATION MARK; guils-
    inglright
15732 \DeclareTextCommand{\guilsinglright}{PU}{\9040\072}% U+203A
15733 % U+203B REFERENCE MARK; referencemark
15734 \DeclareTextCommand{\textreferencemark}{PU}{\9040\073}% U+203B
15735 % U+203D INTERROBANG
15736 \DeclareTextCommand{\textinterrobang}{PU}{\9040\075}% U+203D
15737 % U+2044 FRACTION SLASH; fraction
15738 \DeclareTextCommand{\textfractionsolidus}{PU}{\9040\104}% U+2044
15739 % U+2045 LEFT SQUARE BRACKET WITH QUILL
15740 \DeclareTextCommand{\textlquill}{PU}{\9040\105}% U+2045
15741 % U+2046 RIGHT SQUARE BRACKET WITH QUILL
15742 \DeclareTextCommand{\textrquill}{PU}{\9040\106}% U+2046
15743 % U+2052 COMMERCIAL MINUS SIGN
15744 \DeclareTextCommand{\textdiscount}{PU}{\9040\122}% U+2052

```

50.2.13 Superscripts and Subscripts: U+2070 to U+209F

```

15745 % U+2070 SUPERSCRIPT ZERO; zerosuperior
15746 \DeclareTextCommand{\textzerosuperior}{PU}{\9040\160}% U+2070
15747 % U+2074 SUPERSCRIPT FOUR; foursuperior
15748 \DeclareTextCommand{\textfoursuperior}{PU}{\9040\164}% U+2074
15749 % U+2075 SUPERSCRIPT FIVE; fivesuperior
15750 \DeclareTextCommand{\textfivesuperior}{PU}{\9040\165}% U+2075
15751 % U+2076 SUPERSCRIPT SIX; sixsuperior
15752 \DeclareTextCommand{\textsixsuperior}{PU}{\9040\166}% U+2076
15753 % U+2077 SUPERSCRIPT SEVEN; sevensuperior
15754 \DeclareTextCommand{\textsevensuperior}{PU}{\9040\167}% U+2077

```

```

15755 % U+2078 SUPERSCRIPT EIGHT; eightsuperior
15756 \DeclareTextCommand{\texteightsuperior}{PU}{\textnormal{U+2078}}
15757 % U+2079 SUPERSCRIPT NINE; ninesuperior
15758 \DeclareTextCommand{\textninesuperior}{PU}{\textnormal{U+2079}}
15759 % U+207A SUPERSCRIPT PLUS SIGN; plussuperior
15760 \DeclareTextCommand{\textplussuperior}{PU}{\textnormal{U+207A}}
15761 % U+207B SUPERSCRIPT MINUS
15762 \DeclareTextCommand{\textminussuperior}{PU}{\textnormal{U+207B}}
15763 % U+207C SUPERSCRIPT EQUALS SIGN; equalsuperior
15764 \DeclareTextCommand{\textequalsuperior}{PU}{\textnormal{U+207C}}
15765 % U+207D SUPERSCRIPT LEFT PARENTHESIS; parenleftsuperior
15766 \DeclareTextCommand{\textparenleftsuperior}{PU}{\textnormal{U+207D}}
15767 % U+207E SUPERSCRIPT RIGHT PARENTHESIS; parenrightsuperior
15768 \DeclareTextCommand{\textparenrightsuperior}{PU}{\textnormal{U+207E}}
15769 % U+207F SUPERSCRIPT LATIN SMALL LETTER N; nsuperior
15770 \DeclareTextCommand{\textnsuperior}{PU}{\textnormal{U+207F}}
15771 % U+2080 SUBSCRIPT ZERO; zeroinferior
15772 \DeclareTextCommand{\textzeroinferior}{PU}{\textnormal{U+2080}}
15773 % U+2081 SUBSCRIPT ONE; oneinferior
15774 \DeclareTextCommand{\textoneinferior}{PU}{\textnormal{U+2081}}
15775 % U+2082 SUBSCRIPT TWO; twoinferior
15776 \DeclareTextCommand{\texttwoinferior}{PU}{\textnormal{U+2082}}
15777 % U+2083 SUBSCRIPT THREE; threeinferior
15778 \DeclareTextCommand{\textthreeinferior}{PU}{\textnormal{U+2083}}
15779 % U+2084 SUBSCRIPT FOUR; fourinferior
15780 \DeclareTextCommand{\textfourinferior}{PU}{\textnormal{U+2084}}
15781 % U+2085 SUBSCRIPT FIVE; fiveinferior
15782 \DeclareTextCommand{\textfiveinferior}{PU}{\textnormal{U+2085}}
15783 % U+2086 SUBSCRIPT SIX; sixinferior
15784 \DeclareTextCommand{\textsixinferior}{PU}{\textnormal{U+2086}}
15785 % U+2087 SUBSCRIPT SEVEN; seveninferior
15786 \DeclareTextCommand{\textseveninferior}{PU}{\textnormal{U+2087}}
15787 % U+2088 SUBSCRIPT EIGHT; eightinferior
15788 \DeclareTextCommand{\texteightinferior}{PU}{\textnormal{U+2088}}
15789 % U+2089 SUBSCRIPT NINE; nineinferior
15790 \DeclareTextCommand{\textnineinferior}{PU}{\textnormal{U+2089}}
15791 % U+208D SUBSCRIPT LEFT PARENTHESIS; parenleftinferior
15792 \DeclareTextCommand{\textparenleftinferior}{PU}{\textnormal{U+208D}}
15793 % U+208E SUBSCRIPT RIGHT PARENTHESIS; parenrightinferior
15794 \DeclareTextCommand{\textparenrightinferior}{PU}{\textnormal{U+208E}}

```

50.2.14 Currency Symbols: U+20A0 to U+20CF

```

15795 % U+20A1 COLON SIGN; *colonmonetary, colonsign
15796 \DeclareTextCommand{\textcolonmonetary}{PU}{\textnormal{U+20A1}}
15797 % U+20A4 LIRA SIGN; afi08941, *lira
15798 \DeclareTextCommand{\textlira}{PU}{\textnormal{U+20A4}}
15799 % U+20A6 NAIRA SIGN
15800 \DeclareTextCommand{\textnaira}{PU}{\textnormal{U+20A6}}
15801 % U+20A7 PESETA SIGN; peseta
15802 \DeclareTextCommand{\textpeseta}{PU}{\textnormal{U+20A7}}
15803 % U+20A9 WON SIGN; won
15804 \DeclareTextCommand{\textwon}{PU}{\textnormal{U+20A9}}
15805 % U+20AB DONG SIGN; dong
15806 \DeclareTextCommand{\textdong}{PU}{\textnormal{U+20AB}}
15807 % U+20AC EURO SIGN; *Euro, euro
15808 \DeclareTextCommand{\texteuro}{PU}{\textnormal{U+20AC}}
15809 % U+20B1 PESO SIGN

```

```
15810 \DeclareTextCommand{\textpeso}{PU}{\9040\261}% U+20B1
15811 % U+20B2 GUARANI SIGN
15812 \DeclareTextCommand{\textguarani}{PU}{\9040\262}% U+20B2
```

50.2.15 Letterlike Symbols: U+2100 to U+214F

```
15813 % U+2103 DEGREE CELSIUS; centigrade
15814 \DeclareTextCommand{\textcelsius}{PU}{\9041\003}% U+2103
15815 % U+2116 NUMERO SIGN; *afii61352, numero
15816 \DeclareTextCommand{\textnumero}{PU}{\9041\026}% U+2116
15817 % U+2117 SOUND RECORDING COPYRIGHT
15818 \DeclareTextCommand{\textcircledP}{PU}{\9041\027}% U+2117
15819 % U+211E PRESCRIPTION TAKE; prescription
15820 \DeclareTextCommand{\textrecipe}{PU}{\9041\036}% U+211E
15821 % U+2120 SERVICE MARK
15822 \DeclareTextCommand{\textservicemark}{PU}{\9041\040}% U+2120
15823 % U+2122 TRADE MARK SIGN; trademark
15824 \DeclareTextCommand{\texttrademark}{PU}{\9041\042}% U+2122
15825 % U+2126 OHM SIGN; Ohm, Omega
15826 \DeclareTextCommand{\textohm}{PU}{\9041\046}% U+2126
15827 % U+2127 INVERTED OHM SIGN
15828 \DeclareTextCommand{\textmho}{PU}{\9041\047}% U+2127
15829 % U+212B ANGSTROM SIGN; angstrom
15830 \DeclareTextCommand{\textangstrom}{PU}{\9041\053}% U+212B
15831 % U+212E ESTIMATED SYMBOL; estimated
15832 \DeclareTextCommand{\textestimated}{PU}{\9041\056}% U+212E
15833 % U+2135 ALEF SYMBOL; aleph
15834 \DeclareTextCommand{\textaleph}{PU}{\9041\065}% U+2135
```

50.2.16 Arrows: U+2190 to U+21FF

```
15835 % U+2190 LEFTWARDS ARROW; arrowleft
15836 \DeclareTextCommand{\textleftarrow}{PU}{\9041\220}% U+2190
15837 % U+2191 UPWARDS ARROW; arrowup
15838 \DeclareTextCommand{\textuparrow}{PU}{\9041\221}% U+2191
15839 % U+2192 RIGHTWARDS ARROW; arrowright
15840 \DeclareTextCommand{\textrightarrow}{PU}{\9041\222}% U+2192
15841 % U+2193 DOWNWARDS ARROW; arrowdown
15842 \DeclareTextCommand{\textdownarrow}{PU}{\9041\223}% U+2193
```

50.2.17 Mathematical Operators: U+2200 to U+22FF

```
15843 % U+2212 MINUS SIGN; minus
15844 \DeclareTextCommand{\textminus}{PU}{\9042\022}% U+2212
15845 % U+221A SQUARE ROOT; radical
15846 \DeclareTextCommand{\textsurd}{PU}{\9042\032}% U+221A
```

50.2.18 Miscellaneous Technical: U+2300 to U+23FF

```
15847 % U+2329 LEFT-POINTING ANGLE BRACKET; angleleft
15848 \DeclareTextCommand{\textlangle}{PU}{\9043\051}% U+2329
15849 % U+232A RIGHT-POINTING ANGLE BRACKET; angleright
15850 \DeclareTextCommand{\textrangle}{PU}{\9043\052}% U+232A
```

50.2.19 Control Pictures: U+2400 to U+243F

```
15851 % U+2422 BLANK SYMBOL
15852 \DeclareTextCommand{\textblank}{PU}{\9044\042}% U+2422
15853 % U+2423 OPEN BOX; blank
15854 \DeclareTextCommand{\textvisiblespace}{PU}{\9044\043}% U+2423
```

50.2.20 Enclosed Alphanumerics: U+2460 to U+24FF

```

15855 % U+2460 CIRCLED DIGIT ONE; onecircle
15856 \DeclareTextCompositeCommand{\textcircled}{PU}{1}{\9044\140}% U+2460
15857 % U+2461 CIRCLED DIGIT TWO; twocircle
15858 \DeclareTextCompositeCommand{\textcircled}{PU}{2}{\9044\141}% U+2461
15859 % U+2462 CIRCLED DIGIT THREE; threecircle
15860 \DeclareTextCompositeCommand{\textcircled}{PU}{3}{\9044\142}% U+2462
15861 % U+2463 CIRCLED DIGIT FOUR; fourcircle
15862 \DeclareTextCompositeCommand{\textcircled}{PU}{4}{\9044\143}% U+2463
15863 % U+2464 CIRCLED DIGIT FIVE; fivecircle
15864 \DeclareTextCompositeCommand{\textcircled}{PU}{5}{\9044\144}% U+2464
15865 % U+2465 CIRCLED DIGIT SIX; sixcircle
15866 \DeclareTextCompositeCommand{\textcircled}{PU}{6}{\9044\145}% U+2465
15867 % U+2466 CIRCLED DIGIT SEVEN; sevencircle
15868 \DeclareTextCompositeCommand{\textcircled}{PU}{7}{\9044\146}% U+2466
15869 % U+2467 CIRCLED DIGIT EIGHT; eightcircle
15870 \DeclareTextCompositeCommand{\textcircled}{PU}{8}{\9044\147}% U+2467
15871 % U+2468 CIRCLED DIGIT NINE; ninecircle
15872 \DeclareTextCompositeCommand{\textcircled}{PU}{9}{\9044\150}% U+2468
15873 % U+2469 CIRCLED NUMBER TEN; tencircle
15874 \DeclareTextCompositeCommand{\textcircled}{PU}{10}{\9044\151}% U+2469
15875 % U+246A CIRCLED NUMBER ELEVEN; elevencircle
15876 \DeclareTextCompositeCommand{\textcircled}{PU}{11}{\9044\152}% U+246A
15877 % U+246B CIRCLED NUMBER TWELVE; twelvecircle
15878 \DeclareTextCompositeCommand{\textcircled}{PU}{12}{\9044\153}% U+246B
15879 % U+246C CIRCLED NUMBER THIRTEEN; thirteencircle
15880 \DeclareTextCompositeCommand{\textcircled}{PU}{13}{\9044\154}% U+246C
15881 % U+246D CIRCLED NUMBER FOURTEEN; fourteencircle
15882 \DeclareTextCompositeCommand{\textcircled}{PU}{14}{\9044\155}% U+246D
15883 % U+246E CIRCLED NUMBER FIFTEEN; fifteencircle
15884 \DeclareTextCompositeCommand{\textcircled}{PU}{15}{\9044\156}% U+246E
15885 % U+246F CIRCLED NUMBER SIXTEEN; sixteencircle
15886 \DeclareTextCompositeCommand{\textcircled}{PU}{16}{\9044\157}% U+246F
15887 % U+2470 CIRCLED NUMBER SEVENTEEN; seventeencircle
15888 \DeclareTextCompositeCommand{\textcircled}{PU}{17}{\9044\160}% U+2470
15889 % U+2471 CIRCLED NUMBER EIGHTEEN; eighteencircle
15890 \DeclareTextCompositeCommand{\textcircled}{PU}{18}{\9044\161}% U+2471
15891 % U+2472 CIRCLED NUMBER NINETEEN; nineteencircle
15892 \DeclareTextCompositeCommand{\textcircled}{PU}{19}{\9044\162}% U+2472
15893 % U+2473 CIRCLED NUMBER TWENTY; twentycircle
15894 \DeclareTextCompositeCommand{\textcircled}{PU}{20}{\9044\163}% U+2473
15895 % U+24B6 CIRCLED LATIN CAPITAL LETTER A; Acircle
15896 \DeclareTextCompositeCommand{\textcircled}{PU}{A}{\9044\266}% U+24B6
15897 % U+24B7 CIRCLED LATIN CAPITAL LETTER B; Bcircle
15898 \DeclareTextCompositeCommand{\textcircled}{PU}{B}{\9044\267}% U+24B7
15899 % U+24B8 CIRCLED LATIN CAPITAL LETTER C; Ccircle
15900 \DeclareTextCompositeCommand{\textcircled}{PU}{C}{\9044\270}% U+24B8
15901 % U+24B9 CIRCLED LATIN CAPITAL LETTER D; Dcircle
15902 \DeclareTextCompositeCommand{\textcircled}{PU}{D}{\9044\271}% U+24B9
15903 % U+24BA CIRCLED LATIN CAPITAL LETTER E; Ecircle
15904 \DeclareTextCompositeCommand{\textcircled}{PU}{E}{\9044\272}% U+24BA
15905 % U+24BB CIRCLED LATIN CAPITAL LETTER F; Fcircle
15906 \DeclareTextCompositeCommand{\textcircled}{PU}{F}{\9044\273}% U+24BB
15907 % U+24BC CIRCLED LATIN CAPITAL LETTER G; Gcircle
15908 \DeclareTextCompositeCommand{\textcircled}{PU}{G}{\9044\274}% U+24BC
15909 % U+24BD CIRCLED LATIN CAPITAL LETTER H; Hcircle
15910 \DeclareTextCompositeCommand{\textcircled}{PU}{H}{\9044\275}% U+24BD
15911 % U+24BE CIRCLED LATIN CAPITAL LETTER I; Icircle

```

15912 \DeclareTextCompositeCommand{\textcircled}{PU}{I}{\9044\276} % U+24BE
15913 % U+24BF CIRCLED LATIN CAPITAL LETTER J; Jcircle
15914 \DeclareTextCompositeCommand{\textcircled}{PU}{J}{\9044\277} % U+24BF
15915 % U+24C0 CIRCLED LATIN CAPITAL LETTER K; Kcircle
15916 \DeclareTextCompositeCommand{\textcircled}{PU}{K}{\9044\300} % U+24C0
15917 % U+24C1 CIRCLED LATIN CAPITAL LETTER L; Lcircle
15918 \DeclareTextCompositeCommand{\textcircled}{PU}{L}{\9044\301} % U+24C1
15919 % U+24C2 CIRCLED LATIN CAPITAL LETTER M; Mcircle
15920 \DeclareTextCompositeCommand{\textcircled}{PU}{M}{\9044\302} % U+24C2
15921 % U+24C3 CIRCLED LATIN CAPITAL LETTER N; Ncircle
15922 \DeclareTextCompositeCommand{\textcircled}{PU}{N}{\9044\303} % U+24C3
15923 % U+24C4 CIRCLED LATIN CAPITAL LETTER O; Ocircle
15924 \DeclareTextCompositeCommand{\textcircled}{PU}{O}{\9044\304} % U+24C4
15925 % U+24C5 CIRCLED LATIN CAPITAL LETTER P; Pcircle
15926 \DeclareTextCompositeCommand{\textcircled}{PU}{P}{\9044\305} % U+24C5
15927 % U+24C6 CIRCLED LATIN CAPITAL LETTER Q; Qcircle
15928 \DeclareTextCompositeCommand{\textcircled}{PU}{Q}{\9044\306} % U+24C6
15929 % U+24C7 CIRCLED LATIN CAPITAL LETTER R; Rcircle
15930 \DeclareTextCompositeCommand{\textcircled}{PU}{R}{\9044\307} % U+24C7
15931 % U+24C8 CIRCLED LATIN CAPITAL LETTER S; Scircle
15932 \DeclareTextCompositeCommand{\textcircled}{PU}{S}{\9044\310} % U+24C8
15933 % U+24C9 CIRCLED LATIN CAPITAL LETTER T; Tcircle
15934 \DeclareTextCompositeCommand{\textcircled}{PU}{T}{\9044\311} % U+24C9
15935 % U+24CA CIRCLED LATIN CAPITAL LETTER U; Ucircle
15936 \DeclareTextCompositeCommand{\textcircled}{PU}{U}{\9044\312} % U+24CA
15937 % U+24CB CIRCLED LATIN CAPITAL LETTER V; Vcircle
15938 \DeclareTextCompositeCommand{\textcircled}{PU}{V}{\9044\313} % U+24CB
15939 % U+24CC CIRCLED LATIN CAPITAL LETTER W; Wcircle
15940 \DeclareTextCompositeCommand{\textcircled}{PU}{W}{\9044\314} % U+24CC
15941 % U+24CD CIRCLED LATIN CAPITAL LETTER X; Xcircle
15942 \DeclareTextCompositeCommand{\textcircled}{PU}{X}{\9044\315} % U+24CD
15943 % U+24CE CIRCLED LATIN CAPITAL LETTER Y; Ycircle
15944 \DeclareTextCompositeCommand{\textcircled}{PU}{Y}{\9044\316} % U+24CE
15945 % U+24CF CIRCLED LATIN CAPITAL LETTER Z; Zcircle
15946 \DeclareTextCompositeCommand{\textcircled}{PU}{Z}{\9044\317} % U+24CF
15947 % U+24D0 CIRCLED LATIN SMALL LETTER A; acircle
15948 \DeclareTextCompositeCommand{\textcircled}{PU}{a}{\9044\320} % U+24D0
15949 % U+24D1 CIRCLED LATIN SMALL LETTER B; bcircle
15950 \DeclareTextCompositeCommand{\textcircled}{PU}{b}{\9044\321} % U+24D1
15951 % U+24D2 CIRCLED LATIN SMALL LETTER C; ccircle
15952 \DeclareTextCompositeCommand{\textcircled}{PU}{c}{\9044\322} % U+24D2
15953 % U+24D3 CIRCLED LATIN SMALL LETTER D; dcircle
15954 \DeclareTextCompositeCommand{\textcircled}{PU}{d}{\9044\323} % U+24D3
15955 % U+24D4 CIRCLED LATIN SMALL LETTER E; ecircle
15956 \DeclareTextCompositeCommand{\textcircled}{PU}{e}{\9044\324} % U+24D4
15957 % U+24D5 CIRCLED LATIN SMALL LETTER F; fcircle
15958 \DeclareTextCompositeCommand{\textcircled}{PU}{f}{\9044\325} % U+24D5
15959 % U+24D6 CIRCLED LATIN SMALL LETTER G; gcircle
15960 \DeclareTextCompositeCommand{\textcircled}{PU}{g}{\9044\326} % U+24D6
15961 % U+24D7 CIRCLED LATIN SMALL LETTER H; hcircle
15962 \DeclareTextCompositeCommand{\textcircled}{PU}{h}{\9044\327} % U+24D7
15963 % U+24D8 CIRCLED LATIN SMALL LETTER I; icircle
15964 \DeclareTextCompositeCommand{\textcircled}{PU}{i}{\9044\330} % U+24D8
15965 % U+24D9 CIRCLED LATIN SMALL LETTER J; jcircle
15966 \DeclareTextCompositeCommand{\textcircled}{PU}{j}{\9044\331} % U+24D9
15967 % U+24DA CIRCLED LATIN SMALL LETTER K; kcircle
15968 \DeclareTextCompositeCommand{\textcircled}{PU}{k}{\9044\332} % U+24DA

```

15969 % U+24DB CIRCLED LATIN SMALL LETTER L; lcircle
15970 \DeclareTextCompositeCommand{\textcircled}{PU}{l}{\9044\333}% U+24DB
15971 % U+24DC CIRCLED LATIN SMALL LETTER M; mcircle
15972 \DeclareTextCompositeCommand{\textcircled}{PU}{m}{\9044\334}% U+24DC
15973 % U+24DD CIRCLED LATIN SMALL LETTER N; ncircle
15974 \DeclareTextCompositeCommand{\textcircled}{PU}{n}{\9044\335}% U+24DD
15975 % U+24DE CIRCLED LATIN SMALL LETTER O; ocircle
15976 \DeclareTextCompositeCommand{\textcircled}{PU}{o}{\9044\336}% U+24DE
15977 % U+24DF CIRCLED LATIN SMALL LETTER P; pcircle
15978 \DeclareTextCompositeCommand{\textcircled}{PU}{p}{\9044\337}% U+24DF
15979 % U+24E0 CIRCLED LATIN SMALL LETTER Q; qcircle
15980 \DeclareTextCompositeCommand{\textcircled}{PU}{q}{\9044\340}% U+24E0
15981 % U+24E1 CIRCLED LATIN SMALL LETTER R; rcircle
15982 \DeclareTextCompositeCommand{\textcircled}{PU}{r}{\9044\341}% U+24E1
15983 % U+24E2 CIRCLED LATIN SMALL LETTER S; scircle
15984 \DeclareTextCompositeCommand{\textcircled}{PU}{s}{\9044\342}% U+24E2
15985 % U+24E3 CIRCLED LATIN SMALL LETTER T; tcircle
15986 \DeclareTextCompositeCommand{\textcircled}{PU}{t}{\9044\343}% U+24E3
15987 % U+24E4 CIRCLED LATIN SMALL LETTER U; ucircle
15988 \DeclareTextCompositeCommand{\textcircled}{PU}{u}{\9044\344}% U+24E4
15989 % U+24E5 CIRCLED LATIN SMALL LETTER V; vcircle
15990 \DeclareTextCompositeCommand{\textcircled}{PU}{v}{\9044\345}% U+24E5
15991 % U+24E6 CIRCLED LATIN SMALL LETTER W; wcircle
15992 \DeclareTextCompositeCommand{\textcircled}{PU}{w}{\9044\346}% U+24E6
15993 % U+24E7 CIRCLED LATIN SMALL LETTER X; xcircle
15994 \DeclareTextCompositeCommand{\textcircled}{PU}{x}{\9044\347}% U+24E7
15995 % U+24E8 CIRCLED LATIN SMALL LETTER Y; ycircle
15996 \DeclareTextCompositeCommand{\textcircled}{PU}{y}{\9044\350}% U+24E8
15997 % U+24E9 CIRCLED LATIN SMALL LETTER Z; zcircle
15998 \DeclareTextCompositeCommand{\textcircled}{PU}{z}{\9044\351}% U+24E9
15999 % U+24EA CIRCLED DIGIT ZERO
16000 \DeclareTextCompositeCommand{\textcircled}{PU}{0}{\9044\352}% U+24EA

```

50.2.21 Box Drawing: U+2500 to U+257F

```

16001 % U+25E6 WHITE BULLET; *openbullet, whitebullet
16002 \DeclareTextCommand{\textopenbullet}{PU}{\9045\346}% U+25E6
16003 % U+25EF LARGE CIRCLE; largecircle
16004 \DeclareTextCommand{\textbigcircle}{PU}{\9045\357}% U+25EF

```

50.2.22 Miscellaneous Symbols: U+2600 to U+26FF

```

16005 % U+266A EIGHTH NOTE; musicalnote
16006 \DeclareTextCommand{\textmusicalnote}{PU}{\9046\152}% U+266A
16007 % U+26AD MARRIAGE SYMBOL
16008 \DeclareTextCommand{\textmarried}{PU}{\9046\255}% U+26AD
16009 % U+26AE DIVORCE SYMBOL
16010 \DeclareTextCommand{\textdivorced}{PU}{\9046\256}% U+26AE

```

50.2.23 Miscellaneous Mathematical Symbols-A: U+27C0 to U+27EF

```

16011 % U+27E6 MATHEMATICAL LEFT WHITE SQUARE BRACKET
16012 \DeclareTextCommand{\textlbrackdbl}{PU}{\9047\346}% U+27E6
16013 % U+27E7 MATHEMATICAL RIGHT WHITE SQUARE BRACKET
16014 \DeclareTextCommand{\textrbrackdbl}{PU}{\9047\347}% U+27E7

```

50.2.24 Alphabetic Presentation Forms: U+FB00 to U+FB4F

```

16015 % U+FB01 LATIN SMALL LIGATURE FI; fi
16016 \DeclareTextCommand{\textfi}{PU}{\9373\001}% U+FB01
16017 % U+FB02 LATIN SMALL LIGATURE FL; fl

```

```
16018 \DeclareTextCommand{\textfl}{PU}{\9373\002}% U+FB02
```

50.2.25 Miscellaneous

```
16019 \DeclareTextCommand{\SS}{PU}{SS}
```

50.2.26 Aliases

Aliases (german.sty)

```
16020 \DeclareTextCommand{\textglqq}{PU}{\quotedblbase}
16021 \DeclareTextCommand{\textgrqq}{PU}{\textquotedblleft}
16022 \DeclareTextCommand{\textglq}{PU}{\quotesinglbase}
16023 \DeclareTextCommand{\textgrq}{PU}{\textquotelleft}
16024 \DeclareTextCommand{\textflqq}{PU}{\guillemotleft}
16025 \DeclareTextCommand{\textfrqq}{PU}{\guillemotright}
16026 \DeclareTextCommand{\textflq}{PU}{\guilsinglleft}
16027 \DeclareTextCommand{\textfrq}{PU}{\guilsinglright}
```

Aliases (math names)

```
16028 \DeclareTextCommand{\textneg}{PU}{\textlogicalnot}
16029 \DeclareTextCommand{\texttimes}{PU}{\textmultiply}
16030 \DeclareTextCommand{\textdiv}{PU}{\textdivide}
16031 \DeclareTextCommand{\textpm}{PU}{\textplusminus}
16032 \DeclareTextCommand{\textcdot}{PU}{\textperiodcentered}
16033 </puenc>
```

50.3 PU encoding, additions for VnTeX

This file is provided by Han The Thanh.

```
16034 /*puvnenc
```

```
16035 \DeclareTextCommand{\abreve}{PU}{\81\003}
16036 \DeclareTextCommand{\acircumflex}{PU}{\80\342}
16037 \DeclareTextCommand{\dj}{PU}{\81\021}
16038 \DeclareTextCommand{\ecircumflex}{PU}{\80\352}
16039 \DeclareTextCommand{\ocircumflex}{PU}{\80\364}
16040 \DeclareTextCommand{\ohorn}{PU}{\81\241}
16041 \DeclareTextCommand{\uhorn}{PU}{\81\260}
16042 \DeclareTextCommand{\ABREVE}{PU}{\81\002}
16043 \DeclareTextCommand{\ACIRCUMFLEX}{PU}{\80\302}
16044 \DeclareTextCommand{\DJ}{PU}{\81\020}
16045 \DeclareTextCommand{\ECIRCUMFLEX}{PU}{\80\312}
16046 \DeclareTextCommand{\OCIRCUMFLEX}{PU}{\80\324}
16047 \DeclareTextCommand{\OHORN}{PU}{\81\240}
16048 \DeclareTextCommand{\UHORN}{PU}{\81\257}
16049 \DeclareTextCompositeCommand{\'}{PU}{a}{\80\341}
16050 \DeclareTextCompositeCommand{\d}{PU}{a}{\9036\241}
16051 \DeclareTextCompositeCommand{\'}{PU}{a}{\80\340}
16052 \DeclareTextCompositeCommand{\h}{PU}{a}{\9036\243}
16053 \DeclareTextCompositeCommand{\~}{PU}{a}{\80\343}
16054 \DeclareTextCompositeCommand{\'}{PU}{\abreve}{\9036\257}
16055 \DeclareTextCompositeCommand{\d}{PU}{\abreve}{\9036\267}
16056 \DeclareTextCompositeCommand{\'}{PU}{\abreve}{\9036\261}
16057 \DeclareTextCompositeCommand{\h}{PU}{\abreve}{\9036\263}
16058 \DeclareTextCompositeCommand{\~}{PU}{\abreve}{\9036\265}
16059 \DeclareTextCompositeCommand{\'}{PU}{\acircumflex}{\9036\245}
16060 \DeclareTextCompositeCommand{\d}{PU}{\acircumflex}{\9036\255}
16061 \DeclareTextCompositeCommand{\'}{PU}{\acircumflex}{\9036\247}
```

```
16062 \DeclareTextCompositeCommand{\h}{PU}{\acircumflex}{\9036\251}
16063 \DeclareTextCompositeCommand{\~}{PU}{\acircumflex}{\9036\253}
16064 \DeclareTextCompositeCommand{\'}{PU}{e}{\80\351}
16065 \DeclareTextCompositeCommand{\d}{PU}{e}{\9036\271}
16066 \DeclareTextCompositeCommand{\'}{PU}{e}{\80\350}
16067 \DeclareTextCompositeCommand{\h}{PU}{e}{\9036\273}
16068 \DeclareTextCompositeCommand{\~}{PU}{e}{\9036\275}
16069 \DeclareTextCompositeCommand{\'}{PU}{\ecircumflex}{\9036\277}
16070 \DeclareTextCompositeCommand{\d}{PU}{\ecircumflex}{\9036\307}
16071 \DeclareTextCompositeCommand{\'}{PU}{\ecircumflex}{\9036\301}
16072 \DeclareTextCompositeCommand{\h}{PU}{\ecircumflex}{\9036\303}
16073 \DeclareTextCompositeCommand{\~}{PU}{\ecircumflex}{\9036\305}
16074 \DeclareTextCompositeCommand{\'}{PU}{i}{\80\355}
16075 \DeclareTextCompositeCommand{\d}{PU}{i}{\9036\313}
16076 \DeclareTextCompositeCommand{\'}{PU}{i}{\80\354}
16077 \DeclareTextCompositeCommand{\h}{PU}{i}{\9036\311}
16078 \DeclareTextCompositeCommand{\~}{PU}{i}{\81\051}
16079 \DeclareTextCompositeCommand{\'}{PU}{o}{\80\363}
16080 \DeclareTextCompositeCommand{\d}{PU}{o}{\9036\315}
16081 \DeclareTextCompositeCommand{\'}{PU}{o}{\80\362}
16082 \DeclareTextCompositeCommand{\h}{PU}{o}{\9036\317}
16083 \DeclareTextCompositeCommand{\~}{PU}{o}{\80\365}
16084 \DeclareTextCompositeCommand{\'}{PU}{\ocircumflex}{\9036\321}
16085 \DeclareTextCompositeCommand{\d}{PU}{\ocircumflex}{\9036\331}
16086 \DeclareTextCompositeCommand{\'}{PU}{\ocircumflex}{\9036\323}
16087 \DeclareTextCompositeCommand{\h}{PU}{\ocircumflex}{\9036\325}
16088 \DeclareTextCompositeCommand{\~}{PU}{\ocircumflex}{\9036\327}
16089 \DeclareTextCompositeCommand{\'}{PU}{\ohorn}{\9036\333}
16090 \DeclareTextCompositeCommand{\d}{PU}{\ohorn}{\9036\343}
16091 \DeclareTextCompositeCommand{\'}{PU}{\ohorn}{\9036\335}
16092 \DeclareTextCompositeCommand{\h}{PU}{\ohorn}{\9036\337}
16093 \DeclareTextCompositeCommand{\~}{PU}{\ohorn}{\9036\341}
16094 \DeclareTextCompositeCommand{\'}{PU}{u}{\80\372}
16095 \DeclareTextCompositeCommand{\d}{PU}{u}{\9036\345}
16096 \DeclareTextCompositeCommand{\'}{PU}{u}{\80\371}
16097 \DeclareTextCompositeCommand{\h}{PU}{u}{\9036\347}
16098 \DeclareTextCompositeCommand{\~}{PU}{u}{\81\151}
16099 \DeclareTextCompositeCommand{\'}{PU}{\uhorn}{\9036\351}
16100 \DeclareTextCompositeCommand{\d}{PU}{\uhorn}{\9036\361}
16101 \DeclareTextCompositeCommand{\'}{PU}{\uhorn}{\9036\353}
16102 \DeclareTextCompositeCommand{\h}{PU}{\uhorn}{\9036\355}
16103 \DeclareTextCompositeCommand{\~}{PU}{\uhorn}{\9036\357}
16104 \DeclareTextCompositeCommand{\'}{PU}{y}{\80\375}
16105 \DeclareTextCompositeCommand{\d}{PU}{y}{\9036\365}
16106 \DeclareTextCompositeCommand{\'}{PU}{y}{\9036\363}
16107 \DeclareTextCompositeCommand{\h}{PU}{y}{\9036\367}
16108 \DeclareTextCompositeCommand{\~}{PU}{y}{\9036\371}
16109 \DeclareTextCompositeCommand{\'}{PU}{A}{\80\301}
16110 \DeclareTextCompositeCommand{\d}{PU}{A}{\9036\240}
16111 \DeclareTextCompositeCommand{\'}{PU}{A}{\80\300}
16112 \DeclareTextCompositeCommand{\h}{PU}{A}{\9036\242}
16113 \DeclareTextCompositeCommand{\~}{PU}{A}{\80\303}
16114 \DeclareTextCompositeCommand{\'}{PU}{\ABREVE}{\9036\256}
16115 \DeclareTextCompositeCommand{\d}{PU}{\ABREVE}{\9036\266}
16116 \DeclareTextCompositeCommand{\'}{PU}{\ABREVE}{\9036\260}
16117 \DeclareTextCompositeCommand{\h}{PU}{\ABREVE}{\9036\262}
16118 \DeclareTextCompositeCommand{\~}{PU}{\ABREVE}{\9036\264}
```

```

16119 \DeclareTextCompositeCommand{\'}{PU}{\ACIRCUMFLEX}{\9036\244}
16120 \DeclareTextCompositeCommand{\d}{PU}{\ACIRCUMFLEX}{\9036\254}
16121 \DeclareTextCompositeCommand{\'}{PU}{\ACIRCUMFLEX}{\9036\246}
16122 \DeclareTextCompositeCommand{\h}{PU}{\ACIRCUMFLEX}{\9036\250}
16123 \DeclareTextCompositeCommand{\~}{PU}{\ACIRCUMFLEX}{\9036\252}
16124 \DeclareTextCompositeCommand{\'}{PU}{E}{\80\311}
16125 \DeclareTextCompositeCommand{\d}{PU}{E}{\9036\270}
16126 \DeclareTextCompositeCommand{\'}{PU}{E}{\80\310}
16127 \DeclareTextCompositeCommand{\h}{PU}{E}{\9036\272}
16128 \DeclareTextCompositeCommand{\~}{PU}{E}{\9036\274}
16129 \DeclareTextCompositeCommand{\'}{PU}{\ECIRCUMFLEX}{\9036\276}
16130 \DeclareTextCompositeCommand{\d}{PU}{\ECIRCUMFLEX}{\9036\306}
16131 \DeclareTextCompositeCommand{\'}{PU}{\ECIRCUMFLEX}{\9036\300}
16132 \DeclareTextCompositeCommand{\h}{PU}{\ECIRCUMFLEX}{\9036\302}
16133 \DeclareTextCompositeCommand{\~}{PU}{\ECIRCUMFLEX}{\9036\304}
16134 \DeclareTextCompositeCommand{\'}{PU}{I}{\80\315}
16135 \DeclareTextCompositeCommand{\d}{PU}{I}{\9036\312}
16136 \DeclareTextCompositeCommand{\'}{PU}{I}{\80\314}
16137 \DeclareTextCompositeCommand{\h}{PU}{I}{\9036\310}
16138 \DeclareTextCompositeCommand{\~}{PU}{I}{\81\050}
16139 \DeclareTextCompositeCommand{\'}{PU}{O}{\80\323}
16140 \DeclareTextCompositeCommand{\d}{PU}{O}{\9036\314}
16141 \DeclareTextCompositeCommand{\'}{PU}{O}{\80\322}
16142 \DeclareTextCompositeCommand{\h}{PU}{O}{\9036\316}
16143 \DeclareTextCompositeCommand{\~}{PU}{O}{\80\325}
16144 \DeclareTextCompositeCommand{\'}{PU}{\OCIRCUMFLEX}{\9036\320}
16145 \DeclareTextCompositeCommand{\d}{PU}{\OCIRCUMFLEX}{\9036\330}
16146 \DeclareTextCompositeCommand{\'}{PU}{\OCIRCUMFLEX}{\9036\322}
16147 \DeclareTextCompositeCommand{\h}{PU}{\OCIRCUMFLEX}{\9036\324}
16148 \DeclareTextCompositeCommand{\~}{PU}{\OCIRCUMFLEX}{\9036\326}
16149 \DeclareTextCompositeCommand{\'}{PU}{\OHORN}{\9036\332}
16150 \DeclareTextCompositeCommand{\d}{PU}{\OHORN}{\9036\342}
16151 \DeclareTextCompositeCommand{\'}{PU}{\OHORN}{\9036\334}
16152 \DeclareTextCompositeCommand{\h}{PU}{\OHORN}{\9036\336}
16153 \DeclareTextCompositeCommand{\~}{PU}{\OHORN}{\9036\340}
16154 \DeclareTextCompositeCommand{\'}{PU}{U}{\80\332}
16155 \DeclareTextCompositeCommand{\d}{PU}{U}{\9036\344}
16156 \DeclareTextCompositeCommand{\'}{PU}{U}{\80\331}
16157 \DeclareTextCompositeCommand{\h}{PU}{U}{\9036\346}
16158 \DeclareTextCompositeCommand{\~}{PU}{U}{\81\150}
16159 \DeclareTextCompositeCommand{\'}{PU}{\UHORN}{\9036\350}
16160 \DeclareTextCompositeCommand{\d}{PU}{\UHORN}{\9036\360}
16161 \DeclareTextCompositeCommand{\'}{PU}{\UHORN}{\9036\352}
16162 \DeclareTextCompositeCommand{\h}{PU}{\UHORN}{\9036\354}
16163 \DeclareTextCompositeCommand{\~}{PU}{\UHORN}{\9036\356}
16164 \DeclareTextCompositeCommand{\'}{PU}{Y}{\80\335}
16165 \DeclareTextCompositeCommand{\d}{PU}{Y}{\9036\364}
16166 \DeclareTextCompositeCommand{\'}{PU}{Y}{\9036\362}
16167 \DeclareTextCompositeCommand{\h}{PU}{Y}{\9036\366}
16168 \DeclareTextCompositeCommand{\~}{PU}{Y}{\9036\370}
16169 
```

50.4 PU encoding, additions for Arabi

This file is provided and maintained by Youssef Jabri.

```
16170 <*puarenc>
```

```

16171 \DeclareTextCommand{\hamza}{PU}{\86\041}%
0621;afii57409;ARABIC LETTER HAMZA
16172 \DeclareTextCommand{\alefmadda}{PU}{\86\042}%
0622;afii57410;ARABIC LETTER ALEF WITH MADDA ABOVE
16173 \DeclareTextCommand{\alefhamza}{PU}{\86\043}%
0623;afii57411;ARABIC LETTER ALEF WITH HAMZA ABOVE
16174 \DeclareTextCommand{\wawhamza}{PU}{\86\044}%
0624;afii57412;ARABIC LETTER WAW WITH HAMZA ABOVE
16175 \DeclareTextCommand{\aleflowerhamza}{PU}{\86\045}%
0625;afii57413;ARABIC LETTER ALEF WITH HAMZA BELOW
16176 \DeclareTextCommand{\yahamza}{PU}{\86\046}%
0626;afii57414;ARABIC LETTER YEH WITH HAMZA ABOVE
16177 \DeclareTextCommand{\alef}{PU}{\86\047}%
0627;afii57415;ARABIC LETTER ALEF
16178 \DeclareTextCommand{\baa}{PU}{\86\050}%
0628;afii57416;ARABIC LETTER BEH
16179 \DeclareTextCommand{\T}{PU}{\86\051}%
0629;afii57417;ARABIC LETTER TEH MARBUTA
16180 \DeclareTextCommand{\taa}{PU}{\86\052}%
062A;afii57418;ARABIC LETTER TEH
16181 \DeclareTextCommand{\thaa}{PU}{\86\053}%
062B;afii57419;ARABIC LETTER THEH
16182 \DeclareTextCommand{\jeem}{PU}{\86\054}%
062C;afii57420;ARABIC LETTER JEEM
16183 \DeclareTextCommand{\Haa}{PU}{\86\055}%
062D;afii57421;ARABIC LETTER HAH
16184 \DeclareTextCommand{\kha}{PU}{\86\056}%
062E;afii57422;ARABIC LETTER KHAH
16185 \DeclareTextCommand{\dal}{PU}{\86\057}%
062F;afii57423;ARABIC LETTER DAL
16186 \DeclareTextCommand{\dhal}{PU}{\86\060}%
0630;afii57424;ARABIC LETTER THAL
16187 \DeclareTextCommand{\ra}{PU}{\86\061}%
0631;afii57425;ARABIC LETTER REH
16188 \DeclareTextCommand{\zay}{PU}{\86\062}%
0632;afii57426;ARABIC LETTER ZAIN
16189 \DeclareTextCommand{\seen}{PU}{\86\063}%
0633;afii57427;ARABIC LETTER SEEN
16190 \DeclareTextCommand{\sheen}{PU}{\86\064}%
0634;afii57428;ARABIC LETTER SHEEN
16191 \DeclareTextCommand{\sad}{PU}{\86\065}%
0635;afii57429;ARABIC LETTER SAD
16192 \DeclareTextCommand{\dad}{PU}{\86\066}%
0636;afii57430;ARABIC LETTER DAD
16193 \DeclareTextCommand{\Ta}{PU}{\86\067}%
0637;afii57431;ARABIC LETTER TAH
16194 \DeclareTextCommand{\za}{PU}{\86\070}%
0638;afii57432;ARABIC LETTER ZAH
16195 \DeclareTextCommand{\ayn}{PU}{\86\071}%
0639;afii57433;ARABIC LETTER AIN
16196 \DeclareTextCommand{\ghayn}{PU}{\86\072}%
063A;afii57434;ARABIC LETTER GHAIN
16197 \DeclareTextCommand{\tatweel}{PU}{\86\100}%
0640;afii57440;ARABIC TATWEEL
16198 \DeclareTextCommand{\fa}{PU}{\86\101}%
0641;afii57441;ARABIC LETTER FEH
16199 \DeclareTextCommand{\qaf}{PU}{\86\102}%
0642;afii57442;ARABIC LETTER QAF
16200 \DeclareTextCommand{\kaf}{PU}{\86\103}%
0643;afii57443;ARABIC LETTER KAF
16201 \DeclareTextCommand{\lam}{PU}{\86\104}%
0644;afii57444;ARABIC LETTER LAM
16202 \DeclareTextCommand{\meem}{PU}{\86\105}%
0645;afii57445;ARABIC LETTER MEEM
16203 \DeclareTextCommand{\nun}{PU}{\86\106}%
0646;afii57446;ARABIC LETTER NOON
16204 \DeclareTextCommand{\ha}{PU}{\86\107}%
0647;afii57470;ARABIC LETTER HEH
16205 \DeclareTextCommand{\waw}{PU}{\86\110}%
0648;afii57448;ARABIC LETTER WAW
16206 \DeclareTextCommand{\alefmaqsura}{PU}{\86\111}%
0649;afii57449;ARABIC LETTER ALEF MAKSURA
16207 \DeclareTextCommand{\ya}{PU}{\86\112}%
064A;afii57450;ARABIC LETTER YEH
16208 \DeclareTextCommand{\nasb}{PU}{\86\113}%
064B;afii57451;ARABIC FATHATAN
16209 \DeclareTextCommand{\raff}{PU}{\86\114}%
064C;afii57452;ARABIC DAMMATAN
16210 \DeclareTextCommand{\jarr}{PU}{\86\115}%
064D;afii57453;ARABIC KASRATAN
16211 \DeclareTextCommand{\fatha}{PU}{\86\116}%
064E;afii57454;ARABIC FATHA
16212 \DeclareTextCommand{\damma}{PU}{\86\117}%
064F;afii57455;ARABIC DAMMA
16213 \DeclareTextCommand{\kasra}{PU}{\86\120}%
0650;afii57456;ARABIC KASRA
16214 \DeclareTextCommand{\shadda}{PU}{\86\121}%
0651;afii57457;ARABIC SHADDA
16215 \DeclareTextCommand{\sukun}{PU}{\86\122}%
0652;afii57458;ARABIC SUKUN

```

Farsi

```
16216 \DeclareTextCommand{\peh}{PU}{\86\176}% 067E;afii57506;ARABIC LETTER PEH
16217 \DeclareTextCommand{\tcheh}{PU}{\86\206}% 0686;afii57507;ARABIC LETTER TCHEH
16218 \DeclareTextCommand{\jeh}{PU}{\86\230}% 0698;afii57508;ARABIC LETTER JEH
16219 \DeclareTextCommand{\farsikaf}{PU}{\86\251}% 06A9???:afii?????;FARSI LETTER KAF
16220 \DeclareTextCommand{\gaf}{PU}{\86\257}% 06AF;afii57509;ARABIC LETTER GAF
16221 \DeclareTextCommand{\farsiya}{PU}{\86\314}% 06CC;afii?????;FARSI LETTER YEH
16222 \DeclareTextCommand{\ZWNJ}{PU}{\9040\014}% 200C;ZWNJ%
16223 \DeclareTextCommand{\noboundary}{PU}{\86\325}% 200D;ZWJ
16224 </puarenc>
```

51 End of file hycheck.tex

```
16225 <*check>
16226 \typeout{}
16227 \begin{document}
16228 \end{document}
16229 </check>
```

52 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols	
\!	195, 220, 1981
\"	202, 227, 3003, 13409, 13767, 13779, 13791, 13914, 14000, 14014, 14022, 14037, 14049, 14065, 14079, 14090, 14091, 14105, 14117, 14123, 14174, 14202, 14221, 14242, 14369, 14383, 14391, 14405, 14417, 14433, 14447, 14458, 14459, 14473, 14485, 14491, 14738, 14953, 14955, 14965, 15017, 15019, 15047, 15060, 15212, 15225, 15458, 15460, 15474, 15476, 15478, 15480, 15482, 15484, 15494, 15496, 15498, 15500, 15506, 15508, 15510, 15512, 15518, 15520, 15526, 15528, 15534, 15536, 15576, 15578, 15648, 15650, 15660, 15662, 15678
\#	467, 2066, 2067, 4291, 4302, 4304, 4320, 4352, 4412, 8084, 8086, 8859, 8868, 8903, 9670, 11230, 11241, 11277, 11508, 11517, 11555, 13329
\\$	184, 209, 252, 468, 4293, 4411
\%	469, 1981, 2041, 2042, 4290, 4299, 4301, 4353, 8086
\&	185, 210, 470, 4294, 4305, 4307, 11287
\'	203, 228, 2943, 2957, 2998, 3000, 3001, 3002, 3003, 3008, 3009, 3011, 3016, 3022, 3026, 3027, 3030, 3073, 3074, 3079, 3080, 3081, 3082, 3083, 3084, 3085, 3086, 3088, 3092, 3105, 13407, 13764, 13776, 13788, 13994, 14010, 14018, 14031, 14045, 14051, 14059, 14075, 14084, 14085, 14099, 14113, 14119, 14142, 14144, 14145, 14146, 14149, 14151, 14152, 14153, 14161, 14199, 14218, 14239, 14363, 14379, 14387, 14399, 14413, 14419, 14427, 14443, 14452, 14453, 14467, 14481, 14487, 14505, 14507, 14612, 14614, 14632, 14634, 14666, 14668, 14678, 14680, 14740, 14742, 14792, 14794, 14800, 14802, 14804, 14806,
\@	14888, 14890, 14892, 14894, 14896, 14898, 14900, 14902, 14957, 14959, 14961, 14963, 15021, 15024, 15026, 15051, 15070, 15216, 15235, 15584, 15586, 15596, 15598, 15612, 15614, 15644, 15646, 16049, 16054, 16059, 16064, 16069, 16074, 16079, 16084, 16089, 16094, 16099, 16104, 16109, 16114, 16119, 16124, 16129, 16134, 16139, 16144, 16149, 16154, 16159, 16164
\@C	190, 215, 253, 673, 676, 678, 1983, 13475, 13837
\@D	191, 216, 254, 645, 651, 654, 1984, 13476, 13839
\@*	256
\@+	200, 225, 257
\@-	201, 226
\@.	198, 223, 250, 1142, 3679, 13770, 13782, 13794, 13856, 14147, 14154, 14172, 14205, 14224, 14248, 14288, 14289, 14513, 14515, 14537, 14539, 14557, 14559, 14593, 14624, 14626, 14744, 14746, 14837, 14839, 14845, 14847, 15544, 15546, 15552, 15554, 15564, 15566, 15572, 15574, 15600, 15602, 15604, 15606, 15616, 15618, 15620, 15622, 15628, 15630, 15652, 15654, 15656, 15658, 15664, 15666, 15684
\@/.	194, 219, 587, 588, 589, 656, 1766, 7483
\@:	189, 214
\@;	199, 224, 7778
\@<	196, 221
\@=	167, 173, 180, 183, 13772, 13784, 13796, 14167, 14209, 14228, 14247, 14493, 14495, 14529, 14531, 14578, 14580, 14581, 14650, 14652, 14710, 14712, 14849, 14851, 15490, 15492, 15514, 15516, 15568, 15570
\@>	197, 222
\@?	258
\@C@	2994
\@C@@	2297
\@C@BOOKMARK	13390, 13393, <u>13451</u> , 13518, 13525
\@C@Listbox	11873, 11895, 12348, <u>12379</u> , 12683, <u>12724</u>
\@C@Menu	12079, 12087
\@C@PasswordField	12028, 12034
\@C@Radio	11858, 11879, 12077, 12101, 12333, 12354, 12668, <u>12689</u>
\@C@TextField	12030, 12045
\@C@commahyperpage	7590, 7591
\@C@hyper@readexternallink	4601, 4603
\@C@hyperref	4514, 4515
\@C@lateextohtmlX	2836, 4749
\@C@wrindex	7518, 7519
\@C@writetorep	13250, 13256
\@Alph	6266, 6268
\@BIBLABEL	7013, 7019, 7025
\@BOOKMARK	13390, 13392
\@CITE	7090, 7098
\@CITEX	7092
\@CheckBox	5467, 9735, 11969, 11998, 12132, 12463, <u>12826</u>
\@ChoiceMenu	5464, 9738, 11811, 12001, 12067, 12285, <u>12620</u>
\@Form	5207, 9725, 11599, 11990, 12011, 12210, <u>12545</u>
\@Gauge	5473, 9729, 11781, 11992, 12016, 12153, <u>12542</u>
\@Localurlfalse	9678
\@Localurltrue	9675
\@M	1048, 2354, 4398, 6648
\@MM	6776
\@PushButton	5470, 9741, 11902, 12004, 12113, 12388, <u>12740</u>
\@Refstar	7893, 7900
\@Reset	5479, 9744, 11946, 12007, 12129, 12439, <u>12797</u>
\@Roman	549
\@SCTR	7637, 7689
\@SetMaxRnhefLabel	7087
\@Submit	5476, 9747, 11929, 12008, 12126, 12417, <u>12774</u>
\@TextField	5461, 9732, 11784, 11995, 12019, 12257, <u>12584</u>
\@addchap	13724
\@addtoreset	7412, 7413, 7427, 7634
\@afterheading	13741
\@alph	6262, 6264
\@anchorcolor	8828, 8923, 9792, 11198, 11478
\@arabic	1018, 1023, 1027

\@auxout . 2291, 4559, 5689, 5691, 6351, 6379, 7033, 7048, 7064, 7074, 7104, 7127, 7153, 7159, 7183
 \@backslashchar 769, 772, 775, 1272, 1943, 1947, 1950, 2088, 2105, 2111, 2115, 2123, 4315, 8099, 8109
 \@baseurl 3313, 3315, 4659, 8549, 8552, 8813, 8815, 9097, 9099, 9583, 9593, 9643, 9645, 10170, 10172, 10543, 10557, 11183, 11185, 11384, 11398, 11464, 11466
 \@begintheorem 6612, 6619
 \@bibitem 7040, 7071
 \@biblabel 7013, 7060
 \@bookmarkopenstatus 4113, 4130, 13311
 \@bookmarksopenlevel 3276, 3278, 4116
 \@bsphack 2284, 4552, 7157
 \@capstartfalse 6907
 \@caption 6872, 6884, 6927, 6963, 6965
 \@capttype 2293, 6867, 6871, 6875, 6882, 6889, 6931, 6956, 6960, 6963
 \@car 1554, 1570, 1588, 1608, 3255, 4825, 8501, 8512
 \@cdr 8502, 8513
 \@chapter 13648, 13649
 \@cite 7090, 7121, 7218, 7224
 \@cite@opt . 7219, 7225, 7229, 7239
 \@citea 7093, 7100, 7101, 7120, 7123, 7124
 \@citeb 7099, 7102, 7104, 7106, 7110, 7113, 7122, 7125, 7127, 7129, 7133, 7136
 \@citebordercolor 3770
 \@citedata@opt . 7220, 7226, 7228
 \@citedatax 7235, 7240
 \@citedatax@opt 7232, 7238
 \@citeseppen 7217, 7223
 \@citex 7119
 \@clubpenalty 6650
 \@commahyperpage 7585, 7590
 \@ctrerr 6241, 6250
 \@currDisplay 5271, 11823, 11884, 12096, 12110, 12297, 12359, 12632, 12697
 \@currValue 5273, 5275, 11889, 12096, 12107, 12366, 12712, 13129
 \@currentHlabel 6312
 \@currentHref 2299, 5569, 6215, 6292, 6294, 6303, 6305, 6312, 6393, 6395, 6405, 6456, 6467, 6469, 6507, 6518, 6522, 6529, 6553, 6617, 6641, 6705, 6715, 6717, 6718, 6761, 6789, 6887, 6913, 6917, 6932, 6934, 7162, 7288, 7311, 7324, 7331, 7382, 7406, 7408, 13240, 13629, 13642, 13653, 13683, 13700, 13735
 \@currentlabel 6435, 6779, 7155, 7162, 7387, 7394, 7643, 7695
 \@currentlabelname 2289, 6706, 6762, 6790, 6892
 \@currentlabstr 2288, 2296
 \@currpt 11820, 11821, 11881, 11882, 12085, 12092, 12093, 12095, 12102, 12103, 12105, 12294, 12295, 12356, 12357, 12629, 12630, 12694, 12695
 \@dblarg 2412, 6882, 6963
 \@definecounter 7367, 7368
 \@ehc 2641, 3883, 4460, 4623, 4919, 5043, 5239, 5403, 5452, 11911, 11957, 12398, 12450, 12750, 12808
 \@ehd 63, 6868, 6957
 \@endForm 5208, 9728, 11780, 11991, 12015, 12256, 12570
 \@endparenv 6608
 \@eqnncr 6537
 \@eqnstarfalse 6513, 6540
 \@eqnstartrue 6537
 \@eqnswtrue 6483, 6492
 \@esphack . 2305, 4563, 7167, 7530
 \@extra@b@citeb 6998, 7001, 7018, 7023, 7043, 7091, 7113, 7129, 7136
 \@extra@binfo 6997, 7000, 7004
 \@fifthoffive 3843, 4228, 4546, 7844, 7962
 \@filebordercolor 3768, 8416, 8418, 9428, 9430, 9878, 9880, 10900
 \@filecolor 3305, 8437, 9040, 9057, 9446, 9884
 \@firstoffive 4224, 4233, 7883, 7967
 \@firstofone 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 538, 729, 884, 895, 1128, 1132, 1136, 1474, 3657, 4115, 5173, 5179, 5366, 6130, 6260, 6271, 6338, 6880, 6961, 7102, 7125, 7251, 7473, 8721, 12183, 12910, 12927, 12945
 \@firstoftwo 558, 839, 1010, 1682, 5659, 13690
 \@fnsymbol 6261
 \@footnotemark 6658, 6711, 6798, 6810, 6812, 6824, 6825, 6855, 6857
 \@footnotetext 6657, 6664, 6693, 6811, 6813, 6827, 6828, 6848
 \@for 3332, 4815, 7099, 7122, 11820, 11881, 12085, 12092, 12102, 12294, 12356, 12629, 12694
 \@fourthoffive 4227, 4547, 7957, 7964
 \@gobble 49, 56, 117, 491, 492, 493, 494, 531, 532, 533, 534, 561, 562, 563, 572, 574, 733, 846, 882, 893, 1034, 1038, 1041, 1411, 1472, 1491, 1504, 1508, 1571, 1634, 1635, 1642, 1647, 1661, 1666, 2269, 2326, 2581, 2593, 3645, 3831, 3833, 3885, 4281, 5158, 5356, 5623, 5627, 5645, 5647, 5663, 5664, 5667, 5668, 5670, 6109, 6124, 6128, 6601, 6869, 6958, 7287, 8022, 8723, 10050, 10053, 12211, 12546, 13297, 13298, 13299, 13300
 \@gobblefour 497, 597, 1168, 1169, 1170, 3464, 7758
 \@gobbleopt 5670, 5672
 \@gobbletwo 495, 565, 590, 598, 599, 746, 1167, 1589, 1666, 1670, 2466, 3462, 3463, 3835, 5104, 5649, 5658, 5666, 5670, 7945, 13639
 \@harvarditem 7172, 7174
 \@hyper@anchor 4709, 4710
 \@hyper@itemfalse 6160, 6176, 6190
 \@hyper@itemtrue 6161
 \@hyper@launch . 4629, 4638, 8441, 9947, 10918
 \@hyper@linkfile . 4610, 4613, 4617, 4649
 \@hyper@readexternallink 4604, 4608
 \@hyperdef 4522, 4523
 \@hyperpage 7582, 7583
 \@hyperref 4503, 4514
 \@ifclasslater 13747, 13752
 \@ifclassloaded 2276, 4255, 6323, 6360, 7082, 7618, 7622, 8726, 13746, 13751
 \@ifnextchar 12, 88, 103, 123, 591, 4405, 4503, 4522, 4571, 5207, 5461, 5464, 5467, 5470, 5473, 5476, 5479, 5670, 5742, 5751, 6814, 6832, 7172, 7230,

10568, 10829, 10843, 13390,
 13393
`\@ifpackagelater` . 904, 2307, 6314,
 7437
`\@ifpackageloaded` . 420, 799, 903,
 2279, 2693, 3232, 3236, 3822,
 3965, 6199, 6313, 6326, 6388,
 6421, 6425, 6445, 6479, 6593,
 6654, 6725, 6768, 6928, 7142,
 7215, 7379, 7436, 7478, 7479,
 7480, 7627, 7892, 8035, 8039,
 11456
`\@ifpackagewith` . 3123, 3823, 7402
`\@ifstar` 66, 4250, 4253, 4262, 4266,
 5604, 5608, 5676, 5680, 7900,
 7926, 7945
`\@ifundefined` . 34, 283, 818, 826,
 842, 845, 2443, 2555, 2623,
 2707, 3141, 3177, 3185, 3192,
 3205, 3253, 3794, 4914, 5234,
 6062, 6203, 6208, 6427, 6448,
 6449, 6502, 6524, 6548, 6585,
 6873, 6891, 7007, 7090, 7106,
 7129, 7376, 7417, 7425, 7426,
 7439, 7440, 7447, 8142, 9619,
 10238, 10239, 11013, 12211,
 12546, 12919, 13307
`\@indexfile` 7522, 7537, 7545, 7549,
 7554
`\@inlabelfalse` 6629
`\@inmathwarn` 461, 462
`\@inpenc@undefined@` 2143
`\@labels` 6645
`\@latex@` 5773, 5774
`\@latex@error` 2777, 2795, 2805,
 2812, 6868, 6957
`\@latex@warning` 4541, 7109, 7132,
 7819, 7839, 7856, 7973
`\@lbibitem` 7014, 7059
`\@linkbordercolor` 3765, 8365, 9782
`\@linkcolor` 10590
`\@linkdim` 387,
 8877, 8878, 8886, 8887, 8888,
 8957, 8958, 8970, 8971, 8972,
 8994, 8995, 9008, 9009, 9010,
 9032, 9033, 9046, 9047, 9048,
 11251, 11252, 11260, 11261,
 11262, 11526, 11527, 11540,
 11541, 11542
`\@listctr` 7049, 7075
`\@m` 1031, 7101, 7124, 10097
`\@mainaux` 5687, 5688, 6092, 6100,
 12179, 12203
`\@makecaption` 6908, 6910, 6976
`\@makefnmark` 6720, 6860
`\@makefntext` 6780
`\@makeother` 166, 167,
 179, 180, 182, 183, 188, 189,
 190, 191, 192, 193, 194, 195,
 196, 197, 198, 199, 200, 201,
 202, 203, 4305, 8071, 13479,
 13482, 13508, 13511
`\@makeschapterhead` 13738, 13740
`\@mem@titledref` 4262
`\@mem@titledrefno link` 4262
`\@menubordercolor` 3767, 8781,
 8783, 9494, 9496, 9982, 9984
`\@menucolor` 8796, 9500, 9988
`\@minipagefalse` 6625
`\@mkboth` 565, 7740, 13639, 13727,
 13729
`\@mpfn` 6661, 6833, 6845
`\@mpfootnotetext` 6664, 6677, 6678
`\@mycount` 13455, 13465
`\@namedef` 1148, 2717, 2718, 2719,
 2720, 2721, 2722, 2723, 2724,
 3132, 3144, 4925, 4926, 4927,
 4928, 5250, 5251, 6324, 6536,
 6539, 7147, 7148, 7149, 7150
`\@namerefstar` 4266, 7888
`\@nameuse` 2293, 2714, 4931, 5242
`\@ne` 1017, 2660, 2756, 4430, 9361,
 9366, 10149, 11038, 12579
`\@newctr` 7372, 7373
`\@newl@bel` 5736, 7000
`\@newlistfalse` 6626
`\@nil` 406, 410, 415, 419, 434, 1466,
 1469, 1477, 1554, 1572, 1590,
 1606, 1608, 1611, 1614, 1617,
 2152, 2154, 2170, 2172, 3255,
 4337, 4341, 4346, 4676, 4684,
 4690, 4692, 4825, 5347, 5350,
 5369, 5761, 5764, 5771, 5773,
 5774, 5859, 5906, 5907, 5909,
 5932, 5949, 5997, 5999, 6451,
 6460, 6462, 6474, 7569, 7571,
 7578, 7601, 7604, 7614, 7823,
 7826, 7981, 8012, 8095, 8101,
 8105, 8111, 8501, 8502, 8512,
 8513, 10015, 10017, 12917,
 12930, 12936, 13339, 13342,
 13345, 13354, 13357, 13366
`\@nobreakfalse` 5733, 6648
`\@nocnterr` 7426, 7440
`\@nocounterr` 7425, 7439
`\@noparitemfalse` 6627
`\@number` 6260, 6338, 7251
`\@nx` 7429, 7443, 7446, 7448
`\@onelevel@sanitize` 2459, 2463,
 2675, 3254, 3860, 3890, 4371,
 4671, 4674, 4687, 4701, 4915,
 5151, 5235, 5959, 5961, 6299,
 7317, 7869, 9218, 13336
`\@oparg` 6612, 6619
`\@outlinefile` 13309, 13398, 13493,
 13495, 13497, 13572, 13574,
 13576
`\@pagerefstar` 4253, 7885, 7916
`\@pagesetref` 7835
`\@parboxrestore` 6778, 6900, 6971
`\@parcount` 13457, 13465
`\@part` 13666, 13673
`\@pdfauthor` 3480, 3773, 8608, 9079,
 9530, 10211, 10469, 11315
`\@pdfborder` 2840, 3358, 3361,
 3363, 4196, 8295, 9236, 9780,
 10336, 10430, 10821, 10833,
 10848, 10869, 10897, 10928,
 10957, 11044, 11132, 11292
`\@pdfborderstyle` 3359, 3365,
 3367, 4197, 8296, 9237, 9781,
 10337, 10431, 10822, 10834,
 10849, 10870, 10898, 10929,
 10958, 11045, 11133, 11293
`\@pdfcreationdate`
 3497, 3776, 8612,
 8614, 9071, 9073, 9522, 9524,
 10444, 10446, 11307, 11309
`\@pdfcreator`
 3492, 3775, 8611, 9070, 9521,
 10214, 10468, 11306
`\@pdfdirection` 8572, 9135, 9563,
 10182, 10523, 11364
`\@pdfduplex` 8578, 9141, 9569,
 10188, 10529, 11370
`\@pdfhighlight` 3351,
 3771, 8315, 8317, 8376, 8412,
 8414, 8449, 8451, 8777, 8779,
 10335, 10429, 10820, 10868,
 10896, 10927
`\@pdfhighlight` 8374
`\@pdfkeywords`
 3516, 3779, 8624, 9068, 9535,
 10219, 10470, 11304
`\@pdflang` 3757, 3786, 8598,
 8600, 9163, 9165, 9603, 9605,
 10553, 10555, 11394, 11396
`\@pdfm@dest` 9180, 9239, 9243
`\@pdfm@mark` 6080, 9179,
 9231, 9251, 9265, 9267, 9281,
 9283, 9288, 9289, 9319, 9343,
 9345, 9350, 9368, 9390, 9422,
 9455, 9483, 9517, 9584, 9611,
 12549, 12550, 12551, 12568,
 12610, 12616, 12703, 12717,
 12732, 12738, 12763, 12770,
 12788, 12794, 12816, 12822,
 12844, 12850, 12855, 12887,
 12895, 13545

\@pdfmoddate . 3503, 3777, 8616,
 8618, 9075, 9077, 9526, 9528,
 10448, 10452, 11311, 11313

\@pdfnonfullscreenpagemode .
 ... 8571, 9134, 9562, 10181,
 10522, 11363

\@pdfnumcopies 8587,
 8589, 9150, 9152, 9578, 9580,
 10197, 10199, 10538, 10540,
 11379, 11381

\@pdfpageduration
 ... 3321, 8667, 8671, 8676,
 10106, 10108, 10111, 10374,
 10376, 10384

\@pdfpagelayout 8597, 9162, 9602,
 10202, 10204, 10552, 11393

\@pdfpagemode 3953, 3954, 4126,
 4127, 4136, 4137, 8551, 9118,
 9597, 10169, 10506, 11347

\@pdfpagescrop
 3711, 3781, 8536, 8540, 9101,
 9102, 9123, 9125, 9609, 9611,
 10158, 10160, 10511, 10513,
 11352, 11354

\@pdfpagetransition . 3319, 8643,
 8647, 8652, 9995, 9997, 9999,
 10357, 10359, 10367

\@pdfpicktraybypdfsize . 8579,
 8581, 9142, 9144, 9570, 9572,
 10189, 10191, 10530, 10532,
 11371, 11373

\@pdfprintarea . 8575, 9138, 9566,
 10185, 10526, 11367

\@pdfprintclip . 8576, 9139, 9567,
 10186, 10527, 11368

\@pdfprintpagerange
 ... 3432, 3785, 8583,
 8585, 9146, 9148, 9574, 9576,
 10193, 10195, 10534, 10536,
 11375, 11377

\@pdfprintscaling 8577, 9140, 9568,
 10187, 10528, 11369

\@pdfproducer
 ... 3486, 3774, 8477, 8620,
 8622, 9061, 9062, 9080, 9082,
 9506, 9507, 9511, 9531, 9533,
 10126, 10127, 10131, 10134,
 10135, 10215, 10217, 10455,
 10459, 10954, 10955, 11037,
 11039, 11041, 11129, 11130,
 11297, 11298, 11316, 11318

\@pdfremotestartview 3683, 3685,
 3686, 3687, 3698, 3702, 3704,
 3705, 3707, 3783, 8429, 9437,
 10908

\@pdfstartpage
 ... 3666, 3668, 3784, 8557,

8561, 9105, 9110, 9586, 9590,
 10162, 10166, 10493, 10498,
 11334, 11339

\@pdfstartview
 ... 3673, 3675, 3782, 8559,
 8561, 9107, 9111, 9588, 9590,
 10164, 10495, 10499, 11336,
 11340

\@pdfsubject
 3510, 3778, 8610, 9084, 9520,
 10213, 10467, 11320

\@pdftempa . 4615, 4616, 4619

\@pdftempwordfile . 4606, 4616

\@pdftempwordrun . 4607, 4619

\@pdftitle 3474, 3772, 8609, 9069,
 9519, 10212, 10466, 11305

\@pdftrapped . 3521, 3524, 3527,
 3536, 3545, 3780, 8625, 8627,
 9536, 9538, 10471

\@pdfview 3647, 8277, 8285, 9186,
 9190, 9194, 9198, 9202, 9206,
 9207, 9210, 9211, 9214, 9218,
 9220, 9235, 9779, 9789, 9801,
 10279, 10299, 10959, 11046,
 11134, 11406

\@pdfviewarea . 8573, 9136, 9564,
 10183, 10524, 11365

\@pdfviewclip . 8574, 9137, 9565,
 10184, 10525, 11366

\@pdfviewparams . 3649, 3651,
 10279, 10299, 10960, 11047,
 11135, 11407

\@percentchar . 4300, 4301, 4353,
 13313

\@processme . 5259, 5260, 8649,
 8655, 8673, 8679, 8695, 8701,
 10571, 10572, 10671, 10672,
 10675, 10676

\@protected@testopt 594

\@protected@testopt@xargs . 595

\@refstar 4250, 7882

\@runbordercolor 3769, 8453, 8455,
 9966, 9968, 10931

\@runcolor 8473, 9972

\@safe@activesfalse 547, 4230

\@safe@activestrue 546, 4229

\@savsf 8280, 8288

\@schapter 13636, 13637

\@secondoffive . 3844, 4225, 4238,
 7845, 7846, 7886

\@secondoftwo 535, 837, 1013,
 1540, 1680, 3843, 3844, 13692

\@sect 13687, 13688

\@seqnncr 6537

\@serial@counter . 13405, 13453,
 13455, 13456

\@seteqlabel 7403, 7404

\@setminipage 6902, 6973

\@setref 4233, 4238, 7814, 7815,
 7852

\@sharp 6451, 6457

\@skiphyperreffalse . 6177, 7029,
 7041

\@skiphyperreftrue 7015, 7041

\@spart 13679, 13680

\@ssect 13622, 13623

\@startlos 7752, 7759, 7808

\@starttoc 5721

\@tempa . 6611, 6618, 6622, 6727,
 6731, 6734, 6749

\@tempb 6565, 6569

\@tempboxa 8875, 8877, 8886, 8955,
 8957, 8960, 8961, 8970, 8976,
 8977, 8992, 8994, 8997, 8998,
 9008, 9014, 9015, 9030, 9032,
 9035, 9036, 9046, 9052, 9053,
 11249, 11251, 11260, 11524,
 11526, 11540

\@tempcnta . 13262, 13263, 13264,
 13265, 13266, 13268, 13271,
 13272, 13273, 13279, 13281,
 13283, 13374, 13375, 13376,
 13379, 13380, 13381, 13382,
 13383, 13595, 13596, 13597

\@tempdima
 2357, 5501, 5502, 5503, 5504,
 5505, 5506, 5507, 5508, 8270,
 11819, 11824, 11826, 11862,
 11863, 11864, 11868, 11869,
 11870, 11871, 12293, 12298,
 12300, 12337, 12338, 12339,
 12343, 12344, 12345, 12346,
 12628, 12633, 12635, 12672,
 12673, 12674, 12678, 12679,
 12680, 12681

\@tempdimb 11823, 11824, 12297,
 12298, 12632, 12633

\@tempswafalse 7234

\@tempswatrue . 7204, 7207, 7210,
 7231

\@temptokena . 3110, 3115, 3118,
 3120

\@tfor 6566

\@the@H@page 7253, 7255

\@thefnmark 6662, 6673, 6739,
 6740, 6779, 6796, 6803, 6834,
 6846, 6853

\@thirdoffive 4226, 7889

\@thm 6594

\@topnewpage 13738

\@topsep 6607

\@topsepadd 6608

\@typeset@protect 13608

\@undefined . . 296, 299, 600, 3114,
 5660, 5695, 5708, 5720, 5921,
 5939, 5978, 6867, 6930, 6942,
 6947, 6956, 7877, 8268, 8481,
 8490, 9752, 10137, 10151

\@undottedtocline 7804

\@unprocessedoptions 4075

\@urlbordercolor 3766, 8378, 8380,
 9461, 9463, 9902, 9904, 10871

\@urlcolor 8397, 8882,
 8895, 9002, 9019, 9475, 9908,
 11256, 11269, 11535, 11548

\@urltype 8848,
 8853, 9648, 9674, 9809, 9823,
 11218, 11223, 11497, 11502

\@vpageref 7910

\@whilenum 1184

\@wrindex 7486, 7487, 7518

\@writefile 7160

\@x@sf 6713, 6722, 6859, 6861

\@xfootnote 6832

\@xfootnotemark 6670, 6850

\@xfootnotenext 6659, 6843

\@xp 7393, 7428, 7429, 7442, 7443,
 7445, 7446

\[. 192, 217, 251, 4472

\{ 259, 273, 464, 1983, 10270, 13331

\} 260, 278, 465, 1984, 10270, 13332

\] 193, 218

\^ 186, 211, 249, 2081,
 2082, 3021, 4288, 4289, 4297,
 13765, 13777, 13789, 13996,
 14012, 14020, 14033, 14047,
 14061, 14077, 14087, 14088,
 14101, 14115, 14163, 14200,
 14219, 14240, 14365, 14381,
 14389, 14401, 14415, 14429,
 14445, 14455, 14456, 14469,
 14483, 14509, 14511, 14549,
 14551, 14565, 14567, 14601,
 14603, 14604, 14682, 14684,
 14730, 14732, 14734, 14736,
 15668, 15670

_ . 187, 212, 472, 4292, 4309, 4310

\` 166, 172, 179, 182,
 2957, 3091, 3094, 3096, 3104,
 13330, 13763, 13775, 13787,
 13992, 14008, 14016, 14029,
 14043, 14057, 14073, 14081,
 14082, 14097, 14111, 14159,
 14198, 14217, 14238, 14361,
 14377, 14385, 14397, 14411,
 14425, 14441, 14449, 14450,
 14465, 14479, 14796, 14798,
 15044, 15072, 15209, 15237,
 15640, 15642, 15690, 15692,
 16051, 16056, 16061, 16066,

16071, 16076, 16081, 16086,
 16091, 16096, 16101, 16106,
 16111, 16116, 16121, 16126,
 16131, 16136, 16141, 16146,
 16151, 16156, 16161, 16166

\| 188, 213, 255, 1889, 1982, 2023,
 2903, 3809, 7482, 8070, 8080

\~ 471, 1186, 2131, 3015,
 3023, 3024, 3025, 3904, 4313,
 13766, 13778, 13790, 13998,
 14027, 14035, 14063, 14095,
 14103, 14165, 14201, 14220,
 14241, 14367, 14395, 14403,
 14431, 14463, 14471, 14573,
 14575, 14576, 14706, 14708,
 15636, 15638, 15686, 15688,
 15694, 15696, 16053, 16058,
 16063, 16068, 16073, 16078,
 16083, 16088, 16093, 16098,
 16103, 16108, 16113, 16118,
 16123, 16128, 16133, 16138,
 16143, 16148, 16153, 16158,
 16163, 16168

Numbers

\3 448, 1230, 1231,
 1232, 1233, 1234, 1235, 1236,
 1237, 1346, 1347, 1348, 1349,
 1350, 1351, 1352, 1353, 2245,
 13474, 13992, 13994, 13996,
 13998, 14000, 14002, 14004,
 14006, 14008, 14010, 14012,
 14014, 14016, 14018, 14020,
 14022, 14024, 14025, 14027,
 14029, 14031, 14033, 14035,
 14037, 14039, 14041, 14043,
 14045, 14047, 14049, 14051,
 14053, 14055, 14057, 14059,
 14061, 14063, 14065, 14067,
 14069, 14071, 14073, 14075,
 14077, 14079, 14081, 14082,
 14084, 14085, 14087, 14088,
 14090, 14091, 14093, 14095,
 14097, 14099, 14101, 14103,
 14105, 14107, 14109, 14111,
 14113, 14115, 14117, 14119,
 14121, 14123, 14124, 14197,
 14361, 14363, 14365, 14367,
 14369, 14371, 14373, 14375,
 14377, 14379, 14381, 14383,
 14385, 14387, 14389, 14391,
 14393, 14395, 14397, 14399,
 14401, 14403, 14405, 14407,
 14409, 14411, 14413, 14415,
 14417, 14419, 14421, 14423,
 14425, 14427, 14429, 14431,
 14433, 14435, 14437, 14439,
 14441, 14443, 14445, 14447,

16096, 16097, 16099, 16100,	15868, 15870, 15872, 15874,	\abreve 16035, 16054, 16055, 16056,
16101, 16102, 16103, 16104,	15876, 15878, 15880, 15882,	16057, 16058
16105, 16106, 16107, 16108,	15884, 15886, 15888, 15890,	\AccFancyVerbLineautorefname .
16109, 16111, 16113, 16124,	15892, 15894, 15896, 15898, 3065
16126, 16130, 16131, 16132,	15900, 15902, 15904, 15906,	\Accfootnoteautorefname .. 3045
16133, 16134, 16135, 16136,	15908, 15910, 15912, 15914,	\Acctheoremautorefname .. 3069
16137, 16139, 16140, 16141,	15916, 15918, 15920, 15922,	\ACIRCUMFLEX . 16043, 16119,
16142, 16143, 16144, 16145,	15924, 15926, 15928, 15930,	16120, 16121, 16122, 16123
16146, 16147, 16148, 16149,	15932, 15934, 15936, 15938,	\acircumflex .. 3096, 16036, 16059,
16150, 16151, 16152, 16153,	15940, 15942, 15944, 15946,	16060, 16061, 16062, 16063
16154, 16155, 16156, 16157,	15948, 15950, 15952, 15954,	\Acrobatmenu . 2328, 3840, 5657,
16159, 16160, 16161, 16162,	15956, 15958, 15960, 15962,	8772, 9480, 9975, 10815
16163, 16164, 16165, 16166,	15964, 15966, 15968, 15970,	\active 1164, 1171,
16167, 16168, 16221, 16223	15972, 15974, 15976, 15978,	4289, 4290, 4291, 4292, 4293,
\9	15980, 15982, 15984, 15986,	4294, 4297, 4299, 4302, 4310,
451, 1250, 1253, 1284,	15988, 15990, 15992, 15994,	13478, 13507
2173, 2188, 2197, 2225, 2245,	15996, 15998, 16000, 16002,	\add@accent 463
14197, 15542, 15544, 15546,	16004, 16006, 16008, 16010,	\addcontentsline 6896, 6967, 7285,
15548, 15550, 15552, 15554,	16012, 16014, 16016, 16018,	7290, 7361, 13743
15556, 15558, 15560, 15562,	16050, 16052, 16054, 16055,	\addtocontents 7330, 7362, 7635,
15564, 15566, 15568, 15570,	16056, 16057, 16058, 16059,	7687, 13731, 13732
15572, 15574, 15576, 15578,	16060, 16061, 16062, 16063,	\addtocounter . 6335, 6358, 6367,
15580, 15582, 15584, 15586,	16065, 16067, 16068, 16069,	6378, 6382, 6587, 9370
15588, 15590, 15592, 15594,	16070, 16071, 16072, 16073,	\addvspace 13731, 13732
15596, 15598, 15600, 15602,	16075, 16077, 16080, 16082,	\adl@LT@array 6449
15604, 15606, 15608, 15610,	16084, 16085, 16086, 16087,	\advance 385, 386,
15612, 15614, 15616, 15618,	16088, 16089, 16090, 16091,	1185, 4438, 4775, 5103, 5149,
15620, 15622, 15624, 15626,	16092, 16093, 16095, 16097,	5502, 5503, 5506, 5507, 5876,
15628, 15630, 15632, 15634,	16099, 16100, 16101, 16102,	8526, 8887, 8971, 9009, 9047,
15636, 15638, 15640, 15642,	16103, 16105, 16106, 16107,	10133, 11261, 11541, 11826,
15644, 15646, 15648, 15650,	16108, 16110, 16112, 16114,	11869, 11870, 12300, 12344,
15652, 15654, 15656, 15658,	16115, 16116, 16117, 16118,	12345, 12579, 12635, 12679,
15660, 15662, 15664, 15666,	16119, 16120, 16121, 16122,	12680, 13263, 13265, 13266,
15668, 15670, 15672, 15674,	16123, 16125, 16127, 16128,	13272, 13281, 13382, 13596
15676, 15678, 15680, 15682,	16129, 16130, 16131, 16132,	\AE 14004, 14373, 14800
15684, 15686, 15688, 15690,	16133, 16135, 16137, 16140,	\ae 14069, 14437, 14802
15692, 15694, 15696, 15698,	16142, 16144, 16145, 16146,	\afterassignment 1778, 1784, 1790
15700, 15702, 15704, 15706,	16147, 16148, 16149, 16150,	\AfterBeginDocument .. 283, 297
15708, 15710, 15712, 15714,	16151, 16152, 16153, 16155,	\aftergroup 6783
15716, 15718, 15720, 15722,	16157, 16159, 16160, 16161,	\alef 16177
15724, 15726, 15728, 15730,	16162, 16163, 16165, 16166,	\alefhamza 16173
15732, 15734, 15736, 15738,	16167, 16168, 16222	\aleflowerhamza 16175
15740, 15742, 15744, 15746,		\alefmaadda 16172
15748, 15750, 15752, 15754,		\alefmaqsura 16206
15756, 15758, 15760, 15762,		\Alph 5925, 6230, 6231
15764, 15766, 15768, 15770,		\alph 5926, 6558, 6589
15772, 15774, 15776, 15778,		\AMSautorefname 8044
15780, 15782, 15784, 15786,		\anchor@spot 4714, 4727, 4734, 4740, 4742,
15788, 15790, 15792, 15794,		8335, 8828, 8923, 9720, 9792,
15796, 15798, 15800, 15802,		10276, 10615, 10618, 11198,
15804, 15806, 15808, 15810,		11478
15812, 15814, 15816, 15818,		\appendix 6227, 6228
15820, 15822, 15824, 15826,		\appendixautorefname 2913, 2931,
15828, 15830, 15832, 15834,		2949, 2967, 2985, 3003, 3021,
15836, 15838, 15840, 15842,		3053, 3054, 3079, 3097, 8054
15844, 15846, 15848, 15850,		
15852, 15854, 15856, 15858,		
15860, 15862, 15864, 15866,		

\arabic ... 5922, 6135, 6138, 6141, 6142, 6143, 6145, 6146, 6147, 6148, 6150, 6151, 6152, 6153, 6154, 6155, 6158, 6168, 6169, 6209, 6342, 7370, 7376, 7424, 7438, 7623, 7628, 7630

\AtBeginDocument .. 284, 5693, 6439, 11568

\AtBeginShipout 5805, 8807, 9316

\AtBeginShipoutBox . 5809, 5812, 8802, 8803, 9317, 9318

\AtBeginShipoutFirst 5816, 9616, 11010, 11125

\AtEndDocument 5707

\AtEndOfPackage 294

\AtVeryEndDocument 6018, 12219

\author 5741, 5751

\autoref 3952, 7925

\autoref .. 569, 3951, 7944, 11563

\ayn 16195

B

\b ... 800, 804, 810, 13773, 13785, 13797, 14189, 14212, 14231, 15548, 15550, 15556, 15558, 15588, 15590, 15592, 15594, 15608, 15610, 15624, 15626, 15632, 15634, 15672, 15674, 15676

\baa 16178

\back@none .. 2848, 2858, 2871

\back@page 2850, 2863

\back@section .. 2849, 2855, 2861, 2867

\back@slide 2851, 2860

\backcite 7161

\backref 7192, 11567

\baselineskip .. 2331, 5515, 5516, 5517, 5518, 5519, 5520, 8942, 10295, 10321, 10993

\bbl@cite@choice 7008

\BeforeTeXIVht 2730

\begin 11588, 16227

\belowpdfbookmark 13378

\bfseries .. 513, 7107, 7130, 7818, 7838, 7855, 7972

\bgroup 588, 4405, 6770, 6782, 8242, 9334, 9720, 10311, 12023, 12115, 12136

\bibcite .. 6999, 7005, 7009, 7034, 7049, 7065, 7075

\bitsetGetDec .. 4827, 4960, 4978, 4992, 5005, 5021, 5053, 5078

\bitsetGetHex 4828

\bitsetGetSetBitList 4816

\bitsetIsEmpty .. 4957, 4975, 4989, 5002, 5018, 5050, 5075

\bitsetReset .. 4930, 4964, 4983, 4997, 5010, 5026, 5058

\bitsetSetValue 4796, 4806

\BOOKMARK 13310, 13389

\booknumberline .. 13293, 13298

\box 5509, 5812, 8256, 9348, 10652

\bullet 7770, 7778, 7788, 7796

C

\C 14183, 15288, 15290

\c 801, 805, 811, 3015, 3023, 3024, 3025, 5764, 5771, 13771, 13783, 13795, 14006, 14071, 14191, 14206, 14225, 14236, 14375, 14439, 14561, 14563, 14606, 14608, 14616, 14618, 14636, 14638, 14670, 14672, 14686, 14688, 14694, 14696, 14841, 14843, 15343, 15346, 15560, 15562, 15580, 15582

\c@footnote 6672, 6729, 6737, 6852

\c@Hy@tempcnt 4423, 4424, 4430, 4438

\c@page .. 5858, 5876, 5877, 5881, 5893, 5895, 5900, 5907, 5909, 5911, 5940, 7248

\c@secnumdepth .. 13656, 13674, 13689

\c@slide@section .. 7636, 7764, 7765

\c@slide@subsection 7688

\c@tocdepth 3246, 3251

\calc@bm@number .. 13519, 13594

\calculate@pdfview .. 3643, 3646

\capitalacute 14239

\capitalbreve 14246

\capitalcaron 14245

\capitalcedilla 14236

\capitalcircumflex 14240

\capitaldieresis 14242

\capitaldotaccent 14248

\capitalgrave 14238

\capitalhungarumlaut .. 14243

\capitalmacron 14247

\capitalnewtie 14250

\capitalogonek 14237

\capitalring 14244

\capitaltie 14249

\capitaltilde 14241

\caption .. 6866, 6868, 6955, 6957

\catcode .. 172, 173, 184, 185, 186, 187, 206, 726, 727, 863, 1164, 1171, 1889, 1890, 2023, 2024, 2080, 2081, 2082, 4146, 4148, 4288, 4289, 4290, 4291, 4292, 4293, 4294, 4297, 4299, 4302, 4310, 4320, 4411, 4412, 8070,

10350, 10351, 13407, 13409, 13478, 13481, 13507, 13510

\cf@encoding 1489

\chapterautorefname .. 2914, 2932, 2950, 2968, 2986, 3004, 3022, 3051, 3080, 3098, 8055

\chapternumberline 13295, 13300

\char 12246, 13411, 13448

\chardef 2545, 2546, 2547, 2548, 2756, 2758, 10610, 10613, 10619

\check@bm@number 13530, 13538, 13587, 13595

\CheckBox 5466

\CheckCommand 6726

\checkcommand .. 42, 6377, 6843, 6850, 6857, 6955, 6965, 7059, 7071, 7361, 7364, 7424, 7852

\checklateX .. 4, 6842, 6954, 7058, 7360, 7851

\checkpackage .. 9, 6376, 7423

\ChoiceBox 5153

\ChoiceMenu 5463

\citation 7104, 7127, 7153

\citeauthoryear 7219, 7225

\citeN 7216

\CJK@char 1167

\CJK@charx 1168

\CJK@CJK 1156

\CJK@eight .. 1367, 1370, 1484

\CJK@five .. 1367, 1369, 1484

\CJK@four .. 1366, 1369, 1483

\CJK@hundred 1433

\CJK@hundredmillion .. 1396

\CJK@ignorespaces .. 1166

\CJK@kern 1154

\CJK@minus 1358

\CJK@nine .. 1367, 1371, 1484

\CJK@null 1460

\CJK@one .. 1366, 1368, 1483

\CJK@punctchar .. 1169

\CJK@punctcharx .. 1170

\CJK@seven .. 1367, 1370, 1484

\CJK@six .. 1367, 1370, 1484

\CJK@ten .. 1368, 1369, 1370, 1371, 1448

\CJK@tenthsousand .. 1381, 1402

\CJK@thousand 1418

\CJK@three .. 1366, 1369, 1483

\CJK@two .. 1366, 1368, 1483

\CJK@zero .. 1366, 1384, 1401, 1405, 1421, 1436, 1458

\CJKdigits 1243

\CJKkern 1155

\CJKnumber 1242

\close@pdflink .. 8329, 8354, 8363, 8398, 8438, 8474, 8797

\closeout	5687, 13398	\cyrchldsc	15448	\CYRIOTE	15252
\clubpenalty	6648, 6650	\CYRCHRDSC	15406	\cyriote	15254
\codeof	7183	\cyrchrldsc	15408	\CYRIOTLYUS	15260
\color@begingroup	8242, 9334	\CYRCHVCRS	15410	\cyriotlyus	15262
\color@endgroup	8249, 9341	\cyrchvcrs	15412	\CYRISHRT	15097
\columnwidth	6777	\CYRD	15087	\cyrishrt	15162
\comma@entry	5144, 5151, 5153	\cyrd 3038, 3041, 3052, 3057, 3058,		\CYRISHRTDSC	15314
\comma@parse	5143	15152		\cyrishrtdsc	15316
\contentsline	5696, 5697, 5709, 7331, 7335, 7362, 7364	\CYRDJE	15049	\CYRIZH	15284, 15288
\copy	8252, 8803, 9318, 9344	\cyrdje	15214	\cyrizh	15286, 15290
\count@	765, 767, 768, 771, 774, 777, 780, 1183, 1184, 1185, 1186, 1779, 3262, 3263, 3268, 3269, 4774, 4775, 4790, 5086, 5101, 5103, 5127, 5149, 5165, 8521, 8522, 8523, 8524, 8525, 8526, 8529, 10129, 10130, 10131, 10132, 10133, 10136	\CYRDZE	15055	\CYRJE	15062
\CurrentBorderColor	8319, 8321, 8348, 8350, 8358, 8360, 8365, 9782, 9816, 9818, 9834, 9836, 9855, 9857, 9915, 9917, 9934, 9936	\cyrdze	15220	\cyrje	15227
\currentpdfbookmark	13370	\CYRDZHE	15077	\CYRK	15070, 15100
\curu	15240	\cyrdzhe	15242	\cyrk	3044, 3045, 3047, 3061, 3062, 3064, 3065, 3066, 15165, 15235
\cyr	548, 3033, 3035, 3038, 3041, 3044, 3045, 3046, 3047, 3048, 3049, 3050, 3051, 3052, 3053, 3055, 3057, 3058, 3059, 3060, 3061, 3062, 3063, 3064, 3065, 3066, 3067, 3068, 3069, 3070	\CYRE 15044, 15047, 15089, 15466		\CYRKBEAK	15360
\CYRA	15079, 15454, 15458	\cyre	3035, 3041, 3042, 3055, 3067, 3068, 3069, 15154, 15209, 15212, 15468	\cyrkbeak	15362
\cyra	3035, 3042, 3044, 3049, 3052, 3057, 3058, 3064, 3068, 15144, 15456, 15460	\CYREREV	15138, 15510	\CYRKDSC	15348
\CYRABHCH	15418, 15423	\cyrerev	15203	\cyrkdsc	15350
\cyrabhch	15420, 15426	\CYRERY	15134, 15534	\CYRKHCRS	15356
\CYRABHCHDSC	15422	\cyrery	15199, 15536	\cyrkhcrs	15358
\cyrabhchdsc	15425	\CYRG	15051, 15085	\CYRKHK	15434
\CYRABHDZE	15486	\cyrg	3051, 15150, 15216	\cyrkhk	15436
\cyrabhdze	15488	\CYRGDSC	15530	\CYRKOPPA	15308
\CYRABHHA	15376	\cyrgdsc	15532	\cyrkoppa	15310
\cyrabhha	15378	\CYRGHCRS	15330	\CYRKSI	15272
\CYRAE	15462	\cyrghcrs	15332	\cyrksi	15274
\cyrae	15464	\CYRGHK	15334	\CYRKVCRS	15352
\CYRB	15081	\cyrghk	15336	\cyrkvcrs	15354
\cyrb	3049, 15146	\CYRGUP	15326	\CYRL	15102
\CYRBYUS	15264	\cyrgrup	15328	\cyl	3049, 3051, 3053, 3055, 15167
\cyrbyus	15266	\CYRH	15122	\CYRLDSC	15438
\CYRC	15124	\cyrh	15187	\cylldsc	15440
\cyc	15189	\CYRHDS	15398	\CYRLJE	15064
\CYRCH	15126, 15526	\cyrhdsc	15400	\cylrje	15229
\cyrch	3041, 3042, 3050, 15191, 15528	\CYRHHK	15538	\CYRLYUS	15256
\CYRCHLDSC	15446	\cyrhhk	15540	\cyrlyus	15258
		\CYRHRDSN	15132	\CYRM	15104
		\cyrhrdsn	15197	\cym	3038, 3042, 3048, 3053, 3055, 15169
		\CYRI 15072, 15095, 15098, 15490, 15494		\CYRMDSC	15450
		\cysi	3035, 3038, 3042, 3048, 3053, 3055, 15160, 15163, 15237, 15492, 15496	\cymdsc	15452
		\CYRIE	15053	\CYRN	15106
		\cysie	15218	\cyn	3035, 3041, 3042, 3044, 3045, 3047, 3055, 3061, 3062, 15171
		\CYRII	15057, 15060	\CYRNDSC	15364
		\cysi	15222, 15225	\cyrndsc	15366
		\CYRIOTBYUS	15268	\CYRNG	15368
		\cysiotbyus	15270	\cyrng	15370
				\CYRNHK	15442
				\cyrnhk	15444
				\CYRNJE	15066
				\cyrnje	15231
				\CYRO	15108, 15498
				\cyro	3038, 3041, 3044, 3045, 3055, 3064, 3065, 3067, 3068, 3069, 15173, 15500

\CYROMEGA	15244	\cyr	3045, 3047, 3061, 3062, 3065, 3069, 15183, 15516, 15520, 15524	\DeclareFontShape	823, 831, 2628
\cyromega	15246	\cyrk	15292	\DeclareFontSubstitution	824, 832, 2629
\CYROMEGARND	15296	\CYRUK	15294	\DeclareLocalOptions	3819
\cyromegarnd	15298	\cyrk	15294	\DeclareRobustCommand	4249, 4252, 4261, 4265, 4402, 4489, 4491, 4493, 4502, 5460, 5463, 5466, 5469, 5472, 5475, 5478, 5603, 5607, 5675, 5679, 7899, 7925, 7944, 13612
\CYROMEGATITLO	15300	\CYRUSHRT	15074	\DeclareTextAccent	13763, 13764, 13765, 13766, 13767, 13768, 13769, 13770, 13771, 13772, 13773, 13774
\cyromegatitlo	15302	\cyrushrt	15239	\DefaultHeightofCheckBox	5515, 11974, 12468, 12831
\CYROT	15304	\CYRV	15083	\DefaultHeightofChoiceMenu	5517, 11816, 12290, 12625
\cyrot	15306	\cyrv	3033, 3035, 15148	\DefaultHeightofReset	5513, 11948, 12441, 12799
\CYROTLD	15502, 15506	\CYRY	15390	\DefaultHeightofSubmit	5511, 11931, 12419, 12776
\cyrotd	15504, 15508	\cypy	15392	\DefaultHeightofText	5519, 11793, 12266, 12593
\CYRP	15110	\CYRYA	15142	\DefaultHeightofTextMultiline	5520, 11791, 12264, 12591
\cyrp 3038, 3041, 3042, 3046, 3047,	3053, 3055, 3059, 3060, 3061,	\carya	15207	\DefaultOptionsofCheckBox	5525, 11976, 12470, 12833
3062, 15175		\CYRYAT	15248	\DefaultOptionsofComboBox	5528
\CYRpalochnka	15428	\caryat	15250	\DefaultOptionsofListBox	5527
\CYRPHK	15372	\CYRYHCRS	15394	\DefaultOptionsofPopdownBox	5529
\cyrphk	15374	\caryhcrs	15396	\DefaultOptionsofPushButton	5524, 11906, 12392, 12744
\CYRPSI	15276	\CYRYI	15059	\DefaultOptionsofRadio	5530
\cyrpsi	15278	\caryi	15224	\DefaultOptionsofReset	5523, 11951, 12444, 12802
\CYRR	15112	\CYRYO	15046	\DefaultOptionsofSubmit	5522, 11934, 12422, 12779
\cyrr 3033, 3035, 3038, 3041, 3042,	3048, 3052, 3053, 3055, 3057,	\caryo	15211	\DefaultOptionsofText	5526, 11798, 12271, 12598
3058, 3063, 3064, 3065, 3066,	3067, 3068, 3069, 15177	\CYRYU	15140	\DefaultWidthofCheckBox	5516, 11973, 12467, 12830
\CYRRTICK	15322	\caryu	15205	\DefaultWidthofChoiceMenu	5518, 11815, 12289, 12624
\cyrrtick	15324	\CYRZ	15093, 15343, 15482	\DefaultWidthofReset	5514, 11947, 12440, 12798
\CYRS	15114, 15381	\cyrz	3052, 3057, 3058, 15158, 15346, 15484	\DefaultWidthofSubmit	5512, 11930, 12418, 12775
\cyrs 3038, 3041, 3044, 3045, 3048,	3063, 3064, 3065, 3066, 3070,	\CYRZDSC	15342	\DefaultWidthofText	5521, 11788, 12261, 12588
15179, 15384		\cyrzdsc	15345	\define@key	2444, 2446, 2489, 2504, 2507, 2510, 2518, 2521, 2531, 2534, 2537, 2554, 2566, 2568, 2571, 2574, 2591, 2595, 2598, 2601, 2604, 2607, 2610, 2613, 2648, 2706,
\CYRSCHWA	15470, 15474	\CYRZH	15091, 15430, 15478		
\cryschwa	15472, 15476	\cyrzh	3035, 3055, 15156, 15432, 15480		
\CYRSDSC	15380, 15381	\CYRZHDSC	15338		
\crysdesc	15383	\cyrzhdesc	15340		
\CYRSEMISFTSN	15318				
\crysdesc	15320				
\CYRSFTSN	15136				
\crysftsn	15201				
\CYRSH	15128				
\cyrsh	15193				
\CYRSHCH	15130				
\cyrshch	15195				
\CYRSHHA	15414				
\cyrshha	15416				
\CYRT	15116				
\cyrt 3038, 3041, 3047, 3049, 3061,	3062, 3063, 3064, 3065, 3066,				
3067, 3068, 3069, 15181					
\CYRTDSC	15386				
\cyrtdsc	15388				
\CYRTETSE	15402				
\cyrtetse	15404				
\cyrthousands	15312				
\CYRTSHE	15068				
\cyrtshe	15233				
\CYRU 15075, 15118, 15514, 15518,	15522				

\texttt{2726, 2727, 2741, 2744, 2747, 2750, 2753, 2761, 2764, 2767, 2770, 2774, 2802, 2818, 2829, 2832, 2835, 2838, 2842, 2845, 2852, 2881, 2900, 2903, 3140, 3174, 3182, 3190, 3197, 3200, 3215, 3240, 3243, 3247, 3275, 3280, 3284, 3287, 3294, 3306, 3314, 3317, 3320, 3322, 3325, 3334, 3344, 3351, 3358, 3359, 3431, 3440, 3470, 3476, 3482, 3488, 3494, 3500, 3506, 3512, 3518, 3551, 3558, 3592, 3643, 3644, 3664, 3671, 3681, 3711, 3712, 3715, 3718, 3721, 3724, 3727, 3730, 3733, 3756, 3759, 3762, 4419, 4448, 4454, 4466, 4768, 4856, 4912, 5214, 5219, 5232, 5278, 5281, 5284, 5288, 5291, 5295, 5298, 5302, 5305, 5309, 5312, 5315, 5318, 5321, 5324, 5327, 5330, 5333, 5336, 5339, 5342, 5372, 5375, 5378, 5381, 5400, 5406, 5421, 5427, 5444, 5449, 5455, 6031, 6042, 10682, 10684, 10687, 10689, 10691, 10700, 10708, 10715, 10717, 10719, 10721, 10723, 10725, 10734, 10744, 10746, 10748, 10749, 10755, 10764, 10766, 10768, 10770, 10772, 10774, 10776, 10778, 10780, 10782, 10784, 10786, 10788, 10790, 10792, 10794, 10795, 10796, 10797, 10798, 10799, 10800, 10801, 10802, 10803, 10804, 10805}	3102, 3103, 14527, 16037 1184, 2461, 2466, 2471, 3332, 3353, 3354, 3355, 3356, 3371, 3372, 3373, 3374, 3375, 3376, 3379, 3380, 3381, 3382, 3383, 3384, 3387, 3388, 3391, 3392, 3393, 3394, 3395, 3398, 3399, 3400, 3401, 3402, 3405, 3406, 3407, 3408, 3409, 3412, 3413, 3414, 3415, 3416, 3419, 3420, 3423, 3424, 3425, 3428, 3429, 3435, 3436, 3437, 3438, 3749, 3750, 3751, 3752, 3753, 3754, 4816, 6569, 7099, 7122, 11820, 11881, 12085, 12092, 12102, 12294, 12356, 12629, 12694, 13477, 13506	2813, 2814, 3948, 4048, 7812, 10285, 11586, 13602
\texttt{\do}	1184, 2461, 2466, 2471, 3332, 3353, 3354, 3355, 3356, 3371, 3372, 3373, 3374, 3375, 3376, 3379, 3380, 3381, 3382, 3383, 3384, 3387, 3388, 3391, 3392, 3393, 3394, 3395, 3398, 3399, 3400, 3401, 3402, 3405, 3406, 3407, 3408, 3409, 3412, 3413, 3414, 3415, 3416, 3419, 3420, 3423, 3424, 3425, 3428, 3429, 3435, 3436, 3437, 3438, 3749, 3750, 3751, 3752, 3753, 3754, 4816, 6569, 7099, 7122, 11820, 11881, 12085, 12092, 12102, 12294, 12356, 12629, 12694, 13477, 13506	\endlinechar 4287 \endNoHyper 5639 \EndPreamble 11589 \endsubeqnarray 6544, 6555 \eqnarray 6514, 6516, 6537 \equal 7180 \equation 6477, 6486, 6490, 6499 \equationautorefname 2907, 2925, 2943, 2961, 2979, 2997, 3015, 3033, 3034, 3073, 3091, 8044, 8048
\texttt{\errmessage}		\errmessage 3137
\texttt{\es@roman}		\es@roman 549
\texttt{\es@save@dot}		\es@save@dot 1142
\texttt{\escapechar}		\escapechar 444, 750, 6562, 13337, 13517, 13568
\texttt{\eTeX}		\eTeX 484, 11594
\texttt{\etex@unexpanded}		\etex@unexpanded 1717, 1724
\texttt{\eTeXversion}		\eTeXversion 8481, 8483, 8485
\texttt{\evensidemargin}		\evensidemargin 7272
\texttt{\everypar}		\everypar 6650
\texttt{\ExecuteOptions}		\ExecuteOptions 3810, 3811, 3815
\texttt{\ext@figure}		\ext@figure 7620
\texttt{\ext@table}		\ext@table 7619
\texttt{\extra@b@citeb}		\extra@b@citeb 7106
\texttt{\extrasvietnam}		\extrasvietnam 3183
\texttt{\extrasvietnamese}		\extrasvietnamese 3175
E		
\texttt{\ECIRCUMFLEX}	16045, 16129, 16130, 16131, 16132, 16133	
\texttt{\ecircumflex}	16038, 16069, 16070, 16071, 16072, 16073	
\texttt{\EdefEscapeHex}	745	
\texttt{\EdefEscapeName}	3582, 3626	
\texttt{\EdefEscapeString}	699, 709	
\texttt{\EdefUnescapeName}	3583	
\texttt{\EdefUnescapeString}	694	
\texttt{\egroup}	589, 8249, 9341, 9720, 10345, 12032, 12124, 12149	
\texttt{\em}	519	
\texttt{\emph}	498	
\texttt{\empty}	1166, 3250	
\texttt{\enc@html}	5218, 5221	
\texttt{\enc@update}	460	
\texttt{\END}	1514, 1515, 1541, 1542, 1557, 1558, 1575, 1576, 1593, 1594, 1962, 1968, 1973, 2075, 2077, 8646, 8659, 8663, 8670, 8683, 8687, 8693, 8705, 8709	
\texttt{\end}	16228	
\texttt{\endeqnarray}	6515, 6533, 6540	
\texttt{\endequation}	6478, 6510	
\texttt{\endForm}	5208	
\texttt{\endinput}	64, 2738, 2778, 2779, 2792, 2796, 2797, 2806, 2807,	
F		
\texttt{\fa}		\fa 16198
\texttt{\FancyVerbLineautorefname}		\FancyVerbLineautorefname 2920, 2938, 2956, 2974, 2992, 3010, 3028, 3063, 3066, 3086, 3104, 8061
\texttt{\farsikaf}		\farsikaf 16219
\texttt{\farsiya}		\farsiya 16221
\texttt{\fatha}		\fatha 16211
\texttt{\fbox}		\fbox 12250, 12253
\texttt{\Field@addtoks}		\Field@addtoks 5258, 5289, 5292, 5422, 5445
\texttt{\Field@boolkey}		\Field@boolkey 4769, 4857, 5252, 5282, 5285
\texttt{\Field@toks}		\Field@toks 5256, 5257, 5259, 12024, 12041, 12052, 12063, 12073, 12090, 12108, 12116, 12121, 12137, 12146
\texttt{\Field@Width}		\Field@Width 5193, 5307
\texttt{\figureautorefname}		\figureautorefname 2910, 2928, 2946, 2964, 2982, 3000, 3018, 3048, 3076, 3094, 8051
\texttt{\filename@area}		\filename@area 4655
\texttt{\filename@base}		\filename@base 4655
\texttt{\filename@ext}		\filename@ext 4652, 4653, 4655, 4656
\texttt{\filename@parse}		\filename@parse 4651

\find@pdflink . . . 8298, 8352, 8362
 \Fld@additionalactions . 12962,
 13005, 13009
 \Fld@DingDef . 5347, 5350, 5369
 \Fld@additionalactions . 12962,
 13040, 13068, 13102, 13134,
 13168, 13202, 13233
 \Fld@align . . . 5197, 5334, 13019,
 13077, 13142
 \Fld@cannotflags 4976, 4978, 13015,
 13046, 13073, 13106, 13138,
 13173, 13208
 \Fld@bcolor . . . 5199, 5376, 13030,
 13032, 13093, 13095, 13121,
 13123, 13146, 13158, 13160
 \fld@bcolor 13081
 \Fld@bordercolor . . . 5200, 5379,
 13026, 13028, 13053, 13061,
 13063, 13080, 13089, 13091,
 13117, 13119, 13145, 13154,
 13156, 13180, 13188, 13190,
 13215, 13223, 13225
 \Fld@bordersep . . . 5201, 5328
 \Fld@borderstyle . . . 5203, 5325,
 13020, 13051, 13078, 13111,
 13143, 13178, 13231
 \Fld@borderwidth . . . 5202, 5322,
 5499, 5502, 5503, 5506, 5507,
 11869, 11870, 12344, 12345,
 12679, 12680, 13020, 13051,
 13078, 13111, 13143, 13178,
 13231
 \Fld@calculate@code 5387, 12975,
 12977
 \Fld@cbsymbol 5204, 5340, 13034
 \Fld@charsize . . . 5194, 5195, 5319,
 11868, 12343, 12678, 13036,
 13099, 13127, 13164, 13213
 \Fld@checkedfalse 5190
 \Fld@checkequals . . . 5270, 11821,
 11882, 12093, 12103, 12295,
 12357, 12630, 12695
 \Fld@choices . . . 5083, 5091, 5093,
 5097, 5106, 5114, 5119, 5167,
 5169, 5177, 5178, 13101
 \Fld@color . . . 5198, 5382, 13037,
 13100, 13128, 13165
 \Fld@default
 5108, 5111, 5113, 5331,
 11786, 11802, 11813, 11853,
 11971, 12022, 12040, 12054,
 12062, 12069, 12095, 12105,
 12135, 12145, 12259, 12276,
 12287, 12328, 12465, 12586,
 12603, 12622, 12663, 12828,
 13129, 13130, 13166
 \Fld@DingDef . . . 5340, 5343, 5345
 \Fld@disabledfalse 5191
 \Fld@export 4921, 4924, 4931, 5223
 \Fld@findlength . . . 12072, 12083
 \Fld@flags
 4990, 4992, 5003, 5005, 5019,
 5021, 5051, 5053, 5076, 5078,
 13018, 13049, 13076, 13109,
 13141, 13176, 13211
 \Fld@format@code . . . 5385, 12967,
 12969
 \Fld@getmethodfalse 5243
 \Fld@getmethodtrue 5245
 \Fld@height . . . 5316, 11789, 11805,
 11816, 11871, 11886, 11898,
 11931, 11948, 11974, 11982,
 12262, 12280, 12290, 12346,
 12371, 12384, 12419, 12441,
 12468, 12478, 12589, 12605,
 12625, 12681, 12692, 12727,
 12776, 12799, 12831, 12839
 \Fld@hiddenfalse 4879
 \Fld@hiddentrue 4880
 \Fld@invisibl>false 4875
 \Fld@invisibl>true 4876
 \Fld@keystroke@code 5388, 12963,
 12965
 \Fld@listcount 11880, 11883,
 11894, 12355, 12358, 12372,
 12378, 12690, 12696, 12700,
 12705, 12716, 12723
 \Fld@loc 5279
 \Fld@maxlen . . . 5196, 5310, 13169
 \Fld@menulength 5192, 5313,
 11818, 11822, 11868, 12084,
 12085, 12088, 12292, 12296,
 12343, 12627, 12631, 12678
 \Fld@name . . . 5303, 11785, 11812,
 11903, 11970, 12021, 12026,
 12037, 12038, 12049, 12050,
 12059, 12060, 12068, 12089,
 12106, 12114, 12119, 12134,
 12143, 12258, 12286, 12389,
 12464, 12585, 12621, 12741,
 12827, 12958, 12960, 13016,
 13047, 13074, 13107, 13139,
 13174, 13209
 \Fld@norotatefalse 4892
 \Fld@norotatetrue 4891
 \Fld@noviewfalse 4895
 \Fld@noviewtrue 4896
 \Fld@nozoomfalse 4888
 \Fld@nozoomtrue 4887
 \Fld@onblur@code . . . 5390, 12983,
 12985
 \Fld@onclick@code . . . 5384, 5456,
 13067
 \Fld@onenter@code . . . 5393, 12995,
 12997
 \Fld@onexit@code . . . 5394, 12999,
 13001
 \Fld@onfocus@code . . . 5389, 12979,
 12981
 \Fld@onmousedown@code . . . 5391,
 12987, 12989
 \Fld@onmouseup@code . . . 5392,
 12991, 12993
 \Fld@printfalse 4884
 \Fld@printtrue 4883
 \Fld@radiosymbol . . . 5205, 5343,
 13125
 \Fld@rotation . . . 5206, 5373, 13022,
 13024, 13052, 13057, 13059,
 13079, 13085, 13087, 13113,
 13115, 13144, 13150, 13152,
 13179, 13184, 13186, 13214,
 13219, 13221
 \Fld@submitflags 4958, 4960,
 13200
 \Fld@temp 5346, 5348, 5351, 5352,
 5361, 5362
 \Fld@validate@code . . . 5386, 12971,
 12973
 \Fld@value 5109, 5116, 5118, 5337,
 11787, 11802, 11814, 11852,
 11853, 12260, 12276, 12288,
 12327, 12328, 12587, 12603,
 12623, 12662, 12663, 13167
 \Fld@width 5306, 11788, 11801,
 11805, 11815, 11851, 11862,
 11864, 11886, 11898, 11918,
 11930, 11938, 11947, 11961,
 11973, 11979, 11982, 12261,
 12275, 12280, 12289, 12326,
 12337, 12339, 12371, 12384,
 12405, 12418, 12426, 12440,
 12454, 12467, 12474, 12478,
 12588, 12602, 12605, 12624,
 12661, 12672, 12674, 12692,
 12727, 12758, 12775, 12783,
 12798, 12812, 12830, 12837,
 12839
 \float@caption 6876, 6936
 \float@makebox 6938, 6939
 \floatingpenalty 6776
 \flq 556
 \flqq 554
 \fmtname 7
 \fmtversion 7
 \fontencoding 452, 456, 491, 12242
 \fontfamily 492, 12241
 \fontseries 493, 6602, 12243
 \fontshape 494, 4212, 12244
 \fontsize 495

\footins 6770
\footnote 4745
\footnoteautorefname 2908, 2926,
2944, 2962, 2980, 2998, 3016,
3037, 3040, 3074, 3092, 8045,
8049
\footnotesep 6774, 6781
\footnotesize 524, 6772
\footnotetext 6729
\footref 6800, 6801
\Form 5207
\Form@action 5217, 12013, 13198
\Form@boolkey 5211
\Form@htmlfalse 5210, 5229
\Form@htmltrue 5222
\Form@method 5241, 5249, 12013
\frq 557
\frqq 555
\futurelet 609, 1508
\FV@SetLineNo 6316
\FV@StepLineNo 6315, 6317, 6318

G

\G 14182, 14208, 14227, 14808,
14810, 14812, 14814, 14816,
14818, 14819, 14821, 14823,
14825, 14827, 14829, 14831
\g@addto@macro
5819, 5970, 7008, 7282, 8712,
10120, 10401, 10962, 11048,
11110, 11412, 11600
\G@refundefinedtrue . . 4540, 7108,
7131, 7817, 7837, 7854, 7971
\gaf 16220
\Gauge 5472
\GenericError 597, 3464
\GenericInfo 599, 3462
\GenericWarning 598, 3463
\getpagerefnumber 6430
\getrefbykeydefault 6386, 6387
\gemode 10151, 10152, 10240
\ghayn 16196
\Gin@setfile 7462, 7463
\glossary 563
\glq 552
\glqq 550
\Greeknumeral 1006
\greeknumeral 1005
\grq 553
\grqq 551
\guill@spacing 935
\guillemotleft 975, 13951, 14131,
14319, 16024
\guillemotright 976, 13982, 14132,
14351, 16025
\guilsinglleft 13882, 14133, 15730,
16026

\guilsinglright 13884, 14134, 15732,
16027

H

\H 14178, 14210, 14229, 14243,
14658, 14660, 14722, 14724,
15522, 15524
\h 3095, 16052, 16057, 16062, 16067,
16072, 16077, 16082, 16087,
16092, 16097, 16102, 16107,
16112, 16117, 16122, 16127,
16132, 16137, 16142, 16147,
16152, 16157, 16162, 16167
\H@footnotemark 6658, 6675,
6805, 6812, 6824, 6835
\H@footnotetext 6657, 6667,
6694, 6754, 6813, 6827, 6835
\H@mpfootnotetext 6665, 6677,
6679
\H@definecounter 7367, 7369
\H@endeqnarray 6515, 6534
\H@endequation 6478, 6510
\H@endsubeqnarray 6544, 6556
\H@eqnarray 6514, 6519
\H@equation 6477, 6501
\H@item 6156, 6162, 7016, 7041
\H@newctr 7372, 7374
\H@old@part 13666, 13677
\H@old@schapter 13636, 13645
\H@old@sect 13687, 13698, 13707
\H@old@spart 13679, 13685
\H@old@ssect 13622, 13627
\H@refstepcounter 6171, 6181,
6317, 6441, 6454, 6500, 6615,
6871, 7633, 7686
\H@seteqlabel 7403, 7405
\H@subeqnarray 6543, 6547
\ha 16204
\Haa 16183
\halign 572
\hamza 16171
\HAR@checkcitations 7196
\HAR@citetoaux 7152
\HAR@tempa 7197, 7198, 7199,
7200, 7201, 7202
\harvardcite 7146, 7183
\harvarditem 7171
\hbox 1777, 1783,
1789, 2361, 3261, 3267, 4690,
4692, 5307, 5493, 5494, 5495,
5496, 7136, 7267, 8242, 8802,
8878, 8888, 8958, 8972, 8995,
9010, 9033, 9048, 9317, 9334,
10311, 10647, 10658, 11252,
11262, 11527, 11542, 12161,
12604, 12691, 12726, 12756,
12784, 12813, 12838, 13614

\hc@currentHref 6887
\HCode 12013, 12015, 12026, 12035,
12047, 12055, 12057, 12088,
12094, 12099, 12104, 12118,
12123, 12127, 12130, 12139
\headerps@out 6065, 10952, 10963,
11035, 11049, 11102, 11111,
11124, 11138, 11177, 11295,
11413, 11601
\hfill 5493, 5494, 5495, 5496, 7027,
7060
\Hfootnoteautorefname 8045
\hhyperref 4750
\hoffset 7268
\phantom 534
\href 564, 4402, 4744, 4745, 5665
\href@ 4405, 4408, 4413
\href@split 4413, 4414
\hspace 6777
\hskip 1788, 1866, 2402, 2403, 4399,
5499, 12161
\hspace 560, 7186, 7187
\hss 7276, 13619
\ht 5501, 5504,
8886, 8961, 8970, 8977, 8998,
9008, 9015, 9036, 9046, 9053,
10643, 11260, 11540, 12572
\htmladdimg 4743
\htmladdnormallink 4744
\htmladdnormallinkfoot 4745
\htmlref 4746
\Huge 521
\huge 525
\Hurl 4488, 4490, 4492
\hv@pdf@char 13406, 13471, 13472,
13473, 13474
\hvtex@buffer 10015, 10019, 10027,
10030, 10039, 10043, 10059
\hvtex@gettoken 10014, 10028,
10032, 10041, 10045
\hvtex@gettoken@ 10015, 10017
\hvtex@par@dimension 10010,
10051
\hvtex@par@direction 10011,
10054
\hvtex@par@duration 10012, 10046
\hvtex@par@motion 10013, 10048
\hvtex@param@dimension 10023,
10052, 10070, 10073
\hvtex@param@direction 10024,
10055, 10081, 10089
\hvtex@param@duration 10025,
10047, 10094, 10096
\hvtex@param@motion 10026,
10049, 10070, 10077
\hvtex@parse@trans 9999, 10021

\hvtex@produce@trans . . . 10060, 10066
\hvtex@token 10018, 10029, 10035, 10042, 10047, 10050, 10053, 10055
\hvtex@trans@code 10003, 10004, 10005, 10006, 10007, 10008, 10009, 10022, 10068, 10069, 10071, 10073, 10075, 10077, 10079, 10081, 10083, 10084, 10085, 10086, 10087, 10089
\hvtex@trans@effect@Blinds 10003
\hvtex@trans@effect@Box . 10004
\hvtex@trans@effect@Dissolve 10005
\hvtex@trans@effect@Glitter 10006
\hvtex@trans@effect@R 10009
\hvtex@trans@effect@Split 10007
\hvtex@trans@effect@Wipe 10008
\hvtex@trans@par . 10042, 10046, 10048, 10051, 10054
\hvtex@trans@params 10036, 10038, 10062
\Hy@@boolkey 2412, 2413
\Hy@@CleanupFile 4690, 4692
\Hy@@DefNameKey 2486, 2488
\Hy@@escapeform 12917, 12930, 12936
\Hy@@SectionAnchor 13609, 13612
\Hy@@temp 3291, 3293, 5396, 5398
\Hy@abspage 5839, 5904, 6014, 6091
\Hy@Acrobatmenu 3856, 3897, 8773, 9481, 9976, 10816
\Hy@activeanchorfalse 4285, 8343, 8830, 8845, 8924, 8934, 9246, 9705, 9722, 9793, 9806, 10302, 11200, 11215, 11480, 11494
\Hy@activeanchortrue 8339, 8827, 8841, 8922, 8931, 9242, 9701, 9719, 9791, 9803, 10292, 11197, 11211, 11477, 11490
\Hy@ActiveCarriageReturn 4321, 4324
\Hy@AllowHyphens 4395, 10290, 10316, 10633
\Hy@AnchorName 4525, 4527, 4530, 4532, 4554, 4556, 4560, 4565, 4567
\Hy@appendixstring 6225, 6232
\Hy@AtBeginDocument 286, 914, 2632, 2692, 2734, 2788, 2836, 3203, 3792, 3829, 3944, 3950, 4044, 4180, 4270, 5571, 5684, 6098, 6322, 7143, 7891, 8038, 8237, 8719, 9329, 9774, 11137, 11175, 12176, 12177
\Hy@AtBeginDocumentHook 287, 292, 298, 299
\Hy@AtEndOfPackage 289, 808, 2277, 3176, 3184, 3191, 3932, 3958, 3964, 4109, 4132
\Hy@AtEndOfPackageHook 290, 293, 295, 296
\Hy@author 5753, 5757
\Hy@babelnormalise 4503, 4505
\Hy@backout 4281, 5623, 5627, 6982
\Hy@backreffalse 348, 2872, 2894, 3956
\Hy@backreftrue 2865, 2869, 2891
\Hy@BeginAnnot 9359, 9375, 9416, 9453, 9482
\Hy@bibcite 7005, 7009
\Hy@bookmarksdepth 3246, 3251, 3263, 3269, 13248
\Hy@bookmarksnumberedfalse 349
\Hy@bookmarksopenfalse 350
\Hy@bookmarkstrue 351
\Hy@bookmarkstype 3281, 3283, 7298, 13259
\Hy@boolkey 2412, 2505, 2508, 2511, 2532, 2535, 2538, 2569, 2572, 2575, 2592, 2596, 2599, 2602, 2605, 2608, 2611, 2614, 2843, 2846, 2901, 3198, 3201, 3216, 3241, 3244, 3285, 3288, 3326, 3441, 3713, 3716, 3719, 3722, 3725, 3728, 3731, 3739, 3760, 3763, 6032
\Hy@BorderArrayPatch 10695, 10698, 10961, 11411
\Hy@breaklinks@unsupported 2580, 10268
\Hy@breaklinksfalse 352
\Hy@breaklinksunhbox 10606, 10650
\Hy@CatcodeWrapper 4141, 4200, 4244, 4273
\Hy@centerwindowfalse 353
\Hy@chapapp 6226, 6232, 6257, 13640, 13651, 13733
\Hy@chapterstring 6221, 6223, 6226, 6256
\Hy@CheckOptionValue 2456, 2493
\Hy@CJKbookmarksfalse 354
\Hy@cjkpu 1177, 1179, 1200
\Hy@CleanupFile 4688, 8404, 9418, 9870, 10887
\Hy@colorlink 4204, 4212, 4216, 8238, 8324, 8397, 8437, 8473, 8796, 8828, 8851, 8882, 8895, 8923, 8939, 8964, 8980, 9002, 9019, 9040, 9057, 9330, 9407, 9446, 9475, 9500, 9792, 9814, 9884, 9908, 9941, 9972, 9988, 10314, 10590, 10592, 11198, 11221, 11256, 11269, 11478, 11500, 11535, 11548
\Hy@ColorList 3331, 3332
\Hy@CounterExists 6121, 6134, 6137
\Hy@currentbookmarklevel 13254, 13264, 13265, 13271, 13278, 13371, 13374, 13379, 13383
\Hy@defaultdriver 4033, 4057, 4063
\Hy@DefFormAction 5215, 5217
\Hy@DefNameKey 2485, 3352, 3370, 3378, 3386, 3390, 3397, 3404, 3411, 3418, 3422, 3427, 3434, 3748
\Hy@DEST 10607, 10662
\Hy@DestName 8285, 8292
\Hy@DisableOption 2442, 3849, 3850, 3851, 3853, 3937, 3963, 4092, 4093, 4094, 4095, 4096, 4097, 4098, 4099, 4100, 4101, 4102, 4103, 4104, 4105, 4106, 4107, 4108, 4110, 4140, 4193, 4221, 4222, 4223, 4284, 5575, 5576, 5577, 5578, 5579, 5580, 5581, 5582, 5583, 5584, 5585, 5586, 5587, 5588, 5589, 5590, 5591, 5592, 5593, 5594, 5595, 5596, 5597, 5598, 5777, 5972, 6839, 7467, 7565, 7566, 8164, 8265, 8631, 8632, 8633, 8634, 8635, 8636, 8637, 8638, 8639, 8640, 8768, 9085, 9086, 9087, 9088, 9089, 9090, 9091, 9092, 9093, 9094, 9357, 9543, 9544, 9545, 9546, 9547, 9548, 9549, 9550, 9551, 9552, 9634, 9776, 10220, 10221, 10222, 10223, 10224, 10225, 10226, 10227, 10228, 10229, 10480, 10481, 10482, 10483, 10484, 10485, 10486, 10487, 10488, 10489, 11028, 11321, 11322, 11323, 11324, 11325, 11326, 11327, 11328, 11329, 11330
\Hy@displaydoctitlefalse 383
\Hy@DistillerDestFix 7244, 10233, 10235
\Hy@draftfalse 313
\Hy@drafttrue 314

\Hy@driver 388, 2585, 2731, 2742, 2745, 2748, 2751, 2762, 2765, 2768, 2771, 2782, 2785, 2810, 2819, 2830, 2833, 2839, 3966, 3969, 3973, 3976, 3980, 3983, 3985, 3989, 3993, 3997, 4000, 4004, 4008, 4012, 4015, 4019, 4022, 4024, 4028, 4032, 4035, 4038, 4041, 4052, 4055, 4057, 4063, 4065, 4070, 4072, 4074
\Hy@dth@currentHref 6617, 6641
\Hy@DvipdfmxOutlineOpentrue 4082, 4089
\Hy@EndAnnot 9365, 9410, 9449, 9478, 9503
\Hy@endcolorlink 4208, 4213, 4217, 8247, 8330, 8828, 8865, 8889, 8897, 8923, 8947, 8968, 8982, 9006, 9019, 9044, 9057, 9339, 9367, 9792, 9865, 9884, 9908, 9941, 9972, 9988, 10341, 10599, 11198, 11237, 11263, 11271, 11478, 11514, 11539, 11548
\Hy@EndWrap 4142, 4144, 4145, 4178
\Hy@escapeform 11804, 11885, 11897, 11921, 11939, 11962, 11981, 12278, 12361, 12382, 12408, 12428, 12455, 12476, 12609, 12699, 12730, 12762, 12786, 12814, 12843, 12911, 12941, 12948
\Hy@escapeformfalse 355
\Hy@escapestring 12908, 12965, 12969, 12973, 12977, 12981, 12985, 12989, 12993, 12997, 13001, 13034, 13067, 13166, 13167, 13198
\Hy@EveryPageAnchor 7243, 7283
\Hy@EveryPageBoxHook 5803, 5807, 5811, 7282, 10120, 10401
\Hy@EveryPageHook 5802, 5806, 5970, 8712
\Hy@ExchangeLeftParenthesis 8095, 8101
\Hy@ExchangeRightParenthesis 8105, 8111
\Hy@false 2325, 2423, 2857, 2893
\Hy@figuresfalse 356
\Hy@finalfalse 314
\Hy@finaltrue 313
\Hy@FirstPage 3867
\Hy@FirstPageHook 5804, 5817, 5819, 6063, 6064, 10962, 11048, 11110, 11412, 11600
\Hy@fitwindowfalse 357
\Hy@FixNotFirstPage 8800, 8801, 8807
\Hy@float@caption 6877, 6927, 6929
\Hy@float@currentHref 6930, 6932, 6934, 6942, 6945, 6947
\Hy@footnote@currentHref 5570, 6682, 6687, 6697, 6702, 6705, 6717, 6719, 6745, 6786, 6789
\Hy@FormObjects 12213, 12484, 12538, 12548, 12854, 12904
\Hy@Gin@setfile 7462, 7464
\Hy@GlobalStepCount 386, 5904, 6286, 6309, 7258, 7675, 7726
\Hy@gtemp 723, 724, 5113, 5114, 5118, 5119, 5130, 5144, 8119, 8121, 12958, 12960
\Hy@href 4405, 4407
\Hy@href@nextactionraw 4442, 4465, 4467, 4468, 4470, 4475, 4479, 4481, 8393, 8433, 8469, 8792, 9403, 9442, 9471, 9491, 9829, 9897, 9961, 10912, 10941
\Hy@href@page 4420, 4422, 4426, 4427, 4429, 4436, 4439, 8429, 9437, 10908
\Hy@hyperfootnotesfalse 6654
\Hy@hyperfootnotestrue 358
\Hy@hyperindextrue 359
\Hy@hypertexnamesfalse 2281
\Hy@hypertexnamestrue 360
\Hy@ifStringEndsWith 4656, 4668
\Hy@implicittrue 361
\Hy@Info 243, 2431, 3907, 3909, 3912, 3914, 3917, 3919, 3922, 3924, 3927, 3929, 4125, 4131, 4209, 4214, 4218, 4364, 4391, 4823, 5532, 5534, 5537, 5539, 5542, 5544, 5547, 5549, 5552, 5554, 5557, 5559, 5562, 5564, 7083, 7144, 7303, 7320
\Hy@LastPage 3870
\Hy@level 13260, 13262, 13273, 13278, 13279, 13280, 13311
\Hy@levelcheck 13261, 13276
\Hy@linkcounter 390, 392, 6286, 6287, 6309, 6310, 7406, 7675, 7676, 7680, 7726, 7727, 7731
\Hy@linkfileprefix 3316, 4640, 8868, 9670, 11241, 11517
\Hy@linktoc 2540, 2542, 2550, 2552, 2562, 7339
\Hy@linktoc@all 2548
\Hy@linktoc@none 2545
\Hy@linktoc@page 2540, 2547, 2550
\Hy@linktoc@section 2542, 2546, 2552
\Hy@linktocpagefalse 362
\Hy@localanchornamemode 363
\Hy@LT@currentHref 6456, 6467
\Hy@LT@footnotetext 6743, 6753
\Hy@make@anchor 7380, 7386, 7392
\Hy@make@df@tag@@ 7384, 7399
\Hy@make@df@tag@@@ 7390, 7400
\Hy@MakeCurrentHref 6297, 6310
\Hy@MakeCurrentHrefAuto 6308, 6390, 7381, 13239, 13624, 13640, 13651, 13681, 13695, 13733
\Hy@MakeRemoteAction 4425, 8407, 9421, 10890
\Hy@maketitle@end 6816, 6821, 6823
\Hy@maketitle@optarg 6814, 6819
\Hy@Match 245, 247, 3687, 4470
\Hy@MaybeStopNow 2773, 2778, 2796, 2806, 2813, 3816
\Hy@menubartrue 364
\Hy@naturalnamesfalse 365
\Hy@nestingfalse 366
\Hy@newline@author 5796
\Hy@newline@title 5795
\Hy@newwindowfalse 368
\Hy@newwindowsetfalse 367, 3736
\Hy@newwindowsettrue 3738, 4444
\Hy@newwindowtrue 4445
\Hy@next 5920, 5930, 5935, 13650, 13659, 13662
\Hy@nextfalse 3899, 7477
\Hy@NextPage 3861
\Hy@nexttrue 3900, 3901, 3902, 7478, 7479, 7480
\Hy@number 3656, 3660, 3668
\Hy@numberline 13255, 13292, 13293, 13294, 13295
\Hy@ObsoletePaperOption 2514, 2522
\Hy@ocgcolor 8241, 8255, 9333, 9347
\Hy@ocgcolorlinksfalse 4188
\Hy@org@chapter 13648, 13663
\Hy@OrgMakeLabel 11569, 11576
\Hy@OutlineName 13529, 13583
\Hy@OutlineRerunCheck 13395, 13494, 13573
\Hy@pageanchortrue 369

\Hy@pagecounter . 391, 393, 6348, 7258, 7260
\Hy@pageheight 3806, 11050, 11139
\Hy@pagelabelfalse 5826
\Hy@pagelabeltrue 370
\Hy@param 6255, 6256, 6257, 6283, 6287
\Hy@pdfafalse 384
\Hy@pdfencoding@pdfdoc . 2687
\Hy@pdfmarkerrorfalse . . 10570
\Hy@pdfmarkerrortrue . . 10728, 10737
\Hy@pdfminorversion 8131, 8137, 8140, 8148, 8153, 8155, 8158, 8162
\Hy@pdfpagehiddenfalse 371
\Hy@pdfstringdef . 722, 5088, 5096
\Hy@pdfstringfalse 372, 5600
\Hy@pdfstringtrue 576, 5572
\Hy@pdfversion 2714, 2725, 5090, 8153, 8155, 8159, 8162, 12952
\Hy@plainpagesfalse 373
\Hy@PrevPage 3864
\Hy@ps@CR 11092, 11099, 11104, 11105, 11122, 11143, 11144, 11145, 11151, 11158, 11165, 11172
\Hy@pstringB 8549, 8554, 9583, 9595, 10543, 10559, 11384, 11400
\Hy@pstringD . 8406, 8431, 9420, 9439, 10889, 10910
\Hy@pstringdef 8065, 8284, 8308, 8368, 8405, 8406, 8443, 8444, 8549, 9184, 9384, 9419, 9420, 9454, 9583, 9813, 9889, 9948, 9949, 10543, 10726, 10735, 10862, 10888, 10889, 10920, 10921, 11384, 12934, 13528, 13544
\Hy@pstringDest 8284, 8285, 9184, 9231, 10726, 10727, 10731, 10735, 10736, 10740
\Hy@pstringF 8403, 8404, 8405, 8425, 8443, 8462, 8467, 9417, 9418, 9419, 9434, 9869, 9870, 9874, 9948, 9955, 9959, 10886, 10887, 10888, 10905, 10920, 10936, 10939
\Hy@pstringName . 13528, 13529, 13544, 13558
\Hy@pstringP . 8444, 8467, 9949, 9959, 10921, 10939
\Hy@pstringURI 8368, 8389, 9454, 9467, 9813, 9825, 9889, 9893, 10862, 10874
\Hy@PutCatalog 5966, 5974, 6080
\Hy@raisedlink 2349, 6214, 6392, 6413, 6414, 6415, 6418, 6468, 6507, 6510, 6638, 6685, 6700, 6758, 6784, 6915, 6993, 7017, 7022, 7042, 7382, 7407, 10950, 11033, 11291, 11455, 13240, 13616, 13641, 13652, 13682, 13734
\Hy@raiselinksfalse 374, 7145
\Hy@RemoveDurPageAttr . 8670, 8683
\Hy@RemoveHidPageAttr . 8693, 8705
\Hy@RemovePercentCr 4337, 4341, 4346
\Hy@RemoveTransPageAttr 8645, 8659
\Hy@reserved@a 4570, 6517, 6546, 12020, 12070, 12133
\Hy@RestoreCatcodes 205, 3812, 4076
\Hy@RestoreLastskip 2370, 8286, 8831, 8846, 8925, 8935, 9233, 9706, 9723, 9794, 9807, 10283, 10303, 11201, 11216, 11481, 11495
\Hy@RestoreSavedSpaceFactor 2345, 8876, 8956, 8993, 9031, 11250, 11525
\Hy@RestoreSpaceFactor 2336, 2362, 2367, 8875, 8883, 8890, 8955, 8965, 8973, 8992, 9003, 9011, 9030, 9041, 9049, 10312, 10346, 10632, 10638, 10660, 11249, 11257, 11264, 11524, 11536, 11543, 11577, 11581
\Hy@ReturnAfterElseFi 394, 4325
\Hy@ReturnAfterElseFiFiEnd 398, 1751
\Hy@ReturnAfterFi 394, 414, 1929, 4329, 4345, 7577, 7613, 8100, 8110, 12935
\Hy@ReturnAfterFiFiEnd 397, 1743, 1757, 1835, 1842
\Hy@ReturnEnd 396, 397, 398, 1763, 1847
\Hy@safe@activesfalse 399, 4234, 4239, 4584, 7960
\Hy@safe@activestrue 399, 4232, 4237, 4317, 4354, 4362, 4390, 4507, 4576, 7867, 7949, 13487, 13516
\Hy@saved@currentHref 6715, 6718
\Hy@saved@footnotemark 6810, 6825
\Hy@saved@footnotetext 6811, 6828
\Hy@saved@hook 5781, 5791
\Hy@saved@refstepcounter 6198, 6442
\Hy@SavedSpaceFactor 2332, 2334, 2339, 2340, 2346, 11574
\Hy@SaveLastskip 2370, 8282, 8819, 8834, 8916, 8928, 9181, 9693, 9709, 9784, 9797, 10273, 10287, 11190, 11204, 11470, 11484
\Hy@SaveSavedSpaceFactor 2344, 8874, 8954, 8991, 9029, 11248, 11523
\Hy@SaveSpaceFactor 2333, 2353, 2364, 8873, 8885, 8953, 8967, 8990, 9005, 9028, 9043, 10310, 10344, 10629, 10634, 10640, 11247, 11259, 11522, 11538, 11572, 11579
\Hy@scanauthor 5751, 5756
\Hy@scanoptauthor 5751, 5752
\Hy@scanopttitle 5742, 5743
\Hy@scantitle 5742, 5747
\Hy@secnum@part 13669, 13671, 13674
\Hy@SectionAnchorHref 574, 13607, 13629, 13700
\Hy@SectionHShift 13606, 13615, 13625, 13696
\Hy@seminarslidesfalse 7625
\Hy@seminarslidestrue 7623
\Hy@setbreaklinks 2577, 2581, 2593, 8127, 9174
\Hy@SetCatcodes 181, 231, 3814
\Hy@SetNewWindow 3742, 8427, 8464, 9441, 9956, 10904, 10935
\Hy@setouterhbox 10605, 10631
\Hy@setpagesizetrue 375
\Hy@setpdfborder 3360, 8314, 8373, 8411, 8448, 8776, 9395, 9427, 9460, 9493, 9833, 9854, 9877, 9901, 9933, 9965, 9981
\Hy@setpdfversiontrue 2713
\Hy@setref@link 7823, 7826
\Hy@slidetitle 7652, 7654, 7661, 7669, 7679, 7703, 7705, 7712, 7720, 7730
\Hy@StartlinkName 8312, 8326
\Hy@StepCount 385, 5881, 11822, 11883, 12085, 12296, 12358, 12631, 12696, 13375, 13380, 13456

\Hy@StringLocalhost . 4686, 4687, 4702

\Hy@temp 604, 611, 726, 798, 902, 905, 913, 914, 2520, 2525, 2526, 2527, 2528, 2529, 2530, 3290, 3299, 3300, 3301, 3302, 3303, 3304, 3305, 3332, 3333, 3334, 3337, 3339, 3342, 3519, 3520, 3523, 3526, 3529, 3554, 3562, 3563, 3564, 3565, 3566, 3567, 3568, 3569, 3570, 3734, 3735, 3888, 3892, 3893, 3894, 3895, 3971, 3973, 3978, 3980, 3983, 3995, 3997, 4002, 4004, 4010, 4012, 4017, 4019, 4022, 4064, 4065, 4813, 4817, 4818, 4829, 4913, 4914, 4915, 4917, 4921, 5233, 5234, 5235, 5237, 5241, 5242, 5395, 5411, 5412, 5413, 5414, 5415, 5416, 5417, 5418, 5420, 5426, 5432, 5433, 5434, 5435, 5436, 5437, 5438, 5439, 5440, 5441, 5442, 5861, 5864, 5873, 5875, 5879, 5883, 5927, 5929, 6342, 6345, 6348, 6354, 6480, 6486, 6794, 6800, 7574, 7575, 8564, 8593, 8595, 9104, 9109, 9115, 9119, 9122, 9127, 9158, 9160, 9555, 9598, 9600, 10443, 10446, 10450, 10451, 10457, 10458, 10464, 10492, 10497, 10503, 10507, 10510, 10515, 10548, 10550, 10611, 10612, 10616, 10692, 10693, 10701, 10702, 10806, 10807, 11333, 11338, 11344, 11348, 11351, 11356, 11389, 11391, 12916, 12917, 13526, 13532, 13540, 13555

\Hy@temp@A 635, 636, 1735, 1737, 1748, 1750, 1755, 1756, 1759, 3555, 3557, 7496, 7497, 7498, 7505, 7533, 7534, 7535, 7544

\Hy@temp@B 1736, 1737

\Hy@tempa 2414, 2416, 2418, 2419, 2421, 2423, 2425, 2428, 2431, 2432, 2853, 2854, 2855, 2857, 2858, 2860, 2861, 2863, 2867, 2871, 2882, 2884, 2886, 2887, 2889, 2893, 4323, 4324, 4335, 4339, 4508, 4512, 4575, 4578, 4587, 4589, 5220, 5221, 5910, 5912, 5950, 5952, 6091, 6093, 6564, 6566, 6567, 6570, 6571, 6572, 6872, 6877, 6882, 7297, 7298, 7316, 7317, 7323, 7639, 7640, 7691, 7692, 8852, 8853, 9674, 9822, 9823, 11222, 11223, 11501, 11502, 13258, 13259, 13282, 13284, 13303, 13304, 13312, 13336, 13338, 13339, 13341, 13342, 13723, 13748, 13753, 13756, 13759

\Hy@tempb 5911, 5912, 5951, 5952, 13283, 13284, 13312

\Hy@tempcolor . . . 10323, 10325, 10338, 10413, 10415, 10427

\Hy@TempPageAnchor . . . 7248, 7255, 7259, 7275

\Hy@Test@Alph 6244, 6266

\Hy@Test@alph 6235, 6262

\Hy@testname 8300, 8301, 8306, 8308, 8309, 8323, 9376, 9377, 9382, 9384, 9386, 9402, 9841, 9842, 9847, 9851, 9920, 9921, 9926, 9930, 10418, 10419, 10424, 10435

\Hy@texhtfalse 376

\Hy@texhttrue 2728, 3967

\Hy@title 5744, 5748

\Hy@toclevel 7308, 7312, 7325

\Hy@toolbartrue 377

\Hy@true 2324, 2419, 2421, 2887, 2889

\Hy@typexmlfalse 378

\Hy@undefinedname 8297, 8304, 8306, 9372, 9380, 9382, 9810, 9845, 9847, 9924, 9926, 10409, 10422, 10424

\Hy@unicodelfalse . . . 379, 702, 712, 2643, 2644, 2652, 3496, 3502, 6344, 7252, 12954

\Hy@unicodetrue 2644, 6025, 6039

\Hy@useHidKeyfalse 3324

\Hy@useHidKeytrue 3328

\Hy@UseMaketitleInfos 5797, 8605, 9066, 9515, 10209, 10441, 11302

\Hy@UseMaketitleString . . . 5778, 5798, 5799

\Hy@UseNameKey 2498, 8571, 8572, 8573, 8574, 8575, 8576, 8577, 8578, 8597, 9134, 9135, 9136, 9137, 9138, 9139, 9140, 9141, 9162, 9562, 9563, 9564, 9565, 9566, 9567, 9568, 9569, 9602, 10181, 10182, 10183, 10184, 10185, 10186, 10187, 10188, 10522, 10523, 10524, 10525, 10526, 10527, 10528, 10529, 10552, 11363, 11364, 11365, 11366, 11367, 11368, 11369, 11370, 11393

\Hy@usetitlefalse 380

\Hy@varioref@refstepcounter 6433, 6440

\Hy@varioref@undefined . . . 6424, 6428, 7955

\Hy@VerboseAnchor 4387, 8283, 8820, 8835, 8917, 8929, 9182, 9694, 9710, 9785, 9798, 10274, 10288, 11191, 11205, 11471, 11485

\Hy@verbosefalse 381

\Hy@VerboseGlobalTemp . . . 4363, 4364, 4365, 4366, 4370

\Hy@VerboseLinkInfo 4370, 4371, 4374, 4381

\Hy@VerboseLinkStart 4359, 8346, 8356, 8850, 8902, 8938, 8950, 9374, 9650, 9673, 9812, 9913, 10306, 10411, 11220, 11276, 11499, 11554

\Hy@VerboseLinkStop 4375, 8331

\Hy@vt@PutCatalog 5997, 5999

\Hy@VTeXversion 5977, 5989, 9873, 9992, 10128, 13408

\Hy@WarnHTMLFieldOption 5263, 5296, 5299, 5428

\Hy@Warning 241, 421, 1675, 2436, 2451, 2476, 2556, 2671, 2676, 3207, 3259, 3531, 3578, 3586, 3697, 4184, 4431, 4474, 4590, 4712, 4870, 5225, 5264, 6035, 6050, 7289, 7936, 7985, 8302, 9215, 9219, 9378, 9843, 9922, 10420, 10729, 10738, 13267, 13285

\Hy@WarningNoLine 242, 2515, 2583, 2697, 3310, 3348, 3447, 3547, 3799, 3847, 3975, 3984, 3999, 4014, 4023, 5725, 5827, 5991, 6105, 6329, 7299, 7454, 10578

\Hy@WarningPageBorderColor 3345, 3347, 3349

\Hy@WarningPageColor 3307, 3309, 3311

\Hy@WarnOptionDisabled . . . 2448, 2450

\Hy@WarnOptionValue 2429, 2435, 2874, 2896

\Hy@windowuitrue 382

\Hy@writebookmark 2329, 7309, 7659, 7667, 7677, 7710, 7718, 7728, 13244, 13386

\HyC@cmd 87, 109, 122

\HyC@check 68, 71, 74

\HyC@checkcommand 50, 57, 59
 \HyC@checkFailed 146, 157
 \HyC@checkItem 132, 133, 134,
 135, 138
 \HyC@checklong 45, 53
 \HyC@checkOk 144, 154
 \HyC@checkPackage 12, 16, 18
 \HyC@cmd 62, 75, 87, 95, 118, 131
 \HyC@date 11, 15, 23, 29, 31
 \HyC@DeclareRobustCommand
 114
 \HyC@def 125
 \HyC@defcmd 47, 54, 93
 \HyC@doCheck 99, 130
 \HyC@edef 125
 \HyC@getDate 12, 14
 \HyC@meaning 152, 160
 \HyC@nc@default 103, 105
 \HyC@nc@noopt 88, 91, 103, 112,
 123, 127
 \HyC@nc@opt 88, 101, 123
 \HyC@newcommand 86
 \HyC@next 48, 55, 60, 83
 \HyC@noValue 80, 81, 82, 85, 139
 \HyC@optcmd 107, 111
 \HyC@org@cmd 76
 \HyC@org@optcmd 80, 111
 \HyC@org@robustcmd 81, 120
 \HyC@org@robustoptcmd 82
 \HyC@package 10, 22, 28, 34, 37, 38
 \HyC@param 78, 96, 102
 \HyC@robustcmd 115, 120, 121,
 122
 \HyC@star 67, 70, 94
 \HyC@string 131, 152, 155, 158
 \HyC@Toks 79, 90, 96, 106, 126
 \HyCal@do 415, 419
 \HyCal@scan 406, 410, 434
 \HyColor@FieldBColor 5376, 5379
 \HyColor@FieldColor 5382
 \HyColor@HyperrefBorderColor
 3335
 \HyColor@HyperrefColor 3295
 \HyColor@UseColor 4206, 8244,
 8255, 9336, 9347
 \HyField@@AddToFields 12196,
 12200
 \HyField@@PDFChoices 5108,
 5109, 5124
 \HyField@@SetFlag 4803, 4805
 \HyField@@UseFlag 4793, 4795
 \HyField@AddToFields 12166,
 12195, 12281, 12373, 12386,
 12412, 12436, 12459, 12480
 \HyField@AdvanceAnnotCount
 12578, 12607, 12701, 12731,
 12759, 12787, 12815, 12841
 \HyField@afIELDS 12163, 12185,
 12186, 12188, 12222
 \HyField@AfterAuxOpen 12176,
 12183, 12201
 \HyField@AnnotCount 12576,
 12579, 12582
 \HyField@AuxAddToFields 12175,
 12180, 12184, 12204
 \HyField@FlagsAnnot 4963, 4982,
 4996, 5009, 5025, 5057
 \HyField@FlagsCheckBox 4995,
 11978, 12473, 12836
 \HyField@FlagsChoice 5056,
 11861, 12336, 12671
 \HyField@FlagsPushButton 4981,
 11917, 11936, 11960, 12404,
 12424, 12453, 12757, 12781,
 12811
 \HyField@FlagsRadioButton 5008,
 11857, 12332, 12667
 \HyField@FlagsSubmit 4929,
 11937, 12425, 12782
 \HyField@FlagsText 5024, 11800,
 12274, 12601
 \HyField@NewBitsetFlag 4761,
 4764, 4772
 \HyField@NewFlag 4759, 4835,
 4836, 4837, 4838, 4839, 4840,
 4841, 4842, 4843, 4844, 4845,
 4846, 4847, 4848, 4849, 4850,
 4851, 4852, 4853, 4854, 4859,
 4860, 4861, 4862, 4863, 4864,
 4865, 4866, 4867, 4900, 4902,
 4903, 4905, 4906, 4908, 4909,
 4910, 4911
 \HyField@NewFlagOnly 4763,
 4901, 4904, 4907
 \HyField@NewOption 4760, 4766
 \HyField@PDFAFlagWarning
 4869, 4877, 4881, 4885, 4889,
 4893, 4897
 \HyField@PDFChoices 5081,
 11896, 12380, 12725
 \HyField@PrintFlags 4810, 4956,
 4974, 4988, 5001, 5017, 5049,
 5074
 \HyField@SetFlag 4802, 4942,
 4948, 4953, 4987, 5015
 \HyField@SetKeys 5185, 11797,
 11828, 11831, 11850, 11905,
 11933, 11950, 11975, 12270,
 12302, 12305, 12324, 12391,
 12421, 12443, 12469, 12597,
 12637, 12640, 12659, 12743,
 12778, 12801, 12832
 \HyField@TheAnnotCount 12581,
 12611, 12616, 12706, 12718,
 12733, 12738, 12764, 12770,
 12789, 12794, 12817, 12822,
 12845, 12850
 \HyField@UseFlag 4792, 4933,
 4934, 4935, 4936, 4937, 4938,
 4939, 4940, 4943, 4944, 4945,
 4946, 4949, 4950, 4951, 4954,
 4965, 4966, 4967, 4968, 4969,
 4970, 4971, 4972, 4973, 4984,
 4985, 4986, 4998, 4999, 5000,
 5011, 5012, 5013, 5014, 5016,
 5027, 5028, 5029, 5030, 5031,
 5032, 5033, 5034, 5045, 5048,
 5059, 5060, 5061, 5062, 5064,
 5066, 5067, 5070, 5073
 \HyInd@@wrindex 7492, 7495,
 7526, 7532
 \HyInd@hyperpage 7572, 7582
 \HyInd@@wrindex 7487, 7488
 \HyInd@EncapChar 2904, 3809,
 7482
 \HyInd@hyperpage 7569, 7571,
 7578
 \HyInd@org@wrindex 7486, 7490,
 7500, 7506, 7508, 7511
 \HyInd@pagelink 7587, 7593, 7595,
 7598
 \HyInd@ParenLeft 7469, 7497,
 7534
 \HyInd@ParenRight 7470, 7498,
 7505, 7535, 7544
 \HyInd@removespaces 7601, 7604,
 7614
 \HyInfo@AddonHandler 3573,
 3576
 \HyInfo@AddonList 3600, 3601,
 3635, 3642
 \HyInfo@Addons 3621, 3637, 8629,
 9540, 10473, 10477
 \HyInfo@AddonUnsupportedtrue
 9064, 10207, 11300
 \HyInfo@do 3575, 3602, 3625
 \HyInfo@GenerateAddons 3619,
 8606, 9516, 10442
 \HyInfo@Key 3583, 3584, 3592,
 3597, 3602, 3605, 3612, 3626,
 3630
 \HyInfo@KeyEscaped 3582, 3583
 \HyInfo@trapped@false 3523, 3542
 \HyInfo@trapped@true 3520, 3541
 \HyInfo@trapped@unknown 3526,
 3543
 \HyInfo@TrappedUnsupported
 3544, 3548, 9067, 10210,
 11303
 \HyInfo@Value 3596, 3598

\HyLang@addto 3108, 3124, 3142, 3175, 3183
 \HyLang@afrikaans 2906
 \HyLang@DeclareLang 3122, 3151, 3152, 3153, 3154, 3155, 3156, 3157, 3158, 3159, 3160, 3161, 3162, 3163, 3164, 3165, 3166, 3167, 3168, 3169, 3170, 3171, 3172, 3173
 \HyLang@english 2924
 \HyLang@french 2942
 \HyLang@german 2960
 \HyLang@italian 2978
 \HyLang@magyar 2996
 \HyLang@portuges 3014
 \HyLang@russian 3032
 \HyLang@spanish 3072
 \HyLang@vietnamese 3090, 3175, 3183
 \HyLinguex@OrgB 800, 804
 \HyLinguex@OrgC 801, 805
 \HyLinguex@OrgD 802, 806
 \HyLinguex@Restore 803, 816, 820, 828, 2625
 \HyOrg@addtoreset 7412, 7414, 7441
 \HyOrg@appendix 6227, 6233
 \HyOrg@author 5741, 5754, 5758
 \HyOrg@float@makebox 6938, 6940
 \HyOrg@hyperpage 7472, 7474, 7475
 \HyOrg@languageshorthands 872, 887, 898, 908
 \HyOrg@make@df@tag@@ 7397
 \HyOrg@make@df@tag@@@ 7398
 \HyOrg@maketitle 6808, 6815, 6820
 \HyOrg@subequations 6581, 6588
 \HyOrg@title 5740, 5745, 5749
 \HyOrg@url 4487
 \HyPat@NonNegativeReal 3678, 3688, 3689, 3690, 3692, 3693, 3694
 \HyPat@ObjRef 4471, 4472, 4485, 8128, 9175, 10269
 \hyper@anchor 3831, 4497, 4499, 4530, 4532, 4565, 4567, 4709, 5612, 5628, 5645, 6681, 6686, 6696, 6701, 6756, 6759, 6785, 6913, 6916, 6944, 7248, 7255, 7260, 7658, 7666, 7676, 7709, 7717, 7727
 \hyper@link 4357, 4415, 4520, 4544, 4546, 4570, 7001, 7147, 7148, 7149, 7197, 7199, 7201, 7828, 7843, 7945
 \hyper@normalise 4326, 4330, 4334
 \hyper@anchor 4736, 5615, 5630, 5695, 5708, 8334, 8818, 8915, 9238, 9708, 9783, 10272, 11189, 11469
 \hyper@anchorend 3834, 5599, 5617, 5632, 5648, 6215, 6394, 6469, 6510, 6529, 6553, 6642, 6995, 7020, 7023, 7043, 7176, 7382, 7408, 8341, 8843, 8933, 9245, 9703, 9805, 10294, 11213, 11492, 13240, 13387, 13617, 13642, 13653, 13683, 13735
 \hyper@anchorstart 3833, 5599, 5616, 5631, 5647, 6215, 6393, 6469, 6507, 6529, 6553, 6639, 6993, 7018, 7023, 7043, 7176, 7382, 7408, 8337, 8833, 8927, 9241, 9692, 9796, 10286, 11203, 11483, 13240, 13387, 13617, 13642, 13653, 13683, 13735
 \hyper@chars 4351, 8369, 8823, 8837, 8857, 8879, 8893, 8907, 8987, 9025, 9659, 9680, 9696, 9713, 9788, 9800, 9890, 10863, 11207, 11227, 11253, 11267, 11281, 11487, 11506, 11529, 11546, 11559
 \hyper@currentanchor 10291, 10300, 10317, 10334
 \hyper@currentlinktype 10318, 10322, 10326
 \hyper@hash 4303, 4304, 4352, 4632, 4644, 4661, 4664, 5566, 9653
 \hyper@image 4493, 4494, 8905, 9944, 10406, 11279, 11557
 \hyper@last 5715, 5720
 \hyper@link 3832, 4579, 5613, 5614, 5629, 5640, 5646, 8355, 8901, 8949, 9411, 9649, 9912, 10410, 11275, 11553
 \hyper@link@ 3839, 4571, 4573, 5611, 5622, 5626, 5637, 5653
 \hyper@linkend 3836, 5619, 5634, 5650, 6721, 6987, 6990, 7343, 7347, 7351, 7353, 8354, 8863, 8946, 9410, 9412, 9685, 9863, 10320, 11235, 11512
 \hyper@linkfile 3838, 4657, 5621, 5636, 5652, 8401, 8867, 9023, 9414, 9669, 9867, 10884, 11239, 11516
 \hyper@linkstart 3835, 5618, 5633, 5649, 6719, 6983, 6990, 7343, 7347, 7351, 7353, 8345, 8849, 8937, 9373, 9412, 9672, 9811, 10305, 11219, 11498
 \hyper@linkurl 3837, 4492, 4632, 4639, 4660, 4664, 5620, 5635, 5651, 8366, 8868, 8870, 8903, 8985, 9451, 9657, 9670, 9887, 9945, 10407, 10860, 11240, 11244, 11277, 11517, 11519, 11555
 \hyper@livelink 5613, 5640
 \hyper@makecurrent 6211, 6253, 6455, 6506, 6528, 6552, 6616, 6716, 6889, 6931
 \hyper@n@rmalise 4318, 4322
 \hyper@nat@current 6984
 \hyper@natanchorend 6995
 \hyper@natanchorstart 6992
 \hyper@natlinkbreak 6989
 \hyper@natlinkend 6986
 \hyper@natlinkstart 6981
 \hyper@normalise 3810, 3815, 4295, 4405, 4408, 4489, 4491, 4493, 4514, 5215
 \hyper@pageduration 8666, 8714, 10105, 10122, 10373, 10403
 \hyper@pagehidden 8690, 8715, 10115, 10123, 10390, 10404
 \hyper@pagetransition 8642, 8713, 9994, 10121, 10356, 10402
 \hyper@quote 5568, 8825, 8839, 8854, 8859, 8880, 8894, 8908, 9653, 9663, 9676, 9699, 9717, 11195, 11209, 11224, 11230, 11254, 11268, 11282, 11475, 11488, 11503, 11508, 11531, 11547, 11560
 \hyper@readexternallink 4581, 4597
 \hyper@refstepcounter 6189, 6192, 6200
 \hyper@tilde 4312, 4313, 4314, 5567
 \hyperbaseurl 3313, 3314, 5664
 \hypercalcbp 401, 401
 \hypercalcbpdef 403, 440, 3675, 3685
 \hyperdef 4522, 5666
 \HyperDestNameFilter
 3791, 4391, 8284, 8309, 8825, 8839, 8859, 8903, 9184, 9385, 9653, 9663, 9681, 9699, 9717, 9789, 9801, 9850, 9929, 10726, 10735, 11195, 11209, 11230, 11277, 11475, 11488, 11508, 11555, 13465, 13528, 13544

\HyperFirstAtBeginDocument
 .. 5692, 5694, 5716, 5719
\hypergetpageref 6387
\hypergetref 6386
\HyperGlobalCurrentHref . . 6272,
 6274, 6282, 6283, 6287, 6290,
 6294, 6300, 6301, 6305
\hyperimage 4493, 4743, 7464
\hyperindexformat 7471
\hyperlink 4356, 5667, 7610, 7748,
 7756, 7771, 7779, 7789, 7797,
 7804
\hyperlinkfileprefix 3316, 3317,
 3318, 11461
\HyperLocalCurrentHref . . 6290,
 6292, 6298, 6299, 6300, 6301,
 6303
\hyperpage 5673, 7472, 7473, 7475,
 7568
\HyperRaiseLinkDefault . . 2331,
 2358
\HyperRaiseLinkHook 2330, 2359
\HyperRaiseLinkLength 2357,
 2358, 2361
\hyperref 4502, 4750, 4751, 5669,
 7903, 7907, 7917, 7931
\hypersetup 2664, 2704, 3160, 3559,
 3811, 5663
\hypertarget 4495, 5668
\HyPL@@@CheckThePage . . 5931,
 5949
\HyPL@@@CheckThePage . . 5907,
 5909
\HyPL@Alph 5847
\HyPL@alph 5848
\HyPL@arabic 5844
\HyPL@CheckThePage 5859, 5906
\HyPL@Entry . . 6093, 6101, 6109,
 6111
\HyPL@EveryPage 5849, 5970
\HyPL@Format 5922, 5923, 5924,
 5925, 5926, 5938
\HyPL@found 5921, 5928, 5932,
 5939, 5949, 5951
\HyPL@Labels 5838, 5961, 5962,
 5964, 5966, 6011, 6012, 6104,
 6112, 6113
\HyPL@LastNumber 5842, 5877,
 5900
\HyPL@LastPrefix 5843, 5871,
 5902
\HyPL@LastType 5841, 5862, 5901
\HyPL@page 5852, 5854, 5859,
 5867
\HyPL@Prefix 5867, 5869, 5871,
 5885, 5888, 5890, 5902, 5916,
 5954
\HyPL@Roman 5845
\HyPL@roman 5846
\HyPL@SetPageLabels 5960, 6019,
 6107
\HyPL@StorePageLabel 5885,
 5887, 5957, 6009, 6088
\HyPL@thisLabel 5835, 5837, 5851,
 5854, 5855
\HyPL@Type 5857, 5862, 5866,
 5884, 5892, 5901, 5915, 5953
\HyPL@Useless 5958, 5964
\HyPsd@@@autoref . . 1596, 1598,
 1601
\HyPsd@@@CJKdigits 1466, 1469,
 1477
\HyPsd@@@nameref . . 1578, 1580,
 1583
\HyPsd@@@pageref . . 1560, 1562,
 1565
\HyPsd@@@ref 1544, 1546, 1549
\HyPsd@@@UTFviii@four . . 2198,
 2201
\HyPsd@@AppendItalcorr . . 1765
\HyPsd@@autoref 1593, 1594
\HyPsd@@autorefname 1614, 1617
\HyPsd@@CJKdigits . . 1458, 1460,
 1463
\HyPsd@@CJKnumber 1359, 1361,
 1364, 1417, 1432, 1445, 1447,
 1451
\HyPsd@@ConvertToUnicode
 2077
\HyPsd@@GetNextTwoTokens
 2075
\HyPsd@@GlyphProcessWarning
 1935, 1938
\HyPsd@@GreekNum . . 1021, 1030,
 1129, 1133, 1137
\HyPsd@@hspace 1514, 1515
\HyPsd@@LetCommand 1638,
 1659
\HyPsd@@nameref 1575, 1576
\HyPsd@@pageref 1557, 1558
\HyPsd@@ProtectSpacesFi . . 1687,
 1691, 1709, 1715, 1720
\HyPsd@@ref 1541, 1542
\HyPsd@@RemoveBraces 1733
\HyPsd@@RemoveBracesFi . . 1730,
 1733
\HyPsd@@RemoveCmdPrefix
 1892, 1895
\HyPsd@@ReplaceFi 1962, 1968,
 1973
\HyPsd@@UTFviii@four 2182,
 2187
\HyPsd@add@accent 463, 1503
\HyPsd@AfterCountRemove 1778,
 1849
\HyPsd@AfterDimenRemove
 1784, 1852
\HyPsd@AfterSkipRemove . . 1790,
 1864
\HyPsd@AMSclassfix 559, 1524,
 1526
\HyPsd@AppendItalcorr 1749,
 1756, 1765
\HyPsd@autoref 569, 1593
\HyPsd@autorefname 1605, 1611
\HyPsd@babel@danish 917
\HyPsd@babel@dutch 923
\HyPsd@babel@finnish 929
\HyPsd@babel@frenchb 934
\HyPsd@babel@german 939
\HyPsd@babel@macedonian 946
\HyPsd@babel@ngerman 952
\HyPsd@babel@portuges 958
\HyPsd@babel@russian 963
\HyPsd@babel@slovene 969
\HyPsd@babel@spanish 974
\HyPsd@babel@swedish 984
\HyPsd@babel@ukrainian 990
\HyPsd@babel@usorbian 996
\HyPsd@BabelPatch 545, 871, 907
\HyPsd@CatcodeWarning 1794,
 1811, 1814, 1817, 1820, 1876
\HyPsd@Char 2079
\HyPsd@CharOctByte 2099, 2101,
 2104, 2113, 2118
\HyPsd@CharSurrogate 2093,
 2110
\HyPsd@CharTwoByte 2091, 2098
\HyPsd@CheckCatcodes 622, 1771
\HyPsd@CJK@Unicode 1241, 1245
\HyPsd@CJKActiveChars 1181,
 1196
\HyPsd@CJKdigit 1470, 1480
\HyPsd@CJKdigits 1243, 1456
\HyPsd@CJKhook 575, 1152, 1163
\HyPsd@CJKhook@bookmarks
 1158, 1192
\HyPsd@CJKhook@unicode 1160,
 1240
\HyPsd@CJKnumber 1242, 1356
\HyPsd@CJKnumberFour 1374,
 1378, 1382, 1395, 1399, 1403,
 1409
\HyPsd@CJKnumberLarge 1387,
 1394
\HyPsd@CJKnumberThree 1415,
 1419, 1425
\HyPsd@CJKnumberTwo 1430,
 1434, 1440

\HyPsd@ConvertToUnicode . 690, 2025
 \HyPsd@DecimalToOctal . 1173, 1204
 \HyPsd@DecimalToOctalFirst 1247, 1283
 \HyPsd@DecimalToOctalSecond 1248, 1257, 1320
 \HyPsd@DefCommand . 605, 606, 607, 608, 1627
 \HyPsd@DisableCommands . 851, 853
 \HyPsd@DoConvert . 2027, 2037
 \HyPsd@DoEscape 2051
 \HyPsd@doxspace 662, 1998
 \HyPsd@empty 647, 649, 653, 654, 656, 664, 671
 \HyPsd@End 622, 626, 1688, 1691, 1694, 1697, 1700, 1713, 1723, 1730, 1733, 1771, 1779, 1785, 1791, 1836, 1843, 1849, 1852, 1864
 \HyPsd@EndWithElse 1493, 1502
 \HyPsd@EscapeTeX 701, 711, 1980
 \HyPsd@fi . 1705, 1711, 1715, 1721
 \HyPsd@GetNextTwoTokens 2075
 \HyPsd@GetOneBye 2070
 \HyPsd@GetTwoBytes 2066
 \HyPsd@GLYPHERR 627, 1490, 1504, 1511
 \HyPsd@GlyphProcess 629, 1923, 1936
 \HyPsd@GlyphProcessWarning 1930, 1934
 \HyPsd@GobbleFiFi . 1495, 1501
 \HyPsd@GreekNum . . 1010, 1013, 1015
 \HyPsd@Greeknumeral 1006, 1012
 \HyPsd@greeknumeral 1005, 1009
 \HyPsd@GreekNumI . 1033, 1059, 1102, 1128
 \HyPsd@GreekNumII . 1037, 1081, 1125, 1132
 \HyPsd@GreekNumIII . 1040, 1104, 1136
 \HyPsd@GreekNumIV . 1049, 1127
 \HyPsd@GreekNumV . 1052, 1131
 \HyPsd@GreekNumVI . 1054, 1135
 \HyPsd@GreekPatch . 542, 1002, 1004
 \HyPsd@HighA 1251, 1260
 \HyPsd@HighB 1261, 1266
 \HyPsd@HighC 1267, 1270
 \HyPsd@HighD 1263, 1275
 \HyPsd@href 564, 1540
 \HyPsd@hspace 560, 1514
 \HyPsd@hspacetest . 1517, 1519, 1522
 \HyPsd@ifnextchar . 591, 592, 593, 1664
 \HyPsd@ignorespaces 573, 862
 \HyPsd@InitUnicode 825
 \HyPsd@inmathwarn . 462, 1487
 \HyPsd@ITALCORR 583, 587, 1511
 \HyPsd@langshort@system 878, 881
 \HyPsd@LanguageShorthands 873, 879, 891
 \HyPsd@LetCommand 609, 610, 1627
 \HyPsd@LetUnexpandableSpace 578, 579, 580, 581, 1507, 1510
 \HyPsd@LoadStringEnc 2668, 2688, 2690, 2694, 2696, 6030
 \HyPsd@LoadUnicode 2617, 2622, 2630, 2633, 2635, 2642, 6024
 \HyPsd@nameref 568, 1575
 \HyPsd@pageref 567, 1557
 \HyPsd@pdfencoding 691, 2616, 2619, 2651, 2663, 2666, 2667, 2672, 2687, 6026, 6028, 6045, 6048
 \HyPsd@pdfencoding@auto 691, 2657, 2667, 2684, 6028, 6047
 \HyPsd@pdfencoding@pdfdoc 2650, 2672, 2685
 \HyPsd@pdfencoding@unicode 2654, 2686, 6026, 6044
 \HyPsd@PrerenderUnicode 3457, 3473, 3479, 3485, 3491, 3509, 3515, 3595
 \HyPsd@protected@testopt 594, 595, 1668
 \HyPsd@ProtectSpaces . 615, 1685, 1706, 1755
 \HyPsd@ref 566, 1541
 \HyPsd@RemoveBraces . 617, 1727, 1744, 1752, 1758
 \HyPsd@RemoveCmdPrefix . 1885, 1891
 \HyPsd@RemoveMask . 625, 1694, 1700, 1713, 1723
 \HyPsd@RemoveSpaceWarning 1859, 1871, 1897
 \HyPsd@ReplaceSpaceWarning 1854, 1866, 1910
 \HyPsd@Rest 1772, 1832, 1840, 1843, 1850, 1855, 1861, 1867, 1873
 \HyPsd@RussianPatch 544, 1145
 \HyPsd@SanitizeForOutFile 13304, 13335
 \HyPsd@SanitizeOut@BraceLeft 13339, 13345, 13354
 \HyPsd@SanitizeOut@BraceRight 13342, 13357, 13366
 \HyPsd@SPACEOPTI 619, 634, 635, 637, 639, 641, 642, 681, 683, 1807, 2009
 \HyPsd@spaceopti 683, 1954
 \HyPsd@SpanishPatch 543, 1139
 \HyPsd@String 616, 618, 621, 623, 628, 630, 1738, 1739, 1749, 1801, 1802, 1806, 1807, 1822, 1823, 1853, 1865, 1924, 1925
 \HyPsd@StringSubst 631, 633, 639, 645, 648, 651, 654, 673, 676, 678, 1977
 \HyPsd@Subst 627, 636, 640, 646, 652, 656, 660, 665, 666, 667, 668, 669, 670, 674, 677, 1961, 1978, 1993, 1994, 1995
 \HyPsd@temp 694, 696, 697, 699, 700, 707, 709, 710, 2649, 2650, 2651, 2654, 2657, 2663, 2675, 2679, 6043, 6044, 6045, 6047, 6048, 6053
 \HyPsd@ToBigChar . 751, 752, 761
 \HyPsd@ToBigChars 704, 743
 \HyPsd@tocsection 1527, 1528, 1529, 1530, 1531, 1532, 1533, 1535
 \HyPsd@UnescapedString 696, 745, 746, 752
 \HyPsd@UnexpandableSpace 1510, 1696, 1720, 1855, 1867
 \HyPsd@unichar 2140, 2207, 2213, 2218
 \HyPsd@unichar@first@byte 2226, 2246
 \HyPsd@unichar@octtwo 2248, 2256, 2262
 \HyPsd@unichar@second@byte 2234, 2254
 \HyPsd@UnicodeReplacementCharacter 2210, 2245
 \HyPsd@utf@viii@undeferr 459, 2268
 \HyPsd@UTFviii 453, 2128, 2133
 \HyPsd@UTFviii@three 2163, 2172
 \HyPsd@UTFviii@two 2148, 2154
 \HyPsd@UTFviii@ccxliv@def 2138, 2144
 \HyPsd@UTFviii@ccxliv@undef 2137, 2143

\HyPsd@UTFviii@four 2136, 2181
 \HyPsd@UTFviii@three 2135, 2162
 \HyPsd@UTFviii@two 2134, 2147
 \HyPsd@Warning 1672, 1877, 1898,
 1911, 1940, 1946
 \HyPsd@XeTeXBigCharsfalse 718,
 732, 737
 \HyPsd@XeTeXBigCharstrue ...
 ... 731, 740, 3472, 3478,
 3484, 3490, 3508, 3514, 3594,
 12957, 13302
 \HyPsd@XSPACE 585, 661, 1511
 \HyPsd@xspace ... 659, 661, 662
 \HyRef@StarSetRef . 7871, 7876
 \HyRef@autopageref . 7928, 7930
 \HyRef@autopagerefname . 7927,
 7931, 7933
 \HyRef@autoref . 7945, 7947
 \HyRef@autosetref . 7950, 7953
 \HyRef@CaseStar ... 8014, 8020
 \HyRef@currentHtag . 7966, 7984,
 7987, 7993, 8000, 8006, 8021
 \HyRef@MakeUppercaseFirstOfFive
 ... 7894, 7896
 \HyRef@name . 7982, 7983, 7988,
 7995, 8013, 8014, 8015, 8017
 \HyRef@Ref . 7900, 7902
 \HyRef>ShowKeysInit 8023, 8036,
 8040
 \HyRef>ShowKeysRef 7954, 8022
 \HyRef@StarSetRef . 7865, 7883,
 7886, 7889, 7894
 \HyRef@StripStar ... 7981, 8012
 \HyRef@testreftype . 7959, 7978
 \HyRef@thisref . 7956, 7959
 \HyTmp@found . 5135, 5145, 5148
 \HyTmp@key . 5129, 5130
 \HyTmp@optitem . 5085, 5101,
 5128, 5133, 5139, 5160, 5171
 \HyTmp@optlist . 5084, 5099, 5100,
 5131, 5132, 5137, 5138, 5146,
 5147, 5167, 5169, 5176, 5179
 \HyXeTeX@CheckUnicode . 3443,
 3454, 3471, 3477, 3483, 3489,
 3507, 3513, 3593, 6058

I

\i 13919, 14082, 14085, 14088, 14091,
 14288, 14450, 14453, 14456,
 14459, 14576, 14581, 14586,
 14591, 14595, 14762, 14818
\if 1536,
 2318, 5875, 5883, 6570, 6571,
 10068, 10071, 10075, 10079,
 10083, 10085, 10087, 13005
\if@eqnstar 6512, 6520
\if@filesw 2286, 4558,
 5685, 5729, 6089, 6099, 6336,

7030, 7045, 7061, 7073, 7103,
 7126, 7153, 7158, 7177, 7520,
 12178, 12202, 13305, 13492,
 13571
\if@hyper@item 6174, 6187
\if@inlabel 6628
\if@Localurl 9640, 9686
\if@mid@expandable 558
\if@minipage 6901, 6972
\if@nmbrrlist 6161
\if@nobreak 6647
\if@skiphyperref 6175, 6185
\if@twocolumn 13737
\if@twoside 13726
\ifcase 1066, 1088, 1111, 1205, 1254,
 1276, 1279, 1285, 1321, 1365,
 1481, 2176, 2654, 3256, 4931,
 5036, 5165, 5242, 6236, 6245,
 7339, 7497, 7534, 7763, 7955,
 10141, 10624, 13052, 13079,
 13144, 13179, 13214, 13412
\ifcat 1773, 1800, 1805, 1810, 1813,
 1816, 1819, 4720, 4722
\ifdim 1522, 1853, 1857, 1865, 1869,
 2373, 2392, 3796, 4080, 8732,
 8736, 8741, 8745, 8752, 8755,
 8759, 8762, 9620, 9621, 9626,
 9627, 9759, 9762, 9766, 9769,
 10644, 10655, 11014, 11015,
 11020, 11021, 11824, 11862,
 11863, 12298, 12337, 12338,
 12633, 12672, 12673
\ifetex@unexpanded 1679
\iffalse 738
\IfFileExists 5724, 11586
\ifFld@checked 5188, 12140, 13039
\ifFld@comb 5035
\ifFld@combo 5063, 5068, 11837,
 11866, 12311, 12341, 12646,
 12676
\ifFld@disabled 5189, 12141
\ifFld@edit 5069
\ifFld@fileselect 5038
\ifFld@hidden 11801, 11851, 11918,
 11938, 11961, 11979, 12039,
 12051, 12061, 12144, 12275,
 12326, 12405, 12426, 12454,
 12474, 12602, 12661, 12758,
 12783, 12812, 12837
\ifFld@multiline 5036, 11790,
 12046, 12263, 12590
\ifFld@multiselect 5107
\ifFld@password 5037, 12027
\ifFld@popdown 4855, 11838,
 12312, 12647
\ifFld@radio 11834, 11856, 12076,
 12308, 12331, 12643, 12666
\ifFld@readonly 12048, 12058,
 12142
\ifForm@html 5209
\ifhmode 2334, 2338, 2391, 2400,
 4397, 6595, 6713, 6722, 6859,
 6861, 8279, 8287, 11571
\ifHy@activeanchor 303, 4733
\ifHy@backref 304, 3926, 4278,
 5546, 7154, 7190
\ifHy@bookmarks 305, 4124
\ifHy@bookmarksnumbered 306,
 7651, 7702, 13291
\ifHy@bookmarksopen 307, 4114
\ifHy@breaklinks 308, 2582, 10307,
 10342, 10630, 10649
\ifHy@centerwindow
 309, 8569, 9132, 9560, 10179,
 10520, 11361
\ifHy@CJKbookmarks 310, 1157
\ifHy@colorlinks 311, 4195, 5551,
 11176
\ifHy@displaydoctitle
 346, 8570, 9133, 9561, 10180,
 10521, 11362
\ifHy@draft 312, 3830
\ifHy@DvipdfmxOutlineOpen
 4078, 13546
\ifHy@escapeform 315, 12912,
 12942
\ifHy@figures 316, 3906, 5531, 7461
\ifHy@fitwindow 317, 8568, 9131,
 9559, 10178, 10519, 11360
\ifHy@frenchlinks 318, 4211
\ifHy@href@ismap 4453, 8390,
 9468, 9826, 9894, 10875
\ifHy@hyperfootnotes 319, 6655
\ifHy@hyperindex 320, 3916, 5541,
 7468
\ifHy@hypertexnames 321, 6259,
 6340, 7246, 7656, 7707
\ifHy@implicit 322, 3938, 13600
\ifHy@linktocpage 323, 2539, 2549
\ifHy@localanchorname 324, 6291,
 6302
\ifHy@menubar 325, 8566, 9129,
 9557, 10176, 10517, 11358
\ifHy@naturalnames 326, 6270,
 7657, 7708
\ifHy@nesting 327, 3911, 4496,
 4529, 4564, 4718, 5536, 6680,
 6695, 6755, 6912
\ifHy@newwindow 329, 3745, 9873
\ifHy@newwindowset 328, 3743
\ifHy@next 915, 3903, 7485
\ifHy@ocgcolorlinks 330, 3206,
 4181, 4191, 5556, 8147, 8165,
 8240, 8248, 9249, 9332, 9340

\ifHy@pageanchor 331, 6327, 6339, 6354, 7245
 \ifHy@pagelabels 332, 5823, 6009, 6087
 \ifHy@pdfa 347, 3854, 4183, 4620, 4868, 5399, 5448, 5561, 8313, 8385, 8423, 8460, 8788, 9394, 9426, 9459, 9487, 9832, 9853, 9876, 9900, 9932, 9964, 9980, 10750, 11761, 11908, 11954, 12230, 12395, 12447, 12562, 12747, 12805, 13007, 13042, 13204
 \ifHy@pdfmarkerror 10567, 10575
 \ifHy@pdfpagehidden . 333, 3327, 8694, 10117, 10396
 \ifHy@pdfstring .. 334, 836, 6179
 \ifHy@plainpages 335, 3921, 6341, 7247
 \ifHy@psize 336
 \ifHy@raiselinks . 337, 8872, 8952, 8989, 9027, 11246, 11521
 \ifHy@seminarslides 338
 \ifHy@setpagesize 339, 8720, 9617, 9756, 11011
 \ifHy@setpdfversion .. 2705, 8152
 \ifHy@texht 340, 4223, 4271, 5255, 5287, 5419, 5443, 5599, 7811
 \ifHy@toolbar .. 341, 8565, 9128, 9556, 10175, 10516, 11357
 \ifHy@typexml .. 302, 3931, 4198, 4242, 5686, 13496, 13575
 \ifHy@unicode . 342, 449, 482, 485, 632, 644, 672, 680, 689, 1016, 1176, 1879, 1900, 1913, 1942, 1948, 2208, 2615, 2665, 3445, 6033, 12953
 \ifHy@useHidKey .. 3323, 8691, 10116, 10391
 \ifHy@usetitle 343, 5739
 \ifHy@verbose .. 344, 4360, 4376, 4388, 4811, 7314
 \ifHy@windowui . 345, 8567, 9130, 9558, 10177, 10518, 11359
 \ifHyInfo@AddonUnsupported .. . 3571, 3585, 3620
 \ifHyPsd@XeTeXBigChars .. 736, 738, 741, 744
 \ifmeasuring@ 6199, 6212
 \ifnum 262, 768, 771, 774, 777, 780, 892, 1017, 1020, 1031, 1032, 1036, 1044, 1048, 1051, 1061, 1083, 1106, 1246, 1357, 1373, 1377, 1397, 1410, 1413, 1426, 1428, 1441, 1443, 1449, 2087, 2090, 2166, 2209, 2212, 2224, 2339, 2781, 2784, 2809, 3257, 3258, 4088, 4115, 4430, 5090, 5161, 5172, 5858, 5877, 5893, 5989, 7765, 7803, 8148, 8153, 8485, 8492, 8498, 8506, 9361, 9366, 9873, 9992, 10128, 10136, 10138, 10139, 10149, 10152, 10238, 10240, 10353, 11038, 12214, 12372, 12700, 12705, 12716, 12952, 13022, 13052, 13057, 13079, 13085, 13113, 13144, 13150, 13169, 13179, 13184, 13214, 13219, 13248, 13264, 13408, 13478, 13481, 13507, 13510, 13548, 13656, 13674, 13689
 \ifodd 2190, 2195, 7269
 \ifpdf 2821, 3972, 4034
 \ifpdfstringunicode 454, 457
 \ifportrait 8731
 \ifthenelse 7180
 \iftrue 741, 1686, 1708, 1972, 13658
 \ifvmode 2350, 2372, 2381
 \ifvoid 6462, 6466, 6632
 \ifvtexhtml 4011, 4040
 \ifvtexpdf 4051
 \ifvtexps 4054
 \ifxetex 695, 728, 2823, 3444, 3996, 4037, 4079
 \ignorespaces .. 573, 6422, 6590, 6791, 6897, 6908, 6911, 6968, 6976, 7038, 7053, 7069, 7078, 7188, 7636, 7688
 \IJ 13915, 14597
 \ij 14124, 14599
 \immediate 5687, 5688, 5689, 5691, 5731, 6002, 6092, 6100, 6351, 6379, 7033, 7048, 7064, 7074, 7104, 7127, 7153, 7183, 8166, 8181, 8196, 10243, 11035, 12157, 12179, 12220, 13398, 13464, 13495, 13497, 13574, 13576
 \incr@eqnum 6481, 6494
 \index 562
 \indexentry 7523, 7538, 7546, 7550, 7555
 \input 819, 827, 2624, 3178, 3186, 3193, 4074, 10953, 11036, 11127, 11296
 \InputIfExists .. 3813, 13488, 13521, 13566, 13568
 \inputlineno 4367, 4725
 \insert 6770
 \IntCalcAdd 2116
 \IntCalcDec 1268
 \IntCalcDiv 1262, 1271, 1276, 1379, 1388, 1400, 1417, 1432, 1447, 2100, 2106, 2112
 \intcalcDiv . 1252, 2107, 2114, 2117
 \IntCalcMod .. 1264, 1273, 1279, 1383, 1389, 1404, 1420, 1435, 1449, 1451, 2102, 2107, 2108, 2114, 2117, 2119
 \intcalcMod 1254
 \intcalcSub 2094
 \interfootnotelinepenalty .. 6773
 \interlinepenalty 6773
 \item 6156, 6159, 7060, 7072, 7175
 \Itemautorefname 8046
 \Itemautorefname .. 2909, 2927, 2945, 2963, 2981, 2999, 3017, 3046, 3047, 3075, 3093, 8046, 8047, 8050
 \itemindent 6633
 \itshape 515

J

\j 14604, 14789, 14853
 \jarr 16210
 \jeem 16182
 \jeh 16218
 \jobname 5688, 5724, 5731, 11586, 13397, 13488, 13495, 13521, 13566, 13568, 13574

K

\k .. 13799, 14141, 14143, 14148, 14150, 14193, 14211, 14230, 14237, 14501, 14503, 14541, 14543, 14588, 14590, 14591, 14726, 14728, 14785, 14787, 15384, 15423, 15426
 \kaf 16200
 \kasra 16213
 \keepPDF@SetupDoc 11180, 11187
 \kern 1782, 1854, 1859, 1871, 6633, 7264, 7265, 7266, 7268, 7269, 7274, 13615
 \kernel@ifnextchar 592
 \kha 16184
 \KV@href@pdfnewwindow . 4451
 \KV@href@pdfnewwindow@default 4452
 \KV@Hyp@draft 2513
 \KV@Hyp@nolinks 2513
 \KV@Hyp@pdfnewwindow . 4451
 \KV@Hyp@pdfnewwindow@default 4452
 \kv@key .. 3579, 3582, 3589, 5088, 5091, 5093, 5097, 5101
 \kv@parse 5087
 \kv@parse@normalized 3604, 3611
 \kv@processor@default 3607, 3614

\kv@set@family@handler	3572
\kv@value	3577, 5089, 5096, 5097
\kvsetkeys	
2704, 2729, 2820, 3451, 3552,	
3855, 4066, 4182, 5186, 8149,	
10574, 11778, 12012, 12025,	
12074, 12117, 12138, 12212,	
12547	
L	
\L	13908, 14628
\l	13921, 14630
\l@slide	7636, 7746, 7751, 7755,
7762	
\l@subslide	7688, 7751, 7758, 7802
\label	561, 7287
\label@hyperref	4536, 4538
\label@hyperdef	4522, 4550
\label@hyperref	4503, 4535, 4747
\labelsep	7187
\labelwidth	7186
\lam	16201
\language@group	540
\languageshorthands	872, 873, 908
\LARGE	522
\Large	523
\large	526, 7768, 7776, 7786, 7794
\lastbox	6631
\lastpage@putlabel	6322
\lastskip	2373, 2377, 2384, 2392,
2396, 2403	
\LaTeX	479, 481, 11592, 11593
\LaTeXe	480, 11593
\LayoutCheckField	5487, 11980,
12475, 12842	
\LayoutChoiceField	5484, 11855,
12330, 12665	
\LayoutPushButtonField	5490,
11912, 11919, 12399, 12406,	
12751, 12760	
\LayoutTextField	5481, 11803,
12277, 12608	
\lccode	273, 278, 767,
1186, 1981, 1982, 1983, 1984,	
1985, 1986, 1987, 1988, 1989,	
1990, 2131, 5359, 7482, 7483,	
13322, 13323, 13324, 13325,	
13326, 13327, 13328, 13329,	
13330, 13331, 13332	
\ldots	474
\leavevmode	570, 2328, 3840, 3857,
3897, 4625, 5657, 6712, 6858,	
7094, 7906, 7914, 8299, 8370,	
8408, 8445, 8871, 8951, 8988,	
9026, 9415, 9452, 9651, 9660,	
9714, 9868, 9891, 9919, 9950,	
10309, 10628, 10864, 10891,	
10922, 11245, 11520, 11913,	
11920, 11953, 12360, 12381,	
12400, 12407, 12427, 12446,	
12698, 12729, 12752, 12761,	
12785, 12804, 13613	
\LetLtxMacro	5602, 5606, 5674,
5678	
\limits	4343
\listofslides	7737
\listslidename	7736, 7739, 7741,
7743	
\literalaps@out	2326, 10232, 10237,
10289, 10295, 10315, 10321,	
10585, 10596, 10625, 10626,	
10645, 10647, 10656, 10658,	
10951, 11034, 11097, 11294	
\lower	8878, 8958, 8995, 9033,
10647, 11252, 11527	
\lowercase	274, 279, 787, 1187,
1991, 2132, 2415, 2853, 2883,	
3519, 3555, 4760, 4761, 4764,	
4769, 4793, 4803, 4857, 4913,	
5233, 5282, 5285, 5360, 7484,	
10352, 13333	
\lslide@flag	7763, 7766, 7784, 7803,
7807	
\LT@array	6447
\LT@foot	6462, 6466
\LT@p@ftn	6728, 6731, 6735, 6748
\LT@p@ftntext	6726, 6733
\LT@start	6464, 6474
\ltx@backslashchar	249, 250, 251,
252, 253, 254, 255, 256, 257,	
258, 259, 261	
\ltx@empty	10612
\ltx@firstofone	13350, 13362
\ltx@firstoftwo	264, 4257, 4681
\ltx@gobble	13348, 13360
\ltx@ifpackagelater	271
\ltx@ifpackageloaded	1153
\ltx@IfUndefined	
244, 539, 582, 657, 692,	
810, 811, 812, 916, 922, 928,	
933, 938, 945, 951, 957, 962,	
968, 973, 983, 989, 995, 1001,	
1140, 1146, 1523, 1618, 1619,	
2280, 2313, 3900, 3901, 3902,	
4256, 4257, 4455, 5779, 6140,	
6229, 6542, 6996, 7934, 7935,	
7979, 7980, 7982, 7983, 8347,	
8357, 8751, 9758, 9815, 9914,	
10285, 10322, 10412, 10589,	
13647, 13657	
\ltx@ifundefined	6640
\ltx@leftbracechar	259, 275
\ltx@LocalAppendToMacro	287,
290	
M	
\m@ne	4379, 4438, 4775, 6367, 6562,
9370, 13568, 13656, 13671	
\make@cdf@tag@@	7397, 7399
\make@cdf@tag@@@	7398, 7400
\make@stripped@name	6204, 6503,
6525, 6549, 6560	
\makeatletter	3, 850, 5723
\MakeButtonField	5497, 11914,
11922, 11940, 11958, 11963,	
12401, 12410, 12434, 12451,	
12457, 12753, 12756, 12784,	
12809, 12813	
\MakeCheckField	5494, 11982,
12478, 12839	
\MakeChoiceField	5496, 11898,
12384, 12727	
\MakeFieldObject	12156, 12239,
12249, 12252	
\MakeLowercase	537
\MakeLowercaseUnsupportedInPdfStrings	537
\MakeRadioField	5493, 11886,
12371, 12692	
\makeslideheading	7646
\makeslidesubheading	7698
\maketag@@@	7386
\MakeTextField	5495, 11805,
12280, 12605	
\maketitle	6808, 6809
\MakeUppercase	536, 7741, 7743,
7897	
\MakeUppercaseUnsupportedInPdfStrings	536
\MathBSuppress	9661, 9665
\mathdisplay	6484, 6493
\mathdisplay@push	6482, 6491
\mathversion	531
\maxdimen	3278, 12161
\MaybeStopEarly	389, 2732, 2786,
3942, 4042, 6120	
\mbox	571, 7107, 7130, 8250, 9342
\mddefault	6602
\mdseries	514
\meaning	62, 153,
159, 2289, 5763, 6283, 6567,	
13532, 13540, 13555	

\measuring@false 6199
 \mediaheight 9752, 9754, 9760,
 9767
 \mediawidth 9763, 9770
 \meem 16202
 \message 7764
 \MessageBreak 422,
 1885, 1906, 1919, 1942, 1947,
 1949, 2437, 2438, 2452, 2474,
 2477, 2479, 2557, 2558, 2584,
 2585, 2637, 2638, 2639, 2677,
 2678, 2698, 2709, 2875, 3208,
 3448, 3532, 3587, 3588, 3698,
 3699, 3801, 3976, 3977, 3985,
 3986, 4000, 4001, 4015, 4016,
 4024, 4025, 4185, 4432, 4433,
 4457, 4458, 4474, 4475, 4814,
 4819, 4828, 4871, 4917, 5041,
 5154, 5226, 5237, 5265, 5828,
 6036, 6051, 6052, 6330, 7291,
 7321, 7322, 7323, 7324, 7325,
 7456, 8303, 9379, 9844, 9923,
 10421, 12169, 12171, 13269,
 13287, 13400
 \MF 489, 11595
 \MP 490, 11596
 \multiply 8525, 10097, 10132

N

\n 778
 \name@of@eq 6172, 6202
 \name@of@slide 6173, 6183
 \nameref 568, 4261, 4265
 \nasb 16208
 \netscape 8914
 \new@ifnextchar 593
 \new@pdflink 8278, 8335, 8338
 \new@refstepcounter 6476, 6508
 \newblock 7191
 \newcommand 4,
 9, 42, 2327, 5661, 5665, 6135,
 6138, 6141, 6142, 6143, 6145,
 6146, 6147, 6148, 6150, 6151,
 6152, 6153, 6154, 6155, 6164,
 6165, 6166, 6167, 6168, 6169,
 6558, 7424, 7623, 7628, 7629,
 13370, 13373, 13378
 \newcount 390,
 391, 2332, 4423, 5192, 5839,
 11894, 12378, 12576, 12723,
 13405
 \newcounter 6157, 6656, 9248,
 13320
 \newdimen 387, 5193, 5194
 \newif 302, 303, 304, 305, 306,
 307, 308, 309, 310, 311, 312,
 315, 316, 317, 318, 319, 320,
 321, 322, 323, 324, 325, 326,
 327, 328, 329, 330, 331, 332,
 333, 334, 335, 336, 337, 338,
 339, 340, 341, 342, 343, 344,
 345, 346, 347, 736, 915, 2705,
 3323, 3571, 4078, 4453, 4767,
 4855, 5188, 5189, 5209, 6174,
 6175, 6199, 6512, 9640, 10567
 \newlabel 2292, 4560, 5701, 5702,
 5710, 5736, 6352, 6380
 \newlabelxx 5703, 5704
 \newlength 13606
 \newline 477, 5784
 \newname 6205, 6504, 6526, 6550,
 6563, 6572
 \newsavebox 9178, 10604
 \newtie 13801, 13802, 14185, 14215,
 14234, 14250
 \newtoks 90, 5256, 10439, 10667,
 10668
 \newwrite 5730, 13493, 13572
 \next 7181, 7182, 7183, 10060,
 10062, 10064
 \nfss@text 7818, 7838, 7855, 7972
 \NG 14646
 \ng 14648
 \noboundary 16223
 \nobreak 2374, 2382, 2393, 2401,
 6713, 6859
 \nobreakspace 581, 7909, 7938,
 7941
 \noexpand 22, 93, 95, 108, 116, 169,
 171, 172, 173, 176, 206, 756,
 860, 1200, 1633, 1650, 1773,
 2145, 2380, 2381, 2382, 2385,
 2399, 2400, 2401, 2404, 3136,
 3138, 3140, 3141, 3142, 3144,
 3160, 3334, 3335, 3337, 3637,
 4337, 4510, 4590, 4720, 4722,
 4823, 5931, 5932, 5941, 5943,
 5946, 6065, 6364, 6365, 6367,
 6392, 6393, 6394, 6395, 6396,
 6404, 6405, 6406, 6566, 6729,
 6737, 6738, 6739, 6740, 6741,
 6743, 6868, 6957, 7032, 7047,
 7063, 7416, 7418, 7871, 7872,
 7988, 7989, 7994, 7996, 8001,
 8002, 8007, 8008, 8528, 9116,
 10504, 10571, 11094, 11345,
 11830, 11831, 11832, 11833,
 12304, 12305, 12306, 12307,
 12639, 12640, 12641, 12642,
 12914
 \nofrenchguillemets 600, 602
 \NoHy@OrgPageRef 5606, 5608,
 5678, 5680
 \NoHy@OrgRef 5602, 5604, 5674,
 5676
 \NoHyper 5610
 \nohyperpage 5656, 7567, 7569,
 7571
 \nolinkurl 4489
 \nolinkurl@ 4489, 4490
 \NomFancyVerbLineautorefname
 3064
 \Nomfootnoteautorefname 3044
 \Nomtheoremautorefname 3068
 \nonumber 6537, 6540
 \normalfont 509, 6598
 \normalsize 527, 6904, 6975
 \NR@gettitle 6894
 \null 7172, 7180, 7860, 7968
 \number 1034, 1038, 1041, 1049,
 1052, 1054, 1359, 1361, 1388,
 1389, 2091, 2149, 2150, 2151,
 2152, 2156, 2157, 2158, 2159,
 2160, 2164, 2165, 2166, 2167,
 2168, 2169, 2170, 2174, 2175,
 2176, 2177, 2178, 2179, 2182,
 2184, 2188, 2189, 2191, 2193,
 2195, 2198, 2202, 2203, 2204,
 2205, 2214, 2215, 2219, 2220,
 2227, 2228, 2232, 2235, 2236,
 2237, 2247, 2249, 2250, 2255,
 2257, 2258, 2263, 2264, 3657,
 4080, 4116, 4781, 6261, 6264,
 6268, 8159, 8162, 8942, 8960,
 8961, 8976, 8977, 8997, 8998,
 9014, 9015, 9035, 9036, 9052,
 9053
 \numberline 6897, 6968, 13292,
 13297
 \numberwithin 7421
 \numexpr 2156, 2157, 2158, 2160,
 2166, 2174, 2175, 2176, 2177,
 2178, 2179, 2183, 2185, 2189,
 2191, 2193, 2195, 2199, 2202,
 2203, 2205, 2214, 2219, 2236,
 2250, 2258, 2264, 3661
 \nun 16203

O

\O 14041, 14409, 14804
 \o 14109, 14477, 14806
 \obeylines 11093
 \OBJ@acroform 12236, 12237
 \OBJ@Helv 12217, 12226, 12537
 \OBJ@OCG@print 8195, 8198,
 8206, 8232, 9266, 9268, 9281,
 9285, 9294, 9323
 \OBJ@OCG@view 8180, 8198,
 8231, 9250, 9252, 9265, 9285,
 9322
 \OBJ@OCGs 8201, 8204, 8210,
 8215, 8220, 9282, 9284, 9288,
 9292, 9298, 9303, 9308

\OBJ@pdfdocencoding	12215, 12518, 12534
\OBJ@ZaDb	12216, 12225, 12527
\OCIRCUMFLEX	16046, 16144, 16145, 16146, 16147, 16148
\circ circumflex	16039, 16084, 16085, 16086, 16087, 16088
\oddsidemargin	7270
\OE	13910, 14662
\oe	13923, 14664
\offinterlineskip	5810
\OHORN	16047, 16149, 16150, 16151, 16152, 16153
\ohorn	3091, 3098, 16040, 16089, 16090, 16091, 16092, 16093
\oldb	810
\oldc	811
\oldcontentsline	5696, 5699, 5709
\oldd	812
\oldnewlabel	5701, 5706, 5710
\OMEGA	11591
\on@line	7318, 7319
\openout	5688, 5731, 13495, 13574
\OpMode	2781, 2784, 2795, 2809, 2812, 10149, 10240, 11038
\or	1068, 1069, 1070, 1071, 1072, 1073, 1074, 1075, 1076, 1090, 1091, 1092, 1093, 1094, 1095, 1096, 1097, 1098, 1113, 1114, 1115, 1116, 1117, 1118, 1119, 1120, 1121, 1206, 1207, 1208, 1209, 1210, 1211, 1212, 1213, 1214, 1215, 1216, 1217, 1218, 1219, 1220, 1221, 1222, 1223, 1224, 1225, 1226, 1227, 1228, 1229, 1230, 1231, 1232, 1233, 1234, 1235, 1236, 1237, 1255, 1277, 1280, 1286, 1287, 1288, 1289, 1290, 1291, 1292, 1293, 1294, 1295, 1296, 1297, 1298, 1299, 1300, 1301, 1302, 1303, 1304, 1305, 1306, 1307, 1308, 1309, 1310, 1311, 1312, 1313, 1314, 1315, 1316, 1317, 1322, 1323, 1324, 1325, 1326, 1327, 1328, 1329, 1330, 1331, 1332, 1333, 1334, 1335, 1336, 1337, 1338, 1339, 1340, 1341, 1342, 1343, 1344, 1345, 1346, 1347, 1348, 1349, 1350, 1351, 1352, 1353, 1366, 1367, 1368, 1369, 1370, 1482, 1483, 1484, 4941, 4947, 4952, 5166, 6236, 6237, 6238, 6239, 6245, 6246, 6247, 6248, 7341, 7345, 7783, 7792, 10142, 13413, 13414, 13415, 13416, 13417, 13418, 13419,
\pdf@addtoks	10670, 10689, 10695, 10704, 10711, 10715, 10717, 10719, 10721, 10723, 10731, 10740, 10744, 10746, 10748, 10751, 10760, 10764, 10766, 10768, 10770, 10772, 10774, 10776, 10778, 10780, 10782, 10784, 10786, 10788, 10790,
\pdf@box	10792, 10794, 10795, 10796, 10797, 10798, 10799, 10800, 10801, 10802, 10803, 10804, 10809
\pdf@defaulttoks	10571, 10668, 10669, 10679
\pdf@docset	10439
\pdf@endanchor	8291, 8335, 8342
\pdf@escapestring	8119
\PDF@FinishDoc	2735, 2736, 2789, 2790, 3788, 3842, 3945, 3946, 4045, 4046, 5655, 5820, 5821, 8604, 8811, 9065, 9514, 9641, 10208, 10440, 11301, 11462
\pdf@linktype	10589, 10593, 10684, 10685
\pdf@rect	10581, 10595, 10608
\PDF@SetupDoc	3787, 3841, 5573, 5574, 5654, 8535, 8812, 9096, 9554, 9642, 10157, 10491, 11182, 11332, 11463
\PDF@SetupDox	8535
\pdf@strcmp	892
\pdf@toks	10571, 10586, 10597, 10667, 10671, 10675
\pdf@type	10573, 10577, 10586, 10597, 10662, 10682
\pdfannotlink	8269
\pdfbookmark	2327, 5660, 5661, 13371, 13376, 13381, 13385
\pdfcatalog	5974, 8202, 8550, 8592, 12237
\PDFdefaults	10678
\pdfdest	8293
\pdfendlink	8332, 12280, 12371, 12385, 12411, 12435, 12458, 12479
\pdfescapestring	12943
\pdfform	8271
\PDFForm@Check	11981, 11983, 12476, 12477, 12843, 12847, 13013
\PDFForm@List	11897, 11899, 12382, 12383, 12730, 12735, 13071
\PDFForm@Name	12273, 12325, 12394, 12472, 12600, 12660, 12746, 12835, 12950
\PDFForm@Push	11921, 11923, 12408, 12409, 12762, 12766, 13042
\PDFForm@Radio	11885, 11889, 12361, 12363, 12699, 12711,

13104
 \PDFForm@Reset . 11962, 11964,
 12455, 12456, 12814, 12819,
 13204
 \PDFForm@Submit 11939, 11942,
 12428, 12430, 12786, 12791,
 13171
 \PDFForm@Text . 11804, 11806,
 12278, 12279, 12609, 12612,
 13136
 \pdfhorigin 8728
 \pdffinfo 8607
 \pdflastform 8272
 \pdflastlink 12197
 \pdflastobj 8180, 8195, 8201, 12236,
 12518, 12527, 12537
 \pdflastxform . 8272, 12159, 12161
 \pdflinkmargin . 8267, 8270, 8275
 \pdfliteral 8251, 8253, 8258
 \pdfm@box . 9178, 12572, 12573,
 12574, 12604, 12615, 12691,
 12715, 12726, 12737, 12756,
 12769, 12784, 12793, 12813,
 12821, 12838, 12849
 \pdfmark . 6083, 9116, 9125, 9155,
 10276, 10296, 10329, 10363,
 10380, 10392, 10426, 10463,
 10475, 10504, 10513, 10544,
 10568, 10817, 10831, 10846,
 10858, 10865, 10892, 10923,
 11345, 11354, 11385, 11805,
 11886, 11898, 11922, 11940,
 11963, 11982, 13536
 \pdfmark@ 10568, 10569
 \pdfmatch 262
 \pdfminorversion 8140
 \PDFNextPage 10829
 \PDFNextPage@ 10829, 10830
 \pdfobj . 8166, 8181, 8196, 12220,
 12485, 12519, 12528
 \PDFOpen 10857
 \pdfoptionpdfminorversion 8137
 \pdfoutline 13584
 \pdfpageattr 8646, 8650, 8651,
 8661, 8670, 8674, 8675, 8685,
 8693, 8696, 8697, 8707
 \pdfpageheight 8738, 8747, 8756,
 8763
 \pdfpageresources 8229
 \pdfpagesattr 8539, 8541, 8543
 \pdfpagewidth 8734, 8743, 8753,
 8760
 \PDFPreviousPage 10842
 \PDFPreviousPage@ 10843, 10845
 \pdffrefform 8273
 \pdfrfobj 12215, 12216, 12217
 \pdfrfxform 8273, 12161

 \pdfstartlink 8268, 8269,
 8327, 8371, 8409, 8446, 8774,
 12279, 12362, 12383, 12409,
 12429, 12456, 12477
 \pdfstringdef 442, 723, 3474, 3480,
 3486, 3492, 3497, 3503, 3510,
 3516, 3596, 5113, 5118, 5144,
 5787, 5867, 5869, 6345, 7253,
 12958, 13303
 \pdfstringdefDisableCommands .
 809, 848, 5658, 5782
 \pdfstringdefPostHook . 719, 842
 \pdfstringdefPreHook . 577, 842,
 854, 856, 5781, 5791
 \pdfstringdefWarn . 476, 477, 572,
 859, 1641, 1646, 1665, 1669
 \pdftexrevision . 8495, 8503, 8514
 \pdftexversion . 8490, 8492, 8495,
 8498, 8501, 8502, 8506, 8512,
 8513, 12214
 \pdfvorigin 8729
 \pdffxform 8271, 12157
 \peh 16216
 \penalty 1776, 2354, 4398, 7101,
 7124
 \phantom 532
 \phantomsection 3789, 5662, 7293,
 13238, 13289, 13675
 \Preamble 11587
 \PrerenderUnicode 3465
 \process@me 5761, 5773, 5774,
 8538, 8547
 \ProcessKeyvalOptions 3828
 \protect 1774, 4540, 6897,
 6968, 7032, 7047, 7063, 7179,
 7186, 7187, 7331, 7362, 7636,
 7688, 7817, 7837, 7843, 7854,
 7971, 8822, 8919, 9712, 9787,
 11193, 11473, 13310, 13608,
 13731, 13732
 \protected@edef 4575, 5927, 6435,
 6564, 6584, 8300, 9376, 9841,
 9920, 10418
 \protected@write 2291, 4559, 7159,
 7522, 7537, 7545, 7549, 7554,
 13309
 \protected@xdef 6738, 6740, 6834
 \providecommand
 2308, 2309, 2840, 3233,
 3234, 3237, 3238, 4033, 4229,
 4230, 4351, 4494, 5692, 5957,
 5976, 6101, 6997, 6998, 7013,
 7091, 7619, 7620, 7736, 8044,
 8045, 8046, 8047, 8048, 8049,
 8050, 8051, 8052, 8053, 8054,
 8055, 8056, 8057, 8058, 8059,
 8060, 8061, 8062, 8063, 8126,

 \RerunFileCheck 13397
 \Reset 5478
 \reset@font 7107, 7130, 7818, 7838,
 7855, 7972
 \revtex@checking 7084
 \Rightarrow 7770

\rlap	8252, 9344	\slidenumerline	7748, 7756, 7770, 7778, 7788, 7796	T	
\rm	520	\SliTeX	488	\T	16179
\rmfamily	510	\slshape	517	\t	13800, 14195, 14214, 14233, 14249
\Roman	5923	\small	529	\T@nameref	4266
\roman	5924	\smash	2355	\T@pageref	4236, 4253, 7916
\romannumeral	866, 867	\spacefactor	2334, 2340, 6713, 6722, 6859, 6861, 8280, 8288	\T@ref	4231, 4250
\rule	6781	\special@paper	3790	\T@temp	7085, 7088
S					
\sad	16191	\SpecialDvipdfmxOutlineOpen	.	\Ta	16193
\sbox	3461, 5498, 8875, 8955, 8992, 9030, 10605, 10637, 11249, 11524, 12156	.	2756, 2758, 4088	\taa	16180
\scr@LT@array	6450	\splitmaxdepth	6775	\tableautorefname	2911, 2929, 2947, 2965, 2983, 3001, 3019, 3049, 3077, 3095, 8052
\scriptsize	528	\splittopskip	6774	\tagform@	7392
\scriptstyle	7097	\SS	14125, 16019	\tatweel	16197
\scrollmode	1693, 1718, 1728, 1741, 1833, 1965	\ss	2962, 14055, 14140, 14423	\tccheh	16217
\scshape	516	\st@rredfalse	6483, 6492	\temp@online	7318, 7321
\section	7738	\stepcounter	6188, 6365, 6434, 6583, 6714, 6833, 9360, 13306	\TeX	478, 479, 486, 488, 11590, 11592, 11594
\sectionautorefname	2915, 2933, 2951, 2969, 2987, 3005, 3023, 3052, 3081, 3099, 8056	\stockheight	3794, 8762, 8763, 9627, 9628, 9766, 9767, 11021, 11022	\texorpdfstring	835, 5659
\seen	16189	\stockwidth	8759, 8760, 9626, 9628, 9769, 9770, 11020, 11022	\textacute	13764, 13776, 13788, 13968, 14199, 14218, 14336
\selectfont	496, 4212, 12245	\stop@hyper	5625	\textacutedbl	14868
\setbox	1777, 1783, 1789, 3261, 3267, 5307, 5809, 6631, 8242, 8802, 9317, 9334, 12604, 12691, 12726, 12756, 12784, 12813, 12838	\StringEncodingConvertTest	697, 707	\textaleph	15834
\setcounter	4429	\strip@period	2296	\textAlpha	1068, 14888, 14904
\setkeys	4404, 4449	\strip@prefix	62, 2289, 5763, 6283, 6567, 13532, 13540, 13555	\textalpha	1068, 14957, 14967
\setlength	426, 427, 2358, 8728, 8729, 8734, 8738, 8743, 8747, 8753, 8756, 8760, 8763, 9760, 9763, 9767, 9770, 10096, 13625, 13696	\strip@pt	431, 438, 3806, 8734, 8738, 8743, 8747, 10099, 13036, 13099, 13127, 13164, 13213	\textampersand	470, 13835, 14266
\setpdfinkmargin	3644, 3645, 8267	\strip@pt@and@otherjunk	10295, 10321, 10355	\textangstrom	15830
\settowidth	11823, 12297, 12632	\strutbox	6775	\textasciiaacute	14337
\SetupKeyvalOptions	3818	\sub@label	2283	\textasciibreve	13811, 14207, 14226, 14857
\sffamily	511	\subeqnarray	6543, 6545	\textasciicaron	13769, 13781, 13793, 13813, 14204, 14223, 14855
\shadda	16214	\subequations	6581, 6582	\textasciicircum	13765, 13777, 13789, 13849, 14200, 14219, 14282
\sheen	16190	\subfig@oldlabel	2285	\textasciidieresis	13767, 13779, 13791, 13945, 14202, 14221, 14313
\shortciteN	7222	\Submit	5475	\textasciigrave	13763, 13775, 13787, 13854, 14198, 14217, 14286
\SK@	8030	\SubmitObject	12431	\textasciimacron	13772, 13784, 13796, 13958, 14209, 14228, 14326
\SK@@ref	8030	\SubmitPObject	12431	\textasciitilde	471, 4314, 13864, 14297
\SK@ref	8027	\subparagraphautorefname	2919, 2937, 2955, 2973, 2991, 3009, 3027, 3060, 3062, 3085, 3103, 8060	\textasteriskcentered	14274
\skip@	1791, 1865, 1866, 1869, 1871, 2377, 2383, 2396, 2402	\subpdfbookmark	13373	\textbackslash	466, 631, 2271, 13847, 14280
\slide@cline	7756, 7769, 7777, 7787, 7795	\subsection	11286	\textbaht	15542
\Slide@contents	7761	\subsectionautorefname	2916, 2934, 2952, 2970, 2988, 3006, 3024, 3057, 3082, 3100, 8057	\textbar	13860, 14293
\slide@contents	7754	\subsubsectionautorefname	2917, 2935, 2953, 2971, 2989, 3007, 3025, 3058, 3083, 3101, 8058	\textbardbl	15704
\slide@heading	7632	\sukun	16215	\textBeta	1069, 14906
\slide@subheading	7685	\surd	7778	\textbeta	1069, 14140, 14969
\slide@undottedcline	7747			\textbf	503
				\textbigcircle	14216, 14235, 16004

\textblank	15852	\textdotaccent	13770, 13782, 13794, 13817, 14205, 14224, 14859
\textbraceleft ..	464, 2272, 13858, 14291	\textdotbelow	13774, 13786, 13798, 13841, 14213, 14232, 14878
\textbraceright ..	465, 2272, 13862, 14295	\textdoublegrave ..	14208, 14227, 14874
\textbrokenbar	13941, 14309	\textdownarrow	15842
\textbullet	13866, 15722	\texteighthinferior	15788
\textcdot	14139, 16032	\texteighthsuperior	15756
\textcedilla ..	13771, 13783, 13795, 13976, 14206, 14225, 14345	\textellipsis	474, 475, 13872, 15724
\textcelsius	14126, 15814	\textemdash	665, 13874, 15702
\textcent	13933, 14301	\textendash	666, 13876, 15700
\textChi	1118, 14946	\textEpsilon	1072, 14890, 14912
\textchi	1118, 15011	\textEpsilon	482, 485, 1072, 14959, 14975
\textcircled ..	14197, 14216, 14235, 15856, 15858, 15860, 15862, 15864, 15866, 15868, 15870, 15872, 15874, 15876, 15878, 15880, 15882, 15884, 15886, 15888, 15890, 15892, 15894, 15896, 15898, 15900, 15902, 15904, 15906, 15908, 15910, 15912, 15914, 15916, 15918, 15920, 15922, 15924, 15926, 15928, 15930, 15932, 15934, 15936, 15938, 15940, 15942, 15944, 15946, 15948, 15950, 15952, 15954, 15956, 15958, 15960, 15962, 15964, 15966, 15968, 15970, 15972, 15974, 15976, 15978, 15980, 15982, 15984, 15986, 15988, 15990, 15992, 15994, 15996, 15998, 16000	\textequalsuperior	15764
\textcircledP	15818	\textestimated	15832
\textcircumflex	13815	\textEta	1075, 14892, 14916
\textcolonmonetary	15796	\textEta	1075, 14961, 14979
\textcolor {535, 12211, 12250, 12253, 12546}		\textEuro	13929, 15808
\textcompwordmark	15698	\textexcldown	669, 979, 13931, 14299
\textcopyright	13947, 14315	\textfi	667, 13904, 16016
\textCR	13809, 14256	\textField	5460
\textcurrency	13937, 14305	\textfiveinferior	15782
\textdagger	13868, 15718	\textfivesuperior	15750
\textdaggerdbl	13870, 15720	\textfl	668, 13906, 16018
\textdegree ..	13960, 14126, 14328	\textflorin	13878, 14754
\textDelta	1071, 14910	\textflq	556, 14133, 16026
\textdelta	1071, 14973	\textflqq	554, 14131, 16024
\textDigammaGreek	15032	\textfourinferior	15780
\textdigammaGreek	15034	\textfoursuperior	15748
\textdiscount	15744	\textfractionsolidus	13880, 15738
\textdiv	14137, 16030	\textfrq	557, 14134, 16027
\textdivide ..	14107, 14137, 14475, 16030	\textfrqq	555, 14132, 16025
\textdivorced	16010	\textGamma	1070, 14908
\textdollar	468, 13831, 14262	\textgamma	1070, 14971
\textdong	15806	\textglq	552, 14129, 16022
		\textglqq	550, 14127, 16020
		\textgravedbl	14870
		\textgreater	13845, 14278
		\textgrq	553, 14130, 16023
		\textgrqq	551, 14128, 16021
		\textGslash	14773
		\textgslash	14775
		\textguarani	15812
		\textHslash	14569
		\texthslash	14571
		\textHT	13805, 14252
		\texthungarumlaut	13819, 14210, 14229, 14867, 14868
		\textinterrobang	15736
		\textIota	1090, 14894, 14920, 14953
		\textiotia	1090, 14963, 14983, 15017
		\textIotadieresis	14902, 14952
		\textit	505
		\textKappa	1091, 14922
		\textkappa	1091, 14985
		\textKoppagreek	1098, 15036
		\textkoppagreek	1098, 15038
		\textkra	14610
		\textLambda	1092, 14924
		\textlambda	1092, 14987
		\textlang	15848
		\textlatin	538, 6271
		\textlbrackdbl	16012
		\textleftarrow	15836
		\textless	13843, 14276
		\textLF	13807, 14254
		\textlira	15798
		\textlnot	13954, 14322
		\textlogicalnot	13953, 14135, 14321, 16028
		\textlongs	14752, 15684
		\textlquill	15740
		\textmacronbelow	13773, 13785, 13797, 13852, 14212, 14231, 14880
		\textmarried	16008
		\textmd	504
		\textmho	15828
		\textminus	13886, 15844
		\textminussuperior	15762
		\textMu	1093, 14926
		\textmu	1093, 13970, 14339
		\textmugreek	14989
		\textmultiply	14039, 14136, 14407, 16029
		\textmusicalnote	16006
		\textnaira	15800
		\textnapostrophe	14644
		\textneg	14135, 16028
		\textnewtie ..	14215, 14234, 14876
		\textnineinferior	15790
		\textninesuperior	15758
		\textnormal	499
		\textnsuperior	15770
		\textNu	1094, 14928
		\textnu	1094, 14991
		\textnumbersign ..	467, 13829, 14260
		\textnumeralsigngreek ..	1045, 14884
		\textnumeralsignlowergreek ..	1062, 1084, 1107, 14886
		\textnumero	15816
		\textogonek	13821, 14211, 14230, 14863
		\textohm	15826
		\textOmega ..	1120, 14900, 14950
		\textomega ..	1120, 15015, 15026
		\textOmicron ..	1096, 14896, 14932
		\textomicron ..	1096, 14995, 15021
		\textonehalf	13986, 14355
		\textoneinferior	15774
		\textonequarter ..	13984, 14353

\textonesuperior 13978, 14347
\textopenbullet 16002
\textordfeminine 13949, 14317
\textordmasculine 13980, 14349
\textparagraph 473, 13972, 14341
\textparenleft 673, 674, 13837,
 14270
\textparenleftinferior 15792
\textparenleftsuperior 15766
\textparenright 13839, 14272
\textparenrightinferior 15794
\textparenrightsuperior 15768
\textpercent 469, 13833, 14264
\textperiodcentered 13974, 14139,
 14343, 16032
\textpertenthousand 15728
\textperthousand 13888, 15726
\textpeseta 15802
\textpeso 15810
\textPhi 1117, 14944
\textphi 1117, 15009
\textPi 1097, 14934
\textpi 1097, 14997
\textplusminus 13962, 14138,
 14330, 16031
\textplussuperior 15760
\textpm 14138, 16031
\textPsi 1119, 14948
\textpsi 1119, 15013
\textquestiondown 670, 980,
 13990, 14359
\textquotedbl 13827, 14258
\textquotedblleft 13892, 14128,
 15712, 16021
\textquotedblrigh 13894, 15714
\textquotefont 13896, 14130, 15706,
 16023
\textquoteright 13898, 15708
\textquotesingle 14268
\textrangle 15850
\textrbrackdbl 16014
\textrecip 15820
\textreferencemark 15734
\textregistered 13956, 14324
\textRho 1113, 14936
\textrho 1113, 14999
\textrightarrow 15840
\textstring 13768, 13780, 13792,
 13823, 14203, 14222, 14861
\textrm 500
\textrquill 15742
\textSampigreek 1121, 15040
\textssampigreek 1121, 15042
\textsc 506
\textsection 13943, 14311
\textservicemark 15822
\textseveninferior 15786
\textsevensuperior 15754
\textsf 501, 12250, 12253
\textSigma 1114, 14938
\textsigma 1114, 15003
\textsixinferior 15784
\textsixsuperior 15752
\textsl 507
\textsterling 13935, 14303
\textStigmagreek 1073, 15028
\textstigmagreek 1073, 15030
\textsurd 15846
\TextSymbolUnavailable 13799,
 13800, 13802
\textTau 1115, 14940
\textttau 1115, 15005
\textTheta 1076, 14918
\texttheta 1076, 14981
\textthreeinferior 15778
\textthreequarters 13988, 14357
\textthreesuperior 13966, 14334
\texttie 14214, 14233, 14882
\texttilde 3904, 13766, 13778,
 13790, 13825, 14201, 14220,
 14865
\texttildelow 14872
\texttimes 14136, 16029
\texttrademark 13902, 15824
\textTslash 14702
\textttslash 14704
\texttt 502
\texttwoinferior 15776
\texttwosuperior 13964, 14332
\textunderscore 472, 4308, 4309,
 4311, 13851, 14284
\textup 508
\textuparrow 15838
\textUpsilon 1116, 14898, 14942,
 14955
\textupsilon 1116, 15007, 15019,
 15024
\textupsilonacute 14965, 15023
\textvarsigma 15001
\textvisibleSPACE 15854
\textwon 15804
\textXi 1095, 14930
\textxi 1095, 14993
\textyen 13939, 14307
\textzeroinferior 15772
\textzerosuperior 15746
\textZeta 1074, 14914
\textzeta 1074, 14977
\textTH 14053, 14421
\th 14121, 14489
\thaa 16181
\thebookmark@seq@number 13313
\theequation 6204, 6503, 6525,
 6549, 6585
\thefootnote 6673, 6853
\theHchapter 6145, 6146, 6147,
 6148, 6231
\theHenumi 6164
\theHenumii 6165
\theHenumiii 6166
\theHenumiv 6167
\theHequation 6135, 6205, 6504,
 6526, 6550, 6558, 6585, 6589
\theHfigure 6142, 6146
\theHHfootnote 6168, 6170
\theHHmpfootnote 6170
\theHItem 6158, 6164, 6165, 6166,
 6167
\theHlisting 3237
\theHlistlisting 3233
\theHmpfootnote 6169
\theHparagraph 6152, 6153
\theHparentequation 6584, 6589
\theHpart 6138
\theHsection 6135, 6141, 6148,
 6150, 6154, 6155, 6230
\theHslide 7623
\theHslidesection 7628, 7630, 7666,
 7670
\theHslidesubsection 7629, 7717,
 7721
\theHsubequation 6558
\theHsubparagraph 6153
\theHsubsection 6150, 6151
\theHsubsubsection 6151, 6152
\theHtable 6143, 6147
\theHtheorem 6154
\theHthm 6155
\theHy@tempcnt 4424, 4432, 4439
\thelisting 3237
\thelstlisting 3233
\thempfn 6662, 6739, 6741, 6834,
 6846
\theoremautorefname 2921, 2939,
 2957, 2975, 2993, 3011, 3029,
 3067, 3087, 3105, 8062
\thepage 2294, 4542, 5829, 5852,
 6345, 6353, 6380, 7110, 7133,
 7162, 7253, 7331, 7362, 7523,
 7540, 7546, 7550, 7557, 7820,
 7840, 7857, 7974
\theslideheading 7649
\theslidesection 7637, 7644, 7652,
 7658, 7660, 7662, 7668, 7678
\theslidesubheading 7650, 7701
\theslidesubsection 7689, 7696,
 7703, 7709, 7711, 7713, 7719,
 7729
\This@name 6182, 6183, 6201, 6202
\thispdfpagelabel 5834
\ThisShouldNotHappen 12921

\thm@headpunct	6603	\ttl@Hy@PatchSaveWrite ..	6396,	14519, 14521, 14523, 14545,	
\thm@headsep	6604	6400		14547, 14620, 14622, 14640,	
\thm@notefont	6602	\ttl@Hy@refstepcounter ..	6412	14642, 14674, 14676, 14690,	
\thm@postskip	6608	\ttl@Hy@saveanchor ..	6391, 6415	14692, 14698, 14700, 14748,	
\thm@preskip	6607	\ttl@Hy@SavedCurrentHref	6395,	14750, 14756, 14758, 14760,	
\thm@space@setup	6605	6406		14762, 14763, 14765, 14767,	
\thm@swap	6601	\ttl@Hy@steplink	6389	14769, 14771, 14777, 14779,	
\thmheadnl	6600	\ttl@savewrite	6402, 6404	14781, 14783, 14789, 14790,	
\tiny	530	\tw@ .	13628, 13633, 13699, 13704	14833, 14835	
\title	5740, 5742	\typeout	5, 6, 7, 19, 26, 27, 36,	\V@@@footnotetext	6783
\TMP@EnsureCode ..	4143, 4150,	131, 155, 158, 159, 160, 2733,		\V@@@footnotetext	6769
4151, 4152, 4153, 4154, 4155,		2787, 3939, 3941, 3943, 4043,		\value	7049, 7075, 7269, 7418, 9361,
4156, 4157, 4158, 4159, 4160,		4070, 4072, 4724, 9726, 9730,		9366	
4161, 4162, 4163, 4164, 4165,		9733, 9736, 9739, 9742, 9745,		\vbox	5493, 5494, 5495, 5496, 5809,
4166, 4167, 4168, 4169, 4170,		9748, 11457, 11782, 11990,		7263	
4171, 4172, 4173, 4174, 4175,		11993, 11996, 11999, 12002,		\vfill	5493, 5494, 5495, 5496
4176		12005, 12007, 12008, 12017,		\voffset	7264
\tocappendix	1529	12154, 12543, 13725, 16226		\vpageref	7919
\tocchapter	1528	U		\vphantom	533
\toplevel@chapter	3224	\U	14170, 15075, 15098, 15163,	\Vr@f	7905
\toplevel@figure	3230	15240, 15430, 15432, 15454,		\vr@f	7913
\toplevel@listing	3238	15456, 15466, 15468		\vref@pagenum	6426
\toplevel@lstlisting	3234	\u	14169, 14207, 14226, 14246,	\vref@space	7906, 7909, 7914
\toplevel@paragraph	3228	14497, 14499, 14533, 14535,		\vskip	2383, 2384
\toplevel@part	3220, 3222	14553, 14555, 14583, 14585,		\vss	7278
\toplevel@section	3225	14586, 14654, 14656, 14714,		\vtex@trans@special	10067, 10069,
\toplevel@subfigure	2308	14716		10072, 10076, 10080, 10084,	
\toplevel@subparagraph	3229	\UHORN	16048, 16159, 16160,	10086, 10088, 10092, 10098,	
\toplevel@subsection	3226	16161, 16162, 16163		10099, 10102	
\toplevel@subsubsection	3227	\uhorn	3091, 3098, 16041, 16099,	\VTeXInitMediaSize	9757, 9774
\toplevel@subtable	2309	16100, 16101, 16102, 16103			
\toplevel@table	3231	\UnDef	11564	\VTeXOS	10137, 10138, 10139,
\tocparagraph	1533	\unhbox	6645, 10606, 12615, 12737,	10141	
\tocpart	1527	12769, 12793, 12821, 12849		\VTeXversion	5978, 5981, 5984,
\tocsection	1530	\unhcopy	12715	10129, 10133	
\tocsubsection	1531	\unichar	2140		
\tocsubsubsection	1532	\Unicode	1241		
\toks	854,	\unrestored@protected@xdef	6662,	W	
855, 856, 4579, 4581, 4583,		6673, 6796, 6803, 6846, 6853			
4587, 4592, 7828, 7829, 7831,		\unskip	6596, 7095, 7906, 7910,	\waw	16205
13628, 13633, 13699, 13704		7914, 7919			
\toks@	171, 208, 405,	\upshape	518, 6602	\wawhamza	16174
408, 411, 429, 430, 749, 756,		\Url	4488		
788, 789, 1165, 1188, 1191,		\url	4487, 4491		
1193, 1701, 1702, 3117, 3118,		\url@	4491, 4492		
3120, 3624, 3628, 3629, 3637,		\use@file	4655, 4657, 4664		
4694, 4699, 4703, 4707, 5929,		\usefont	497		
5931, 6011, 6013, 6063, 6075,		\usepackage	2730		
6362, 6366, 6402, 6407, 7393,		\utf@viii@undeferr	459		
7394, 7600, 7605, 7607, 7610,		\UTFviii@four@octets	2136, 2145		
13627, 13633, 13698, 13704		\UTFviii@three@octets	2135		
\topmargin	7265	\UTFviii@two@octets	2134		
\trivlist	6599				
\tryhyper@link	4517, 4519	V			
\ttfamily	512	\v	13769, 13781, 13793, 13912,	X	
\ttl@b	6413, 6418	13917, 13925, 13927, 14180,			
\ttl@gobblecontents	6422	14204, 14223, 14245, 14517,			

2085, 2378, 2388, 2397, 2407,	13634, 13703, 13705	\z@ 727, 767, 892
2458, 2459, 2464, 2480, 3128,	\XeTeXrevision 4080, 9511	1061, 1083, 1106, 1357
3131, 3135, 3148, 3249, 3250,	\XeTeXversion 4080, 9511	1410, 1426, 1441, 1449
3253, 3254, 3255, 3259, 3262,	\XR@dURL 2315, 2316	1777, 1783, 1789, 1853
3268, 3627, 3633, 3636, 3639,	\XR@addURL 2315	1865, 1869, 2334, 2339
3794, 3795, 3800, 3801, 3859,	\XR@ext 2566, 2567, 4653, 4656, 5976,	2392, 2655, 2658, 2758
3860, 3861, 3864, 3867, 3870,	8126, 8810, 8913, 9173, 9638,	3267, 3796, 4088, 5979
4378, 4384, 4577, 4588, 4592,	10949, 11032, 11091, 11290,	6631, 6632, 6781, 8732
4595, 4670, 4671, 4672, 4684,	11454	8741, 8745, 8752, 8755
4695, 4696, 4697, 4698, 4701,	\XR@URL 2320	8762, 9620, 9621, 9626
4702, 4776, 4790, 4815, 4819,	\xspace 583, 585	10128, 10152, 10353,
4822, 4832, 5762, 5763, 5768,		10655, 11014, 11015,
6363, 6370, 6403, 6410, 6451,		11021, 11819, 12293,
6460, 6462, 6474, 7607, 7608,		12628, 13022, 13052,
7830, 7833, 7868, 7869, 7870,		13079, 13085, 13113,
7872, 7874, 8228, 8236, 8523,		13150, 13169, 13179,
8524, 8527, 8529, 8532, 9185,		13214, 13219, 13324,
9186, 9187, 9189, 9190, 9191,		13326, 13327, 13328,
9193, 9194, 9195, 9197, 9198,		13330, 13331, 13332,
9199, 9201, 9202, 9203, 9205,		13669
9206, 9207, 9209, 9210, 9211,		\z@skip
9213, 9214, 9216, 9222, 9231,		\za
10237, 10242, 10246, 10610,		\zay
10613, 10619, 10624, 10757,		\ZWNJ
10758, 11829, 11849, 12303,		
12323, 12638, 12658, 13632,		