



Document Object Model (DOM) Level 2 Views Specification

Version 1.0

W3C Proposed Recommendation 27 September, 2000

This version:

<http://www.w3.org/TR/2000/PR-DOM-Level-2-Views-20000927>
(PostScript file, PDF file, plain text, ZIP file)

Latest version:

<http://www.w3.org/TR/DOM-Level-2-Views>

Previous version:

<http://www.w3.org/TR/2000/CR-DOM-Level-2-20000510>

Editors:

Laurence Cable, *Sun*

Arnaud Le Hors, *W3C team contact until October 1999, then IBM*

Copyright © 2000 W3C® (MIT, INRIA, Keio), All Rights Reserved. W3C liability, trademark, document use and software licensing rules apply.

Abstract

This specification defines the Document Object Model Level 2 Views, a platform- and language-neutral interface that allows programs and scripts to dynamically access and update the content of a representation of a document. The Document Object Model Level 2 Views builds on the Document Object Model Level 2 Core [DOM Level 2 Core].

Status of this document

This is a W3C Proposed Recommendation for review by W3C members and other interested parties. W3C Advisory Committee Members are invited to send formal comments, visible only to the W3C Team, to dom-review@w3.org until October 25, 2000.

Comments on this document are invited and are to be sent to the public mailing list www-dom@w3.org. An archive is available at <http://lists.w3.org/Archives/Public/www-dom/>.

Publication as a Proposed Recommendation does not imply endorsement by the W3C membership. This is still a draft document and may be updated, replaced or obsoleted by other documents at any time. It is inappropriate to cite W3C Proposed Recommendations as other than "work in progress."

This document has been produced as part of the W3C DOM Activity. The authors of this document are the DOM WG members. Different modules of the Document Object Model have different editors.

A list of current W3C Recommendations and other technical documents can be found at <http://www.w3.org/TR>.

Table of contents

Expanded Table of Contents3
Copyright Notice5
1. Document Object Model Views9
Appendix A: IDL Definitions	11
Appendix B: Java Language Binding	13
Appendix C: ECMA Script Language Binding	15
Appendix D: Acknowledgements	17
References	19
Index	21

Expanded Table of Contents

Expanded Table of Contents3
Copyright Notice5
W3C Document Copyright Notice and License5
W3C Software Copyright Notice and License6
1. Document Object Model Views9
1.1. Introduction9
1.2. Interfaces9
Appendix A: IDL Definitions	11
Appendix B: Java Language Binding	13
Appendix C: ECMA Script Language Binding	15
Appendix D: Acknowledgements	17
D.1. Production Systems	17
References	19
1. Normative references	19
Index	21

Expanded Table of Contents

Copyright Notice

Copyright © 2000 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

This document is published under the W3C Document Copyright Notice and License [p.5] . The bindings within this document are published under the W3C Software Copyright Notice and License [p.6] . The software license requires "Notice of any changes or modifications to the W3C files, including the date changes were made." Consequently, modified versions of the DOM bindings must document that they do not conform to the W3C standard; in the case of the IDL binding, the pragma prefix can no longer be 'w3c.org'; in the case of the Java binding, the package names can no longer be in the 'org.w3c' package.

W3C Document Copyright Notice and License

Note: This section is a copy of the W3C Document Notice and License and could be found at <http://www.w3.org/Consortium/Legal/copyright-documents-19990405>.

Copyright © 1994-2000 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

Public documents on the W3C site are provided by the copyright holders under the following license. The software or Document Type Definitions (DTDs) associated with W3C specifications are governed by the Software Notice. By using and/or copying this document, or the W3C document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to use, copy, and distribute the contents of this document, or the W3C document from which this statement is linked, in any medium for any purpose and without fee or royalty is hereby granted, provided that you include the following on *ALL* copies of the document, or portions thereof, that you use:

1. A link or URL to the original W3C document.
2. The pre-existing copyright notice of the original author, or if it doesn't exist, a notice of the form: "Copyright © [date-of-document] World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. <http://www.w3.org/Consortium/Legal/>" (Hypertext is preferred, but a textual representation is permitted.)
3. *If it exists*, the STATUS of the W3C document.

When space permits, inclusion of the full text of this **NOTICE** should be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted pursuant to this license. However, if additional requirements (documented in the Copyright FAQ) are satisfied, the right to create modifications or derivatives is sometimes granted by the W3C to individuals complying with those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

W3C Software Copyright Notice and License

Note: This section is a copy of the W3C Software Copyright Notice and License and could be found at <http://www.w3.org/Consortium/Legal/copyright-software-19980720>

Copyright © 1994-2000 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

This W3C work (including software, documents, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to use, copy, and modify this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications, that you make:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers. If none exist, then a notice of the following form: "Copyright © [Date-of-software] World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. <http://www.w3.org/Consortium/Legal/>."
3. Notice of any changes or modifications to the W3C files, including the date changes were made. (We

recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

1. Document Object Model Views

Editors

Laurence Cable, Sun
Arnaud Le Hors, W3C

1.1. Introduction

A document may have one or more "views" associated with it, e.g., a computed view on a document after applying a CSS stylesheet, or multiple presentations (e.g., HTML Frame) of the same document in a client. That is, a view is some alternate representation of, or a presentation of, and associated with, a source document.

A view may be static, reflecting the state of the document when the view was created, or dynamic, reflecting changes in the target document as they occur, subsequent to the view being created. This Level of the DOM specification makes no statement about these behaviors.

This section defines an `AbstractView` [p.9] interface which provides a base interface from which all such views shall derive. It defines an attribute which references the target document of the `AbstractView`. The only semantics of the `AbstractView` defined here create an association between a view and its target document.

There are no subinterfaces of `AbstractView` [p.9] defined in the DOM Level 2.

However, `AbstractView` [p.9] is defined in and used in this Level in two places:

- A Document may implement a `DocumentView` [p.10] that has a default view attribute associated with it. This default view is typically dependent on the implementation (e.g., the browser frame rendering the document). The default view can be used in order to identify and/or associate a view with its target document (by testing object equality on the `AbstractView` [p.9] or obtaining the `DocumentView` attribute).
- A `UIEvent` typically occurs upon a view of a Document (e.g., a mouse click on a browser frame rendering a particular Document instance). A `UIEvent` has an `AbstractView` [p.9] associated with it which identifies both the particular (implementation-dependent) view in which the event occurs, and the target document the `UIEvent` is related to.

The interfaces found within this section are not mandatory. A DOM application can use the `hasFeature` method of the `DOMImplementation` interface to determine whether they are supported or not. The feature string for all the interfaces listed in this section is "Views" and the version is "2.0".

1.2. Interfaces

Interface *AbstractView* (introduced in **DOM Level 2**)

A base interface that all views shall derive from.

IDL Definition

```
// Introduced in DOM Level 2:
interface AbstractView {
    readonly attribute DocumentView    document;
};
```

Attributes

document of type DocumentView [p.10] , readonly
The source DocumentView [p.10] of which this is an AbstractView.

Interface *DocumentView* (introduced in **DOM Level 2**)

The DocumentView interface is implemented by Document objects in DOM implementations supporting DOM Views. It provides an attribute to retrieve the default view of a document.

IDL Definition

```
// Introduced in DOM Level 2:
interface DocumentView {
    readonly attribute AbstractView    defaultView;
};
```

Attributes

defaultView of type AbstractView [p.9] , readonly
The default AbstractView [p.9] for this Document, or null if none available.

Appendix A: IDL Definitions

This appendix contains the complete OMG IDL [OMGIDL] for the Level 2 Document Object Model Views definitions.

The IDL files are also available as:

<http://www.w3.org/TR/2000/PR-DOM-Level-2-Views-20000927/idl.zip>

views.idl:

```
// File: views.idl

#ifndef _VIEWS_IDL_
#define _VIEWS_IDL_

#include "dom.idl"

#pragma prefix "dom.w3c.org"
module views
{

    interface DocumentView;

    // Introduced in DOM Level 2:
    interface AbstractView {
        readonly attribute DocumentView    document;
    };

    // Introduced in DOM Level 2:
    interface DocumentView {
        readonly attribute AbstractView    defaultView;
    };
};

#endif // _VIEWS_IDL_
```

views.idl:

Appendix B: Java Language Binding

This appendix contains the complete Java [Java] bindings for the Level 2 Document Object Model Views.

The Java files are also available as

<http://www.w3.org/TR/2000/PR-DOM-Level-2-Views-20000927/java-binding.zip>

org/w3c/dom/views/AbstractView.java:

```
package org.w3c.dom.views;

public interface AbstractView {
    public DocumentView getDocument();
}

```

org/w3c/dom/views/DocumentView.java:

```
package org.w3c.dom.views;

public interface DocumentView {
    public AbstractView getDefaultView();
}

```

org/w3c/dom/views/DocumentView.java:

Appendix C: ECMA Script Language Binding

This appendix contains the complete ECMA Script [ECMAScript] binding for the Level 2 Document Object Model Views definitions.

Note: Exceptions handling is only supported by ECMAScript implementation compliant with the Standard ECMA-262 3rd. Edition ([ECMAScript]).

Object **AbstractView**

The **AbstractView** object has the following properties:

document

This read-only property is of type **DocumentView**.

Object **DocumentView**

The **DocumentView** object has the following properties:

defaultView

This read-only property is of type **AbstractView**.

Appendix D: Acknowledgements

Many people contributed to this specification, including members of the DOM Working Group and the DOM Interest Group. We especially thank the following:

Lauren Wood (SoftQuad Software Inc., *chair*), Andrew Watson (Object Management Group), Andy Heninger (IBM), Arnaud Le Hors (W3C and IBM), Ben Chang (Oracle), Bill Smith (Sun), Bill Shea (Merrill Lynch), Bob Sutor (IBM), Chris Lovett (Microsoft), Chris Wilson (Microsoft), David Brownell (Sun), David Singer (IBM), Don Park (invited), Eric Vasilik (Microsoft), Gavin Nicol (INSO), Ian Jacobs (W3C), James Clark (invited), James Davidson (Sun), Jared Sorensen (Novell), Joe Kesselman (IBM), Joe Lapp (webMethods), Joe Marini (Macromedia), Johnny Stenback (Netscape), Jonathan Marsh (Microsoft), Jonathan Robie (Texcel Research and Software AG), Kim Adamson-Sharpe (SoftQuad Software Inc.), Laurence Cable (Sun), Mark Davis (IBM), Mark Scardina (Oracle), Martin Dürst (W3C), Mick Goulish (Software AG), Mike Champion (Arbortext and Software AG), Miles Sabin (Cromwell Media), Patti Lutsky (Arbortext), Paul Grosso (Arbortext), Peter Sharpe (SoftQuad Software Inc.), Phil Karlton (Netscape), Philippe Le Hégarret (W3C, *W3C team contact*), Ramesh Lekshmyarayanan (Merrill Lynch), Ray Whitmer (iMall, Excite@Home and Netscape), Rich Rollman (Microsoft), Rick Gessner (Netscape), Scott Isaacs (Microsoft), Sharon Adler (INSO), Steve Byrne (JavaSoft), Tim Bray (invited), Tom Pixley (Netscape), Vidur Apparao (Netscape), Vinod Anupam (Lucent).

Thanks to all those who have helped to improve this specification by sending suggestions and corrections.

D.1: Production Systems

This specification was written in XML. The HTML, OMG IDL, Java and ECMA Script bindings were all produced automatically.

Thanks to Joe English, author of cost, which was used as the basis for producing DOM Level 1. Thanks also to Gavin Nicol, who wrote the scripts which run on top of cost. Arnaud Le Hors and Philippe Le Hégarret maintained the scripts.

For DOM Level 2, we used Xerces as the basis DOM implementation and wish to thank the authors. Philippe Le Hégarret and Arnaud Le Hors wrote the Java programs which are the DOM application.

Thanks also to Jan Kärroman, author of html2ps, which we use in creating the PostScript version of the specification.

References

For the latest version of any W3C specification please consult the list of W3C Technical Reports available at <http://www.w3.org/TR>.

E.1: Normative references

DOM Level 2 Core

W3C (World Wide Web Consortium) Document Object Model Level 2 Core Specification, September 2000. Available at <http://www.w3.org/TR/2000/PR-DOM-Level-2-Core-20000927>

ECMAScript

ECMA (European Computer Manufacturers Association) ECMAScript Language Specification. Available at <http://www.ecma.ch/ecma1/STAND/ECMA-262.HTM>

Java

Sun Microsystems Inc. The Java Language Specification, James Gosling, Bill Joy, and Guy Steele, September 1996. Available at <http://java.sun.com/docs/books/jls>

OMGIDL

OMG (Object Management Group) IDL (Interface Definition Language) defined in The Common Object Request Broker: Architecture and Specification, version 2.3.1, October 1999. Available from <http://www.omg.org/>

E.1: Normative references

Index

AbstractView

defaultView

document

DocumentView

DOM Level 2 Core

ECMAScript

Java

OMGIDL